California Dept of Transportation

MPQP

AC, PCC, Rubber & Other Batch Operations

Report Number 16-41 | calib date 3/31/2016 | district 01 | 109 by G. Thorpe | plant controller Rex Manual

plant type PCC Batch | plant owner Bed Rock Inc. | plant location 38351 Hwy 1 Guallala, CA

scale acceptable to 32000 Lbs | useable scale capacity 32000 | largest noted error, for this scale 1 Grad

scale number 1 | material type aggregate | graduation size 20.0

step number	applied test weight	applied build-up weight	total applied weight	adjustment from last step	adjusted total weight	indicated weight	actual error	error in grads	USEABILITY	remarks
1	8000	0	8000	always zero for 1st step	8000	7980	-20.0	-1.0	Acceptable	
2	8000	8000	16000	0	16000	16000	0.0	0.0	Acceptable	
3	8000	16000	24000	0	24000	24000	0.0	0.0	Acceptable	
4	8000	24000	32000	0	32000	32000	0.0	0.0	Acceptable	

scale acceptable to 6000 Lbs | useable scale capacity 10000 | largest noted error, for this scale 0

scale number 2 | material type cement | graduation size 5

step number	applied test weight	applied build-up weight	total applied weight	adjustment from last step	adjusted total weight	indicated weight	actual error	error in grads	USEABILITY	remarks
1	1000	0	1000	always zero for 1st step	1000	1000	0	0	Acceptable	
2	2000	0	2000	0	2000	2000	0	0	Acceptable	
3	4000	0	4000	0	4000	4000	0	0	Acceptable	
4	6000	0	6000	0	6000	6000	0	0	Acceptable	

scale acceptable to 35200 | useable scale capacity 1000000 | largest noted error, for this scale 1 Grad

scale number 3 | material type water | graduation size 62.55

step number	applied test weight	applied build-up weight	total applied weight	adjustment from last step	adjusted total weight	indicated weight	actual error	error in grads	USEABILITY	remarks
1	4170		4170	always zero for 1st step	4170	4140	-30	-.4796	Acceptable	500 Gal metered, 496 gal delivered 0.81% O.K.
2	4170		4170		4170	4160	-10	-.1598	Acceptable	500 Gal metered, 499 Gal delevered 0.20% O.K.

scale acceptable to | useable scale capacity | largest noted error, for this scale

scale number | material type | graduation size

step number	applied test weight	applied build-up weight	total applied weight	adjustment from last step	adjusted total weight	indicated weight	actual error	error in grads	USEABILITY	remarks
				always zero for 1st step						

Test Notes

INTERLOCKS OK
PRINTER OK
PLANT CERTIFIED FOR STATE USE
SPAN NUMBER 7040
707-884-4200
BARTOLOMI SCALE - PAUL
707-528-0620