

## A

<b>AASHTO STANDARDS</b>	Policy on Use of	82.3
<b>ABANDONMENT</b>	Water Wells	110.2
<b>ABBREVIATIONS</b>	Official names	61.1
<b>ABRASION</b>		855.2
<b>ACCELERATION LANE</b>	At Rural Intersections	405.1
<b>ACCESS CONTROL</b>	Definition	62.6
		104
	Alignment, Existing	104.3
	Alignment, New	104.3
	Frontage Roads	104.3
	Frontage Roads Financed by Others	104.3
	General Policy	104.1
	Highways, Definition	62.3
	Interchanges	504.8
	Intersections	405.6
	Openings	104.2
	Openings, Financial Responsibility	205.5
	Openings on Expressways	205.1
	Openings in Relation to Median Openings	104.5
	Rights, Protection of	104.4
<b>ACCESSIBILITY REQUIREMENTS</b>	Curb Ramps, Guidelines for	105.4
	Driveways	205.3
	Provisions for Disabled Persons	105.3
	Refuge Areas	403.7
	Roadside Sites	912.1
<b>ACCIDENT DATA</b>	Intersections	402.2
<b>ACCRETION</b>	Definition	806.2
<b>ACQUISITION</b>	Definition	62.6
	Partial	62.6
	of Material and Disposal Sites	111.5
<b>ADT/AADT</b>	see AVERAGE DAILY TRAFFIC	
<b>AESTHETIC FACTORS</b>	Contour Grading and Slope Rounding	304.4
	In Design	109.3
	Landscape Architecture Design	901.2
	Materials and Color Selection	705
	Noise Barrier	1102.6

December 31, 2020

	Retaining Walls	210.5
<b>AGGRADATION</b>	Definition	806.2
<b>AGGREGATE BASE</b>	see BASE Engineering Criteria	663
<b>AGGREGATE SUBBASE</b>	Engineering Criteria	663
<b>AGGRESSIVE</b>	Definition	806.2
<b>AGREEMENTS</b>	Drainage, Cooperative	803.2
	Materials	111.4
<b>AIR POLLUTION</b>	Control of Burning	110.3
	Control of Dust	110.3
<b>AIR RIGHTS</b>		62.6
<b>AIRWAY-HIGHWAY</b>		207
	Clearances	207.2
	Submittal of Data	207.3
<b>ALIGNMENT</b>	Aesthetic Factors	109.3
	Bridges	203.9
	Channel	862.2
	Consistency (Horizontal)	203.3
	Controls (Horizontal)	203.1
	Coordination (Horizontal/Vertical)	204.6
	Culverts	823.2
	Horizontal	203
	Vertical (Grade)	204
<b>ALLEY</b>	Definition	62.3
<b>ALLUVIUM</b>	Definition	806.2
<b>ALTERNATIVES FOR CULVERT PIPES</b>		857
<b>ALUMINUM PIPE</b>		852.5
<b>ANGLE OF INTERSECTION</b>		403.3
<b>APPRAISAL</b>		62.6
<b>APPROACH SLABS, STRUCTURE</b>	New Construction Projects	208.11
	Rehabilitation Projects	209.4
<b>APPROVALS</b>	Nonstandard Design Features	82.2
	Proprietary Items	110.10
	Special Designs	606.2
<b>AREAS OF CONFLICT</b>	Intersections	403.2
<b>ARTERIAL</b>	Minor, Definition	81.4

	Principal, Definition	81.4
<b>AQUEDUCT</b>	Definition	806.2
<b>AQUIFER</b>	Definition	806.2
		841.2
<b>ARCH CULVERTS</b>		852.3
		852.4
		852.5
		852.6
<b>ARMOR</b>		873.3
<b>ARTERIAL HIGHWAYS</b>		62.3
<b>ARTESIAN WATERS</b>	Definition	806.2
<b>ASPHALT CONCRETE</b>	see FLEXIBLE PAVEMENT	
<b>ASPHALT TREATED PERMEABLE BASE</b>	Definition	62.7
	Catalog	623.1
	Design, Asphalt Pavement	633.1
	Pavement Drainage	662.3
<b>AUXILIARY LANES</b>		62.1
	Interchange	504.5
<b>AVAILABLE HEAD, USE OF</b>		821.1
		821.4
<b>AVERAGE DAILY TRAFFIC</b>		62.8
		103.1
<b>AVULSION</b>	Definition	806.2
<b>AXIS OF ROTATION</b>	Superelevation	202.4
<b>AXLE LOADS, EQUIVALENT SINGLE</b>	see EQUIVALENT SINGLE AXLE LOADS	

**B**

<b>BACKFILL, CULVERTS</b>		829.2
<b>BACKWATER</b>	Definition	806.2
		821.4
		864.4
<b>BAFFLE</b>		873.4
<b>BANK</b>	Definition	806.2
	Guide	873.4

	Protection, Definition	806.2
<b>BANK PROTECTION</b>		870
	Armor	873.3
	Design, Concepts	873.1
	Design, High Water and Hydraulics	873.2
	Geomorphology and Site Considerations	872.3
	Training	873.4
<b>BARRIER</b>	Concrete on Walls	210.6
	Median	305.3
	Noise	1100
	Railing	208.10
<b>BASE</b>	Definitions	62.7
	Aggregate Base	662.1
	Cement Treated Base	662.2
	Engineering Properties for Base	663
	Concrete Base	662.2
	Hot Mixed Asphalt Base	662.2
	Lean Concrete Base	662.2
	Recycled Pavement Base	662.2
	Treated Base	662.2
	Treated Permeable Base	662.3
<b>BASEMENT SOIL</b>	see SUBGRADE	
<b>BASIN CHARACTERISTICS</b>	Elevation	812.7
	Land Use	812.4
	Orientation	812.8
	Shape	812.2
	Size	812.1
	Slope	812.3
	Soil & Geology	812.5
	Storage	812.6
<b>BEDLOAD</b>	Definition	806.2
		851.2
<b>BENCHES</b>	Drains	834.4
	Slope	304.3
<b>BERM</b>		835
<b>BIKEWAY</b>	Class I, Design Criteria	1003
	Class II Width	301.2
	Class III	1003.3
	Class IV	1002.1

	Definitions	62.1 1001.4
	Design Considerations	404.2
	Facilities	1002
	Markings	1004
	Overcrossings	208.6
	Planning Criteria	1002
	Railings	208.10
	Refuge Areas	403.7
	Standards	1000
	Traffic Control Devices	1004
	Trails	1003.4
	Undercrossings	208.6
<b>BITUMINOUS</b>	Coatings On Pipes	852.4
<b>BORDER INSPECTION STATIONS</b>		107.3
<b>BORROW</b>	Definition	62.7
<b>BRANCH CONNECTION</b>		62.4
	Freeway-to-freeway	504.4
	Interchange, Entrances and Exits	504.2
<b>BRIDGE REPLACEMENT &amp; REHABILITATION PROGRAM</b>		43.3
<b>BRIDGES</b>		208
	Alignment	203.9
	Approach Railing	208.10
	Clearances	309
	Deer Crossing	208.8
	Definition	62.2
	Embankment Slopes	208.5
	Equipment Crossings	208.8
	Falsework Clearance	204.8
	Flood Design	821.3
	Grade Line	204.7
	Overloads	110.1
	Slope Treatment, End	707
	Structure Depth	204.8
	Structure, Open End	208.5
	Types of Structures	62.2
	also see GRADE SEPARATION STRUCTURES	
<b>BROKEN-BACK CURVE</b>	see CURVES	
<b>BULBOUTS</b>	see CURB, EXTENTIONS	
<b>BULKHEADS</b>	Type	873.3 883.3

May 20, 2022

<b>BULKING</b>	Definition	806.2
	Factors	813.8
		861.2
		864.3
<b>BUSBAYS</b>	see CURB, EXTENTIONS	
<b>BUSBULBS</b>	see CURB, EXTENTIONS	
<b>BUSINESS DISTRICT</b>	Definitions	62.6
<b>BYPASS HIGHWAY</b>		62.3

## C

<b>CALIFORNIA OPERATIONAL SAFETY AND HEALTH (CAL-OSHA)</b>		
	Tunnel Safety Orders	110.12
<b>CALIFORNIA R-VALUE</b>	Definition	62.7
	Measurement of	614.4
<b>CALIFORNIA ROAD SYSTEM MAP</b>		81.4
<b>CAMBER</b>	Definition	806.2
		829.2
<b>CANTILEVER WALLS</b>		210.1
<b>CAPACITY</b>	Drainage Structure	806.2
	Highway	102
	Intersection	402.1
	Operational Features Affecting Design	402.1
	Ramp Intersection	406
<b>CAPILLARITY</b>	Definition	806.2
<b>CAPILLARY WATER</b>	Definition	806.2
		841.2
<b>CAPITAL PREVENTATIVE MAINTENANCE</b>		603.3
<b>CATCH BASIN</b>	Definition	806.2
	Inlets	837.2
<b>CATCH POINT</b>	Clearance to Right of Way Line	304.2
	Side Slope Standards	304.1
<b>CATTLE PASSES</b>		208.8
<b>CEMENT TREATED PERMEABLE BASE</b>	also see BASE Definition	62.7

<b>CENTRAL ANGLE</b>		203.4
<b>CENTRIFUGAL FORCE</b>	Formula	202.1
	Superelevation	202
<b>CHAIN LINK</b>	Fences	701.2
	Railings, Bridges	208.10
<b>CHANNEL, ROADSIDE</b>	Alignment & Grade	862.2
	Changes	867
	Characteristics	813
	Cross Section	863
	Design Consideration	861
	Flow Classifications	866.2
	Flow Equations	866.3
	Linings	865
	Stability	864
	Unlined	861.9
<b>CHANNELIZATION</b>		62.4
	Design Standards	405
	Left-turn	405.2
	Principles of	403
	Right-turn	405.3
<b>CHANNELIZATION, PRINCIPLES OF</b>		403
	Angle of Intersection	403.3
	Areas of Conflict	403.2
	Major Movements	403.1
	Points of Conflict	403.4
	Precautions	403.12
	Prohibited Turns	403.8
	Refuge Areas	403.7
	Signal Control	403.9
	Speed-change Areas	403.5
	Summary	403.11
	Traffic Control Devices	403.10
	Turning Traffic	403.6
<b>CHECK DAM</b>	Definition	806.2
<b>CIENEGA</b>	Definition	806.2
<b>CLEANOUT</b>	Definition	806.2
		842.4
<b>CLEAR DISTANCE</b>	Stopping Sight Distance on Horizontal Curves	201.6
<b>CLEAR RECOVERY ZONE</b>		309.1
<b>CLEARANCES</b>		309

December 31, 2020

	Airway-highway	207
	Falsework	204.6
	Lateral, for Elevated Structures	309.4
	Minimum	309.1
	Pedestrian Over Crossings	309.2
	Railroad	309.5
	Signs, Vertical	309.2
	Slope to Right of Way Line	304.2
	Structures, Horizontal	309.1
	Structures, Vertical	309.2
	Tunnel	309.3
<b>CLIMATE</b>	Pavement Map	615
<b>CLIMBING LANES</b>	Transitions	206.2
	Sustained Grades	204.5
<b>CLOVERLEAF INTERCHANGE</b>	Local Streets	502.2
	Freeway-to-freeway	502.3
<b>COATINGS</b>	Pipe	852.4
<b>COEFFICIENT OF ROUGHNESS</b>	Channels	866.3
	Conduit	851.2
<b>COEFFICIENT OF RUNOFF</b>	Definition	806.2
		819.2
<b>COLLECTOR ROAD</b>	Definition	62.3
		81.4
<b>COLLISIONS</b>		402.2
<b>COLORS, SELECTION</b>	Concrete	705.1
	Steel Structures	705.2
<b>COMFORT FACILITIES</b>	Safety Roadside Rest Area	913
<b>COMFORTABLE SPEEDS</b>	see MAXIMUM COMFORTABLE SPEED	
<b>COMMERCIAL DRIVEWAYS</b>		205
<b>COMMUNITY NOISE ABATEMENT PROGRAM</b>		1101.4
<b>COMPOSITE PAVEMENT</b>	Definition	62.7
	Engineering Properties	642.1
	Mechanistic-Empirical Method	606.3
	New Construction	643
	Pavement Preservation	644
	Performance Factors	642.2
	Reconstruction	643
	Rehabilitation	645



	Types	641
<b>COMPOUND CURVES</b>		203.5
	Superelevation	202.6
<b>CONCENTRATED FLOW</b>	Definition	806.2
<b>CONCENTRATION</b>	Drainage, Definition	806.2
<b>CONCRETE</b>	Base, Lean	62.7
		662.2
	Gravity Walls	210.2
	Painting	705.1
	Pavement, Rigid	620
	Portland Cement Pavement (PCCP)	
	see RIGID PAVEMENT	
	Retaining Walls	210.2
<b>CONDEMNATION</b>	Definition	62.6
	Inverse	62.6
<b>CONDUIT</b>	Cross Section	851.2
	Definition	806.2
	Irrigation	905.3
	Protective Coating	854.3
<b>CONGESTION MITIGATION AND AIR QUALITY</b>		
<b>IMPROVEMENT PROGRAM (CMAQ)</b>		43.2
<b>CONNECTIONS</b>	Access Openings on Expressways	205.1
	Branch	62.4
	Branch Interchange, Entrances and Exits	504.2
	Driveways on Frontage Roads	205.4
	Driveways on Rural Roads	205.4
	Driveways on Urban Roads	205.3
	Financial Responsibility	205.5
	Freeway-to-freeway	62.4
		504.4
	Freeway with Local Roads	106.2
	Local Facility	203.1
	Private Road	205.2
	Roadway	107.1
<b>CONSERVATION OF MATERIALS AND ENERGY</b>		110.11
<b>CONSTRUCTIBILITY</b>	Pavement	618.2
<b>CONTINUOUSLY REINFORCED CONCRETE PAVEMENT</b>		621.1
	also see RIGID PAVEMENT	

September 29, 2023

<b>CONSTRUCTION</b>	Freeway Connections with Local Roads	106.2
	Initial and Stage	106.1
	Temporary Features	82.1
	Temporary Pavements and Detours	612.6
<b>CONTOUR GRADING</b>		304.4
	Aesthetics	109.3
<b>CONTRACTORS YARDS/PLANT SITES</b>		112
<b>CONTRAST TREATMENT</b>		704
	Policy	704.1
<b>CONTROL</b>	Drainage, Definition	806.2
	Erosion	110.2
		906
	Traffic, Devices	62.8
		403.10
	Traffic, Special Problems	110.7
<b>CONTROL OF ACCESS</b>	see ACCESS CONTROL	
<b>CONTROL OF POLLUTION</b>	see POLLUTION CONTROL	
<b>CONTROLLED ACCESS HIGHWAY</b>		62.3
<b>CONTROLLING CRITERIA</b>		82.1
<b>CONVENTIONAL HIGHWAYS</b>		62.3
	Sidewalks	105.1
<b>COORDINATION WITH OTHER AGENCIES</b>		108
	Transit Loading Facilities	108.2
	Divided Nonfreeway Facilities	108.1
	with FHWA	108.3
<b>COST REDUCTION INCENTIVE PROPOSALS</b>	Walls	210.4
<b>COUNTERFORT WALLS</b>		210.2
<b>CRASH CUSHIONS</b>		702.1
<b>CRITICAL</b>	Depth, Definition	806.2
	Flow, Definition	806.2
	Slope, Definition	806.2
	Velocity, Definition	806.2
<b>CROSS DRAINAGE</b>		820
<b>CROSS SECTION</b>	City Streets and County Roads	308.1
	Clear Recovery Zone,	309.1
	Effects on Drainage	833

	Frontage Roads	310.1
	Geometric	62.1
	Grade	204.2
	Multilane, All Paved	307.5
	Multilane, Divided	307.4
	Multilane, 2R & 3R Criteria	307.6
	Outer Separation	310.2
	State Highway	307
	Two-lane, New Construction	307.2
	Two-lane, 2R & 3R	307.3
	Warrants for	307.1
<b>CROSS SECTION, OTHER THAN STATE HIGHWAY ROADS</b>		<b>308</b>
	City and County Roads	308.1
<b>CROSS SECTION, STATE HIGHWAY</b>	see CROSS SECTION	
<b>CROSS SLOPES</b>	Effects on Drainage	833
	Gutter	303.2
	Median	305.2
	Pavement	301.2
	Shoulder	302.2
	Structures	208.2
<b>CROSSINGS</b>	Bicycle	208.6
	Deer	208.8
	Equestrian	208.7
	Equipment	208.8
	Pedestrian	208.6
	Railroad	104.3
<b>CUL-DE-SAC STREET</b>		<b>62.3</b>
<b>CULVERTS</b>	Alignment & Slope	823.4
	Alternative Pipes	857
	Anchorage	829.5
	Available Head	821.4
	Backwater	825.1
	Bedding & Backfill	829.2
	Box and Arch	852.3
	Bridges	821.3
	Buoyant Forces	826.3
	Camber	823.2
	Choice of Type	851.2
	Culvert Design System	825.3
	Curvature	823.2
	Definition	806.2
	Design Discharge	821.2
	Design Flood, Definition	806.2

December 31, 2020

Design Frequency, Definition	806.2
Design Storm, Definition	806.2
End Treatment	826.2
Entrance Design	826
Entrance Riser	826.3
Gradeline	823.2
Headwall	826.3
Headwater	821.4
Height of Cover	829.2
	856
Hydrologic Considerations	821.2
Improved Inlets	826.4
Inlet Control	825.2
Joints	829.4
Length	854.1
Minimum Cover	828.3
Multiple Pipes	856.5
Outlet Design	824.2
Piping	827
Roughness	829.3
Sag	851.2
Service Life	829.7
Settlement	855
Slope	829.2
Transitions	823.2
Type Selection	826.4
	824
<b>CURB RAMPS</b>	105.4
Guidelines for	105.4
Policy and Procedure	105.3
<b>CURBS</b>	303
Bridges	303.5
Design Considerations	404.2
Extensions	303.4
Frontage Roads and Streets	303.6
General Policy	303.1
Grade Separations	303.5
Gutter Pan, Cross Slope	303.2
Median	305.4
Position of	303.5
Ramps	504.3
Returns, for City Streets	405.8
Structures	303.5
Types and Uses	303.2

<b>CURVES</b>	<ul style="list-style-type: none"> <li>Broken-back 203.7</li> <li>Compound 203.5</li> <li>Compound, Superelevation of 202.6                             <ul style="list-style-type: none"> <li>Horizontal 203</li> <li>Length and Central Angle 203.4</li> <li>Location of Ramp on 504.2</li> </ul> </li> <li>Maximum Comfortable Speeds 202.2                             <ul style="list-style-type: none"> <li>Radius 203.2</li> </ul> </li> <li>Ramp Widening 504.3                             <ul style="list-style-type: none"> <li>Reversing 203.6</li> </ul> </li> <li>Reversing, Superelevation Transition for 202.5                             <ul style="list-style-type: none"> <li>Spiral 203.8</li> <li>Superelevation 202</li> <li>Three-Center 405.7</li> <li>Vertical 204.4</li> </ul> </li> </ul>
<b>CUT WIDENING</b>	304.3
<b>D</b>	
<b>D-LOAD</b>	<ul style="list-style-type: none"> <li>Cracking D-Load 856.2</li> <li>Definition 806.2</li> <li>Reinforced Concrete Pipe 852.1</li> </ul>
<b>DAM</b>	829.9
<b>DEAD END STREET</b>	<ul style="list-style-type: none"> <li>Definition 62.3</li> </ul>
<b>DEBRIS</b>	813.8
	<ul style="list-style-type: none"> <li>Barrier, Definition 806.2</li> <li>Basin, Definition 806.2</li> <li>Bulking 813.8</li> <li>Control Structure 822.2                             <ul style="list-style-type: none"> <li>Definition 806.2</li> </ul> </li> <li>Rack, Definition 806.2</li> <li>Riser 822.2</li> </ul>
<b>DECELERATION LANE</b>	403.4
	<ul style="list-style-type: none"> <li>Left Turns 405.2</li> <li>Right Turns 405.3</li> </ul>
<b>DECISION SIGHT DISTANCE</b>	201.7
<b>DEER CROSSINGS</b>	208.8
<b>DEFENSE ROUTE</b>	Rural and Single Interstate Routes 309.2
<b>DEFINITIONS</b>	62
	<ul style="list-style-type: none"> <li>Drainage 806.2</li> </ul>

May 20, 2022

	Pavement Structural Section	62.7
	Deflection Studies	635.2
<b>DEGRADATION</b>	Definition	806.2
<b>DELAY</b>	Definition	62.8
<b>DENSITY</b>		62.8
<b>DESIGN</b>	Bank Protection	873.1
	Capacities	102
	Designation	103
	Discharge	811.3
	Discharge, Estimating	819
	Flood, Establishing	818.2
	Frequency, Definition	806.2
	Geometric Standards	200
	Hourly Volume	103.1
	Hourly Volume, Definition	62.8
	Interchange	504
	Intersection	405
	Period	103.2
	Philosophy	81.1
	Shore Protection	883.1
	Speed (see DESIGN SPEED)	
	Standards, Applications	80
	Storm	821.2
	Storm, Definition	806.2
	Wave Heights	883.2
<b>DESIGN DESIGNATION</b>	Design Period	103.2
	Relation to Design	103.1
<b>DESIGN HOURLY VOLUME</b>		62.8
		103.1
<b>DESIGN LIFE</b>	Pavement	612
	Relation to Design Period	103.1
<b>DESIGN SPEED</b>		101
	Definition	62.8
	Entrances & Exits	504.2
	Freeway-to-freeway Minimum	504.4
	Freeway Entrances & Exits	504.2
	Local Facility	101.1
	Scenic Values	109
	Selection	101.1
	Standards	101.2
<b>DESIGN VEHICLE</b>	Definition	62.10

December 31, 2020

		404
	Transit	404.2
	California Truck	404.2
	Offtracking	404.1
	STAA Truck	404.2
	Swept Width	404.2
	Tracking With	404.2
	Turning Templates	404.3
	Wheelbase	404.2
<b>DESIGN VOLUME</b>	see DESIGN HOURLY VOLUME	
<b>DESIGN, FACTORS AFFECTING</b>		401
	Bicycles	401.6
	Driver	401.2
	Environment	401.4
	General	401.1
	Pavement	611
	Pedestrian	401.5
	Vehicle	401.3
<b>DESIGN, OPERATIONAL FEATURES AFFECTING</b>		402
	Accidents	402.2
	Capacity	402.1
	Undesirable Geometric Features	402.2
<b>DESIGNATION, DESIGN</b>	Design Period	103.2
	Relation to Design	103.1
<b>DETOURS</b>		110.7
	Local Roads Used as	106.2
<b>DETRITUS</b>	Definition	806.2
<b>DHV</b>	see DESIGN HOURLY VOLUME	
<b>DIAMOND INTERCHANGE</b>		502.2
<b>DIKES</b>	Frontage Roads and Streets	303.6
	General Policy	303.1
	Guide, Earthen	873.4
	PCC Grouted Riprap	873.4
	Position of	303.5
	Ramp	504.3
	Toe, Earthen	873.4
	Types and Uses	303.3
<b>DISCHARGE</b>	Definition	806.2
	Design	811.3
	Estimating	819
	Peak	811.3

December 31, 2020

<b>DISPOSAL SITES/MATERIALS SITES</b>		111
	Acquisition of	111.5
	Environmental Requirements	111.1
	Information Furnished to Prospective Bidders	111.3
	Investigation of Local Material Sources	111.2
	Mandatory, on Federal-aid Projects	111.6
	Material Arrangements	111.4
<b>DISTANCE, CLEAR</b>	Stopping Sight Distance on Horizontal Curves	201.6
<b>DITCHES</b>	Grade	834.3
	Side	303.2
		834.3
	Slope	834.3
<b>DIVERGING</b>		62.8
<b>DIVERSION</b>	Definition	806.2
<b>DIVIDED HIGHWAY</b>	Definition	62.3
	Grade Line	204.2
<b>DIVIDED NONFREEWAY FACILITY</b>		108.1
<b>DIVISION OF DESIGN</b>		10
<b>DOWEL BAR</b>		622.7
	Definition	62.7
<b>DOWNDRAINS</b>	Definition	806.2
	Flume	834.4
	Pipe	834.4
<b>DRAIN</b>	Edge System (see EDGE DRAIN)	
<b>DRAINAGE</b>	Area, Definition	806.2
	Area	819.2
	Basic Policy	803.1
	Channels	861
	Computer Programs	819.6
		825.3
	Cooperative Projects Policy	803.2
	Course, Definition	806.2
	Definition	806.2
	Design Responsibility	802.1
	Detention Basins	891.3
	Divide, Definition	806.2
	Easement, Definition	806.2
	Economics of Design	801.5
	Galleries	841.5
	Glossary of Terms	806.2



	Median	834.2
	Objectives of Design	801.4
	Pavement	650
	by Pumping	839
	Roadway	830
	Section, Duties of	802.1
	Subsurface	840
	System, Definition	806.2
<b>DRAINS</b>	Anchorage	834.4
	Benches	834.4
	Entrance Standards	834.4
	Geotextile	841.5
	Horizontal	841.5
	Outlet Treatment	834.4
	Overside, Spacing & Location	834.4
	Service Life	857.1
		857.2
	Slope	834.4
	Subsurface Types	841.5
<b>DRIVEWAYS</b>		205
	Access Openings on Expressways	205.1
	Commercial	205.3
	Financial Responsibility	205.5
	Frontage Roads	205.4
	Local Standards	205.3
	Pedestrian Access	205.3
	Private, Definition	62.3
	Residential	205.3
	Rural Areas	205.4
	Urban	205.3
<b>DRY WEATHER FLOWS</b>	Definition	806.2
<b>DUFF</b>	Site Preparation	904.2

**E**

<b>EARTH RETAINING SYSTEMS</b>	Anchored Wall	210.2
	Cantilever Wall	210.2
	Concrete Gravity Wall	210.2
	Counterfort Wall	210.2
	Drainage	210.8
	Electroliers and Signs	210.8

December 31, 2020

	Footings	210.8
	Gabion Basket Wall	210.2
	Gravity Wall	210.2
	L-Type Wall	210.2
	Masonry Wall	210.2
	Mechanically Stabilized Wall	210.2
	Non-Gravity Cantilevered Walls	210.2
	Proprietary	210.2
	Reinforced Embankments	210.2
	Rock Gravity Wall	210.2
	Rock/Soil Anchors	210.2
	Safety Railings	210.6
	Salvaged Material Retaining Wall	210.2
	Secant Soldier Pile Wall	210.2
	Sheet Pile Wall	210.2
	Slurry Diaphragm Wall	210.2
	Soil Mix Wall	210.2
	Soil Nail Wall	210.2
	Soil Reinforcement Systems	210.2
	Soldier Pile Wall with Lagging	210.2
	Tangent Soldier Pile Wall	210.2
	Tire Anchored Timber Wall	210.2
	Utilities	210.8
<b>EARTHQUAKE CONSIDERATIONS</b>		110.6
<b>EASEMENT</b>	Definition	62.6
	Definition	806.2
<b>ECONOMIC ANALYSIS</b>	see LIFE-CYCLE COST ANALYSIS	
<b>EDDY LOSS</b>	Definition	806.2
<b>EDGE DRAIN</b>		651.2
	System, Definition	62.7
<b>ELECTROLIERS AND SIGNS</b>	Walls	210.7
<b>EMBANKMENT</b>	Definition	62.7
	Side Slope Standards	304
	Slopes at Structures	208.5
	Structure Approach Embankment	208.11
<b>EMINENT DOMAIN</b>	Definition	62.6
<b>ENCROACHMENT</b>	Definition	62.6
<b>END OF FREEWAY</b>	Connections with Local Roads	106.2
<b>ENDWALL</b>	Definition	806.2
<b>ENERGY</b>	Dissipator, Definition	806.2

December 31, 2020

	Dissipator	827.2
	Grade Line, Definition	806.2
	Head, Definition	806.2
<b>ENTRANCE</b>	Design (Hydraulic)	826
	Freeway Interchange	504.2
	Head, Definition	806.2
	Loss, Definition	806.2
<b>ENVIRONMENTAL REQUIREMENTS</b>	Transit Loading Facilities	108.2
	Contractor's Yard and Plant Site	112
	FHWA	108.3
	Material Sites and Disposal Sites	111
	Median Width	305.1
	Project Development	81.1
	Special Considerations	110
<b>EQUALIZER</b>	Definition	806.2
	826.3	
<b>EQUESTRIAN TRAILS</b>	see TRAILS, MULTIPURPOSE	
<b>EQUESTRIAN</b>	Definition	62.10
	Undercrossing and Overcrossing	208.7
<b>EQUIPMENT CROSSINGS</b>		208.8
<b>EQUIVALENT SINGLE AXLE LOADS</b>	Definition	62.7
	Conversion ESAL to Traffic Index	613.3
	ESAL Constants	613.3
	Lane Distribution Factors	613.3
	Projections, Truck Traffic	613.3
<b>EROSION</b>	And Accretion, Definition	806.2
	Control, Channel & Shore	871.1
	Control, General	906.1
	Control, Planting	906.3
	Control, Sediment Control	906.2
	Control, Soil Surface Protection	906.2
	Control, Water Pollution	110.2
	Definition	806.2
	Permanent Erosion Control Establishment	906.5
<b>EVAPORATION</b>	Definition	806.2
		812.8
		814.4
		819.2
<b>EXITS</b>	Freeway Interchange	504.2
<b>EXPRESSWAY</b>		62.3

December 31, 2020

## F

<b>FAA</b>	Abbreviation	61.1
	Notice Requirements	207.3
<b>FACTORS AFFECTING INTERSECTION DESIGN</b>		
	see DESIGN, FACTORS AFFECTING	
<b>FALSEWORK</b>		204.8
	Grade Line	204.8
	Vertical Clearance	204.8
	Width of Traffic Openings	204.8
	Worker Safety	204.8
<b>FAN</b>	Definition	806.2
<b>FEDERAL-AID</b>		40
	Funding Determination	44
	Programs (see also PROGRAMS)	43
	System	42
<b>FEDERAL LANDS PROGRAM</b>		43.4
<b>FENCES</b>		701
	Approval	701.1
	Barbed Wire, Type BW	701.2
	Chain Link	701.2
	Exceptions to Standard Types	701.2
	Freeways and Expressways	701.2
	Location of	701.2
	Locked Gates	701.2
	Median	701.2
	on Other Highways	701.3
	Policy and Purpose	701.1
	Retaining Walls	210.6
	Safety Roadside Rest Area Layout	913.3
	Standard Types	701.2
	Vinyl-clad	705.1
	Weathering Type Steel	705.1
	Wire Mesh, Type WM	701.2
<b>FHWA</b>	Approval of Locked Gates	701.2
	Approval of Mandatory Sites	111.6
	Coordination With	108.7
	Federal-aid	40
<b>FILTER FABRIC</b>		841.5

<b>FLAP GATES</b>	Definition	806.2
		821.6
		838.5
<b>FLARED END SECTION</b>		826.3
		834.4
<b>FLEXIBLE PAVEMENT</b>	Definition	62.7
	Analytical Depth	635.2
	California R-value	633.1
	Climate Region	632.2
	Cold In-Place Recycling	631.10
	Cold in-Place Recycled Asphalt	634.2
	Concrete Overlay	635.2
	Data Collection	635.2
	Deflection Studies	635.2
	Empirical Method	633.1
	Engineering Analysis Software	637
	Full Depth Recycling	631.10
	Hot In-Place Recycling	631.10
	Hot Mix Asphalt (HMA)	631.1
	Hot Mixed Asphalt Base	662.2
	International Roughness Index (IRI)	633.1
	Intersections	636.3
	Lean Concrete Base (LCB)	662.2
	Lime Treated Subbase	663.3
	Mainline	636.1
	Mill and Overlay	635.2
	Open Graded Friction Course (OGFC)	631.4
	Park & Ride Facilities	636.4
	Partial Depth Recycling	631.10
		634.2
	Pavement Preservation	634
	Performance Factors	642.2
	Performance Graded (PG)	632.1
	Polymer Modified Binders	632.1
	RHMA-G	631.3
	RHMA-O	631.4
	Ramp Termini	636.1
	Reconstruction	633.2
	Recycling	631.10
	Reflective Crack Retardation	635.2
	Ride Quality	635.2
	Roadside Facilities	636.4
	Safety Roadside Rest Areas	636.4
	Rubberized HMA	631.5

May 20, 2022

	SAMI-R	631.9
	Shoulders	636.2
	Smoothness	634.2
	Stress Absorbing Membrane Interlayers (SAMI)	631.9
	Structural Adequacy	635.2
	Traffic Index (TI)	633.1
	Traveled Way	636.1
	Treated Permeable Base (TPB)	662.3
	Wearing Course	631.7
	Whitetopping	635.2
<b>FLOOD</b>	Base	818.1
	Control Projects	803.2
	Design	818.1
	Design Criteria, Recommended	821.3
		831.3
	Greatest of Record	821.3
	Magnitude	817
	Maximum Historical	818.1
	Measurement	817.2
	Plain, Definition	806.2
	Plane, Definition	806.2
	Stage, Definition	806.2
	Waters, Definition	806.2
<b>FLOW</b>	Channel	816.6
	Critical	864.3
	Definition	806.2
	Line	806.2
	Subcritical	864.3
	Supercritical	864.3
<b>FREE</b>	Outlet, Definition	806.2
	Water, Definition	806.2
<b>FREEBOARD</b>	Definition	806.2
		866
<b>FREEWAY</b>		62.3
	Classified Landscape	62.5
	Entrances and Exits at Interchanges	504.2
		900
<b>FREEWAY CONNECTIONS WITH EXISTING ROADS</b>		106.2
<b>FREEWAY-TO-FREEWAY CONNECTIONS</b>		62.4
		504.4
	Branch Connections	504.4
	Grade Line	204.2

	Grades	504.4
	Lane Drops	504.4
	Metering	504.3
		504.4
	Shoulder Width	504.4
<b>FREEWAY-TO-FREEWAY INTERCHANGES</b>		502.3
<b>FRENCH DRAINS</b>	Definition	806.2
		841.5
<b>FRICITION FACTORS</b>		202.1
<b>FRONTAGE ROADS</b>	Definition	62.3
	Cross Section Standards	310
	Access Control	104.3
	Cross Section	310.1
	Curbs	303.6
	Driveways	205.4
	Financed by Others	104.3
	Headlight Glare	310.3
	Horizontal Clearance	309.1
	Outer Separation	310.2
	Railroad Crossings	104.3
	Sidewalks	105.1
<b>FUNDING</b>		44
	Federal-Aid Eligibility	44.1
	Federal Participation Ratio	44.2
<b>FUNNELING</b>		403.1
 <b>G</b> 		
<b>GALLERIES</b>	Drainage	841.5
<b>GEOMETRIC CROSS SECTIONS</b>		300
	Definition	62.1
<b>GEOMETRIC DESIGN</b>	Definition	62.4
	Structure Standards	200
	Undesirable Geometric Features, Intersections	402.2
<b>GEOTECHNICAL DESIGN REPORT</b>		113
	Content	113.2
	Local Materials Sources	111.2
	Policy	113.1
	Side Slope Standards	304.1
	Submittal and Approval	113.3

May 20, 2022

<b>GORE</b>		62.4
	Contrasting Surface Treatment	504.2
	Paved Gore	504.2
<b>GRADE</b>	Cross Section, Position with Respect to	204.2
	to Drain, Definition	806.2
	Freeway Entrance Standards	504.2
	Freeway Exit Standards	504.2
	Freeway-to-freeway Connection Standards	504.4
	General Controls	204.1
	Horizontal Alignment, Coordination with	204.6
	Ramps	504.2
	Rolling Profile	204.1
	Safety Roadside Rests	912.1
	Separate Lines	204.7
	Separation	62.4
	Separation Structures	208
	Separation, Pedestrian	105.2
	Standards	204.3
	Stopping Sight Distance at Crests	201.4
	Stopping Sight Distance at Sags	201.5
	Structures	204.8
	Sustained Grades	204.5
	Vertical Curves	204.4
<b>GRADE LINE</b>	Bridge Decks	204.8
	Depressed, Under Structures	204.8
	General	204.1
	Separate	204.7
	Structures	204.8
<b>GRADE SEPARATION STRUCTURES</b>		208
	Cattle Passes, Equipment, and Deer Crossings	208.8
	Cross Slope	208.2
	Curbs	303.5
	Equestrian Undercrossing	208.7
	Median	208.3
	Open End Structures	208.5
	Pedestrian	105.2
	Pedestrian Overcrossings and Undercrossing	208.6
	Railings	208.10
	Railroad Underpasses and Overheads	208.9
	Sidewalks	208.4
	Widths	208.1
<b>GRADIENT (SLOPE)</b>	Definition	806.2
<b>GRADING PLANE</b>	Definition	62.7



<b>GRATED LINE DRAIN</b>		837.2
<b>GRAVEL EQUIVALENT</b>		635.2
<b>GRAVITY WALL</b>		210.2
<b>GROIN</b>		883.3
<b>GROUND WATER</b>	Definition	806.2
		841.2
<b>GUARDRAIL</b>	Bridge Approach Railings	208.10
	References	702
<b>GUIDE BANK</b>		873.4
<b>GUTTER PAN</b>	Cross Slope	303.2
	General Policy	303.1
	Uses, Curb Types	303.2
<b>GUTTERS, SIDE</b>		834.3
	Capacity	836.2
	Grade	836.2
	Intersection, at	836.2
	Types	836.1
	Valley	836.2

**H**

<b>HAULING</b>	Overloaded Material/Equipment , Design for	110.1
<b>HEAD</b>	Available	821.4
<b>HEADLIGHT GLARE</b>		310.3
<b>HEADLIGHT SIGHT DISTANCE</b>	Grade Sags	201.5
<b>HEADWAY</b>		62.8
<b>HIGH SPEED RAIL</b>	Definition	62.10
	Clearances	309.1
<b>HIGHWAY</b>		62.3
	Capacity	102
	Context	81.6
	Controlled Access	62.3
	Conventional	62.3
	Federal Lands Program	43.4
	Interstate, Definition	81.4
	Major	62.3
	National Highway System	42
	Parkway	62.3

	Pedestrian Facilities	105
	Radial	62.3
	Route Numbers	21.2
	Scenic	62.3
	State System	81.4
	Structures, Definitions	62.2
	Structures, Grade Line	204.8
	Through	62.3
	Types, Definitions	62.3
<b>HIGHWAY DESIGN MANUAL STANDARDS</b>		82.1
<b>HORIZONTAL ALIGNMENT</b>		
	Aesthetic Factors	109.3
	Alignment Consistency	203.3
	Bridges	203.9
	Broken Back Curves	203.7
	Compound Curves	203.5
	Curve Length and Central Angle	203.4
	General Controls	203.1
	Grade, Coordination with	204.6
	Radius	203.2
	Reversing Curves	203.6
	Standards for Curvature	203.2
	Spiral Transition	203.8
<b>HORIZONTAL CLEARANCE</b>		
	Bridges	309.1
	Between Elevated Structures	309.4
	Clear Distance	201.6
	Noise Barriers	1102.2
	Off-track Maintenance	309.5
	Railroad Walkway	309.5
	Railroads, Adjacent to	309.5
	Retaining Walls	309.1
	Structure	309.1
	Tunnels	309.3
<b>HORIZONTAL DRAINS</b>		841.5
<b>HOT MIX ASPHALT CONCRETE BASE</b>		
	also see BASE, Engineering Properties for Base	663
	also see Treated Base	662.2
<b>HOT MIXED ASPHALT</b>		631.1
	also see FLEXIBLE PAVEMENT	
<b>HYDRAULIC</b>		
	Gradient, Definition	806.2
	Jump, Definition	806.2
	Mean Depth, Definition	806.2
	Mean Depth	864.3

	Radius, Definition	806.2
<b>HYDRAULIC DESIGN DISCHARGE</b>	Empirical Methods	819.2
	Field Investigation	815.3
	Hydrograph Methods	816.5
	Rational Methods	819.2
	Regional Analysis	819.2
	Statistical Methods	819.3
	Summary of Methods	819.1
<b>HYDROGRAPH</b>	Definition	806.2
		816.5
	SCS Triangular	819.4
	Synthetic	819.4
	Unit	819.4
<b>HYDROGRAPHY</b>	Definition	806.2
<b>HYDROLOGIC DATA</b>	Basin Characteristics	812
	Federal Agencies	815.3
	Field Investigations	815.3
	Precipitation	815.2
		815.3
	Rainfall	815.5
	Sources	815.3
	Stream Flow	815.4
	Surface Runoff	815.2
	Transfer of Data	819.5
<b>HYDROLOGICAL ANALYSIS</b>	Gumbel Extreme Value Distribution	819.3
	Log Normal Distribution	819.3
	Log Pearson Type III Distribution	819.3
	Objectives	811.2
	Rational Methods	819.2
	Regional Analysis Methods	819.2
	SCS Triangular Hydrograph	819.4
	Synthetic Hydrograph	819.4
	Unit Hydrograph	819.4
<b>HYDROLOGY</b>	Definition	806.2
		811.1
<b>HYDROPLANING</b>	Definition	831.4
<b>INFILTRATION</b>		602.1
		819.2

May 20, 2022

	Definition	806.2
<b>INITIAL CONSTRUCTION</b>	and Stage	106.1
<b>INLETS</b>	Combination	837.2
	Curb Opening	837.2
	Grate	837.2
	Hydraulic Design	837.4
	Location and Spacing	837.3
	Pipe Drop	837.2
	Time, Definition	806.2
	Transition	826.4
	Types	837.2
	Use of	837.1
<b>INSPECTION STATIONS, BORDER</b>		107.3
<b>INTERCHANGES</b>	Access Control	504.8
	Aesthetic Factors	109.3
	Approval of Design	503.2
	Auxiliary Lanes	504.5
	Cloverleaf	502.2
	Concepts	501.1
	Data Required for Design	503.1
	Definition	62.4
	Design, Procedure	503
	Design, Standards	504
	Diamond	502.2
	Elements	62.4
	Freeway Entrances and Exits, Design	504.2
	Freeway-to-freeway	502.3
	Freeway-to-freeway Connections, Definition	62.4
	Freeway-to-freeway Connections, Standards	504.4
	Freeway-to-freeway, Minimum Design Speed	504.4
	Freeway-to-freeway Omission of Movements	502.3
	Grade Separations	62.4
	Grades Exits/Entrances	504.2
	Lane Reduction	504.6
	Local Streets	502.2
	Parallel Street Systems	502.2
	Ramps	504.3
	Reviews	503.2
	Sight Distance for Planting	904.6
	Single Point Interchange	502.2
	Spacing	501.3
	Traffic	500
	Trumpet	502.2
	Two-quadrant Cloverleaf	502.2

	Types	502
	Warrants	501.2
	Weaving Sections	504.7
	also see RAMPS	
<b>INTERMODAL SURFACE TRANSPORTATION</b>		
<b>EFFICIENCY ACT (ISTEA)</b>		40
<b>INTERSECTION</b>	Access Control	405.6
	Accidents	402.2
	Angle of Intersection	403.3
	Areas of Conflict	403.2
	Bicycle, Affecting Design of	401.6
	Capacity	402.1
	Capacity, Ramps	406
	Channelization	403
	Definition	62.4
	Design, Factors Affecting	401
	Design, Operational Features Affecting	402
	Design, Standards	405
	Design Vehicle	404
	Driver, Affecting Design of	401.2
	Environment, Affecting Design of	401.4
	General, Factors Affecting Design	401.1
	at Grade	400
	Grade Separations	62.4
	Left-turn Channelization	405.2
	Major Movement, Preference to	403.1
	Median Openings	405.5
	Operational Features	402
	Pedestrian, Affecting Design of	401.5
	Points of Conflict	403.4
	Precautions	403.12
	Prohibited Turns	403.8
	Public Road	405.7
	Ramp	406
	Refuge Area	403.7
	Returns and Corner Radii, City Street	405.8
	Right-turn Channelization	405.3
	Right-turn Lanes at Off Ramp	405.3
	Roundabout, Definition	62.4
	Sight Distance	405.1
	Signal Control	403.9
	Speed-change Areas	403.5
	Traffic Control Devices	403.10
	Traffic Islands	405.4
	Turning Traffic	403.6

	Types	401.5
	Undesirable Geometric Features	402.2
	Vehicle, Affecting Design of	401.3
	Widening at Signalized Intersections	405.9
<b>INTERSTATE</b>	Definition	81.4
	Funding	42.2
	Numbering	21.2
<b>INUNDATE</b>	Definition	806.2
<b>INVERSE CONDEMNATION</b>	Definition	62.6
<b>INVERT</b>	Definition	806.2
	Paving, Definition	806.2
	Paving	852.1
		852.4
		853.6
	Protection	852.4
		852.5
<b>INVERTED SIPHON</b>	Definition	806.2
		829.7
<b>IRRIGATION</b>		905
	Conduit	905.3
	Design, General	905.1
	System Equipment	905.4
	Temporary	905.5
	Water Supply	905.2
<b>ISLAND</b>		62.4
	Traffic	405.4
<b>ISOHYETAL</b>	Line, Definition	806.2
	Map, Definition	806.2
<b>ISOVEL</b>	Definition	806.2
<b>ISTEA</b>		41.1
		42.2
<b>J</b>		
<b>JACK</b>	Definition	806.2
<b>JACKING OPERATIONS</b>	Definition	806.2
<b>JETTY</b>	Definition	806.2
	Types	873.4

<b>JOINT</b>	Longitudinal	62.7
	Pavement	622.4
	Seals	62.7
<b>JOINT BANK PROTECTION COMMITTEE</b>		802.3
<b>JOINT PLAIN CONCRETE PAVEMENT</b>		621.2
	also see RIGID PAVEMENT	
<b>JOINTS</b>	Culverts	829.4
		854.1
<b>JUNCTION STRUCTURES</b>		838.5

**K**

<b>KINEMATIC WAVE EQUATION</b>		816.6
<b>KIRPICH EQUATION</b>		816.6
<b>K-RAIL</b> (replaced with temporary barrier)		204.8

**L**

<b>L-TYPE WALL</b>		210.2
<b>LAG</b>	Definition	806.2
<b>LAMINAR FLOW</b>	Definition	806.2
<b>LANDSCAPE</b>	Aesthetic Factors	109.3
	Architecture, Definitions	62.5
	Architecture - Roadsides	900
	Architecture – Roadside Sites	910
	Design Standards	901.2
<b>LANE</b>	Addition	206.2
	Addition on Ramps	504.3
	Auxiliary	62.1
		504.5
	Climbing	204.5
		206.2
	Deceleration	405.2
		405.3
	Definitions	62.1
	Drops	206.3
	Drops on Freeway-to-freeway Connectors	504.4
	Drops on Ramps	504.3

	Express Toll Lanes	62.8
	High-Occupancy Vehicle	62.8
	High Occupancy Toll	62.8
	Left Turn	405.2
	Managed, Definition	62.8
	Median, Definition	62.1
	Multiple, Definition	62.1
	Numbering	62.1
	Passing	204.5
	Reductions	206.3
	Reduction at Interchanges	504.6
	Right Turn	405.3
	Separate Turning	403.6
	Speed Change	403.5
	Speed Change, Definition	62.1
	Traffic, Definition	62.1
	Two-way Left-turn Lanes	405.2
	Width	301.1
	Width on Curves	504.3
	Width of Opening for Falsework	204.8
	Width, Ramps	504.3
<b>LATERAL</b>	Definition	806.2
		838.4
		838.5
<b>LEAN CONCRETE BASE</b>	see BASE	
	Definition	62.7
<b>LEFT-TURN CHANNELIZATION</b>		405.2
<b>LEFT-TURN REFUGE</b>		403.7
<b>LEGISLATION</b>		41
	ISTEA	41.1
<b>LEVEE</b>	Definition	806.2
<b>LEVEL OF SERVICE</b>	Definition	62.8
		102
<b>LIFE-CYCLE COST ANALYSIS (LCCA)</b>		619
<b>LIME</b>	Treatment Definition	614.5
<b>LIME TREATED SUBBASE</b>	see SUBBASE	
<b>LOAD TRANSFER DEVICE</b>	see DOWEL BAR	
<b>LOADING FACILITIES</b>	Transit	108.2
<b>LOCAL STREETS/ROADS</b>	Cross Section	308.1



	Definition	62.3
		81.4
	Design Speed	101.1
	Driveways	205.3
	Grade	204.1
	Horizontal Alignment	203.1
	Interchanges	502.2
	Returns and Corner Radii	405.8
	Superelevation	202.7
<b>LOCKED GATES</b>		701.2
<b>LOG OF TEST BORINGS</b>		210.8
<b>M</b>		
<b>MAINTAINABILITY</b>	Pavement	618.1
<b>MAINTENANCE</b>	Definitions	62.7
<b>MAINTENANCE VEHICLE PULLOUT</b>	Definition	62.1
<b>MAINTENANCE YARDS</b>	On Freeways	107.2
<b>MAJOR STREET/MAJOR HIGHWAY</b>	Definition	62.3
<b>MANDATORY MATERIAL SITES</b>	Federal-aid Projects	111.6
<b>MANNING</b>	Equation	866.3
	Roughness Coefficient	851.2
		866.3
<b>MARKERS</b>		702.1
	Contrast Treatment	704.1
<b>MATERIALS</b>	Availability, Pavement	617.1
	Color Selection for Steel Structures	705.2
	Conservation of	110.11
	Hauling, Overloaded Design	110.1
	Information Furnished to Prospective Bidders	111.3
	Plants	112
	Recycling, Pavement	617.2
	Report (see MATERIALS REPORT)	
	Sites	111
	Sites, Acquisition	111.5
	Sites, Arrangements	111.4
	Sites, Environmental Requirements	111.1
	Sites, Investigation of Local Sources	111.2
	Sites, Mandatory	111.6
	Special Treatment	705.1

May 20, 2022

<b>MATERIALS REPORT</b>	Content	114.3
	Local Materials Sources	111.2
	Policy	114.1
	Preliminary	114.4
	Requesting	114.2
	Retention of Records	114.5
	Reviews	114.5
<b>MAXIMUM COMFORTABLE SPEED</b>	Chart	202.2
	Superelevation	202.2
<b>MAY</b>	Definition and Usage	82.1
<b>MEAN VELOCITY</b>		864.3
<b>MECHANISTIC-EMPIRICAL DESIGN</b>		604.2
<b>MEDIAN</b>	Definition	62.1
	Aesthetic Factors	109.3
	Barriers	305.3
	Cross Slope	305.2
	Curbs	305.4
	Decking on Bridge	208.3
	Fencing	701.2
	Grade	834.2
	Lane	62.1
	Left-turn Lane	405.2
	Openings	405.5
	Paved	305.5
	Position	303.5
	Separate Roadways	305.6
	Standards	305
	Tree Planting	904.5
	Width	305.1
<b>MERGING</b>	Definition	62.8
<b>METEOROLOGY</b>	Evapo-transpiration	814.4
	Rainfall	814.2
	Snow	814.3
	Tides and Waves	814.5
	Tsunami	814.5
<b>METERING</b>		504.3
	Definition	62.8
	Freeway-to-Freeway Connections	504.4
	Lane Merges	206.3
	Ramp Lane Drops	504.3
<b>MINIMUM TURNING RADIUS</b>	Definition	62.4

<b>MINOR ARTERIAL</b>	Definition	81.4
<b>MISCELLANEOUS STANDARDS</b>		700
	Fences	701
	Guardrail	702
	Mailboxes	702
	Markers	702
<b>MUD FLOW</b>	Definition	806.2
<b>MULTILANE CROSS SECTIONS</b>	All Paved	307.5
	Divided	307.4
<b>MULTIPLE LANES</b>	Definition	62.1
<b>MULTIPLE PIPES</b>		824.2
<b>N</b>		
<b>NATIONAL HIGHWAY SYSTEM</b>		42.1
<b>NAVIGABLE WATERS</b>	Definition	806.2
<b>NEGATIVE PROJECTING CONDUIT</b>	Definition	806.2
<b>NOISE ABATEMENT</b>		1100
	By Others	1101.2
	Objective	1101.2
	Prioritizing	1101.5
	Terminology	1101.3
<b>NOISE BARRIERS</b>	Aesthetics	1102.6
	Alternate Designs	1102.5
	Clearances	1102.2
	Design Criteria	1102
	Design Procedures	1102.5
	Drainage Openings	1102.9
	Emergency Access	102.8
	Heights	1102.3
	Lengths	1102.4
	Location	1102.2
	Maintenance Considerations	1102.7
	Pay Quantities	1102.5
	Planting	904.6
		1102.6
	Preliminary Site Data	1102.5
	Sight Distance Requirements	1102.2
<b>NONFREEWAY FACILITIES</b>	Conversion to Divided	108.1

May 20, 2022

<b>NONMOTORIZED TRAFFIC</b>	Provisions for	104.3
<b>NORMAL DEPTH</b>	Definition	806.2 864.2
<b>O</b>		
<b>OFF-SET LEFT-TURN LANE</b>	Definition	62.4
<b>OFF-SITE DRAINAGE</b>	Definition	806.2
<b>OFFTRACKING</b>	Definition	62.4
	Design Considerations	404.1
<b>ON-SITE DRAINAGE</b>	Definition	806.2
<b>ON-STREET PARKING</b>	Definition	62.1 402.3
<b>OPEN CHANNEL</b>	Definition	62.8
<b>OUTER SEPARATION</b>	Definition	62.1 310.2
<b>OUTFALL</b>	Definition	806.2
<b>OUTWASH</b>	Definition	806.2
<b>OVERFLOW</b>	Channel	861.5
<b>OVERLAND FLOW</b>		816.6
<b>OVERLAYS</b>	Definition	62.7
<b>OVERLOADS</b>	Design for	110.1
<b>P</b>		
<b>PAINTING</b>	Concrete	705.1
	Steel	705.2
<b>PARALLEL STREET SYSTEMS</b>	Interchanges	502.2
<b>PARK AND RIDE LOTS</b>		915
	Definition	62.5
	Pavement Structural Section Design	636.4
<b>PARKING</b>	Area Design	912.2
<b>PARKWAY</b>	Definition	62.3
<b>PARTIAL ACQUISITION</b>	Definition	62.6

<b>PASSING LANE</b>	204.5
<b>PASSING SIGHT DISTANCE</b>	201.2
<b>PAVEMENT/PAVEMENT STRUCTURE</b>	603.3
Capital Preventive Maintenance	
Composite see COMPOSITE PAVEMENT	
Cross Slopes	301.2
Definition	62.7
Design Life, Definition	62.7
Design Life	612
Detours	603.6
Drainage, Impact of	651.1
Flexible see FLEXIBLE PAVEMENT	
Joints	622.4
Layers	602
New	603.1
Performance see PAVEMENT SERVICE LIFE	62.7
Portland Cement Concrete	602.1
Preservation	603.3
Reconstruction	603.5
Reductions	206.3
Rehabilitation, Definition	62.7
Roadway Rehabilitation	603.4
Rigid see RIGID PAVEMENT	
Tapered Edge	302.3
Serviceability, Definition	62.7
Service Life, Definition	62.7
Structure	62.7
Surface Course	62.7
Temporary	603.6
Transitions	206
Transitions for Freeways, Temporary	206.4
Type Selection	611.1
Types of Projects	603
Widening	603.2
	680
Width	301.1
<b>PEAK FLOW</b>	806.2
Definition	811.3
<b>PEDESTRIAN FACILITIES</b>	105
Accessibility Requirements	105.3
Bridges	208.4
Conventional Highways	105.1
Crosswalk, Definition	62.4
Curb Ramps, Guidelines	105.4
Design Considerations	404.2

	Freeway Facilities	105.1
	Frontage Roads	105.1
	Grade Separations	105.2
	Pedestrian, Definition	62.10
	Overcrossings	105.2
	Overcrossing/Undercrossing, Standards	208.6
	Railings	208.10
	Refuge, Definition	62.4
	Refuge Areas	403.7
	Replacement in Kind	105.1
	School Walkways	105.1
	Sidewalks	105.1
	Sidewalks, Definition	62.1
	Sidewalks, Structures	208.4
	Trails	1003.4
	Undercrossings	105.2
		208.6
<b>PERCHED WATER</b>	Definition	806.2
		841.4
<b>PERCOLATING WATERS</b>	Definition	806.2
<b>PERMEABILITY</b>	Definition	806.2
		841.2
<b>PHYSICALLY DISABLED PERSONS</b>		
	see ACCESSIBILITY REQUIREMENTS	
<b>PIPE</b>	Alternative Pipe Culvert Selection Procedure Using AltPipe	857.2
	Cast in Place Concrete	852.2
	Concrete Box and Arch, Strength Requirements	852.3
	Corrugated Aluminum Pipe and Arch, Strength Requirements	852.5
	Corrugated Steel Pipe and Arch, Strength Requirements	852.4
	Culverts	828.2
		828.3
	Minimum Cover	856.5
	Minimum Diameter	838.4
	Multiple	824.2
	Plastic, Strength Requirements	852.7
	Protective Coatings	852.4
	Reinforced Concrete, Strength Requirements	852.1
	Standards for Drain	838.4
	Structural Metal Pipe and Arch, Strength Requirements	852.6
<b>PIPING</b>	Definition	806.2
		829.3
<b>PLACE TYPES</b>	Definition	81.3

	Rural Areas	81.3
	Suburban Areas	81.3
	Urban Areas	81.3
<b>PLANT SITES/CONTRACTOR'S YARD</b>		112
<b>PLANTING</b>	Aesthetic Factors	109.3
	Airports and Heliports	904.8
	Design	904
	Establishment	904.9
	General	904.1
	Locating Plants	904.4
	Locating Trees	904.5
	Selection	904.3
	Sight Distance	904.6
	Site Preparation	904.2
	Trees	904.5
	Vines	904.7
<b>PLASTIC COATINGS</b>		852.4
<b>POINT OF CONCENTRATION</b>	Definition	806.2
<b>POINTS OF CONFLICT</b>	Intersections	403.4
<b>POLICE FACILITIES</b>		107.2
<b>POLLUTION CONTROL</b>	Air	110.3
	Water	110.2
<b>PONDING</b>		821.4
<b>PORTLAND CEMENT CONCRETE</b>	Channel Linings	865.2
	Pavement see RIGID PAVEMENT	
<b>POSITIVE PROJECTING CONDUIT</b>	Definition	806.2
<b>POTAMOLOGY</b>	Definition	806.2
<b>PRECAST CONCRETE PAVEMENT</b>		621.3
	also see RIGID PAVEMENT	
<b>PRECIPITATION</b>	Area, Definition	806.2
	Definition	806.2
	Mean Annual	819.2
	Point, Definition	806.2
<b>PRELIMINARY HYDRAULIC DATA</b>		805.1
<b>PRESENT WORTH</b>	see ECONOMIC ANALYSIS	
<b>PRIORITY NETWORK</b>	42 000 km	309.2

May 20, 2022

<b>PRINCIPAL ARTERIAL</b>	Definition	62.3
<b>PRIVATE ROAD</b>	Definition	62.3
<b>PRIVATE ROAD CONNECTIONS</b>		205.2
	Financial Responsibility	205.5
	Sight Distance	405.1
<b>PROCEDURAL REQUIREMENTS</b>		82.4
<b>PROGRAMS, FEDERAL-AID</b>		
	Bridge Replacement and Rehabilitation Program	43.3
	Congestion Mitigation and Air Quality Improvement Program (CMAQ)	43.2
	Federal Lands Program	43.4
	Special Programs	43.5
	Surface Transportation Program (STP)	43.1
<b>PROHIBITED TURNS</b>		403.8
<b>PROJECTING BARREL</b>		826.3
<b>PROJECTING ENDS</b>		826.3
<b>PROPRIETARY ITEMS</b>		110.10
	Earth Retaining Systems	210.2
<b>PROTECTION OF ACCESS RIGHTS</b>		104.4
<b>PROTECTION OF WETLANDS</b>	see WETLANDS	
<b>PROTECTIVE COATINGS</b>		852.4
<b>PUBLIC ROAD INTERSECTION</b>		405.7
	Sight Distance	405.1
<b>PULL OUTS</b>	see TURNOUTS	
<b>PUMPING</b>	Definition	62.7
<b>PUMPING PLANT</b>		839.1
<b>R</b>		
<b>R-VALUE</b>	see CALIFORNIA R-VALUE	
<b>RADIAL HIGHWAY</b>	Definition	62.3
<b>RADIUS</b>	Curb	405.8
	Horizontal Alignment	203.2
<b>RAILINGS</b>	Bicycle	208.10
	Bridge	208.10



	Bridge Approach	208.10
	Cable	210.6
	Chain Link	208.10
	Earth Retaining Systems	210.6
	Guardrail	208.10
		702.1
	Pedestrian	208.10
	Vehicular	208.10
<b>RAIL</b>	Clearances	309.2
	Structures Adjacent to	309.5
	Commuter, Definition	62.10
	Conventional, Definition	62.10
	Crossings	104.3
	Grade Line of Structures	204.8
	High Speed, Definition	62.10
	High Seed, Clearances	309.1
	Light, Definition	62.10
	Overheads	208.9
	Slope Treatment, Structures	707
	Underpasses	208.9
<b>RAINFALL</b>	Definition	806.2
	Sources of Data	815.3
<b>RAIN GAGE</b>		819.5
<b>RAINWASH</b>	Definition	806.2
<b>RAMPS</b>	Curbs on	504.3
	Curb Ramps	105.4
	Definition	62.4
	Dikes	504.3
	Distance Between Exits	504.3
	Distance Between On-Ramps	504.3
	Entrance and Exit	504.2
	Grade	504.2
	Grade Line	204.2
	Grade, Standards	204.3
	Hook	502.2
	Intersection Capacity	406
	Intersections on Crossroad, Location of	504.3
	Lane Drops	504.3
	Loop	504.3
	Metering (see METERING)	
	Pavement, Flexible	636.1
	Pavement, Rigid	626.1
	Pavement, Traffic Considerations	613.4

	Pavement Transitions	206
	Ramps and Connectors	636.1
	Single Lane	504.3
	Structural Design	633
	Superelevation	504.3
	Tapers	206.3
	Termini, Flexible Pavement	636.1
	Termini, Rigid Pavement	626.1
	Transitions	504.3
	Two-lane Entrance	504.3
	Two-lane Exit	504.3
	Width	504.3
	Widening for Trucks	504.3
<b>RATIONAL METHOD</b>		819.2
<b>RAVELING</b>	Definition	62.7
<b>REACH</b>	Definition	806.2
<b>RECORD KEEPING</b>	Documentation	605.1
	Subsequent Revisions	605.2
<b>RECOVERY AREA</b>		309.1
<b>RECYCLING, ASPHALT CONCRETE</b>	General	110.11
	Hot, Definition	62.7
<b>REFUGE AREAS</b>		403.7
<b>REGIME</b>	Definition	806.2
<b>REHABILITATION, CULVERTS</b>	General	853.1
	Caltrans Host Pipe Structural Philosophy	853.2
	Problem Identification and Coordination	853.3
	Alternative Pipe Liner Materials	853.4
	Cementitious Pipe Lining	853.5
	Invert Paving with Concrete	853.6
	Structural Repairs with Steel Tunnel Liner	
	Plate	853.7
<b>REHABILITATION, PAVEMENT</b>	Capital Preventive Maintenance, part of	603.3
	Definitions	62.7
	Design Life	612.4
	Composite	645
	Flexible Pavement	635
	Rigid Pavement Strategies	625.2
<b>REHABILITATION, ROADWAY</b>		603.4
	Definitions	62.7

	Design Life	612.5
	Composite Pavement	645
	Flexible Pavement	635
	Rigid Pavement Strategies	625.2
<b>REINFORCED EARTH SLOPES</b>		210
<b>RELICION</b>	Definition	806.2
<b>RELINQUISHMENT</b>	Definition	62.6
<b>REPLACEMENT IN-KIND</b>	Sidewalks	105.1
<b>REPLACEMENT PLANTING</b>	Aesthetic Factors	109.3
<b>RESEARCH/SPECIAL DESIGNS</b>	Research, Experimentation	606.1
	Special Designs	606.2
<b>RESOURCES</b>	Other, Pavement	604.4
<b>RESTORATION PLANTING</b>	Aesthetic Factors	109.3
<b>RESURFACING</b>	Definition	62.7
	see PRESERVATION, PAVEMENT	
	see REHABILITATION, PAVEMENT	
	see REHABILITATION, ROADWAY	
<b>RETAINING WALLS</b>		210
	Aesthetic Considerations	210.5
	Construction Methods and Types	210.2
	Guidelines for Plan Preparation	210.8
	Safety Railing, Fences, and Concrete Barriers	210.6
<b>RETARD</b>	Types	873.4
<b>RETARDING BASIN</b>	Definition	806.2
<b>RETENTION BASIN</b>	Definition	806.2
<b>RETROGRESSION</b>	Definition	806.2
<b>RETURN WALLS</b>		210.8
<b>RETURNS, CITY STREET AND CORNER RADII</b>		405.8
<b>REVEGETATION</b>	Aesthetic Factors	109.3
<b>REVERSING CURVES</b>		203.6
	Superelevation Transitions	202.5
<b>REVETMENT</b>	Definition	806.2
<b>RIGHT OF ACCESS</b>	Definition	62.6
<b>RIGHT OF WAY</b>	Definitions	62.6
	Through Public Domain	306.2

September 29, 2023

	Width	306.1
<b>RIGHT-TURN CHANNELIZATION</b>		405.3
<b>RIGID PAVEMENT</b>	Catalog	623.1
	Definition	62.7
	Engineering Properties	622.1
	Joints	622.4
	Engineering Procedures for New, Widening and Reconstruction	623
	Engineering Procedures for Pavement Preservation	624
	Performance Factors	622.2
	Engineering Procedures for Pavement Rehabilitation	625
	Texturing	622.9
	Types	621
	also see CONCRETE	
<b>RIPARIAN</b>	Definition	806.2
<b>RIPRAP</b>	Definition	806.2
		827.2
		873.3
<b>RISER</b>	Culvert Entrance	822.2
	Definition	806.2
<b>RISK ANALYSIS</b>	Definition	806.2
		818.2
<b>ROADBED</b>	Definition	62.1
		62.7
<b>ROADSIDE</b>	Definition	62.1
	Landscape Architecture	900
<b>ROADSIDE INSTALLATIONS</b>		107
	Border Inspection Stations, Location of	107.3
	Define Roadside	62.1
	Maintenance Yards and Police Facilities	107.2
	Roadway Connections	107.1
<b>ROADSIDE REST AREA, SAFETY</b>	Definition	62.5
	Buildings and Structures	913.4
	General	913.1
	Layout	913.3
	Parking	913.6
	Pavement Design	613.4
	Pavement, Flexible	636.4
	Pavement, Rigid	626.4

	Public Information Display	913.8
	Signage	913.7
	Site Selection	913.2
	Utilities and Facilities	913.5
	Vending Facilities	913.9
	Water Supply	110.2
<b>ROADSIDE MANAGEMENT</b>	Vegetation Control	706.2
<b>ROADSIDE SITES, LANDSCAPE ARCHITECTURE</b>		910
<b>ROADWAY</b>	Connections	107.1
	Definition	62.1
	Drainage	830
	Structural Elements	601.2
<b>ROCKFALL RESTRAINING NETS</b>		703.2
<b>ROUNDBABOUTS</b>	Access Control	405.10
	Bicyclist Use	405.10
	Central Island	62.4
	Circulatory Roadway	62.4
	Definition	62.4
	Design Guidance	405.10
	Design Vehicle	405.10
	Entry Speeds	405.10
	Exit Design	405.10
	Inscribed Circle Diameter	62.4
		405.10
	Landscape Buffer/Strip	62.4
		405.10
	Lighting	405.10
	Number of Legs	405.10
	Path Alignment (Natural Path)	405.10
	Pedestrian Refuge	62.4
	Pedestrian Use	405.10
	Splitter Island	62.4
		405.10
	Stopping Sight Distance and Visibility	405.10
	Transit Use	405.10
	Truck Apron	62.4
	Vertical Clearance	405.10
<b>ROUNDED INLET</b>	Definition	806.2
<b>ROUNDED LIP</b>		826.3
<b>RRR CRITERIA</b>	Design Period	103.2
	Left-Turn Lanes	405.2
	Multi lane Cross Section	307.6

May 20, 2022

	Pavement Design Life	612.5
	Two-lane Cross Section	307.3
<b>RUNNING</b>	Speed	62.8
	Time	62.8
<b>RUNOFF</b>		816
	Drainage, Definition	806.2
	Factors Affecting	811.5
	Superelevation Transition	202.5
<b>RURAL</b>	Acceleration Lane at Intersection	405.1
	Access Control	504.8
	Area, Definition	81.3
	Design Speed	101.2
	Driveway Connection	205.4
	Interchange Spacing	501.3
	Median Standards	305.1
	Outer Separation	310.2
	Weaving Section	504.7
<b>RURAL AND SINGLE INTERSTATE ROUTING</b>		309.2
<b>RUTTING</b>	Definition	62.7
<b>S</b>		
<b>SAFETY</b>	Railings on Walls	210.5
	Reviews	110.8
	Roadside Rest Areas	913
	Tunnel Safety Orders	110.12
	Worker	110.7
		901.2
	Worker, Falsework Clearance	204.8
<b>SAFETY ROADSIDE REST AREAS</b>	see ROADSIDE REST AREA, SAFETY	
<b>SAG CULVERT</b>	Definition	806.2
		829.7
<b>SCENIC</b>	Highway	62.3
	Values	109
<b>SCENIC VALUES IN PLANNING AND DESIGN</b>		109
	Aesthetic Factors	109.3
	Basic Precepts	109.1
	Design Speed	109.2

<b>SCHOOL PEDESTRIAN WALKWAYS</b>		105.1
<b>SCOUR</b>	Definition	806.2
		827.2
<b>SEA LEVEL RISE</b>		883.2
<b>SEAL</b>	Fog	613.4
	Slurry	613.5
<b>SEDIMENTATION</b>	Definition	806.2
		823.2
		862.2
		865.2
<b>SEPARATE ROADWAY</b>		305.6
<b>SERVICEABILITY</b>	Definition	62.7
<b>SETTLEMENT</b>	Definition	62.7
	Structure Approach	208.11
<b>SEVERANCE DAMAGES</b>	Definition	62.6
<b>SHADE REQUIREMENTS</b>		912.2
<b>SHALL</b>	Definition and Usage	82.1
<b>SHEET FLOW</b>	Definition	806.2
<b>SHOALING</b>	Definition	806.2
<b>SHORE PROTECTION</b>		880
	Armor	883.3
	Design, Concepts	883.1
	Design, High Water and Design Wave Height	883.2
	Planning	882.1
	Site Considerations	882.3
<b>SHOULD</b>	Definition and Usage	82.1
<b>SHOULDER</b>	Cross Slope	302.2
	Definition	62.1
	Design Considerations	404.2
	Pavement, Flexible	636.2
	Pavement, Rigid	626.2
	Standards, Geometric	302
	Standards, Pavement	613.4
	Superelevation Transitions	202.5
	Transitions (Widen, Reduction)	206
	Width	302.1
	Width, Right Turn Channelization	405.3
	Width, Two-lane Roads, New Construction	307.2

May 20, 2022

<b>SHOULDER BACKING</b>		670
<b>SIDE GUTTERS/DITCHES</b>		834.3
<b>SIDE SLOPES</b>		304
	Benches and Cut Widening	304.3
	Clearance to Right of Way Line	304.2
	Contour Grading and Slope Rounding	304.4
	Standards	304.1
	Stepped	304.5
	Structures	208.5
	Transition Slopes	304.1
	Widening	304.3
<b>SIDEWALKS</b>	see PEDESTRIAN FACILITIES	
<b>SIGHT DISTANCE</b>	Clear Distance (m)	201.6
	Corner	405.1
	Decision	201.7
	Decision at Intersections	405.1
	Exit Nose	504.2
	General	201.1
	Headlight, at Grade Sags	201.5
	Intersection	405.1
	Passing	201.2
	Planting	904.6
	Ramp Intersections	504.3
	Standards	201.1
	Stopping	201.3
	Stopping at Grade Crests	201.4
	Stopping at Grade Sags	201.5
	Stopping on Horizontal Curves	201.6
	Stopping at Intersections	405.1
<b>SIGNAL CONTROL</b>		403.9
<b>SIGNALIZED INTERSECTION</b>	Widening	405.9
<b>SIGNS</b>	Vertical Clearance	309.2
<b>SILT</b>	Definition	806.2
<b>SILTATION</b>		110.2
<b>SIPHONS</b>		829.7
<b>SITE FINISHINGS</b>	Definitions	62.5
<b>SKEW</b>	Angle	62.4
	Angle of Intersection	403.3
	Definition (Hydraulic)	806.2
<b>SLIDE</b>	Definition	806.2



<b>SLIPOUT</b>	Definition	806.2
<b>SLOPE</b>	Aesthetic Factors	109.3
	Cross	301.2
	Crown	301.2
	Definition (Hydraulic)	806.2
	Rounding	110.2
	Protection	873.3
	Shoulder Cross Slopes	302.2
	Side	304
	Side, Benches and Cut Widening	304.3
	Standards, Side Slopes	304.1
	Stepped	304.5
	Treatment Under Structures	707
<b>SLOPE TREATMENT UNDER STRUCTURES</b>		707
	Guidelines	707.2
	Policy	707.1
	Procedure	707.3
<b>SLOTTED DRAINS</b>		837.2
<b>SLOUGH</b>	Definition	806.2
<b>SLUG FLOW</b>	Definition	806.2
<b>SNOW PACK</b>		812.8
		814.3
<b>SOFFIT</b>	Definition	806.2
<b>SOIL</b>	Amending Soil	904.2
	Characteristics for Pavements	614.1
	Health	904.2
	Imported Topsoil	904.2
	Preserve Existing Topsoil	904.2
	Texture Rehabilitation	904.2
	Topsoil	904.2
	Unified Soil Classification System	614.2
<b>SPACING</b>	Drainage Pipes	824.2
	Vehicle	62.8
<b>SPECIAL CONSIDERATIONS</b>		110
	Air Pollution, Control of	110.3
	Control of Noxious Weeds	110.5
	Earthquake Consideration	110.6
	Overloaded Material Hauling, Design for	110.1
	Safety Reviews	110.8
	Traffic Control Plans	110.7
	Water Pollution, Control of	110.2

May 20, 2022

	Wetlands Protection	110.4
<b>SPECIAL DESIGNS</b>	see RESEARCH/SPECIAL DESIGNS	
<b>SPECIAL STRUCTURES AND INSTALLATION</b>		703
<b>SPECIFIC ENERGY</b>	Definition	806.2
		864.3
<b>SPEED</b>	Definition	62.8
	Comfortable (see MAXIMUM COMFORTABLE SPEED)	
	Design (see DESIGN SPEED)	
	High, Definition	62.8
	Low, Definition	62.8
	Operating	62.8
	Posted	62.8
	Running	62.8
	Speed Change Areas	402.5
<b>SPEED-CHANGE LANES</b>		62.1
	Intersections	403.5
	Left-turn Channelization	405.2
	Pavement Transitions	206
	Right-turn Channelization	405.3
	Speed Change Areas	402.5
<b>SPILLWAY</b>	Paved	834.4
<b>SPIRAL TRANSITIONS</b>		203.8
<b>STABILIZATION TRENCHES</b>		841.5
<b>STAGE</b>	Definition	806.2
<b>STAGE CONSTRUCTION</b>		106.1
	Freeway Connections with Local Roads	106.2
<b>STANDARDS</b>		80
	Approval for Nonstandard Design	82.2
	Boldface Standard	82.1
	FHWA and AASHTO	82.3
	Other Approval	82.1
	Permissive	82.1
	Underlined Standard	82.1
<b>STATE HIGHWAY, CROSS SECTIONS</b>		307
	also see CROSS SECTIONS	
<b>STEEL STRUCTURES</b>	Colors	705.2
<b>STEPPED SLOPES</b>		304.5
<b>STOPPING SIGHT DISTANCE</b>	see SIGHT DISTANCE	

<b>STORAGE</b>		838.4
	Basin, Definition	806.2
	Definition	806.2
	Depression	819.2
	Detention	812.6
	Interception	812.6
	Left-turns	405.2
	Retention, Definition	806.2
	Right-turns	405.3
<b>STORM</b>	Definition	806.2
	Design, Establishing	818.2
	Design, Recommended Criteria	821.2
	Drain, Definition	806.2
<b>STP</b>	see SURFACE TRANSPORTATION PROGRAM	
<b>STREAM WATERS</b>	Definition	806.2
<b>STREETS</b>	Definitions	62.3
<b>STRUCTURAL PLATE</b>	Arches	852.6
	Vehicular Underpasses	852.6
<b>STRUCTURAL SECTION</b>	see PAVEMENT STRUCTURE	
<b>STRUCTURE APPROACH</b>	Design Responsibilities	601
	Pavement Systems	672
	Structure Approach Slabs	209
	Slab-Rehabilitation Projects	673
<b>STRUCTURE CLEARANCE</b>		309
	Elevated Structures	309.4
	Horizontal	309.1
	Railroad	309.5
	Tunnel	309.3
	Vertical	309.2
<b>STRUCTURES, SLOPE TREATMENT UNDER</b>	see SLOPE TREATMENT	
<b>STRUTTING</b>	Definition	806.2
<b>SUBBASE</b>	Definition	62.7
	Description	602.1
	Engineering Properties	663
	Lime Treated	662.2
	Selection Criteria	663.1
	Treated	662.2
<b>SUBCRITICAL FLOW</b>	Definition	806.2
		864.3

May 20, 2022

<b>SUBDRAIN</b>	Definition	806.2
		841.5
<b>SUBGRADE</b>		614
	Definition	62.7
	Description	602.1
	Engineering Considerations	614.1
	Enhancement Fabrics	614.5
<b>SUBSURFACE DRAINAGE</b>		840
<b>SUBURBAN</b>		81.3
<b>SUMP</b>	Definition	806.2
		831.3
<b>SUPERCritical FLOW</b>	Definition	806.2
		864.3
<b>SUPERELEVATION</b>	Axis of Rotation	202.4
	Basic Criteria	202.1
	Bridge	203.9
	Channels	866.2
	City Streets and County Roads	202.7
	Comfortable Speeds	202.2
	Compound Curves	202.6
	Ramps	504.3
	Relationship to Speed on Curves	203.2
	Reversing Curves	203.6
	Runoff	202.5
	Standards	202.2
	Transition	202.5
<b>SURFACE</b>	Course, Definition	62.7
	Course, Description	602.1
	Runoff, Definition	806.2
	Water, Definition	806.2
	Water	831.1
<b>SURFACE TRANSPORTATION PROGRAM</b>		43.1
<b>SWALE</b>	Definition	806.2
<b>SWEPT WIDTH</b>	Definition	62.4
		404.1
	Design Considerations	404.2

T

<b>TAPERED INLET</b>	Definition	806.2 826.4
<b>TEXTURING</b>	Rigid Pavement	622.9
<b>THREE-CENTER CURVE</b>	Intersections	405.7
<b>THROUGHWAY</b>	Definition	62.3
<b>TIME OF CONCENTRATION</b>	Channel Flow Combined Flow Culvert Flow Kinematic Wave Equation Kirpich Equation Overland Equation Soil Conservation Service (SCS) Equation Upland Method	816.6 816.6 816.6 816.6 816.6 816.6 816.6 816.6
<b>TOLL ROAD, BRIDGE OR TUNNELH</b>		62.3
<b>TOPSOIL</b>	Site Preparation	904.2
<b>TRACKING WIDTH</b>	Definition  Design Considerations	62.4  404.1 404.2
<b>TRAFFIC</b>	Axle Load Spectra Considerations Considerations in Pavement Engineering Control Devices Control Devices Control Plans, Special Problems Definitions Engineering Index, TI Interchanges Islands Lane Manual Traffic Index Calculations Markings Noise Abatement Pedestrian Refuge Ramp Intersection Flow Sign Signals Specific Traffic Loading Considerations Volumes	613.3 401.3 613 62.8 403.10 110.7 62.8 82.7 613.2 500 405.4 62.1 613.2 62.8 1100 405.4 406 62.8 62.8 613.4 102.1
<b>TRAILS</b>	Multipurpose	1003.5
<b>TRANSIT</b>	Bus Rapid Transit (BRT)	62.10

May 20, 2022

	Definition	62.10
	Design Vehicle	404.3
	Factors Affecting Design	401.6
	Loading Facilities	108.2
	Turning Templates	404.5
<b>TRANSITIONS</b>	General Standards, Pavement	206.1
	Lane Additions	206.2
	Lane Drops	206.3
	Pavement	206
	Spiral	203.8
	Superelevation	202.5
	Temporary Freeway	206.4
<b>TRANSPARATION</b>		812.8
		819.2
<b>TRANSPORTATION MANAGEMENT AREA</b>	Definition	81.3
	Interchange Spacing	501.3
<b>TRASH RACK</b>	Definition	806.2
		822.2
<b>TRAVELED WAY</b>	Definition	62.1
	Design Considerations	404.2
	Standards	301
<b>TREATED BASE</b>		662.2
<b>TREATED PERMEABLE BASE</b>		662.3
<b>TREATED SUBGRADE</b>		662.4
<b>TREES</b>	Conventional Highways	904.5
	Freeways and Expressways	904.5
	Selection	904.3
	Shade Requirements	912.2
<b>TRUCK</b>	Critical Lengths of Grade	204.5
	Design Vehicle	404.3
	Escape Ramps	702.1
	Turning Templates	404.5
	Turns	404.5
	Weighing Facilities	703.1
<b>TRUMPET INTERCHANGE</b>		502.2
<b>TRUNK LINE</b>	Definition	806.2
<b>TUNNEL</b>	Classification	110.12
	Clearances	309.3
	Liner Plate	852.6

	Projects	110.12
	Structural Repairs with Steel Tunnel Liner Plate	853.7 838.4
<b>TURBULENCE</b>	Definition	806.2
<b>TURBULENT FLOW</b>	Definition	806.2
<b>TURNING LANES</b>	Left-turn Channelization	405.2
	Right-turn Channelization	405.3
	Separate	62.1
	Traffic	403.6
	Two-way Left-turn	405.2
<b>TURNING RADIUS</b>	Minimum	62.4
<b>TURNING TEMPLATES</b>		404.3
	Truck and Transit	407
<b>TURNOUTS</b>		204.5
<b>URNS, PROHIBITED</b>	Intersections	403.8
<b>TWO-LANE CROSS SECTIONS</b>	New Construction	307.2
	RRR Projects	307.3
<b>TWO-QUADRANT CLOVERLEAF INTERCHANGE</b>		502.2
<b>TWO-WAY LEFT-TURN LANES</b>		405.2

**U**

<b>UNDERCUT</b>	Definition	806.2
		865.2
<b>UNDERDRAINS</b>	Design Criteria	842.4
	Installations	842.2
	Open Joint	842.5
	Perforated Pipe	842.5
	Pipe	842.5
	Selection of Type	842.7
	Service Life	842.6
<b>UNDERFLOW</b>	Definition	806.2
<b>UNDERPASS</b>	Railroad, Grade Line	204.8
	Railroad	208.9
<b>UNDIVIDED HIGHWAYS</b>	Axis of Rotation	202.4
	Grade Line	204.2
<b>UNTREATED GRANULAR BASE</b>	see BASE	

May 20, 2022

<b>URBAN/URBANIZED</b>	Access Control	504.8
	Corner Radii	405.8
	Definition	81.3
	Design Speed	101.2
	Drive way	205.3
	Horizontal Clearance	309.1
	Interchange Spacing	501.3
	Median Standards	305.1
	Outer Separation	310.2
	Position of Curbs and Dikes	303.5
	Weaving Section	504.7
<b>UTILITIES</b>	at Walls	210.8
<b>V</b>		
<b>VACATION</b>	Definition	110.9
<b>VALUE ANALYSIS</b>		110.9
<b>VEGETATION</b>	Control	706.2
	Preserve Existing	904.2
<b>VELOCITY HEAD</b>	Definition	806.2
		864.3
<b>VERTICAL CLEARANCE</b>	see CLEARANCES	
<b>VERTICAL CURVES</b>		204.4
	also see SIGHT DISTANCE	
<b>VISTA POINTS</b>		914
	Definition	62.5
	Amenities	914.3
	Aesthetic Factors	109.3
	General	914.1
	Parking	914.4
	Site Selection	914.2
<b>VOLUME</b>		62.8
	Design Hourly Volume	103.1
	Design Volume	62.8

**W**

<b>WALKWAYS</b>	see PEDESTRIAN FACILITIES
-----------------	---------------------------



<b>WALLS</b>	Head	826.3
<b>WALLS, RETAINING</b>	see EARTH RETAINING SYSTEMS	
<b>WATER</b>	Conservation	901.2
	Course, Definition	806.2
	Holding Tank	913.5
	Irrigation Supply	905.2
	Pollution, Control of	110.2
	Quality Control Boards	110.2
	Shed	819.2
	Table, Definition	806.2
	Wastewater Disposal	913.5
	Way, Definition	806.2
	Wells, Abandonment	110.2
<b>WATER LEVEL PROVINCE</b>	Definition	820.5
	Annual Exceedance Probability	820.3
	Tide Gauge Stations	820.3
	Tailwater Elevation	820.4
	Co-tidal Lines	820.5
	Tidal Datums	820.8
<b>WATER SUPPLY</b>	Irrigation	905.2
	Safety Roadside Rest Areas	913.5
	Vista Points	914.3
<b>WAVE</b>	Height	873.2
	Run-up	873.2
<b>WEAVING</b>		62.8
	Sections	62.4
	Sections, Interchange	504.7
<b>WEED CONTROL</b>	Noxious, Control of	110.5
<b>WEEPHOLES</b>	Definition	806.2
<b>WEIGHING FACILITIES</b>	Truck	703.1
<b>WEIR</b>	Definition	806.2
<b>WELLS</b>		841.5
	Water, Abandonment	110.2
<b>WETLANDS PROTECTION</b>		110.4
<b>WHEELBASE</b>	Definition	62.4
<b>WHEELCHAIR RAMPS</b>	see CURB RAMPS	
<b>WIDENING</b>	Pavement	206.2

**May 20, 2022**

	Ramps, for Trucks	504.3
	Pavement Design Life	612.3
	Pavement, Project Type	603.2
	Signalized Intersections	405.9
	Slope Benches and Cut Widening	304.3
<b>WIDTH</b>	Driveway, Access Openings on Expressways	205.1
	Driveway, Urban	205.3
	Lane	301.1
	Lane, on Curves	504.3
	Left Turn Lanes	405.2
	Median	305.1
	Opening for Falsework	204.8
	Pavement	301.1
	Right of Way	306
	Shoulder	302.1
	Structures	208.1
	Swept, Definition	62.4
	Swept, Design Considerations	404.2
	Tracking, Definition	62.4
	Tracking, Design Considerations	404.2
	<b>Y</b>	
<b>YARDS</b>	Maintenance	107.2
	Plant Sites, Contractors	112