APPENDIX G

Noise Receptor and Barrier Locations

This page intentionally left blank.



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200 FEET

0 FT 200FT 400FT 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200 FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT 200FT 400FT 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT 200FT 400FT 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT 200FT 400FT 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT 200FT 400FT 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT 200FT 400FT 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT 200FT 400FT 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT 200FT 400FT 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality

LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality



LEGEND:

- MODEL RECEPTOR
- EXISTING NOISE BARRIER
- EVALUATED NOISE BARRIER
- RIGHT-OF-WAY

1: 200
FEET

0 FT | 200FT | 400FT | 800FT

TRAFFIC NOISE MODEL RECEPTOR & NOISE BARRIER LOCATIONS

ILLINGWORTH & RODKIN, INC.
Acoustics • Air Quality

This page intentionally left blank.