

**A**

**AASHTO STANDARDS**

Policy on Use of ----- 82.3

**ABANDONMENT**

Water Wells ----- 110.2

**ABBREVIATIONS, OFFICIAL NAMES**

----- 61.1

**ABRASION**

----- 855.2

**ACCELERATION LANE**

At Rural Intersections ----- 405.1

**ACCESS CONTROL**

Definition ----- 62.6  
----- 104  
Alignment, Existing ----- 104.3  
Alignment, New ----- 104.3  
Frontage Roads ----- 104.3  
Frontage Roads Financed by Others ----- 104.3  
General Policy ----- 104.1  
Highways, Definition ----- 62.3  
Interchanges ----- 504.8  
Intersections ----- 405.6  
Openings ----- 104.2  
Openings, Financial Responsibility ----- 205.5  
Openings on Expressways ----- 205.1  
Openings in Relation to Median Openings ----- 104.5  
Rights, Protection of ----- 104.4

**ACCESSIBILITY REQUIREMENTS**

Curb Ramps, Guidelines for ----- 105.4  
Driveways ----- 205.3  
Provisions for Disabled Persons ----- 105.3  
Refuge Areas ----- 403.7

**ACCIDENT DATA**

Intersections ----- 402.2

**ACCRETION**

Definition ----- 806.2

**ACQUISITION**

Definition ----- 62.6  
Partial ----- 62.6  
of Material and Disposal Sites ----- 111.5

**ADT/AADT**

see AVERAGE DAILY TRAFFIC

**AESTHETIC FACTORS**

Contour Grading and Slope Rounding ----- 304.4  
In Design ----- 109.3  
Materials and Color Selection ----- 705  
Noise Barrier ----- 1102.6

Planting ----- 902.1  
Retaining Walls ----- 210.5

**AGGRADATION**

Definition ----- 806.2

**AGGREGATE BASE**

see BASE Engineering Criteria----- 663

**AGGREGATE SUBBASE**

Engineering Criteria ----- 663

**AGGRESSIVE**

Definition ----- 806.2

**AGREEMENTS**

Drainage, Cooperative ----- 803.2  
Materials ----- 111.4

**AIR POLLUTION**

Control of Burning ----- 110.3  
Control of Dust ----- 110.3

**AIR RIGHTS**

----- 62.6

**AIRWAY-HIGHWAY**

----- 207  
Clearances ----- 207.2  
Submittal of Data ----- 207.3

**ALIGNMENT**

Aesthetic Factors ----- 109.3  
Bridges ----- 203.9  
Channel ----- 862.2  
Consistency (Horizontal) ----- 203.3  
Controls (Horizontal) ----- 203.1  
Coordination (Horizontal/Vertical) ----- 204.6  
Culverts ----- 823.2  
Horizontal ----- 203  
Vertical (Grade) ----- 204

**ALLEY**

Definition ----- 62.3

**ALLUVIUM**

Definition ----- 806.2

**ALTERNATIVES FOR CULVERT PIPES**

----- 857

**ALUMINUM PIPE**

----- 852.5

**ANGLE OF INTERSECTION**

----- 403.3

**APPRAISAL**

----- 62.6

**APPROACH SLABS, STRUCTURE**

|                                 |           |
|---------------------------------|-----------|
| New Construction Projects ----- | 208.11(2) |
| Rehabilitation Projects -----   | 209.4     |

**APPROVALS**

|                                   |        |
|-----------------------------------|--------|
| Nonstandard Design Features ----- | 82.2   |
| Proprietary Items -----           | 110.10 |
| Special Designs -----             | 606.2  |

**AREAS OF CONFLICT**

|                     |       |
|---------------------|-------|
| Intersections ----- | 403.2 |
|---------------------|-------|

**ARTERIAL**

|                             |      |
|-----------------------------|------|
| Minor, Definition -----     | 81.4 |
| Principal, Definition ----- | 81.4 |

**AQUEDUCT**

|                  |       |
|------------------|-------|
| Definition ----- | 806.2 |
|------------------|-------|

**AQUIFER**

|                  |       |
|------------------|-------|
| Definition ----- | 806.2 |
| -----            | 841.2 |

**ARCH CULVERTS**

|       |       |
|-------|-------|
| ----- | 852.3 |
| ----- | 852.4 |
| ----- | 852.5 |
| ----- | 852.6 |

**ARMOR**

|       |       |
|-------|-------|
| ----- | 873.3 |
|-------|-------|

**ARTERIAL HIGHWAYS**

|       |      |
|-------|------|
| ----- | 62.3 |
|-------|------|

**ARTESIAN WATERS**

|                  |       |
|------------------|-------|
| Definition ----- | 806.2 |
|------------------|-------|

**ASPHALT CONCRETE**

see FLEXIBLE PAVEMNT

**ASPHALT TREATED PERMEABLE BASE**

|                                 |       |
|---------------------------------|-------|
| Definition -----                | 62.7  |
| Design, Asphalt Pavement -----  | 633.1 |
| Design, Concrete Pavement ----- | 623.1 |
| Pavement Drainage -----         | 662.3 |

**AUXILIARY LANES**

|                   |       |
|-------------------|-------|
| -----             | 62.1  |
| Interchange ----- | 504.5 |

**AVAILABLE HEAD, USE OF**

|       |       |
|-------|-------|
| ----- | 821.1 |
| ----- | 821.4 |

**AVERAGE DAILY TRAFFIC**

|       |       |
|-------|-------|
| ----- | 62.8  |
| ----- | 103.1 |

**AVULSION**

|                  |       |
|------------------|-------|
| Definition ----- | 806.2 |
|------------------|-------|

**AXIS OF ROTATION**

|                      |       |
|----------------------|-------|
| Superelevation ----- | 202.4 |
|----------------------|-------|

**AXLE LOADS, EQUIVALENT SINGLE**

see EQUIVALENT SINGLE AXLE LOADS

**B**

**BACKFILL, CULVERTS**

|       |       |
|-------|-------|
| ----- | 829.2 |
|-------|-------|

**BACKWATER**

|                  |       |
|------------------|-------|
| Definition ----- | 806.2 |
| -----            | 821.4 |
| -----            | 864.4 |

**BAFFLE**

|       |       |
|-------|-------|
| ----- | 873.4 |
|-------|-------|

**BANK**

|                              |       |
|------------------------------|-------|
| Definition -----             | 806.2 |
| Guide -----                  | 873.4 |
| Protection, Definition ----- | 806.2 |

**BANK PROTECTION**

|   |       |
|---|-------|
| -----                                       | 870   |
| Armor -----                                 | 873.3 |
| Design, Concepts -----                      | 873.1 |
| Design, High Water and Hydraulics -----     | 873.2 |
| Geomorphology and Site Considerations ----- | 872.3 |
| Training -----                              | 873.4 |

**BARRIER**

|                         |        |
|-------------------------|--------|
| Concrete on Walls ----- | 210.6  |
| Median -----            | 305.3  |
| Noise -----             | 1100   |
| Railing -----           | 208.10 |

**BASE**

|                                 |       |
|---------------------------------|-------|
| Definitions -----               | 62.7  |
| Aggregate -----                 | 662.1 |
| Asphalt Treated -----           | 662.2 |
| Asphalt Treated Permeable ----- | 662.3 |
| Cement Treated -----            | 662.2 |
| Cement Treated Permeable -----  | 662.3 |
| Description -----               | 602.1 |
| Engineering Criteria -----      | 663   |
| Granular, Untreated -----       | 662.1 |
| Hot Mix Asphalt Concrete -----  | 662.2 |
| Lean Concrete -----             | 662.2 |
| Treated Permeable -----         | 662.3 |

**BASEMENT SOIL**

See SUBGRADE

**BASIN CHARACTERISTICS**

Elevation ----- 812.7  
 Land Use ----- 812.4  
 Orientation ----- 812.8  
 Shape ----- 812.2  
 Size ----- 812.1  
 Slope ----- 812.3  
 Soil & Geology ----- 812.5  
 Storage ----- 812.6

**BEDLOAD**

Definition ----- 806.2  
 ----- 851.2

**BENCHES**

Drains ----- 834.4  
 Slope ----- 304.3

**BERM**

----- 835

**BIKEWAY**

Class I, Design Criteria ----- 1003  
 Class II Width ----- 301.2  
 Class III ----- 1003.3  
 Class IV ----- 1002.1  
 Definitions ----- 62.1  
 ----- 1001.4  
 Design Considerations ----- 404.2  
 Facilities ----- 1002  
 Markings ----- 1004  
 Overcrossings ----- 208.6  
 Planning Criteria ----- 1002  
 Railings ----- 208.10  
 Refuge Areas ----- 403.7  
 Standards ----- 1000  
 Traffic Control Devices ----- 1004  
 Trails ----- 1003.4  
 Undercrossings ----- 208.6

**BITUMINOUS**

Coatings On Pipes ----- 852.4

**BORDER INSPECTION STATIONS**

----- 107.3

**BORROW**

Definition ----- 62.7

**BRANCH CONNECTION**

----- 62.4  
 Freeway-to-freeway ----- 504.4  
 Interchange, Entrances and Exits ----- 504.2

**BRIDGE REPLACEMENT & REHABILITATION PROGRAM**

----- 43.3

**BRIDGES**

----- 208

Alignment ----- 203.9  
 Approach Railing ----- 208.10  
 Clearances ----- 309  
 Deer Crossing ----- 208.8  
 Definition ----- 62.2  
 Embankment Slopes ----- 208.5  
 Equipment Crossings ----- 208.8  
 Falsework Clearance ----- 204.8  
 Flood Design ----- 821.3  
 Grade Line ----- 204.7  
 Overloads ----- 110.1  
 Slope Treatment, End ----- 707  
 Structure Depth ----- 204.8  
 Structure, Open End ----- 208.5  
 Types of Structures ----- 62.2  
 also see GRADE SEPARATION STRUCTURES

**BROKEN-BACK CURVE**

see CURVES

**BULBOUTS**

see CURB, EXTENTIONS

**BULKHEADS**

Type ----- 873.3  
 ----- 883.3

**BULKING**

Definition ----- 806.2  
 Factors ----- 813.8  
 ----- 861.2  
 ----- 864.3

**BUSBAYS**

see CURB, EXTENTIONS

**BUSBULBS**

see CURB, EXTENTIONS

**BUSINESS DISTRICT**

Definitions ----- 62.6

**BYPASS HIGHWAY**

----- 62.3

**C**

**CALIFORNIA OPERATIONAL SAFETY AND HEALTH (CAL-OSHA)**

Tunnel Safety Orders ----- 110.12

**CALIFORNIA R-VALUE**

Definition ----- 62.7  
 Measurement of ----- 614.3  
 Record Keeping ----- 605.1

**CALIFORNIA ROAD SYSTEM MAP**

----- 81.4

|   |        |  |        |
|---|--------|--|--------|
| <b>CAMBER</b>   |        | Unlined -----                                  | 861.9  |
| Definition -----  | 806.2  | <b>CHANNELIZATION</b>                          |        |
| -----   | 829.2  | -----  | 62.4   |
| <b>CANTILEVER WALLS</b>                                 |        | Design Standards -----                         | 405    |
| -----   | 210.1  | Left-turn -----                                | 405.2  |
| <b>CAPACITY</b>   |        | Principles of -----                            | 403    |
| Drainage Structure -----                                | 806.2  | Right-turn -----                               | 405.3  |
| Highway -----   | 102    | <b>CHANNELIZATION, PRINCIPLES OF</b>           |        |
| Intersection 402.1Operational Features Affecting Design | 402.1  | -----  | 403    |
| -----   | 402.1  | Angle of Intersection -----                    | 403.3  |
| Ramp Intersection -----                                 | 406    | Areas of Conflict -----                        | 403.2  |
| Safety Roadside Rests -----                             | 903.5  | Major Movements -----                          | 403.1  |
| <b>CAPILLARITY</b>                                      |        | Points of Conflict -----                       | 403.4  |
| Definition -----  | 806.2  | Precautions -----                              | 403.12 |
| <b>CAPILLARY WATER</b>                                  |        | Prohibited Turns -----                         | 403.8  |
| Definition -----  | 806.2  | Refuge Areas -----                             | 403.7  |
| -----   | 841.2  | Signal Control -----                           | 403.9  |
| <b>CAPITAL PREVENTATIVE MAINTENANCE</b>                 |        | Speed-change Areas -----                       | 403.5  |
| -----   | 603.3  | Summary -----                                  | 403.11 |
| <b>CATCH BASIN</b>                                      |        | Traffic Control Devices -----                  | 403.10 |
| Definition -----  | 806.2  | Turning Traffic -----                          | 403.6  |
| Inlets -----  | 837.2  | <b>CHECK DAM</b>                               |        |
| <b>CATCH POINT</b>                                      |        | Definition -----                               | 806.2  |
| Clearance to Right of Way Line -----                    | 304.2  | <b>CIENEGA</b>                                 |        |
| Side Slope Standards -----                              | 304.1  | Definition -----                               | 806.2  |
| <b>CATTLE PASSES</b>                                    |        | <b>CLEANOUT</b>                                |        |
| -----   | 208.8  | Definition -----                               | 806.2  |
| <b>CEMENT TREATED PERMEABLE BASE</b>                    |        | -----  | 842.4  |
| also see BASE Definition-----                           | 62.7   | <b>CLEAR DISTANCE</b>                          |        |
| <b>CENTRAL ANGLE</b>                                    |        | Stopping Sight Distance on Horizontal Curves - | 201.6  |
| -----   | 203.4  | <b>CLEAR RECOVERY ZONE</b>                     |        |
| <b>CENTRIFUGAL FORCE</b>                                |        | -----  | 309.1  |
| Formula -----   | 202.1  | <b>CLEARANCES</b>                              |        |
| Superelevation -----                                    | 202    | -----  | 309    |
| <b>CHAIN LINK</b>                                       |        | Airway-highway -----                           | 207    |
| Fences -----  | 701.2  | Falsework -----                                | 204.6  |
| Railings, Bridges -----                                 | 208.10 | Lateral, for Elevated Structures -----         | 309.4  |
| <b>CHANNEL, ROADSIDE</b>                                |        | Minimum -----                                  | 309.1  |
| Alignment & Grade -----                                 | 862.2  | Pedestrian Over Crossings -----                | 309.2  |
| Changes -----   | 867    | Railroad -----                                 | 309.5  |
| Characteristics -----                                   | 813    | Signs, Vertical -----                          | 309.2  |
| Cross Section -----                                     | 863    | Slope to Right of Way Line -----               | 304.2  |
| Design Consideration -----                              | 861    | Structures, Horizontal -----                   | 309.1  |
| Flow Classifications -----                              | 866.2  | Structures, Vertical -----                     | 309.2  |
| Flow Equations -----                                    | 866.3  | Tunnel -----                                   | 309.3  |
| Linings -----   | 865    | <b>CLIMATE</b>                                 |        |
| Stability -----   | 864    | Pavement Map -----                             | 615    |
|   |        | <b>CLIMBING LANES</b>                          |        |
|   |        | Transitions -----                              | 206.2  |
|   |        | Sustained Grades -----                         | 204.5  |

|   |        |  |  |
|---|--------|--|--|
| <b>CLOVERLEAF INTERCHANGE</b>   |        |  |  |
| Local Streets -----   | 502.2  |  |  |
| Freeway-to-freeway -----  | 502.3  |  |  |
| <b>COATINGS</b>   |        |  |  |
| Pipe -----  | 852.4  |  |  |
| <b>COEFFICIENT OF ROUGHNESS</b>   |        |  |  |
| Channels -----  | 866.3  |  |  |
| Conduit -----   | 851.2  |  |  |
| <b>COEFFICIENT OF RUNOFF</b>  |        |  |  |
| Definition -----  | 806.2  |  |  |
| -----   | 819.2  |  |  |
| <b>COLLECTOR ROAD</b>   |        |  |  |
| Definition -----  | 62.3   |  |  |
| -----   | 81.4   |  |  |
| <b>COLLISIONS</b>   |        |  |  |
| -----   | 402.2  |  |  |
| <b>COLORS, SELECTION</b>  |        |  |  |
| Concrete -----  | 705.1  |  |  |
| Steel Structures -----  | 705.2  |  |  |
| <b>COMFORT FACILITIES</b>   |        |  |  |
| Roadside Rests -----  | 903    |  |  |
| <b>COMFORTABLE SPEEDS</b>   |        |  |  |
| see MAXIMUM COMFORTABLE SPEED   |        |  |  |
| <b>COMMERCIAL DRIVEWAYS</b>   |        |  |  |
| -----   | 205    |  |  |
| <b>COMMUNITY NOISE ABATEMENT PROGRAM</b>                                    |        |  |  |
| -----   | 1101.4 |  |  |
| <b>COMPOSITE PAVEMENT</b>   |        |  |  |
| Definition -----  | 62.7   |  |  |
| Engineering Properties -----  | 642.1  |  |  |
| Mechanistic-Emperical Method -----  | 606.3  |  |  |
| New Construction -----  | 643    |  |  |
| Pavement Preservation -----   | 644    |  |  |
| Performance Factors -----   | 642.2  |  |  |
| Reconstruction -----  | 643    |  |  |
| Rehabilitation -----  | 645    |  |  |
| Types -----   | 641    |  |  |
| <b>COMPOUND CURVES</b>  |        |  |  |
| -----   | 203.5  |  |  |
| Superelevation -----  | 202.6  |  |  |
| <b>CONCENTRATED FLOW</b>  |        |  |  |
| Definition -----  | 806.2  |  |  |
| <b>CONCENTRATION</b>  |        |  |  |
| Drainage, Definition -----  | 806.2  |  |  |
| <b>CONCRETE</b>   |        |  |  |
| Base, Lean -----  | 62.7   |  |  |
| -----   | 662.2  |  |  |
| Gravity Walls -----   | 210.2  |  |  |
| Painting -----  | 705.1  |  |  |
| Pavement, Rigid -----   | 620    |  |  |
| Portland Cement Pavement (PCCP)<br>see RIGID PAVEMENT                       |        |  |  |
| Retaining Walls -----   | 210.2  |  |  |
| <b>CONDEMNATION</b>   |        |  |  |
| Definition -----  | 62.6   |  |  |
| Inverse -----   | 62.6   |  |  |
| <b>CONDUIT</b>  |        |  |  |
| Cross Section -----   | 851.2  |  |  |
| Crossover, Irrigation -----   | 706.4  |  |  |
| Definition -----  | 806.2  |  |  |
| Protective Coating -----  | 854.3  |  |  |
| <b>CONGESTION MITIGATION AND AIR QUALITY<br/>IMPROVEMENT PROGRAM (CMAQ)</b> |        |  |  |
| -----   | 43.2   |  |  |
| <b>CONNECTIONS</b>  |        |  |  |
| Access Openings on Expressways -----  | 205.1  |  |  |
| Branch -----  | 62.4   |  |  |
| Branch Interchange, Entrances and Exits -----                               | 504.2  |  |  |
| Driveways on Frontage Roads -----   | 205.4  |  |  |
| Driveways on Rural Roads -----  | 205.4  |  |  |
| Driveways on Urban Roads -----  | 205.3  |  |  |
| Financial Responsibility -----  | 205.5  |  |  |
| Freeway-to-freeway -----  | 62.4   |  |  |
| -----   | 504.4  |  |  |
| Freeway with Local Roads -----  | 106.2  |  |  |
| Local Facility -----  | 203.1  |  |  |
| Private Road -----  | 205.2  |  |  |
| Roadway -----   | 107.1  |  |  |
| <b>CONSERVATION OF MATERIALS AND<br/>ENERGY</b>                             |        |  |  |
| -----   | 110.11 |  |  |
| <b>CONSTRUCTIBILITY</b>   |        |  |  |
| Pavement -----  | 618.2  |  |  |
| <b>CONTINUOUSLY REINFORCED CONCRETE<br/>PAVEMENT</b>                        |        |  |  |
| -----   | 621.2  |  |  |
| also see RIGID PAVEMENT   |        |  |  |
| <b>CONSTRUCTION</b>   |        |  |  |
| Freeway Connections with Local Roads -----                                  | 106.2  |  |  |
| Initial and Stage -----   | 106.1  |  |  |
| Temporary Features -----  | 82.1   |  |  |
| Temporary Pavements and Detours -----                                       | 612.6  |  |  |
| <b>CONTOUR GRADING</b>  |        |  |  |
| -----   | 304.4  |  |  |
| Aesthetics -----  | 109.3  |  |  |
| <b>CONTRACTORS YARDS/PLANT SITES</b>  |        |  |  |
| -----   | 112    |  |  |

**CONTRAST TREATMENT**

----- 704  
 Policy ----- 704.1

**CONTROL**

Drainage, Definition ----- 806.2  
 Erosion ----- 110.2  
 Traffic, Devices ----- 62.8  
 ----- 403.10  
 Traffic, Special Problems ----- 110.7

**CONTROL OF ACCESS**

see ACCESS CONTROL

**CONTROL OF POLLUTION**

see POLLUTION CONTROL

**CONTROLLED ACCESS HIGHWAY**

----- 62.3

**CONTROLLING CRITERIA**

----- 82.1

**CONVENTIONAL HIGHWAYS**

----- 62.3  
 Sidewalks ----- 105.1

**COORDINATION WITH OTHER AGENCIES**

----- 108  
 Transit Loading Facilities ----- 108.2  
 Divided Nonfreeway Facilities ----- 108.1  
 with FHWA ----- 108.3

**COST REDUCTION INCENTIVE PROPOSALS**

Walls ----- 210.4

**COUNTERFORT WALLS**

----- 210.2

**CRASH CUSHIONS**

----- 702.1

**CRIB WALLS**

----- 210.2

**CRITICAL**

Depth, Definition ----- 806.2  
 Flow, Definition ----- 806.2  
 Slope, Definition ----- 806.2  
 Velocity, Definition ----- 806.2

**CROSS DRAINAGE**

----- 820

**CROSS SECTION**

City Streets and County Roads ----- 308.1  
 Clear Recovery Zone, ----- 309.1  
 Effects on Drainage ----- 833  
 Frontage Roads ----- 310.1  
 Geometric ----- 62.1  
 Grade ----- 204.2

Multilane, All Paved ----- 307.5  
 Multilane, Divided ----- 307.4  
 Multilane, 2R & 3R Criteria ----- 307.6  
 Outer Separation ----- 310.2  
 State Highway ----- 307  
 Two-lane, New Construction ----- 307.2  
 Two-lane, 2R & 3R ----- 307.3  
 Warrants for ----- 307.1

**CROSS SECTION, OTHER THAN STATE HIGHWAY ROADS**

----- 308  
 City and County Roads ----- 308.1

**CROSS SECTION, STATE HIGHWAY**

see CROSS SECTION

**CROSS SLOPES**

Effects on Drainage ----- 833  
 Gutter ----- 303.2  
 Median ----- 305.2  
 Pavement ----- 301.2  
 Shoulder ----- 302.2  
 Structures ----- 208.2

**CROSSINGS**

Bicycle ----- 208.6  
 Deer ----- 208.8  
 Equestrian ----- 208.7  
 Equipment ----- 208.8  
 Pedestrian ----- 208.6  
 Railroad ----- 104.3

**CROSSOVER**

Irrigation, Conduits ----- 706.3

**CUL-DE-SAC STREET**

----- 62.3

**CULVERTS**

Alignment & Slope ----- 823.4  
 Alternative Pipes ----- 857  
 Anchorage ----- 829.5  
 Available Head ----- 821.4  
 Backwater ----- 825.1  
 Bedding & Backfill ----- 829.2  
 Box and Arch ----- 852.3  
 Bridges ----- 821.3  
 Buoyant Forces ----- 826.3  
 Camber ----- 823.2  
 Choice of Type ----- 851.2  
 Culvert Design System ----- 825.3  
 Curvature ----- 823.2  
 Definition ----- 806.2  
 Design Discharge ----- 821.2  
 Design Flood, Definition ----- 806.2  
 Design Frequency, Definition ----- 806.2  
 Design Storm, Definition ----- 806.2  
 End Treatment ----- 826.2  
 Entrance Design ----- 826  
 Entrance Riser ----- 826.3

|  |       |       |  |
|--|-------|-------|--|
| Gradeline -----                                | 823.2 |       |  |
| Headwall -----                                 | 826.3 |       |  |
| Headwater -----                                | 821.4 |       |  |
| Height of Cover -----                          | 829.2 |       |  |
| -----  | 856   |       |  |
| Hydrologic Considerations -----                | 821.2 |       |  |
| Improved Inlets -----                          | 826.4 |       |  |
| Inlet Control -----                            | 825.2 |       |  |
| Joints -----                                   | 829.4 |       |  |
| -----  | 854.1 |       |  |
| Length -----                                   | 828.3 |       |  |
| Minimum Cover -----                            | 856.5 |       |  |
| Multiple Pipes -----                           | 824.2 |       |  |
| Outlet Design -----                            | 827   |       |  |
| Piping -----                                   | 829.3 |       |  |
| Roughness -----                                | 851.2 |       |  |
| Sag -----                                      | 829.7 |       |  |
| Service Life -----                             | 855   |       |  |
| Settlement -----                               | 829.2 |       |  |
| Slope -----                                    | 823.2 |       |  |
| Transitions -----                              | 826.4 |       |  |
| Type Selection -----                           | 824   |       |  |
| <b>CURB RAMPS</b>                              |       |       |  |
| -----  | 105.4 |       |  |
| Guidelines for -----                           | 105.4 |       |  |
| Policy and Procedure -----                     | 105.3 |       |  |
| <b>CURBS</b>                                   |       |       |  |
| -----  | 303   |       |  |
| Bridges -----                                  | 303.5 |       |  |
| Design Considerations -----                    | 404.2 |       |  |
| Extensions -----                               | 303.4 |       |  |
| Frontage Roads and Streets -----               | 303.6 |       |  |
| General Policy -----                           | 303.1 |       |  |
| Grade Separations -----                        | 303.5 |       |  |
| Gutter Pan, Cross Slope -----                  | 303.2 |       |  |
| Median -----                                   | 305.4 |       |  |
| Position of -----                              | 303.5 |       |  |
| Ramps -----                                    | 504.3 |       |  |
| Returns, for City Streets -----                | 405.8 |       |  |
| Structures -----                               | 303.5 |       |  |
| Types and Uses -----                           | 303.2 |       |  |
| <b>CURVES</b>                                  |       |       |  |
| Broken-back -----                              | 203.7 |       |  |
| Compound -----                                 | 203.5 |       |  |
| Compound, Superelevation of -----              | 202.6 |       |  |
| Horizontal -----                               | 203   |       |  |
| Length and Central Angle -----                 | 203.4 |       |  |
| Location of Ramp on -----                      | 504.2 |       |  |
| Maximum Comfortable Speeds -----               | 202.2 |       |  |
| Radius -----                                   | 203.2 |       |  |
| Ramp Widening -----                            | 504.3 |       |  |
| Reversing -----                                | 203.6 |       |  |
| Reversing, Superelevation Transition for ----- | 202.5 |       |  |
| Spiral -----                                   | 203.8 |       |  |
| Superelevation -----                           | 202   |       |  |
| Three-Center -----                             | 405.7 |       |  |
| Vertical -----                                 | 204.4 |       |  |
| <b>CUT WIDENING</b>                            |       |       |  |
| -----  |       | 304.3 |  |
| <b>D</b>                                       |       |       |  |
| <b>D-LOAD</b>                                  |       |       |  |
| Cracking D-Load -----                          | 856.2 |       |  |
| Definition -----                               | 806.2 |       |  |
| Reinforced Concrete Pipe -----                 | 852.1 |       |  |
| <b>DAM</b>                                     |       |       |  |
| -----  |       | 829.9 |  |
| <b>DEAD END STREET</b>                         |       |       |  |
| Definition -----                               |       | 62.3  |  |
| <b>DEBRIS</b>                                  |       |       |  |
| -----  |       | 813.8 |  |
| Barrier, Definition -----                      |       | 806.2 |  |
| Basin, Definition -----                        |       | 806.2 |  |
| Bulking -----                                  |       | 813.8 |  |
| Control Structure -----                        |       | 822.2 |  |
| Definition -----                               |       | 806.2 |  |
| Rack, Definition -----                         |       | 806.2 |  |
| Riser -----                                    |       | 822.2 |  |
| <b>DECELERATION LANE</b>                       |       |       |  |
| -----  |       | 403.4 |  |
| Left Turns -----                               |       | 405.2 |  |
| Right Turns -----                              |       | 405.3 |  |
| <b>DECISION SIGHT DISTANCE</b>                 |       |       |  |
| -----  |       | 201.7 |  |
| <b>DEER CROSSINGS</b>                          |       |       |  |
| -----  |       | 208.8 |  |
| <b>DEFENSE ROUTE</b>                           |       |       |  |
| Rural and Single Interstate Routes -----       |       | 309.2 |  |
| <b>DEFINITIONS</b>                             |       |       |  |
| -----  |       | 62    |  |
| Drainage -----                                 |       | 806.2 |  |
| Pavement Structural Section -----              |       | 62.7  |  |
| Deflection Studies -----                       |       | 635.1 |  |
| <b>DEGRADATION</b>                             |       |       |  |
| Definition -----                               |       | 806.2 |  |
| <b>DELAY</b>                                   |       |       |  |
| Definition -----                               |       | 62.8  |  |
| <b>DENSITY</b>                                 |       |       |  |
| -----  |       | 62.8  |  |
| <b>DESIGN</b>                                  |       |       |  |
| Bank Protection -----                          |       | 873.1 |  |
| Capacities -----                               |       | 102   |  |
| Designation -----                              |       | 103   |  |

|                           |       |
|---------------------------|-------|
| Discharge                 | 811.3 |
| Discharge, Estimating     | 819   |
| Flood, Establishing       | 818.2 |
| Frequency, Definition     | 806.2 |
| Geometric Standards       | 200   |
| Hourly Volume             | 103.1 |
| Hourly Volume, Definition | 62.8  |
| Interchange               | 504   |
| Intersection              | 405   |
| Period                    | 103.2 |
| Philosophy                | 81.1  |
| Shore Protection          | 883.1 |
| Speed (See DESIGN SPEED)  |       |
| Standards, Applications   | 80    |
| Storm                     | 821.2 |
| Storm, Definition         | 806.2 |
| Wave Heights              | 883.2 |

**DESIGN DESIGNATION**

|                    |       |
|--------------------|-------|
| Design Period      | 103.2 |
| Relation to Design | 103.1 |

**DESIGN HOURLY VOLUME**

|  |       |
|--|-------|
|  | 62.8  |
|  | 103.1 |

**DESIGN LIFE**

|                           |       |
|---------------------------|-------|
| Pavement                  | 612   |
| Relation to Design Period | 103.1 |

**DESIGN SPEED**

|                            |       |
|----------------------------|-------|
|                            | 101   |
| Definition                 | 62.8  |
| Entrances & Exits          | 504.2 |
| Freeway-to-freeway Minimum | 504.4 |
| Freeway Entrances & Exits  | 504.2 |
| Local Facility             | 101.1 |
| Scenic Values              | 109   |
| Selection                  | 101.1 |
| Standards                  | 101.2 |

**DESIGN VEHICLE**

|                   |       |
|-------------------|-------|
| Definition        | 62.10 |
|                   | 404   |
| Transit           | 404.2 |
| California Truck  | 404.2 |
| Offtracking       | 404.1 |
| STAA Truck        | 404.2 |
| Swept Width       | 404.2 |
| Tracking With     | 404.2 |
| Turning Templates | 404.3 |
| Wheelbase         | 404.2 |

**DESIGN VOLUME**

see DESIGN HOURLY VOLUME

**DESIGN, FACTORS AFFECTING**

|             |       |
|-------------|-------|
|             | 401   |
| Bicycles    | 401.6 |
| Driver      | 401.2 |
| Environment | 401.4 |

|            |       |
|------------|-------|
| General    | 401.1 |
| Pavement   | 611   |
| Pedestrian | 401.5 |
| Vehicle    | 401.3 |

**DESIGN, OPERATIONAL FEATURES AFFECTING**

|                                |       |
|--------------------------------|-------|
|                                | 402   |
| Accidents                      | 402.2 |
| Capacity                       | 402.1 |
| Undesirable Geometric Features | 402.2 |

**DESIGNATION, DESIGN**

|                    |       |
|--------------------|-------|
| Design Period      | 103.2 |
| Relation to Design | 103.1 |

**DETOURS**

|                     |       |
|---------------------|-------|
|                     | 110.7 |
| Local Roads Used as | 106.2 |

**DETRITUS**

|            |       |
|------------|-------|
| Definition | 806.2 |
|------------|-------|

**DHV**

see DESIGN HOURLY VOLUME

**DIAMOND INTERCHANGE**

|  |       |
|--|-------|
|  | 502.2 |
|--|-------|

**DIKES**

|                            |       |
|----------------------------|-------|
| Frontage Roads and Streets | 303.6 |
| General Policy             | 303.1 |
| Guide, Earthen             | 873.4 |
| PCC Grouted Riprap         | 873.4 |
| Position of                | 303.5 |
| Ramp                       | 504.3 |
| Toe, Earthen               | 873.4 |
| Types and Uses             | 303.3 |

**DISCHARGE**

|            |       |
|------------|-------|
| Definition | 806.2 |
| Design     | 811.3 |
| Estimating | 819   |
| Peak       | 811.3 |

**DISPOSAL SITES/MATERIALS SITES**

|  |       |
|--|-------|
|  | 111   |
| Acquisition of                               | 111.5 |
| Environmental Requirements                   | 111.1 |
| Information Furnished to Prospective Bidders | 111.3 |
| Investigation of Local Material Sources      | 111.2 |
| Mandatory, on Federal-aid Projects           | 111.6 |
| Material Arrangements                        | 111.4 |

**DISTANCE, CLEAR**

|  |       |
|--|-------|
| Stopping Sight Distance on Horizontal Curves | 201.6 |
|--|-------|

**DITCHES**

|       |       |
|-------|-------|
| Grade | 834.3 |
| Side  | 303.2 |
|       | 834.3 |



Slope ----- 834.3

**DIVERGING**

----- 62.8

**DIVERSION**

Definition ----- 806.2

**DIVIDED HIGHWAY**

Definition ----- 62.3

Grade Line ----- 204.2

**DIVIDED NONFREEWAY FACILITY**

----- 108.1

**DIVISION OF DESIGN**

----- 10

**DOWEL BAR**

----- 622.7

Definition ----- 62.7

**DOWNDRAINS**

Definition ----- 806.2

Flume ----- 834.4

Pipe ----- 834.4

**DRAIN**

Edge System (See EDGE DRAIN)

**DRAINAGE**

Area, Definition ----- 806.2

Area ----- 819.2

Basic Policy ----- 803.1

Channels ----- 861

Computer Programs ----- 819.6

----- 825.3

Cooperative Projects Policy ----- 803.2

Course, Definition ----- 806.2

Definition ----- 806.2

Design Responsibility ----- 802.1

Detention Basins ----- 891.3

Divide, Definition ----- 806.2

Easement, Definition ----- 806.2

Economics of Design ----- 801.5

Galleries ----- 841.5

Glossary of Terms ----- 806.2

Median ----- 834.2

Objectives of Design ----- 801.4

Pavement ----- 650

by Pumping ----- 839

Roadway ----- 830

Section, Duties of ----- 802.1

Subsurface ----- 840

System, Definition ----- 806.2

**DRAINS**

Anchorage ----- 834.4

Benches ----- 834.4

Entrance Standards ----- 834.4

Geotextile ----- 841.5

Horizontal ----- 841.5

Outlet Treatment ----- 834.4

Overside, Spacing & Location ----- 834.4

Service Life ----- 857.1

----- 857.2

Slope ----- 834.4

Subsurface Types ----- 841.5

**DRIVEWAYS**

----- 205

Access Openings on Expressways ----- 205.1

Commercial ----- 205.3

Financial Responsibility ----- 205.5

Frontage Roads ----- 205.4

Local Standards ----- 205.3

Pedestrian Access ----- 205.3

Private, Definition ----- 62.3

Residential ----- 205.3

Rural Areas ----- 205.4

Urban ----- 205.3

**DRY WEATHER FLOWS**

Definition ----- 806.2

**DUFF**

Definition ----- 62.5

**E**

**EARTH RETAINING SYSTEMS**

Anchored Wall ----- 210.2

Cantilever Wall ----- 210.2

Concrete Gravity Wall ----- 210.2

Counterfort Wall ----- 210.2

Crib Wall; Concrete, Steel and Timber ----- 210.2

Drainage ----- 210.8

Electroliers and Signs ----- 210.8

Footings ----- 210.8

Gabion Basket Wall ----- 210.2

Gravity Wall ----- 210.2

L-Type Wall ----- 210.2

Masonry Wall ----- 210.2

Mechanically Stabilized Wall ----- 210.2

Non-Gravity Cantilevered Walls ----- 210.2

Proprietary ----- 210.2

Reinforced Embankments ----- 210.2

Rock Gravity Wall ----- 210.2

Rock/Soil Anchors ----- 210.2

Safety Railings ----- 210.6

Salvaged Material Retaining Wall ----- 210.2

Secant Soldier Pile Wall ----- 210.2

Sheet Pile Wall ----- 210.2

Slurry Diaphragm Wall ----- 210.2

Soil Mix Wall ----- 210.2

Soil Nail Wall ----- 210.2

Soil Reinforcement Systems ----- 210.2

Soldier Pile Wall with Lagging ----- 210.2

Tangent Soldier Pile Wall ----- 210.2

Tire Anchored Timber Wall ----- 210.2

|   |        |
|---|--------|
| Utilities .....                         | 210.8  |
| <b>EARTHQUAKE CONSIDERATIONS</b>        |        |
| .....                                   | 110.6  |
| <b>EASEMENT</b>                         |        |
| Definition .....                        | 62.6   |
| Definition .....                        | 806.2  |
| <b>ECONOMIC ANALYSIS</b>                |        |
| see LIFE-CYCLE COST ANALYSIS            |        |
| <b>EDDY LOSS</b>                        |        |
| Definition .....                        | 806.2  |
| <b>EDGE DRAIN</b>                       |        |
| .....                                   | 651.2  |
| System, Definition .....                | 62.7   |
| <b>ELECTROLIERS AND SIGNS</b>           |        |
| Walls .....                             | 210.7  |
| <b>EMBANKMENT</b>                       |        |
| Definition .....                        | 62.7   |
| Side Slope Standards .....              | 304    |
| Slopes at Structures .....              | 208.5  |
| Structure Approach Embankment .....     | 208.11 |
| <b>EMINENT DOMAIN</b>                   |        |
| Definition .....                        | 62.6   |
| <b>ENCROACHMENT</b>                     |        |
| Definition .....                        | 62.6   |
| <b>END OF FREEWAY</b>                   |        |
| Connections with Local Roads .....      | 106.2  |
| <b>ENDWALL</b>                          |        |
| Definition .....                        | 806.2  |
| <b>ENERGY</b>                           |        |
| Dissipator, Definition .....            | 806.2  |
| Dissipator .....                        | 827.2  |
| Grade Line, Definition .....            | 806.2  |
| Head, Definition .....                  | 806.2  |
| <b>ENTRANCE</b>                         |        |
| Design (Hydraulic) .....                | 826    |
| Freeway Interchange .....               | 504.2  |
| Head, Definition .....                  | 806.2  |
| Loss, Definition .....                  | 806.2  |
| <b>ENVIRONMENTAL REQUIREMENTS</b>       |        |
| Transit Loading Facilities .....        | 108.2  |
| Contractor's Yard and Plant Site .....  | 112    |
| FHWA .....                              | 108.3  |
| Material Sites and Disposal Sites ..... | 111    |
| Median Width .....                      | 305.1  |
| Project Development .....               | 81.1   |
| Special Considerations .....            | 110    |

|  |       |
|--|-------|
| <b>EQUALIZER</b>                       |       |
| Definition .....                       | 806.2 |
| .....                                  | 826.3 |
| <b>EQUESTRIAN TRAILS</b>               |       |
| see TRAILS, MULTIPURPOSE               |       |
| <b>EQUESTRIAN</b>                      |       |
| Definition .....                       | 62.10 |
| Undercrossing and Overcrossing .....   | 208.7 |
| <b>EQUIPMENT CROSSINGS</b>             |       |
| .....                                  | 208.8 |
| <b>EQUIVALENT SINGLE AXLE LOADS</b>    |       |
| Definition .....                       | 62.7  |
| Conversion ESAL to Traffic Index ..... | 613.3 |
| ESAL Constants .....                   | 613.3 |
| Lane Distribution Factors .....        | 613.3 |
| Projections, Truck Traffic .....       | 613.3 |
| <b>EROSION</b>                         |       |
| And Accretion, Definition .....        | 806.2 |
| Control, Channel & Shore .....         | 871.1 |
| Control, Planting .....                | 902   |
| Control, Water Pollution .....         | 110.2 |
| Definition .....                       | 806.2 |
| Vegetative Control .....               | 62.5  |
| <b>EVAPORATION</b>                     |       |
| Definition .....                       | 806.2 |
| .....                                  | 812.8 |
| .....                                  | 814.4 |
| .....                                  | 819.2 |
| <b>EXITS</b>                           |       |
| Freeway Interchange .....              | 504.2 |
| <b>EXPRESSWAY</b>                      |       |
| .....                                  | 62.3  |

**F**

|  |       |
|--|-------|
| <b>FAA</b>                                   |       |
| Abbreviation .....                           | 61.1  |
| Notice Requirements .....                    | 207.3 |
| <b>FACTORS AFFECTING INTERSECTION DESIGN</b> |       |
| see DESIGN, FACTORS AFFECTING                |       |
| <b>FALSEWORK</b>                             |       |
| .....  | 204.8 |
| Grade Line .....                             | 204.8 |
| Vertical Clearance .....                     | 204.8 |
| Width of Traffic Openings .....              | 204.8 |
| Worker Safety .....                          | 204.8 |

**FAN**

Definition ----- 806.2

**FEDERAL-AID**

----- 40  
Funding Determination ----- 44  
Programs (see also PROGRAMS) ----- 43  
System ----- 42

**FEDERAL LANDS PROGRAM**

----- 43.4

**FENCES**

----- 701  
Approval ----- 701.1  
Barbed Wire, Type BW ----- 701.2  
Chain Link ----- 701.2  
Exceptions to Standard Types ----- 701.2  
Freeways and Expressways ----- 701.2  
Location of ----- 701.2  
Locked Gates ----- 701.2  
Median ----- 701.2  
on Other Highways ----- 701.3  
Policy and Purpose ----- 701.1  
Retaining Walls ----- 210.6  
Safety Roadside Rests ----- 903.5  
Standard Types ----- 701.2  
Vinyl-clad ----- 705.1  
Weathering Type Steel ----- 705.1  
Wire Mesh, Type WM ----- 701.2

**FHWA**

Approval of Locked Gates ----- 701.2  
Approval of Mandatory Sites ----- 111.6  
Coordination With ----- 108.7  
Federal-aid ----- 40

**FILTER FABRIC**

----- 841.5

**FLAP GATES**

Definition ----- 806.2  
----- 821.6  
----- 838.5

**FLARED END SECTION**

----- 826.3  
----- 834.4

**FLEXIBLE PAVEMENT**

Definition ----- 62.7  
Aged Residue (AR) ----- 632.1  
Analytical Depth ----- 635.2  
Transit Pads ----- 636.4  
California R-value ----- 633.1  
Climate Region ----- 632.1  
Cold in-Place Recycled Asphalt ----- 635.1  
Concrete Overlay ----- 635.1  
Data Collection ----- 635.2  
80th percentile Deflection ----- 635.2

Deflection Studies ----- 635.2  
Empirical Method ----- 633.1  
Engineering Analysis Software ----- 637  
Full Depth Hot Mix Asphalt ----- 633.1  
Gravel Equivalent ----- 633.1  
Gravel factor ( $G_r$ ) ----- 633.1  
Grouping ----- 635.2  
Hot Mix Asphalt (HMA) ----- 631  
Hot Mixed Asphalt Base ----- 633.1  
Hot Recycled Asphalt ----- 635.2  
International Roughness Index (IRI) ----- 635.2  
Intersections ----- 636.3  
Lean Concrete Base (LCB) ----- 635.2  
Lime Treated Subbase ----- 633.1  
Mainline ----- 636.1  
Mill and Overlay ----- 635.2  
Open Graded Friction Course (OGFC) ----- 631.4  
Park & Ride Facilities ----- 636.4  
Pavement Condition Report ----- 635.2  
Pavement Preservation ----- 634  
Percent Reduction in Deflection ----- 635.2  
Percent Reduction in deflection required  
at the Milled depth ----- 635.2  
Performance Factors ----- 633.2  
Performance Graded (PG) ----- 632.1  
Polymer modified binders ----- 632.1  
RHMA-G ----- 631.4  
RHMA-O ----- 631.4  
Ramp Termini ----- 636.1  
Reflective crack retardation ----- 635.2  
Remove and Replace ----- 635.2  
Ride Quality ----- 635.2  
Roadside Facilities ----- 636.4  
Safety Roadside Rest Areas ----- 636.4  
Rubberized HMA ----- 631.5  
SAMI-R ----- 631.8  
Shoulders ----- 636.2  
Smoothness ----- 635.2  
Stress Absorbing Membrane Interlayers (SAMI) - 631.8  
Structural Adequacy ----- 635.2  
Test Sections ----- 635.2  
Tolerable Deflection at the Surface (TDS) ----- 635.2  
Tolerable Deflections ----- 635.2  
Traffic Index (TI) ----- 633.1  
Traveled Way ----- 636.1  
Treated Permeable Base (TPB) ----- 633.1  
Wearing Course ----- 633.1  
Whitotopping ----- 635.2

**FLOOD**

Base ----- 818.1  
Control Projects ----- 803.2  
Design ----- 818.1  
Design Criteria, Recommended ----- 821.3  
----- 831.3  
Greatest of Record ----- 821.3  
Magnitude ----- 817  
Maximum Historical ----- 818.1  
Measurement ----- 817.2  
Plain, Definition ----- 806.2  
Plane, Definition ----- 806.2

Stage, Definition ----- 806.2  
Waters, Definition ----- 806.2

**FLOW**

Channel ----- 816.6  
Critical ----- 864.3  
Definition ----- 806.2  
Line ----- 806.2  
Subcritical ----- 864.3  
Supercritical ----- 864.3

**FREE**

Outlet, Definition ----- 806.2  
Water, Definition ----- 806.2

**FREEBOARD**

Definition ----- 806.2  
----- 866

**FREEWAY**

----- 62.3  
Entrances and Exits at Interchanges ----- 504.2  
Landscape ----- 62.5  
----- 900

**FREEWAY CONNECTIONS WITH EXISTING ROADS**

----- 106.2

**FREEWAY-TO-FREEWAY CONNECTIONS**

----- 62.4  
----- 504.4  
Branch Connections ----- 504.4  
Grade Line ----- 204.2  
Grades ----- 504.4  
Lane Drops ----- 504.4  
Metering ----- 504.3  
----- 504.4  
Shoulder Width ----- 504.4

**FREEWAY-TO-FREEWAY INTERCHANGES**

----- 502.3

**FRENCH DRAINS**

Definition ----- 806.2  
----- 841.5

**FRICTION FACTORS**

----- 202.1

**FRONTAGE ROADS**

Definition ----- 62.3  
Cross Section Standards ----- 310  
Access Control ----- 104.3  
Cross Section ----- 310.1  
Curbs ----- 303.6  
Driveways ----- 205.4  
Financed by Others ----- 104.3  
Headlight Glare ----- 310.3  
Horizontal Clearance ----- 309.1  
Outer Separation ----- 310.2

Railroad Crossings ----- 104.3  
Sidewalks ----- 105.1

**FUNDING**

----- 44  
Federal-Aid Eligibility ----- 44.1  
Federal Participation Ratio ----- 44.2

**FUNNELING**

----- 403.1

**G**

**GALLERIES**

Drainage ----- 841.5

**GEOMETRIC CROSS SECTIONS**

----- 300  
Definition ----- 62.1

**GEOMETRIC DESIGN**

Definition ----- 62.4  
Structure Standards ----- 200  
Undesirable Geometric Features, Intersections -- 402.2

**GEOTECHNICAL DESIGN REPORT**

----- 113  
Content ----- 113.2  
Local Materials Sources ----- 111.2  
Policy ----- 113.1  
Side Slope Standards ----- 304.1  
Submittal and Approval ----- 113.3

**GORE**

----- 62.4  
Contrasting Surface Treatment ----- 504.2  
Paved Gore ----- 504.2

**GRADE**

Cross Section, Position with Respect to ----- 204.2  
to Drain, Definition ----- 806.2  
Freeway Entrance Standards ----- 504.2  
Freeway Exit Standards ----- 504.2  
Freeway-to-freeway Connection Standards ----- 504.4  
General Controls ----- 204.1  
Horizontal Alignment, Coordination with ----- 204.6  
Ramps ----- 504.2  
Rolling Profile ----- 204.1  
Safety Roadside Rests ----- 903.5  
Separate Lines ----- 204.7  
Separation ----- 62.4  
Separation Structures ----- 208  
Separation, Pedestrian ----- 105.2  
Standards ----- 204.3  
Stopping Sight Distance at Crests ----- 201.4  
Stopping Sight Distance at Sags ----- 201.5  
Structures ----- 204.8  
Sustained Grades ----- 204.5  
Vertical Curves ----- 204.4

**GRADE LINE**

Bridge Decks ----- 204.8  
Depressed, Under Structures ----- 204.8  
General ----- 204.1  
Separate ----- 204.7  
Structures ----- 204.8

**GRADE SEPARATION STRUCTURES**

----- 208  
Cattle Passes, Equipment, and Deer Crossings -- 208.8  
Cross Slope ----- 208.2  
Curbs ----- 303.5  
Equestrian Undercrossing ----- 208.7  
Median ----- 208.3  
Open End Structures ----- 208.5  
Pedestrian ----- 105.2  
Pedestrian Overcrossings and Undercrossing ---- 208.6  
Railings ----- 208.10  
Railroad Underpasses and Overheads ----- 208.9  
Sidewalks ----- 208.4  
Widths ----- 208.1

**GRADIENT (SLOPE)**

Definition ----- 806.2

**GRADING PLANE**

Definition ----- 62.7

**GRATED LINE DRAIN**

----- 837.2

**GRAVEL EQUIVALENT**

----- 635.2

**GRAVITY WALL**

----- 210.2

**GROIN**

----- 883.3

**GROUND WATER**

Definition ----- 806.2  
----- 841.2

**GUARDRAIL**

Bridge Approach Railings ----- 208.10  
References ----- 702

**GUIDE BANK**

----- 873.4

**GUTTER PAN**

Cross Slope ----- 303.2  
General Policy ----- 303.1  
Uses, Curb Types ----- 303.2

**GUTTERS, SIDE**

----- 834.3  
Capacity ----- 836.2  
Grade ----- 836.2

Intersection, at ----- 836.2  
Types ----- 836.1  
Valley ----- 836.2

**H**

**HAULING**

Overloaded Material/Equipment , Design for ---- 110.1

**HEAD**

Available ----- 821.4

**HEADLIGHT GLARE**

----- 310.3

**HEADLIGHT SIGHT DISTANCE**

Grade Sags ----- 201.5

**HEADWAY**

----- 62.8

**HIGH SPEED RAIL**

Definition ----- 62.10  
Clearances ----- 309.1

**HIGHWAY**

----- 62.3  
Capacity ----- 102  
Context ----- 81.6  
Controlled Access ----- 62.3  
Conventional ----- 62.3  
Federal Lands Program ----- 43.4  
Interstate, Definition ----- 81.4  
Landscape Architect Definitions ----- 62.5  
Major ----- 62.3  
National Highway System ----- 42  
Parkway ----- 62.3  
Pedestrian Facilities ----- 105  
Planting ----- 62.5  
Radial ----- 62.3  
Route Numbers ----- 21.2  
Scenic ----- 62.3  
State System ----- 81.4  
Structures, Definitions ----- 62.2  
Structures, Grade Line ----- 204.8  
Through ----- 62.3  
Types, Definitions ----- 62.3

**HIGHWAY DESIGN MANUAL STANDARDS**

----- 82.1

**HORIZONTAL ALIGNMENT**

Aesthetic Factors ----- 109.3  
Alignment Consistency ----- 203.3  
Bridges ----- 203.9  
Broken Back Curves ----- 203.7  
Compound Curves ----- 203.5  
Curve Length and Central Angle ----- 203.4  
General Controls ----- 203.1

Grade, Coordination with ----- 204.6  
 Radius ----- 203.2  
 Reversing Curves ----- 203.6  
 Standards for Curvature ----- 203.2  
 Spiral Transition ----- 203.8

**HORIZONTAL CLEARANCE**

Bridges ----- 309.1  
 Between Elevated Structures ----- 309.4  
 Clear Distance ----- 201.6  
 Noise Barriers ----- 1102.2  
 Off-track Maintenance ----- 309.5  
 Railroad Walkway ----- 309.5  
 Railroads, Adjacent to ----- 309.5  
 Retaining Walls ----- 309.1  
 Structure ----- 309.1  
 Tunnels ----- 309.3

**HORIZONTAL DRAINS**

----- 841.5

**HOT MIX ASPHALT CONCRETE BASE**

also see BASE Engineering Criteria ----- 663

**HOT MIXED ASPHALT**

----- 631.1

also see FLEXIBLE PAVEMENT

**HYDRAULIC**

Gradient, Definition ----- 806.2  
 Jump, Definition ----- 806.2  
 Mean Depth, Definition ----- 806.2  
 Mean Depth ----- 864.3  
 Radius, Definition ----- 806.2

**HYDRAULIC DESIGN DISCHARGE**

Empirical Methods ----- 819.2  
 Field Investigation ----- 815.3  
 Hydrograph Methods ----- 816.5  
 Rational Methods ----- 819.2  
 Regional Analysis ----- 819.2  
 Statistical Methods ----- 819.3  
 Summary of Methods ----- 819.1

**HYDROGRAPH**

Definition ----- 806.2  
 ----- 816.5  
 SCS Triangular ----- 819.4  
 Synthetic ----- 819.4  
 Unit ----- 819.4

**HYDROGRAPHY**

Definition ----- 806.2

**HYDROLOGIC DATA**

Basin Characteristics ----- 812  
 Federal Agencies ----- 815.3  
 Field Investigations ----- 815.3  
 Precipitation ----- 815.2  
 ----- 815.3  
 Rainfall ----- 815.5

Sources ----- 815.3  
 Stream Flow ----- 815.4  
 Surface Runoff ----- 815.2  
 Transfer of Data ----- 819.5

**HYDROLOGICAL ANALYSIS**

Gumbel Extreme Value Distribution ----- 819.3  
 Log Normal Distribution ----- 819.3  
 Log Pearson Type III Distribution ----- 819.3  
 Objectives ----- 811.2  
 Rational Methods ----- 819.2  
 Regional Analysis Methods ----- 819.2  
 SCS Triangular Hydrograph ----- 819.4  
 Synthetic Hydrograph ----- 819.4  
 Unit Hydrograph ----- 819.4

**HYDROLOGY**

Definition ----- 806.2  
 ----- 811.1

**HYDROPLANING**

Definition ----- 831.4

**I**

**INFILTRATION**

----- 602.1  
 ----- 819.2  
 Definition ----- 806.2

**INITIAL CONSTRUCTION**

and Stage ----- 106.1

**INLETS**

Combination ----- 837.2  
 Curb Opening ----- 837.2  
 Grate ----- 837.2  
 Hydraulic Design ----- 837.4  
 Location and Spacing ----- 837.3  
 Pipe Drop ----- 837.2  
 Time, Definition ----- 806.2  
 Transition ----- 826.4  
 Types ----- 837.2  
 Use of ----- 837.1

**INSPECTION STATIONS, BORDER**

----- 107.3

**INTERCHANGES**

Access Control ----- 504.8  
 Aesthetic Factors ----- 109.3  
 Approval of Design ----- 503.2  
 Auxiliary Lanes ----- 504.5  
 Cloverleaf ----- 502.2  
 Concepts ----- 501.1  
 Data Required for Design ----- 503.1  
 Definition ----- 62.4  
 Design, Procedure ----- 503  
 Design, Standards ----- 504

Diamond ----- 502.2  
 Elements ----- 62.4  
 Freeway Entrances and Exits, Design ----- 504.2  
 Freeway-to-freeway ----- 502.3  
 Freeway-to-freeway Connections, Definition ---- 62.4  
 Freeway-to-freeway Connections, Standards ---- 504.4  
 Freeway-to-freeway, Minimum Design Speed --- 504.4  
 Freeway-to-freeway Omission of Movements --- 502.3  
 Grade Separations ----- 62.4  
 Grades Exits/Entrances ----- 504.2  
 Lane Reduction ----- 504.6  
 Local Streets ----- 502.2  
 Parallel Street Systems ----- 502.2  
 Ramps ----- 504.3  
 Reviews ----- 503.2  
 Sight Distance for Planting ----- 902.2  
 Single Point Interchange ----- 502.2  
 Spacing ----- 501.3  
 Traffic ----- 500  
 Trumpet ----- 502.2  
 Two-quadrant Cloverleaf ----- 502.2  
 Types ----- 502  
 Warrants ----- 501.2  
 Weaving Sections ----- 504.7  
 also see RAMPS

**INTERMODAL SURFACE TRANSPORTATION EFFICIENCY ACT (ISTEA)**

----- 40

**INTERSECTION**

Access Control ----- 405.6  
 Accidents ----- 402.2  
 Angle of Intersection ----- 403.3  
 Areas of Conflict ----- 403.2  
 Bicycle, Affecting Design of ----- 401.6  
 Capacity ----- 402.1  
 Capacity, Ramps ----- 406  
 Channelization ----- 403  
 Definition ----- 62.4  
 Design, Factors Affecting ----- 401  
 Design, Operational Features Affecting ----- 402  
 Design, Standards ----- 405  
 Design Vehicle ----- 404  
 Driver, Affecting Design of ----- 401.2  
 Environment, Affecting Design of ----- 401.4  
 General, Factors Affecting Design ----- 401.1  
 at Grade ----- 400  
 Grade Separations ----- 62.4  
 Left-turn Channelization ----- 405.2  
 Major Movement, Preference to ----- 403.1  
 Median Openings ----- 405.5  
 Operational Features ----- 402  
 Pedestrian, Affecting Design of ----- 401.5  
 Points of Conflict ----- 403.4  
 Precautions ----- 403.12  
 Prohibited Turns ----- 403.8  
 Public Road ----- 405.7  
 Ramp ----- 406  
 Refuge Area ----- 403.7  
 Returns and Corner Radii, City Street ----- 405.8

Right-turn Channelization ----- 405.3  
 Right-turn Lanes at Off Ramp ----- 405.3  
 Roundabout, Definition ----- 62.4  
 Sight Distance ----- 405.1  
 Signal Control ----- 403.9  
 Speed-change Areas ----- 403.5  
 Traffic Control Devices ----- 403.10  
 Traffic Islands ----- 405.4  
 Turning Traffic ----- 403.6  
 Types ----- 401.5  
 Undesirable Geometric Features ----- 402.2  
 Vehicle, Affecting Design of ----- 401.3  
 Widening at Signalized Intersections ----- 405.9

**INTERSTATE**

Definition ----- 81.4  
 Funding ----- 42.2  
 Numbering ----- 21.2

**INUNDATE**

Definition ----- 806.2

**INVERSE CONDEMNATION**

Definition ----- 62.6

**INVERT**

Definition ----- 806.2  
 Paving, Definition ----- 806.2  
 Paving ----- 852.1  
 ----- 852.4  
 ----- 853.6  
 Protection ----- 852.4  
 ----- 852.5

**INVERTED SIPHON**

Definition ----- 806.2  
 ----- 829.7

**IRRIGATION SYSTEM**

Crossover Conduits ----- 706.4

**ISLAND**

----- 62.4  
 Traffic ----- 405.4

**ISOHYETAL**

Line, Definition ----- 806.2  
 Map, Definition ----- 806.2

**ISOVEL**

Definition ----- 806.2

**ISTEA**

----- 41.1  
 ----- 42.2

**J**

**JACK**  
Definition ----- 806.2

**JACKING OPERATIONS**  
Definition ----- 806.2

**JETTY**  
Definition ----- 806.2  
Types ----- 873.4

**JOINT**  
Longitudinal ----- 62.7  
Pavement ----- 622.4  
Seals ----- 62.7

**JOINT BANK PROTECTION COMMITTEE**  
----- 802.3

**JOINT PLAIN CONCRETE PAVEMENT**  
----- 621.2  
also see RIGID PAVEMENT

**JOINTS**  
Culverts ----- 829.4  
----- 854.1

**JUNCTION STRUCTURES**  
----- 838.5

**K**

**KINEMATIC WAVE EQUATION**  
----- 816.6

**KIRPICH EQUATION**  
----- 816.6

**K-RAIL**  
----- 204.8

**L**

**L-TYPE WALL**  
----- 210.2

**LAG**  
Definition ----- 806.2

**LAMINAR FLOW**  
Definition ----- 806.2

**LANDSCAPE**  
Aesthetic Factors ----- 109.3  
Architecture ----- 62.5

----- 900  
Highway ----- 62.5

**LANE**  
Addition ----- 206.2  
Addition on Ramps ----- 504.3  
Auxiliary ----- 62.1  
----- 504.5  
Climbing ----- 204.5  
----- 206.2  
Deceleration ----- 405.2  
----- 405.3  
Definitions ----- 62.1  
Drops ----- 206.3  
Drops on Freeway-to-freeway Connectors ----- 504.4  
Drops on Ramps ----- 504.3  
Express Toll Lanes ----- 62.8  
High-Occupancy Vehicle ----- 62.8  
High Occupancy Toll ----- 62.8  
Left Turn ----- 405.2  
Managed, Definition ----- 62.8  
Median, Definition ----- 62.1  
Multiple, Definition ----- 62.1  
Numbering ----- 62.1  
Passing ----- 204.5  
Reductions ----- 206.3  
Reduction at Interchanges ----- 504.6  
Right Turn ----- 405.3  
Separate Turning ----- 403.6  
Speed Change ----- 403.5  
Speed Change, Definition ----- 62.1  
Traffic, Definition ----- 62.1  
Two-way Left-turn Lanes ----- 405.2  
Width ----- 301.1  
Width on Curves ----- 504.3  
Width of Opening for Falsework ----- 204.8  
Width, Ramps ----- 504.3

**LATERAL**  
Definition ----- 806.2  
----- 838.4  
----- 838.5

**LEAN CONCRETE BASE**  
See BASE  
Definition ----- 62.7  
Engineering Criteria ----- 662  
Design, Flexible (Asphalt) Pavement ----- 635.2  
Design, Rigid (Concrete) Pavement ----- 624.1

**LEFT-TURN CHANNELIZATION**  
----- 405.2

**LEFT-TURN REFUGE**  
----- 403.7

**LEGISLATION**  
----- 41  
ISTEA ----- 41.1



**LEEVE**  
 Definition ----- 806.2

**LEVEL OF SERVICE**  
 Definition ----- 62.8  
 ----- 102

**LIFE-CYCLE COST ANALYSIS (LCCA)**  
 ----- 619

**LIME**  
 Treatment Definition ----- 614.4  
 Use of ----- 633.1

**LIME TREATED SUBBASE**  
 see SUBBASE

**LOAD TRANSFER DEVICE**  
 See DOWEL BAR

**LOADING FACILITIES**  
 Transit ----- 108.2

**LOCAL STREETS/ROADS**  
 Cross Section ----- 308.1  
 Definition ----- 62.3  
 ----- 81.4  
 Design Speed ----- 101.1  
 Driveways ----- 205.3  
 Grade ----- 204.1  
 Horizontal Alignment ----- 203.1  
 Interchanges ----- 502.2  
 Returns and Corner Radii ----- 405.8  
 Superelevation ----- 202.7

**LOCKED GATES**  
 ----- 701.2

**LOG OF TEST BORINGS**  
 ----- 210.8

**M**

**MAINTAINABILITY**  
 Pavement ----- 618.1

**MAINTENANCE**  
 Definitions ----- 62.7

**MAINTENANCE VEHICLE PULLOUT**  
 Definition ----- 62.3

**MAINTENANCE YARDS**  
 On Freeways ----- 107.2

**MAJOR STREET/MAJOR HIGHWAY**  
 Definition ----- 62.3

**MANDATORY MATERIAL SITES**  
 Federal-aid Projects ----- 111.6

**MANNING**  
 Equation ----- 866.3  
 Roughness Coefficient ----- 851.2  
 ----- 866.3

**MARKERS**  
 ----- 702.1  
 Contrast Treatment ----- 704.1

**MATERIALS**  
 Availability, Pavement ----- 617.1  
 Color Selection for Steel Structures ----- 705.2  
 Conservation of ----- 110.1.1  
 Hauling, Overloaded Design ----- 110.1  
 Information Furnished to Prospective Bidders --- 111.3  
 Plants ----- 112  
 Recycling, Pavement ----- 617.2  
 Report (see MATERIALS REPORT)  
 Sites ----- 111  
 Sites, Acquisition ----- 111.5  
 Sites, Arrangements ----- 111.4  
 Sites, Environmental Requirements ----- 111.1  
 Sites, Investigation of Local Sources ----- 111.2  
 Sites, Mandatory ----- 111.6  
 Special Treatment ----- 705.1

**MATERIALS REPORT**  
 Content ----- 114.3  
 Local Materials Sources ----- 111.2  
 Policy ----- 114.1  
 Preliminary ----- 114.4  
 Requesting ----- 114.2  
 Retention of Records ----- 114.5  
 Reviews ----- 114.5

**MAXIMUM COMFORTABLE SPEED**  
 Chart ----- 202.2  
 Superelevation ----- 202.2

**MAY**  
 Definition and Usage ----- 82.1

**MEAN VELOCITY**  
 ----- 864.3

**MECHANISTIC-EMPIRICAL**  
 ----- 606.3

**MEDIAN**  
 Definition ----- 62.1  
 Aesthetic Factors ----- 109.3  
 Barriers ----- 305.3  
 Cross Slope ----- 305.2  
 Curbs ----- 305.4

Decking on Bridge ----- 208.3  
 Fencing ----- 701.2  
 Grade ----- 834.2  
 Lane ----- 62.1  
 Left-turn Lane ----- 405.2  
 Openings ----- 405.5  
 Paved ----- 305.5  
 Position ----- 303.5  
 Separate Roadways ----- 305.6  
 Standards ----- 305  
 Width ----- 305.1

**MERGING**

Definition ----- 62.8

**METEOROLOGY**

Evapo-transpiration ----- 814.4  
 Rainfall ----- 814.2  
 Snow ----- 814.3  
 Tides and Waves ----- 814.5  
 Tsunami ----- 814.5

**METERING**

----- 504.3  
 Definition ----- 62.8  
 Freeway-to-Freeway Connections ----- 504.4  
 Lane Merges ----- 206.3  
 Ramp Lane Drops ----- 504.3

**MINIMUM TURNING RADIUS**

Definition ----- 62.4

**MINOR ARTERIAL**

Definition ----- 81.4

**MISCELLANEOUS STANDARDS**

----- 700  
 Fences ----- 701  
 Guardrail ----- 702  
 Mailboxes ----- 702  
 Markers ----- 702

**MUD FLOW**

Definition ----- 806.2

**MULTILANE CROSS SECTIONS**

All Paved ----- 307.5  
 Divided ----- 307.4

**MULTIPLE LANES**

Definition ----- 62.1

**MULTIPLE PIPES**

----- 824.2

**N**

**NATIONAL HIGHWAY SYSTEM**

----- 42.1

**NAVIGABLE WATERS**

Definition ----- 806.2

**NEGATIVE PROJECTING CONDUIT**

Definition ----- 806.2

**NOISE ABATEMENT**

----- 1100  
 By Others ----- 1101.2  
 Objective ----- 1101.2  
 Prioritizing ----- 1101.5  
 Terminology ----- 1101.3

**NOISE BARRIERS**

Aesthetics ----- 1102.6  
 Alternate Designs ----- 1102.5  
 Clearances ----- 1102.2  
 Design Criteria ----- 1102  
 Design Procedures ----- 1102.5  
 Drainage Openings ----- 1102.9  
 Emergency Access ----- 1102.8  
 Heights ----- 1102.3  
 Lengths ----- 1102.4  
 Location ----- 1102.2  
 Maintenance Considerations ----- 1102.7  
 Pay Quantities ----- 1102.5  
 Planting ----- 1102.6  
 Preliminary Site Data ----- 1102.5  
 Sight Distance Requirements ----- 1102.2

**NONFREEWAY FACILITIES**

Conversion to Divided ----- 108.1

**NONMOTORIZED TRAFFIC**

Provisions for ----- 104.3

**NORMAL DEPTH**

Definition ----- 806.2  
 ----- 864.2

**O**

**OFFICE OF**

State Landscape Architecture ----- 901.1

**OFF-SET LEFT-TURN LANE**

Definition ----- 62.4

**OFF-SITE DRAINAGE**

Definition ----- 806.2

**OFFTRACKING**

Definition ----- 62.4  
 Design Considerations ----- 404.1

**ON-SITE DRAINAGE**

Definition ----- 806.2

**ON-STREET PARKING**

Definition ----- 62.1  
----- 402.3

**OPEN CHANNEL**

Definition ----- 62.8

**OUTER SEPARATION**

Definition ----- 62.1  
----- 310.2

**OUTFALL**

Definition ----- 806.2

**OUTWASH**

Definition ----- 806.2

**OVERFLOW**

Channel ----- 861.5

**OVERLAND FLOW**

----- 816.6

**OVERLAYS**

Asphalt On Structure Decks ----- 607.6  
Definitions ----- 62.7

**OVERLOADS**

Design for ----- 110.1

**P**

**PAINTING**

Concrete ----- 705.1  
Steel ----- 705.2

**PARALLEL STREET SYSTEMS**

Interchanges ----- 502.2

**PARK AND RIDE LOTS**

Definition ----- 62.5  
Pavement Structural Section Design ----- 636.4

**PARKWAY**

Definition ----- 62.3

**PARTIAL ACQUISITION**

Definition ----- 62.6

**PASSING LANE**

----- 204.5

**PASSING SIGHT DISTANCE**

----- 201.2

**PAVEMENT/PAVEMENT STRUCTURE**

Capital Preventive Maintenance ----- 603.3  
Composite see COMPOSITE PAVEMENT

Condition Survey ----- 603.3  
Cross Slopes ----- 301.2  
Definition ----- 62.7  
Design Life, Definition ----- 62.7  
Design Life ----- 612  
Detours ----- 603.6  
Drainage, Impact of ----- 651.1  
Flexible see FLEXIBLE PAVEMENT  
Joints ----- 622.4  
Layers ----- 602  
New ----- 603.1  
Performance see PAVEMENT SERVICE LIFE - 62.7  
Portland Cement Concrete ----- 603  
Preservation ----- 603.3  
Reconstruction ----- 603.5  
Reductions ----- 206.3  
Rehabilitation, Roadway ----- 603.4  
Rehabilitation, Definition ----- 62.7  
Rigid see RIGID PAVEMENT  
Tapered Edge ----- 302.3  
Serviceability, Definition ----- 62.7  
Service Life, Definition ----- 62.7  
Structure ----- 62.7  
Surface Course ----- 62.7  
Temporary ----- 603.6  
Transitions ----- 206  
Transitions for Freeways, Temporary ----- 206.4  
Type Selection ----- 611.2  
Types of Projects ----- 603  
Widening ----- 603.2  
Width ----- 301.1

**PEAK FLOW**

Definition ----- 806.2  
----- 811.3

**PEDESTRIAN FACILITIES**

----- 105  
Accessibility Requirements ----- 105.3  
Bridges ----- 208.4  
Conventional Highways ----- 105.1  
Crosswalk, Definition ----- 62.4  
Curb Ramps, Guidelines ----- 105.4  
Design Considerations ----- 404.2  
Freeway Facilities ----- 105.1  
Frontage Roads ----- 105.1  
Grade Separations ----- 105.2  
Pedestrian, Definition ----- 62.10  
Overcrossings ----- 105.2  
Overcrossing/Undercrossing, Standards ----- 208.6  
Railings ----- 208.10  
Refuge, Definition ----- 62.4  
Refuge Areas ----- 403.7  
Replacement in Kind ----- 105.1  
School Walkways ----- 105.1  
Sidewalks ----- 105.1  
Sidewalks, Definition ----- 62.1  
Sidewalks, Structures ----- 208.4  
Trails ----- 1003.4

|  |       |  |       |
|--|-------|--|-------|
| Undercrossings -----                           | 105.2 | Sight Distance -----                   | 902.2 |
| -----  | 208.6 | Trees -----                            | 902.3 |
| <b>PERCHED WATER</b>                           |       | Vista Points -----                     | 904.3 |
| Definition -----                               | 806.2 | Water Supply -----                     | 706.5 |
| -----  | 841.4 | <b>PLASTIC COATINGS</b>                |       |
| <b>PERCOLATING WATERS</b>                      |       | -----                                  | 852.4 |
| Definition -----                               | 806.2 | <b>POINT OF CONCENTRATION</b>          |       |
| <b>PERMEABILITY</b>                            |       | Definition -----                       | 806.2 |
| Definition -----                               | 806.2 | <b>POINTS OF CONFLICT</b>              |       |
| -----  | 841.2 | Intersections -----                    | 403.4 |
| <b>PHYSICALLY DISABLED PERSONS</b>             |       | <b>POLICE FACILITIES</b>               |       |
| See ACCESSIBILITY REQUIREMENTS                 |       | -----                                  | 107.2 |
| <b>PIPE</b>                                    |       | <b>POLLUTION CONTROL</b>               |       |
| Alternative Pipe Culvert Selection Procedure   |       | Air -----                              | 110.3 |
| Using AltPipe -----                            | 857.2 | Water -----                            | 110.2 |
| Cast in Place Concrete -----                   | 852.2 | <b>PONDING</b>                         |       |
| Concrete Box and Arch, Strength Requirements - | 852.3 | -----                                  | 821.4 |
| Corrugated Aluminum Pipe and Arch, Strength    |       | <b>PORTLAND CEMENT CONCRETE</b>        |       |
| Requirements -----                             | 852.5 | Channel Linings -----                  | 865.2 |
| Corrugated Steel Pipe and Arch, Strength       |       | Pavement see RIGID PAVEMENT            |       |
| Requirements -----                             | 852.4 | <b>POSITIVE PROJECTING CONDUIT</b>     |       |
| Culverts -----                                 | 828.2 | Definition -----                       | 806.2 |
| -----  | 828.3 | <b>POTAMOLOGY</b>                      |       |
| Minimum Cover -----                            | 856.5 | Definition -----                       | 806.2 |
| Minimum Diameter -----                         | 838.4 | <b>PRECAST PANEL CONCRETE PAVEMENT</b> |       |
| Multiple -----                                 | 824.2 | -----                                  | 621.3 |
| Plastic, Strength Requirements -----           | 852.7 | also see RIGID PAVEMENT                |       |
| Protective Coatings -----                      | 852.4 | <b>PRECIPITATION</b>                   |       |
| Reinforced Concrete, Strength Requirements --- | 852.1 | Area, Definition -----                 | 806.2 |
| Standards for Drain -----                      | 838.4 | Definition -----                       | 806.2 |
| Structural Metal Pipe and Arch, Strength       |       | Mean Annual -----                      | 819.2 |
| Requirements -----                             | 852.6 | Point, Definition -----                | 806.2 |
| <b>PIPING</b>                                  |       | <b>PRELIMINARY HYDRAULIC DATA</b>      |       |
| Definition -----                               | 806.2 | -----                                  | 805.1 |
| -----  | 829.3 | <b>PRESENT WORTH</b>                   |       |
| <b>PLACE TYPES</b>                             |       | see ECONOMIC ANALYSIS                  |       |
| Definition -----                               | 81.3  | <b>PRIORITY NETWORK</b>                |       |
| Rural Area -----                               | 81.3  | 42 000 km -----                        | 309.2 |
| Suburban Area -----                            | 81.3  | <b>PRINCIPAL ARTIRIAL</b>              |       |
| Urban Area -----                               | 81.3  | Definition -----                       | 62.3  |
| <b>PLANT SITES/CONTRACTOR'S YARD</b>           |       | <b>PRIVATE ROAD</b>                    |       |
| -----  | 112   | Definition -----                       | 62.3  |
| <b>PLANTING</b>                                |       | <b>PRIVATE ROAD CONNECTIONS</b>        |       |
| Aesthetic Factors -----                        | 109.3 | -----                                  | 205.2 |
| Design -----                                   | 902   |  |       |
| Guidelines -----                               | 902.3 |  |       |
| Highway -----                                  | 62.5  |  |       |
| Irrigation -----                               | 902.4 |  |       |
| Replacement -----                              | 62.5  |  |       |
| Restoration -----                              | 62.5  |  |       |
| Safety Requirements -----                      | 902.2 |  |       |
| Safety Roadside Rests -----                    | 903.5 |  |       |

|                                |       |
|--------------------------------|-------|
| Financial Responsibility ..... | 205.5 |
| Sight Distance .....           | 405.1 |

|                                |      |
|--------------------------------|------|
| <b>PROCEDURAL REQUIREMENTS</b> |      |
| .....                          | 82.4 |

|   |      |
|---|------|
| <b>PROGRAMS, FEDERAL-AID</b>  |      |
| Bridge Replacement and Rehabilitation Program-                            | 43.3 |
| Congestion Mitigation and Air Quality Improvement<br>Program (CMAQ) ..... | 43.2 |
| Federal Lands Program .....   | 43.4 |
| Special Programs .....  | 43.5 |
| Surface Transportation Program (STP) .....                                | 43.1 |

|                         |       |
|-------------------------|-------|
| <b>PROHIBITED TURNS</b> |       |
| .....                   | 403.8 |

|                          |       |
|--------------------------|-------|
| <b>PROJECTING BARREL</b> |       |
| .....                    | 826.3 |

|                        |       |
|------------------------|-------|
| <b>PROJECTING ENDS</b> |       |
| .....                  | 826.3 |

|                               |        |
|-------------------------------|--------|
| <b>PROPRIETARY ITEMS</b>      |        |
| .....                         | 110.10 |
| Earth Retaining Systems ..... | 210.2  |

|                                    |       |
|------------------------------------|-------|
| <b>PROTECTION OF ACCESS RIGHTS</b> |       |
| .....                              | 104.4 |

|                               |  |
|-------------------------------|--|
| <b>PROTECTION OF WETLANDS</b> |  |
| see WETLANDS                  |  |

|                            |       |
|----------------------------|-------|
| <b>PROTECTIVE COATINGS</b> |       |
| .....                      | 852.4 |

|                                 |       |
|---------------------------------|-------|
| <b>PUBLIC ROAD INTERSECTION</b> |       |
| .....                           | 405.7 |
| Sight Distance .....            | 405.1 |

|                  |  |
|------------------|--|
| <b>PULL OUTS</b> |  |
| see TURNOUTS     |  |

|                  |      |
|------------------|------|
| <b>PUMPING</b>   |      |
| Definition ..... | 62.7 |

|                      |       |
|----------------------|-------|
| <b>PUMPING PLANT</b> |       |
| .....                | 839.1 |

**R**

|                        |  |
|------------------------|--|
| <b>R-VALUE</b>         |  |
| see CALIFORNIA R-VALUE |  |

|                       |      |
|-----------------------|------|
| <b>RADIAL HIGHWAY</b> |      |
| Definition .....      | 62.3 |

|               |       |
|---------------|-------|
| <b>RADIUS</b> |       |
| Curb .....    | 405.8 |

|                            |       |
|----------------------------|-------|
| Horizontal Alignment ..... | 203.2 |
|----------------------------|-------|

|                               |        |
|-------------------------------|--------|
| <b>RAILINGS</b>               |        |
| Bicycle .....                 | 208.10 |
| Bridge .....                  | 208.10 |
| Bridge Approach .....         | 208.10 |
| Cable .....                   | 210.6  |
| Chain Link .....              | 208.10 |
| Earth Retaining Systems ..... | 210.6  |
| Guardrail .....               | 208.10 |
| .....                         | 702.1  |
| Pedestrian .....              | 208.10 |
| Vehicular .....               | 208.10 |

|                                   |       |
|-----------------------------------|-------|
| <b>RAIL</b>                       |       |
| Clearances .....                  | 309.2 |
| Structures Adjacent to .....      | 309.5 |
| Commuter, Definition .....        | 62.10 |
| Conventional, Definition .....    | 62.10 |
| Crossings .....                   | 104.3 |
| Grade Line of Structures .....    | 204.8 |
| High Speed, Definition .....      | 62.10 |
| High Seed, Clearances .....       | 309.1 |
| Light, Definition .....           | 62.10 |
| Overheads .....                   | 208.9 |
| Slope Treatment, Structures ..... | 707   |
| Underpasses .....                 | 208.9 |

|                       |       |
|-----------------------|-------|
| <b>RAINFALL</b>       |       |
| Definition .....      | 806.2 |
| Sources of Data ..... | 815.3 |

|                  |       |
|------------------|-------|
| <b>RAIN GAGE</b> |       |
| .....            | 819.5 |

|                  |       |
|------------------|-------|
| <b>RAINWASH</b>  |       |
| Definition ..... | 806.2 |

|   |       |
|---|-------|
| <b>RAMPS</b>                                  |       |
| Curbs on .....                                | 504.3 |
| Curb Ramps .....                              | 105.4 |
| Definition .....                              | 62.4  |
| Dikes .....                                   | 504.3 |
| Distance Between Exits .....                  | 504.3 |
| Distance Between On-Ramps .....               | 504.3 |
| Entrance and Exit .....                       | 504.2 |
| Grade .....                                   | 504.2 |
| Grade Line .....                              | 204.2 |
| Grade, Standards .....                        | 204.3 |
| Hook .....                                    | 502.2 |
| Intersection Capacity .....                   | 406   |
| Intersections on Crossroad, Location of ..... | 504.3 |
| Lane Drops .....                              | 504.3 |
| Loop .....                                    | 504.3 |
| Metering (see METERING) .....                 |       |
| Pavement, Flexible .....                      | 636.1 |
| Pavement, Rigid .....                         | 626.1 |
| Pavement, Traffic Considerations .....        | 613.5 |
| Pavement Transitions .....                    | 206   |
| Single Lane .....                             | 504.3 |
| Structural Design .....                       | 602.3 |

|  |        |  |       |
|--|--------|--|-------|
| -----  | 603.5  | Flexible Pavement -----                          | 635   |
| -----  | 604.5  | Rigid Pavement -----                             | 625   |
| Superelevation -----                           | 504.3  | <b>REINFORCED EARTH SLOPES</b>                   |       |
| Tapers -----                                   | 206.3  | -----  | 210   |
| Termini, Flexible Pavement -----               | 636.1  | <b>RELICTION</b>                                 |       |
| Termini, Rigid Pavement -----                  | 626.1  | Definition -----                                 | 806.2 |
| Transitions -----                              | 504.3  | <b>RELINQUISHMENT</b>                            |       |
| Two-lane Entrance -----                        | 504.3  | Definition -----                                 | 62.6  |
| Two-lane Exit -----                            | 504.3  | <b>REPLACEMENT IN-KIND</b>                       |       |
| Width -----                                    | 504.3  | Sidewalks -----                                  | 105.1 |
| Widening for Trucks -----                      | 504.3  | <b>REPLACEMENT PLANTING</b>                      |       |
| <b>RATIONAL METHOD</b>                         |        | Aesthetic Factors -----                          | 109.3 |
| -----  | 819.2  | Definition -----                                 | 62.5  |
| <b>RAVELING</b>                                |        | <b>RESEARCH/SPECIAL DESIGNS</b>                  |       |
| Definition -----                               | 62.7   | Research, Experimentation -----                  | 606.1 |
| <b>REACH</b>                                   |        | Special Designs -----                            | 606.2 |
| Definition -----                               | 806.2  | Mechanistic-Empirical Design -----               | 606.3 |
| <b>RECORD KEEPING</b>                          |        | <b>RESOURCES</b>                                 |       |
| Documentation, Type of Pavement -----          | 605.1  | Other, Pavement -----                            | 604.3 |
| Revisions -----                                | 605.2  | <b>RESTORATION PLANTING</b>                      |       |
| <b>RECOVERY AREA</b>                           |        | Aesthetic Factors -----                          | 109.3 |
| -----  | 309.1  | Definition -----                                 | 62.5  |
| <b>RECYCLING, ASPHALT CONCRETE</b>             |        | <b>RESURFACING</b>                               |       |
| General -----                                  | 110.11 | Definition -----                                 | 62.7  |
| Hot, Definition -----                          | 62.7   | see PRESERVATION, PAVEMENT                       |       |
| <b>REFUGE AREAS</b>                            |        | see REHABILITATION, PAVEMENT                     |       |
| -----  | 403.7  | see REHABILITATION, ROADWAY                      |       |
| <b>REGIME</b>                                  |        | <b>RETAINING WALLS</b>                           |       |
| Definition -----                               | 806.2  | -----  | 210   |
| <b>REHABILITATION, CULVERTS</b>                |        | Aesthetic Considerations -----                   | 210.5 |
| General -----                                  | 853.1  | Construction Methods and Types -----             | 210.2 |
| Caltrans Host Pipe Structural Philosophy ----- | 853.2  | Guidelines for Plan Preparation -----            | 210.8 |
| Problem Identification and Coordination -----  | 853.3  | Safety Railing, Fences, and Concrete Barriers -- | 210.6 |
| Alternative Pipe Liner Materials -----         | 853.4  | <b>RETARD</b>                                    |       |
| Cementitious Pipe Lining -----                 | 853.5  | Types -----                                      | 873.4 |
| Invert Paving with Concrete -----              | 853.6  | <b>RETARDING BASIN</b>                           |       |
| Structural Repairs with Steel Tunnel Liner     |        | Definition -----                                 | 806.2 |
| Plate -----                                    | 853.7  | <b>RETENTION BASIN</b>                           |       |
| <b>REHABILITATION, PAVEMENT</b>                |        | Definition -----                                 | 806.2 |
| Capital Preventive Maintenance, part of -----  | 603.3  | <b>RETROGRESSION</b>                             |       |
| Definitions -----                              | 62.7   | Definition -----                                 | 806.2 |
| Design Life -----                              | 612.4  | <b>RETURN WALLS</b>                              |       |
| Composite -----                                | 645    | -----  | 210.8 |
| Flexible Pavement -----                        | 635    | <b>RETURNS, CITY STREET AND CORNER RADII</b>     |       |
| Rigid Pavement -----                           | 625    | -----  | 405.8 |
| <b>REHABILITATION, ROADWAY</b>                 |        |  |       |
| -----  | 603.4  |  |       |
| Definitions -----                              | 62.7   |  |       |
| Design Life -----                              | 612.4  |  |       |
| Composite Pavement -----                       | 645    |  |       |

**REVEGETATION**

----- 62.5  
Aesthetic Factors ----- 109.3

**REVERSING CURVES**

----- 203.6  
Superelevation Transitions ----- 202.5

**REVTMENT**

Definition ----- 806.2

**RIGHT OF ACCESS**

Definition ----- 62.6

**RIGHT OF WAY**

Definitions ----- 62.6  
Through Public Domain ----- 306.2  
Width ----- 306.1

**RIGHT-TURN CHANNELIZATION**

----- 405.3

**RIGID PAVEMENT**

Catalog ----- 623.1  
Definition ----- 62.7  
Design Procedure for ----- 623  
Engineering Properties ----- 622.1  
Joints ----- 622.4  
New Construction ----- 623  
Mechanistic-Empirical Procedures ----- 606.3  
Pavement Preservation ----- 624  
Performance Factors ----- 622.2  
Reconstruction ----- 623  
Rehabilitation ----- 625  
Texturing ----- 622.9  
Types ----- 621  
also see CONCRETE

**RIPARIAN**

Definition ----- 806.2

**RIPRAP**

Definition ----- 806.2  
----- 827.2  
----- 873.3

**RISER**

Culvert Entrance ----- 822.2  
Definition ----- 806.2

**RISK ANALYSIS**

Definition ----- 806.2  
----- 818.2

**ROADBED**

Definition ----- 62.1  
----- 62.7

**ROADSIDE**

Definition ----- 62.1

**ROADSIDE INSTALLATIONS**

----- 107  
Border Inspection Stations, Location of ----- 107.3  
Define Roadside ----- 62.1  
Maintenance Yards and Police Facilities ----- 107.2  
Roadway Connections ----- 107.1

**ROADSIDE RESTS, SAFETY**

Definition ----- 62.5  
Design Standards ----- 903  
Facilities and Features ----- 903.5  
Fencing ----- 903.5  
Grading ----- 903.5  
Minimum Standards ----- 903.1  
Pavement Design ----- 613.5  
Pavement, Flexible ----- 636.4  
Pavement, Rigid ----- 626.4  
Planting and Irrigation ----- 903.5  
Site Feasibility ----- 903.4  
Size and Capacity ----- 903.5  
Water Supply ----- 110.2  
----- 706.6  
----- 903.5

**ROADSIDE TREATMENT**

Irrigation Crossover Conduits ----- 706.4  
Roadside Management ----- 706.1  
Topsoil ----- 706.3  
Vegetation Control ----- 706.2  
Water Supply ----- 706.5

**ROADWAY**

Connections ----- 107.1  
Definition ----- 62.1  
Drainage ----- 830  
Structural Elements ----- 601.2

**ROCKFALL RESTRAINING NETS**

----- 703.2

**ROUNDABOUTS**

Access Control ----- 405.10  
Bicyclist Use ----- 405.10  
Central Island ----- 62.4  
Circulatory Roadway ----- 62.4  
Definition ----- 62.4  
Design Guidance ----- 405.10  
Design Vehicle ----- 405.10  
Entry Speeds ----- 405.10  
Exit Design ----- 405.10  
Inscribed Circle Diameter ----- 62.4  
----- 405.10  
Landscape Buffer/Strip ----- 62.4  
----- 405.10  
Lighting ----- 405.10  
Number of Legs ----- 405.10  
Path Alignment (Natural Path) ----- 405.10  
Pedestrian Refuge ----- 62.4  
Pedestrian Use ----- 405.10  
Splitter Island ----- 62.4  
----- 405.10

Stopping Sight Distance and Visibility ----- 405.10  
 Transit Use ----- 405.10  
 Truck Apron ----- 62.4  
 Vertical Clearance ----- 405.10

**ROUNDED INLET**

Definition ----- 806.2

**ROUNDED LIP**

----- 826.3

**RRR CRITERIA**

Design Period ----- 103.2  
 Left-Turn Lanes ----- 405.2  
 Multi lane Cross Section ----- 307.6  
 Pavement Design Life ----- 612.5  
 Two-lane Cross Section ----- 307.3

**RUNNING**

Speed ----- 62.8  
 Time ----- 62.8

**RUNOFF**

----- 816  
 Drainage, Definition ----- 806.2  
 Factors Affecting ----- 811.5  
 Superelevation Transition ----- 202.5

**RURAL**

Acceleration Lane at Intersection ----- 405.1  
 Access Control ----- 504.8  
 Area, Definition ----- 81.3  
 Design Speed ----- 101.2  
 Driveway Connection ----- 205.4  
 Interchange Spacing ----- 501.3  
 Median Standards ----- 305.1  
 Outer Separation ----- 310.2  
 Weaving Section ----- 504.7

**RURAL AND SINGLE INTERSTATE ROUTING**

----- 309.2

**RUTTING**

Definition ----- 62.7

**S**

**SAFETY**

Planting ----- 902.2  
 Planting and Irrigation ----- 902.1  
 Railings on Walls ----- 210.5  
 Reviews ----- 110.8  
 Roadside Rests ----- 903  
 Tunnel Safety Orders ----- 110.12  
 Worker ----- 110.7  
 Worker, Falsework Clearance ----- 204.8

**SAFETY ROADSIDE RESTS**

Definition ----- 62.5

Design Standards ----- 903  
 Facilities and Features ----- 903.5  
 Fencing ----- 903.5  
 Grading ----- 903.5  
 Minimum Standards ----- 903.1  
 Planting and Irrigation ----- 903.5  
 Sewage Facilities ----- 903.5  
 Site Feasibility ----- 903.4  
 Size and Capacity ----- 903.5  
 Water Supply ----- 706.6  
 Water Supply ----- 903.5

**SAG CULVERT**

Definition ----- 806.2  
 ----- 829.7

**SCENIC**

Highway ----- 62.3  
 Values ----- 109  
 Values, Safety Roadside Rests ----- 903.4

**SCENIC VALUES IN PLANNING AND DESIGN**

----- 109  
 Aesthetic Factors ----- 109.3  
 Basic Precepts ----- 109.1  
 Design Speed ----- 109.2

**SCHOOL PEDESTRIAN WALKWAYS**

----- 105.1

**SCOUR**

Definition ----- 806.2  
 ----- 827.2

**SEA LEVEL RISE**

----- 883.2

**SEAL**

Fog ----- 613.5  
 Slurry ----- 613.5

**SEDIMENTATION**

Definition ----- 806.2  
 ----- 823.2  
 ----- 862.2  
 ----- 865.2

**SEPARATE ROADWAY**

----- 305.6

**SERVICEABILITY**

Definition ----- 62.7

**SETTLEMENT**

Definition ----- 62.7  
 Structure Approach ----- 208.11

**SEVERANCE DAMAGES**

Definition ----- 62.6



|   |       |   |       |
|---|-------|---|-------|
| <b>SHALL</b>                                  |       | Passing -----                           | 201.2 |
| Definition and Usage -----                    | 82.1  | Planting -----                          | 902.2 |
| <b>SHEET FLOW</b>                             |       | Ramp Intersections -----                | 504.3 |
| Definition -----                              | 806.2 | Standards -----                         | 201.1 |
| <b>SHOALING</b>                               |       | Stopping -----                          | 201.3 |
| Definition -----                              | 806.2 | Stopping at Grade Crests -----          | 201.4 |
| <b>SHORE PROTECTION</b>                       |       | Stopping at Grade Sags -----            | 201.5 |
| -----   | 880   | Stopping on Horizontal Curves -----     | 201.6 |
| Armor -----                                   | 883.3 | Stopping at Intersections -----         | 405.1 |
| Design, Concepts -----                        | 883.1 | <b>SIGNAL CONTROL</b>                   |       |
| Design, High Water and Design Wave Height --- | 883.2 | -----                                   | 403.9 |
| Planning -----                                | 882.1 | <b>SIGNALIZED INTERSECTION</b>          |       |
| Site Considerations -----                     | 882.3 | Widening -----                          | 405.9 |
| <b>SHOULD</b>                                 |       | <b>SIGNS</b>                            |       |
| Definition and Usage -----                    | 82.1  | Vertical Clearance -----                | 309.2 |
| <b>SHOULDER</b>                               |       | <b>SILT</b>                             |       |
| Cross Slope -----                             | 302.2 | Definition -----                        | 806.2 |
| Definition -----                              | 62.1  | <b>SILTATION</b>                        |       |
| Design Considerations -----                   | 404.2 | -----                                   | 110.2 |
| Pavement, Flexible -----                      | 636.2 | <b>SIPHONS</b>                          |       |
| Pavement, Rigid -----                         | 626.2 | -----                                   | 829.7 |
| Standards, Geometric -----                    | 302   | <b>SKEW</b>                             |       |
| Standards, Pavement -----                     | 613.5 | Angle -----                             | 62.4  |
| Superelevation Transitions -----              | 202.5 | Angle of Intersection -----             | 403.3 |
| Transitions (Widen, Reduction) -----          | 206   | Definition (Hydraulic) -----            | 806.2 |
| Width -----                                   | 302.1 | <b>SLIDE</b>                            |       |
| Width, Right Turn Channelization -----        | 405.3 | Definition -----                        | 806.2 |
| Width, Two-lane Roads, New Construction ----- | 307.2 | <b>SLIPOUT</b>                          |       |
| <b>SIDE GUTTERS/DITCHES</b>                   |       | Definition -----                        | 806.2 |
| -----   | 834.3 | <b>SLOPE</b>                            |       |
| <b>SIDE SLOPES</b>                            |       | Aesthetic Factors -----                 | 109.3 |
| -----   | 304   | Cross -----                             | 301.2 |
| Benches and Cut Widening -----                | 304.3 | Crown -----                             | 301.2 |
| Clearance to Right of Way Line -----          | 304.2 | Definition (Hydraulic) -----            | 806.2 |
| Contour Grading and Slope Rounding -----      | 304.4 | Rounding -----                          | 304.4 |
| Standards -----                               | 304.1 | Protection -----                        | 873.3 |
| Stepped -----                                 | 304.5 | Shoulder Cross Slopes -----             | 302.2 |
| Structures -----                              | 208.5 | Side -----                              | 304   |
| Transition Slopes -----                       | 304.1 | Side, Benches and Cut Widening -----    | 304.3 |
| Widening -----                                | 304.3 | Standards, Side Slopes -----            | 304.1 |
| <b>SIDEWALKS</b>                              |       | Stepped -----                           | 304.5 |
| See PEDESTRIAN FACILITIES                     |       | Treatment Under Structures -----        | 707   |
| <b>SIGHT DISTANCE</b>                         |       | <b>SLOPE TREATMENT UNDER STRUCTURES</b> |       |
| Clear Distance (m) -----                      | 201.6 | -----                                   | 707   |
| Corner -----                                  | 405.1 | Guidelines -----                        | 707.2 |
| Decision -----                                | 201.7 | Policy -----                            | 707.1 |
| Decision at Intersections -----               | 405.1 | Procedure -----                         | 707.3 |
| Exit Nose -----                               | 504.2 | <b>SLOTTED DRAINS</b>                   |       |
| General -----                                 | 201.1 | -----                                   | 837.2 |
| Headlight, at Grade Sags -----                | 201.5 |   |       |
| Intersection -----                            | 405.1 |   |       |

**SLOUGH**

Definition ----- 806.2

**SLUG FLOW**

Definition ----- 806.2

**SNOW PACK**

----- 812.8

----- 814.3

**SOFFIT**

Definition ----- 806.2

**SOIL**

Characteristics for Pavements ----- 614.1

Imported Topsoil, Definition ----- 62.5

Local Topsoil, Definition ----- 62.5

Soil Horizon "A" ----- 62.5

Soil Horizon "O" ----- 62.5

Topsoil ----- 706.3

Unified Soil Classification System ----- 614.2

**SPACING**

Drainage Pipes ----- 824.2

Vehicle ----- 62.8

**SPECIAL CONSIDERATIONS**

----- 110

Air Pollution, Control of ----- 110.3

Control of Noxious Weeds ----- 110.5

Earthquake Consideration ----- 110.6

Overloaded Material Hauling, Design for ----- 110.1

Safety Reviews ----- 110.8

Traffic Control Plans ----- 110.7

Water Pollution, Control of ----- 110.2

Wetlands Protection ----- 110.4

**SPECIAL DESIGNS**

See RESEARCH/SPECIAL DESIGNS

**SPECIAL STRUCTURES AND INSTALLATION**

----- 703

**SPECIFIC ENERGY**

Definition ----- 806.2

----- 864.3

**SPEED**

Definition ----- 62.8

Comfortable (see MAXIMUM COMFORTABLE SPEED)

Design (See DESIGN SPEED)

High, Definition ----- 62.8

Low, Definition ----- 62.8

Operating ----- 62.8

Posted ----- 62.8

Running ----- 62.8

Speed Change Areas ----- 402.5

**SPEED-CHANGE LANES**

----- 62.1

Intersections ----- 403.5

Left-turn Channelization ----- 405.2

Pavement Transitions ----- 206

Right-turn Channelization ----- 405.3

Speed Change Areas ----- 402.5

**SPILLWAY**

Paved ----- 834.4

**SPIRAL TRANSITIONS**

----- 203.8

**STABILIZATION TRENCHES**

----- 841.5

**STAGE**

Definition ----- 806.2

**STAGE CONSTRUCTION**

----- 106.1

Freeway Connections with Local Roads ----- 106.2

**STANDARDS**

----- 80

Approval for Nonstandard Design----- 82.2

Boldface Standard ----- 82.1

FHWA and AASHTO ----- 82.3

Other Approval ----- 82.1

Permissive ----- 82.1

Underlined Standard ----- 82.1

**STATE HIGHWAY, CROSS SECTIONS**

----- 307

also see CROSS SECTIONS

**STEEL STRUCTURES**

Colors ----- 705.2

**STEPPED SLOPES**

----- 304.5

**STOPPING SIGHT DISTANCE**

see SIGHT DISTANCE

**STORAGE**

----- 838.4

Basin, Definition ----- 806.2

Definition ----- 806.2

Depression ----- 819.2

Detention ----- 812.6

Interception ----- 812.6

Left-turns ----- 405.2

Retention, Definition ----- 806.2

Right-turns ----- 405.3

**STORM**

Definition ----- 806.2

Design, Establishing ----- 818.2

|  |       |                                       |       |
|--|-------|---------------------------------------|-------|
| Design, Recommended Criteria -----       | 821.2 | Engineering Considerations -----      | 614.1 |
| Drain, Definition -----                  | 806.2 | Enhancement Fabrics -----             | 614.5 |
| <b>STP</b>                               |       | <b>SUBSEAL</b>                        |       |
| see SURFACE TRANSPORTATION PROGRAM       |       | -----                                 | 607.6 |
| <b>STREAM WATERS</b>                     |       | <b>SUBSURFACE DRAINAGE</b>            |       |
| Definition -----                         | 806.2 | -----                                 | 840   |
| <b>STREETS</b>                           |       | <b>SUBURBAN</b>                       |       |
| Definitions -----                        | 62.3  | -----                                 | 81.3  |
| <b>STREET FURNITURE</b>                  |       | <b>SUMP</b>                           |       |
| Definitions -----                        | 62.5  | Definition -----                      | 806.2 |
| <b>STRUCTURAL PLATE</b>                  |       | -----                                 | 831.3 |
| Arches -----                             | 852.6 | <b>SUPERCritical FLOW</b>             |       |
| Vehicular Underpasses -----              | 852.6 | Definition -----                      | 806.2 |
| <b>STRUCTURAL SECTION</b>                |       | -----                                 | 864.3 |
| see PAVEMENT STRUCTURE                   |       | <b>SUPERELEVATION</b>                 |       |
| <b>STRUCTURE APPROACH</b>                |       | Axis of Rotation -----                | 202.4 |
| Design Responsibilities -----            | 601.3 | Basic Criteria -----                  | 202.1 |
| Pavement Systems -----                   | 672   | Bridge -----                          | 203.9 |
| Structure Approach Slabs -----           | 209   | Channels -----                        | 866.2 |
| Slab-Rehabilitation Projects -----       | 673   | City Streets and County Roads -----   | 202.7 |
| <b>STRUCTURE CLEARANCE</b>               |       | Comfortable Speeds -----              | 202.2 |
| -----                                    | 309   | Compound Curves -----                 | 202.6 |
| Elevated Structures -----                | 309.4 | Ramps -----                           | 504.3 |
| Horizontal -----                         | 309.1 | Relationship to Speed on Curves ----- | 203.2 |
| Railroad -----                           | 309.5 | Reversing Curves -----                | 203.6 |
| Tunnel -----                             | 309.3 | Runoff -----                          | 202.5 |
| Vertical -----                           | 309.2 | Standards -----                       | 202.2 |
| <b>STRUCTURES, SLOPE TREATMENT UNDER</b> |       | Transition -----                      | 202.5 |
| See SLOPE TREATMENT                      |       | <b>SURFACE</b>                        |       |
| <b>STRUTTING</b>                         |       | Course, Definition -----              | 62.7  |
| Definition -----                         | 806.2 | Course, Description -----             | 602.1 |
| <b>SUBBASE</b>                           |       | Runoff, Definition -----              | 806.2 |
| Definition -----                         | 62.7  | Water, Definition -----               | 806.2 |
| Description -----                        | 602.1 | Water -----                           | 831.1 |
| Engineering Criteria -----               | 663   | <b>SURFACE TRANSPORTATION PROGRAM</b> |       |
| Lime Treated -----                       | 662.2 | -----                                 | 43.1  |
| Treated -----                            | 662.2 | <b>SWALE</b>                          |       |
| <b>SUBCRITICAL FLOW</b>                  |       | Definition -----                      | 806.2 |
| Definition -----                         | 806.2 | <b>SWEPT WIDTH</b>                    |       |
| -----                                    | 864.3 | Definition -----                      | 62.4  |
| <b>SUBDRAIN</b>                          |       | -----                                 | 404.1 |
| Definition -----                         | 806.2 | Design Considerations -----           | 404.2 |
| -----                                    | 841.5 | <b>T</b>                              |       |
| <b>SUBGRADE</b>                          |       | <b>TAPERED INLET</b>                  |       |
| -----                                    | 614   | Definition -----                      | 806.2 |
| Definition -----                         | 62.7  | -----                                 | 826.4 |
| Description -----                        | 602.1 |                                       |       |

|  |        |  |  |
|--|--------|--|--|
| <b>TEXTURING</b>                               |        |  |  |
| Rigid Pavement -----                           | 622.9  |  |  |
| <b>THREE-CENTER CURVE</b>                      |        |  |  |
| Intersections -----                            | 405.7  |  |  |
| <b>THROUGHWAY</b>                              |        |  |  |
| Definition -----                               | 62.3   |  |  |
| <b>TIME OF CONCENTRATION</b>                   |        |  |  |
| Channel Flow -----                             | 816.6  |  |  |
| Combined Flow -----                            | 816.6  |  |  |
| Culvert Flow -----                             | 816.6  |  |  |
| Kinematic Wave Equation -----                  | 816.6  |  |  |
| Kirpich Equation -----                         | 816.6  |  |  |
| Overland Equation -----                        | 816.6  |  |  |
| Soil Conservation Service (SCS) Equation ----- | 816.6  |  |  |
| Upland Method -----                            | 816.6  |  |  |
| <b>TOLL ROAD, BRIDGE OR TUNNEL</b>             |        |  |  |
| -----  | 62.3   |  |  |
| <b>TOPSOIL</b>                                 |        |  |  |
| Roadside Treatment -----                       | 706.3  |  |  |
| <b>TRACKING WIDTH</b>                          |        |  |  |
| Definition -----                               | 62.4   |  |  |
| -----  | 404.1  |  |  |
| Design Considerations -----                    | 404.2  |  |  |
| <b>TRAFFIC</b>                                 |        |  |  |
| Axle Load Spectra -----                        | 613.4  |  |  |
| Considerations -----                           | 401.3  |  |  |
| Considerations in Pavement Engineering -----   | 613    |  |  |
| Control Devices -----                          | 62.8   |  |  |
| Control Devices -----                          | 403.10 |  |  |
| Control Plans, Special Problems -----          | 110.7  |  |  |
| Definitions -----                              | 62.8   |  |  |
| Engineering -----                              | 82.7   |  |  |
| Index, TI -----                                | 613.3  |  |  |
| Interchanges -----                             | 500    |  |  |
| Islands -----                                  | 405.4  |  |  |
| Lane -----                                     | 62.1   |  |  |
| Markings -----                                 | 62.8   |  |  |
| Noise Abatement -----                          | 1100   |  |  |
| Pedestrian Refuge -----                        | 405.4  |  |  |
| Ramp Intersection Flow -----                   | 406    |  |  |
| Sign -----                                     | 62.8   |  |  |
| Signals -----                                  | 62.8   |  |  |
| Specific Traffic Loading Considerations -----  | 613.5  |  |  |
| Volume Projections -----                       | 613.2  |  |  |
| Volumes -----                                  | 102.1  |  |  |
| <b>TRAILS</b>                                  |        |  |  |
| Multipurpose -----                             | 1003.5 |  |  |
| <b>TRANSIT</b>                                 |        |  |  |
| Bus Rapid Transit (BRT) -----                  | 62.10  |  |  |
| Definition -----                               | 62.10  |  |  |
| Design Vehicle -----                           | 404.3  |  |  |
|  |        |  |  |
|  |        |  | Factors Affecting Design ----- 401.6       |
|  |        |  | Loading Facilities ----- 108.2             |
|  |        |  | Turning Templates ----- 404.5              |
| <b>TRANSITIONS</b>                             |        |  |  |
|  |        |  | General Standards, Pavement ----- 206.1    |
|  |        |  | Lane Additions ----- 206.2                 |
|  |        |  | Lane Drops ----- 206.3                     |
|  |        |  | Pavement ----- 206                         |
|  |        |  | Spiral ----- 203.8                         |
|  |        |  | Superelevation ----- 202.5                 |
|  |        |  | Temporary Freeway ----- 206.4              |
| <b>TRANSPIRATION</b>                           |        |  |  |
|  |        |  | ----- 812.8                                |
|  |        |  | ----- 819.2                                |
| <b>TRANSPORTATION MANAGEMENT AREA</b>          |        |  |  |
|  |        |  | Definition ----- 81.3                      |
|  |        |  | Interchange Spacing ----- 501.3            |
| <b>TRASH RACK</b>                              |        |  |  |
|  |        |  | Definition ----- 806.2                     |
|  |        |  | ----- 822.2                                |
| <b>TRAVELED WAY</b>                            |        |  |  |
|  |        |  | Definition ----- 62.1                      |
|  |        |  | Design Considerations ----- 404.2          |
|  |        |  | Standards ----- 301                        |
| <b>TREATED BASE AND SUBBASE</b>                |        |  |  |
|  |        |  | ----- 662.2                                |
| <b>TREATED PERMEABLE BASE AND SUBBASE</b>      |        |  |  |
|  |        |  | ----- 662.3                                |
| <b>TREES</b>                                   |        |  |  |
|  |        |  | Conventional Highways ----- 902.3          |
|  |        |  | Freeways and Expressways ----- 902.2       |
| <b>TRUCK</b>                                   |        |  |  |
|  |        |  | Critical Lengths of Grade ----- 204.5      |
|  |        |  | Design Vehicle ----- 404.3                 |
|  |        |  | Escape Ramps ----- 702.1                   |
|  |        |  | Turning Templates ----- 404.5              |
|  |        |  | Turns ----- 404.5                          |
|  |        |  | Weighing Facilities ----- 703.1            |
| <b>TRUMPET INTERCHANGE</b>                     |        |  |  |
|  |        |  | ----- 502.2                                |
| <b>TRUNK LINE</b>                              |        |  |  |
|  |        |  | Definition ----- 806.2                     |
| <b>TUNNEL</b>                                  |        |  |  |
|  |        |  | Classification ----- 110.12                |
|  |        |  | Clearances ----- 309.3                     |
|  |        |  | Liner Plate ----- 852.6                    |
|  |        |  | Projects ----- 110.12                      |
|  |        |  | Structural Repairs with Steel Tunnel Liner |
|  |        |  | Plate ----- 853.7                          |

|  |       |
|--|-------|
| -----                                      | 838.4 |
| <b>TURBULENCE</b>                          |       |
| Definition -----                           | 806.2 |
| <b>TURBULENT FLOW</b>                      |       |
| Definition -----                           | 806.2 |
| <b>TURNING LANES</b>                       |       |
| Left-turn Channelization -----             | 405.2 |
| Right-turn Channelization -----            | 405.3 |
| Separate -----                             | 62.1  |
| Traffic -----                              | 403.6 |
| Two-way Left-turn -----                    | 405.2 |
| <b>TURNING RADIUS</b>                      |       |
| Minimum -----                              | 62.4  |
| <b>TURNING TEMPLATES</b>                   |       |
| -----                                      | 404.3 |
| Truck and Transit -----                    | 407   |
| <b>TURNOUTS</b>                            |       |
| -----                                      | 204.5 |
| <b>URNS, PROHIBITED</b>                    |       |
| Intersections -----                        | 403.8 |
| <b>TWO-LANE CROSS SECTIONS</b>             |       |
| New Construction -----                     | 307.2 |
| RRR Projects -----                         | 307.3 |
| <b>TWO-QUADRANT CLOVERLEAF INTERCHANGE</b> |       |
| -----                                      | 502.2 |
| <b>TWO-WAY LEFT-TURN LANES</b>             |       |
| -----                                      | 405.2 |
| <b>U</b>                                   |       |
| <b>UNDERCUT</b>                            |       |
| Definition -----                           | 806.2 |
| -----                                      | 865.2 |
| <b>UNDERDRAINS</b>                         |       |
| Design Criteria -----                      | 842.4 |
| Installations -----                        | 842.2 |
| Open Joint -----                           | 842.5 |
| Perforated Pipe -----                      | 842.5 |
| Pipe -----                                 | 842.5 |
| Selection of Type -----                    | 842.7 |
| Service Life -----                         | 842.6 |
| <b>UNDERFLOW</b>                           |       |
| Definition -----                           | 806.2 |
| <b>UNDERPASS</b>                           |       |
| Railroad, Grade Line -----                 | 204.8 |

|                                   |       |
|-----------------------------------|-------|
| Railroad -----                    | 208.9 |
| <b>UNDIVIDED HIGHWAYS</b>         |       |
| Axis of Rotation -----            | 202.4 |
| Grade Line -----                  | 204.2 |
| <b>UNTREATED GRANULAR BASE</b>    |       |
| see BASE                          |       |
| <b>URBAN/URBANIZED</b>            |       |
| Access Control -----              | 504.8 |
| Corner Radii -----                | 405.8 |
| Definition -----                  | 81.3  |
| Design Speed -----                | 101.2 |
| Drive way -----                   | 205.3 |
| Horizontal Clearance -----        | 309.1 |
| Interchange Spacing -----         | 501.3 |
| Median Standards -----            | 305.1 |
| Outer Separation -----            | 310.2 |
| Position of Curbs and Dikes ----- | 303.5 |
| Weaving Section -----             | 504.7 |
| <b>UTILITIES</b>                  |       |
| at Walls -----                    | 210.8 |

**V**

|                                   |       |
|-----------------------------------|-------|
| <b>VACATION</b>                   |       |
| Definition -----                  | 110.9 |
| <b>VALUE ANALYSIS</b>             |       |
| -----                             | 110.9 |
| <b>VEGETATIVE EROSION CONTROL</b> |       |
| -----                             | 62.5  |
| <b>VELOCITY HEAD</b>              |       |
| Definition -----                  | 806.2 |
| -----                             | 864.3 |
| <b>VERTICAL CLEARANCE</b>         |       |
| see CLEARANCES                    |       |
| <b>VERTICAL CURVES</b>            |       |
| -----                             | 204.4 |
| also see SIGHT DISTANCE           |       |
| <b>VISTA POINTS</b>               |       |
| Definition -----                  | 62.5  |
| Aesthetic Factors -----           | 109.3 |
| Design Standards -----            | 904   |
| Features and Facilities -----     | 904.3 |
| General -----                     | 904.1 |
| Minimum Standards -----           | 904.1 |
| Site Selection -----              | 904.2 |
| Water Supply -----                | 706.6 |
| <b>VOLUME</b>                     |       |
| -----                             | 62.8  |

|                            |       |
|----------------------------|-------|
| Design Hourly Volume ----- | 103.1 |
| Design Volume -----        | 62.8  |

**W**

**WALKWAYS**

see PEDESTRIAN FACILITIES

**WALLS**

|            |       |
|------------|-------|
| Head ----- | 826.3 |
|------------|-------|

**WALLS, RETAINING**

see EARTH RETAINING SYSTEMS

**WATER**

|                              |       |
|------------------------------|-------|
| Course, Definition -----     | 806.2 |
| Pollution, Control of -----  | 110.2 |
| Quality Control Boards ----- | 110.2 |
| Shed -----                   | 819.2 |
| Table, Definition -----      | 806.2 |
| Way, Definition -----        | 806.2 |
| Wells, Abandonment -----     | 110.2 |

**WATER SUPPLY**

|                                      |       |
|--------------------------------------|-------|
| Roadside Rests -----                 | 903.5 |
| Roadside Rests and Landscaping ----- | 706.6 |
| Vista Points -----                   | 706.6 |

**WAVE**

|              |       |
|--------------|-------|
| Height ----- | 873.2 |
| Run-up ----- | 873.2 |

**WEAVING**

|                             |       |
|-----------------------------|-------|
| -----                       | 62.8  |
| Sections -----              | 62.4  |
| Sections, Interchange ----- | 504.7 |

**WEED CONTROL**

|                           |       |
|---------------------------|-------|
| Noxious, Control of ----- | 110.5 |
|---------------------------|-------|

**WEEPHOLES**

|                  |       |
|------------------|-------|
| Definition ----- | 806.2 |
|------------------|-------|

**WEIGHING FACILITIES**

|             |       |
|-------------|-------|
| Truck ----- | 703.1 |
|-------------|-------|

**WEIR**

|                  |       |
|------------------|-------|
| Definition ----- | 806.2 |
|------------------|-------|

**WELLS**

|                          |       |
|--------------------------|-------|
| -----                    | 841.5 |
| Water, Abandonment ----- | 110.2 |

**WETLANDS PROTECTION**

|       |       |
|-------|-------|
| ----- | 110.4 |
|-------|-------|

**WHEELBASE**

|                  |      |
|------------------|------|
| Definition ----- | 62.4 |
|------------------|------|

**WHEELCHAIR RAMPS**

see CURB RAMPS

**WIDENING**

|                                      |       |
|--------------------------------------|-------|
| Pavement -----                       | 206.2 |
| Ramps, for Trucks -----              | 504.3 |
| Pavement Design Life -----           | 612.3 |
| Pavement, Project Type -----         | 603.2 |
| Signalized Intersections -----       | 405.9 |
| Slope Benches and Cut Widening ----- | 304.3 |

**WIDTH**

|  |       |
|--|-------|
| Driveway, Access Openings on Expressways --- | 205.1 |
| Driveway, Urban -----                        | 205.3 |
| Lane -----                                   | 301.1 |
| Lane, on Curves -----                        | 504.3 |
| Left Turn Lanes -----                        | 405.2 |
| Median -----                                 | 305.1 |
| Opening for Falsework -----                  | 204.8 |
| Pavement -----                               | 301.1 |
| Right of Way -----                           | 306   |
| Shoulder -----                               | 302.1 |
| Structures -----                             | 208.1 |
| Swept, Definition -----                      | 62.4  |
| Swept, Design Considerations -----           | 404.2 |
| Tracking, Definition -----                   | 62.4  |
| Tracking, Design Considerations -----        | 404.2 |

**Y**

**YARDS**

|                                |       |
|--------------------------------|-------|
| Maintenance -----              | 107.2 |
| Plant Sites, Contractors ----- | 112   |