

DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER, MS 43
1727 30TH STREET
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
FAX (916) 227-6214
TTY 711



*Flex your power!
Be energy efficient!*

October 14, 2010

06-Tul,Fre-99-41.3/R53.9, R0.0/R1.2
06-324504
Project ID 0600000366
HPLUL-6206(010)E
HPLUL-6206(011)E

Addendum No. 2

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN TULARE AND FRESNO COUNTIES IN AND NEAR KINGSBURG FROM 0.2 MILE NORTH OF NORTH GOSHEN OVERHEAD TO 0.2 MILE NORTH OF ROUTE 99/201 CONEJO AVENUE SEPARATION.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Tuesday, October 19, 2010.

This addendum is being issued to revise the Project Plans, the Notice to Bidders and Special Provisions, the Bid book, and provide an addition to the Information Handout.

Project Plan Sheets 2, 3, 4, 5, 6, 7, 8, 9, 391, 401, 402, and 656 are revised. Copies of the revised sheets are attached for substitution for the like-numbered sheets.

In the Special Provisions, Section 5-1.11, "SUPPLEMENTAL PROJECT INFORMATION," in the table, under "Information Handout." section, Item 8 and 9 are added as follows:

- "8) The Central Valley Flood Protection Board Permit.
- 9) Site Investigation Report, Report Eight of Nine (Master Task Order No. 307000-HO, dated May 12, 2000)"

In the Special Provisions, Section 5-1.145, "RELATIONS WITH CENTRAL VALLEY FLOOD PROTECTION BOARD," is added as attached.

In the Special Provisions, Section 10-1.01, "ORDER OF WORK," the following paragraph is added after the first paragraph.

"Night-time construction work will be allowed for no more than 300 working days throughout the project area. Night-time construction work will be allowed for no more than 100 working days south of Traver Canal Bridge, including no more than 20 working days within 250 feet of Cross Creek area. 250 feet of Cross Creek area is defined as between Station 260+00 ("A" line) and Station 301+00 ("A" line), and between Station 337+00 ("A" line) and Station 344+00 ("A" line) as shown on the plans."

06-Tul.Fre-99-41.3/R53.9, R0.0/R1.2
06-324504
Project ID 0600000366
HPLUL-6206(010)E
HPLUL-6206(011)E

In the Special Provisions, Section 10-1.17, "SMALL BUSINESS UTILIZATION REPORT," is deleted.

In the Special Provisions, Section 10-1.28, "TEMPORARY TRAFFIC SCREEN," is deleted.

In the Special Provisions, Section 10-1.875, "CHAIN LINK FENCE," is added as attached.

In the Special Provisions, Section 10-3.13, "MICROWAVE VEHICLE DETECTION SYSTEM - SIDE FIRE," subsection "TECHNICAL REQUIREMENTS," the sixth paragraph is revised as follows:

"Field terminated circuits shall include transient protection that complies with IEEE Standard C 62.41.2."

In the Special Provisions, Section 10-3.13, "MICROWAVE VEHICLE DETECTION SYSTEM - SIDE FIRE," subsection "TECHNICAL REQUIREMENTS," the following paragraph is added after the seventh paragraph.

"At the Contractor's option, the surge protection module may be internal to the MVDS sensor."

In the Bid book, in the "Bid Item List," Items 115, 183, 184, and 212 are revised, and Item 2 is deleted as attached.

To Bid book holders:

Replace pages 3, 8, 12, and 13 of the "Bid Item List" in the Bid book with the attached revised pages 3, 8, 12, and 13 of the Bid Item List. The revised Bid Item List is to be used in the bid.

Attached is a copy of the additional Information Handout Central Valley Flood Protection Board Permit, and the Site Investigation Report, Report Eight of Nine (Master Task Order No. 307000-HO, dated May 12, 2000).

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This addendum and attachments are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/06/06-324504

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



REBECCA D. HARNAGEL
Chief, Office of Plans, Specifications & Estimates
Office Engineer
Division of Engineering Services

Attachments

5-1.145 RELATIONS WITH CENTRAL VALLEY FLOOD PROTECTION BOARD

Attention is directed to Section 7-1.11, "Preservation of Property," and Section 7-1.12, "Indemnification and Insurance," of the Standard Specifications.

The location of the Kings River Bridge (New Bridge No. 46-0267) is within an area controlled by the Central Valley Flood Protection Board. Application No. 18602 BD has been approved by the Central Valley Flood Protection Board covering work to be performed under this contract. The Contractor shall be fully informed of rules, regulations and conditions that may govern his operations in the area and shall conduct the work accordingly.

Attention is directed to the conditions in the application that have been approved by the Central Valley Flood Protection Board for this project.

No stockpiles of material, temporary buildings or equipment shall remain in the floodway during the flood season from November 1 to July 15.

Changes in the above listed conditions proposed by the Contractor shall be submitted to the Engineer for transmittal to the Central Valley Flood Protection Board for approval. Changes shall not be implemented until approved in writing by the Central Valley Flood Protection Board .

Attention is directed to Section 8-1.06, "Time of Completion," of the Standard Specifications. Days when the Contractor's operations are restricted by the requirements of this section shall not be considered to be nonworking days whether or not the controlling operation is delayed.

10-1.875 CHAIN LINK FENCE

Chain link fence shall be Type CL-6 and shall conform to the provisions in Section 80, "Fences," of the Standard Specifications and these special provisions.

Full compensation for furnishing and installing 12' drive gate shall be considered as included in the contract price paid per linear foot for chain link fence (Type CL-6) and no separate payment will be made therefor.

BID ITEM LIST

06-324504

Item No	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
1	070012	PROGRESS SCHEDULE (CRITICAL PATH METHOD)	LS	LUMP SUM	LUMP SUM	
2	BLANK					
3	070018	TIME-RELATED OVERHEAD	WDAY	600		
4	071325	TEMPORARY FENCE (TYPE ESA)	LF	1,380		
5	072006	TEMPORARY SUPPORT	LS	LUMP SUM	LUMP SUM	
6	074016	CONSTRUCTION SITE MANAGEMENT	LS	LUMP SUM	LUMP SUM	
7	074019	PREPARE STORM WATER POLLUTION PREVENTION PLAN	LS	LUMP SUM	LUMP SUM	
8	074028	TEMPORARY FIBER ROLL	LF	36,300		
9	074029	TEMPORARY SILT FENCE	LF	6,160		
10	074032	TEMPORARY CONCRETE WASHOUT FACILITY	EA	32		
11	074033	TEMPORARY CONSTRUCTION ENTRANCE	EA	24		
12	074034	TEMPORARY COVER	SQYD	4,000		
13	074038	TEMPORARY DRAINAGE INLET PROTECTION	EA	32		
14	074040	TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX)	SQYD	24,200		
15	074041	STREET SWEEPING	LS	LUMP SUM	LUMP SUM	
16	074057	STORM WATER ANNUAL REPORT	EA	4		
17	120090	CONSTRUCTION AREA SIGNS	LS	LUMP SUM	LUMP SUM	
18	120100	TRAFFIC CONTROL SYSTEM	LS	LUMP SUM	LUMP SUM	
19	120116	TYPE II BARRICADE	EA	150		
20	120120	TYPE III BARRICADE	EA	10		

BID ITEM LIST

06-324504

Item No	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
101	394090	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)	SQYD	2,570		
102	397005	TACK COAT	TON	320		
103	401050	JOINTED PLAIN CONCRETE PAVEMENT	CY	103,000		
104	401083	SHOULDER RUMBLE STRIP (CONCRETE PAVEMENT, GROUND-IN INDENTATIONS)	STA	1,150		
105	401108	REPLACE CONCRETE PAVEMENT (RAPID STRENGTH CONCRETE)	CY	1,740		
106	404092	SEAL PAVEMENT JOINT	LF	101,000		
107	404093	SEAL ISOLATION JOINT	LF	98,000		
108	042576	FURNISH STEEL PIPE PILING (PP 48 X 0.75)	LF	379		
109	042577	DRIVE STEEL PIPE PILING (PP 48 X 0.75)	EA	3		
110	490603	24" CAST-IN-DRILLED-HOLE CONCRETE PILING	LF	763		
111	042578	FURNISH PILING (CLASS 140) (ALTERNATIVE X)	LF	3,881		
112	042579	DRIVE PILE (CLASS 140) (ALTERNATIVE X)	EA	74		
113	495149	FURNISH 48" CAST-IN-STEEL SHELL CONCRETE PILING	LF	2,267		
114	495150	DRIVE 48" CAST-IN-STEEL SHELL CONCRETE PILE	EA	18		
115	498009	16" CAST-IN-DRILLED-HOLE CONCRETE PILING (BARRIER)	LF	26,500		
116	500001	PRESTRESSING CAST-IN-PLACE CONCRETE	LS	LUMP SUM	LUMP SUM	
117 (F)	510051	STRUCTURAL CONCRETE, BRIDGE FOOTING	CY	181		
118 (F)	510053	STRUCTURAL CONCRETE, BRIDGE	CY	5,216		
119 (F)	510086	STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N)	CY	473		
120	510087	STRUCTURAL CONCRETE, APPROACH SLAB (TYPE R)	CY	433		

BID ITEM LIST**06-324504**

Item No	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
181	719305	MANHOLE (TYPE A)	EA	6		
182	719589	MINOR CONCRETE (BACKFILL)	CY	670		
183	721011	ROCK SLOPE PROTECTION (BACKING NO. 2, METHOD B)	CY	900		
184	729010	ROCK SLOPE PROTECTION FABRIC	SQYD	2,020		
185	731502	MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION)	CY	78		
186 (F)	750001	MISCELLANEOUS IRON AND STEEL	LB	51,589		
187	750501	MISCELLANEOUS METAL (BRIDGE)	LB	1,740		
188 (F)	750505	BRIDGE DECK DRAINAGE SYSTEM	LB	7,883		
189	800008	FENCE (TYPE BW, 4-STRAND, METAL POST)	LF	41,500		
190	800051	FENCE (TYPE WM, METAL POST)	LF	17,900		
191	800360	CHAIN LINK FENCE (TYPE CL-6)	LF	1,380		
192	810111	SURVEY MONUMENT (TYPE A)	EA	31		
193	820107	DELINEATOR (CLASS 1)	EA	5		
194	832002	METAL BEAM GUARD RAILING (STEEL POST)	LF	830		
195	833072	WILDLIFE PASSAGE WAY (TYPE S)	EA	640		
196	833073	WILDLIFE PASSAGE WAY (TYPE M)	EA	25		
197	839540	TRANSITION RAILING (TYPE STB)	EA	8		
198	839541	TRANSITION RAILING (TYPE WB)	EA	25		
199	839542	TRANSITION RAILING (TYPE DTB)	EA	1		
200	839576	END CAP (TYPE A)	EA	2		

BID ITEM LIST

06-324504

Item No	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
201	839578	END CAP (TYPE TC)	EA	14		
202	839581	END ANCHOR ASSEMBLY (TYPE SFT)	EA	16		
203	839584	ALTERNATIVE IN-LINE TERMINAL SYSTEM	EA	14		
204	839585	ALTERNATIVE FLARED TERMINAL SYSTEM	EA	25		
205 (F)	042587	CONCRETE BARRIER (TYPE 60A MODIFIED)	LF	809		
206	839701	CONCRETE BARRIER (TYPE 60)	LF	19,400		
207 (F)	839702	CONCRETE BARRIER (TYPE 60A)	LF	225		
208	839703	CONCRETE BARRIER (TYPE 60C)	LF	69,300		
209	018351	CONCRETE BARRIER (TYPE 60R)	LF	330		
210 (F)	839725	CONCRETE BARRIER (TYPE 736)	LF	589		
211 (F)	839727	CONCRETE BARRIER (TYPE 736 MODIFIED)	LF	3,443		
212	839734	CONCRETE BARRIER (TYPE 736SV)	LF	11,000		
213	840504	4" THERMOPLASTIC TRAFFIC STRIPE	LF	147,000		
214	840506	8" THERMOPLASTIC TRAFFIC STRIPE	LF	5,780		
215	840515	THERMOPLASTIC PAVEMENT MARKING	SQFT	130		
216	840525	4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)	LF	292,000		
217	840526	4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 17-7)	LF	1,340		
218	840656	PAINT TRAFFIC STRIPE (2-COAT)	LF	632,000		
219	840505	6" THERMOPLASTIC TRAFFIC STRIPE	LF	148,000		
220	850101	PAVEMENT MARKER (NON-REFLECTIVE)	EA	180		