

Headed Bar Reinforcement Pre-Qualified Products

(Updated August 18, 2005)

The following products have been tested and approved for use as headed bar reinforcement on California Department of Transportation projects. Please refer to the notes on page 3 for additional information.

Bar Size	Manufacturer	Product #	Head Connection
#4 through #18	BarSplice Products Inc. 4900 Webster St. Dayton, OH 45414 (937) 275-8700 http://www.barsplice.com	10A (Taper Threaded DoughNUT Termination System)	Taper Threaded
#5, #6, #7, #8, #9, #10, #11, #14, and #18	Headed Reinforcement Corp. 11200 Condor Avenue Fountain Valley, CA 92708 (714) 557-1455 www.hrc-usa.com	Type 110 Type 120 Type 150 Type 170 Type 210 Type 220	Friction Welded
#14 only	Headed Reinforcement Corp. 11200 Condor Avenue Fountain Valley, CA 92708 (714) 557-1455 www.hrc-usa.com	Type 220E	Friction Welded
#18 only	Headed Reinforcement Corp. 11200 Condor Avenue Fountain Valley, CA 92708 (714) 557-1455 www.hrc-usa.com	Type 270	Forged
#14 only	Headed Reinforcement Corp. 11200 Condor Avenue Fountain Valley, CA 92708 (714) 557-1455 www.hrc-usa.com	Type 551	Threaded
#4, #5, #6, #7, #8, #9, #10, #11*	Headed Reinforcement Corp. 11200 Condor Avenue Fountain Valley, CA 92708 (714) 557-1455 www.hrc-usa.com	Type 652	E-Spliced

* Type 652 E-Splices are not approved for general use, but, upon approval of the Resident Engineer, may be used under service level conditions for repair or rehabilitation projects.

Headed Bar Reinforcement Pre-Qualified Products

(Updated August 18, 2005)

Bar Size	Manufacturer	Product #	Head Connection
#4, #5, #6, #7, #8, #9, #10, #11	Dayton/Richmond Concrete Accessories A Brand of Dayton Superior 14760 Santa Ana Avenue Fontana, CA 92316 (800) 745-3701 www.daytonrichmond.com	D-158-B	Forged
#14, #18	Dayton/Richmond Concrete Accessories A Brand of Dayton Superior 14760 Santa Ana Avenue Fontana, CA 92316 (800) 745-3701 www.daytonrichmond.com	D-158-B	Inertia Welded
#6, #7, #8, #9, #10, #11, #14	ERICO, Inc. 34600 Solon Road Solon, OH 44139 (800) 248-2677 www.erico.com	LENTON T-HEAD TH Series	Friction Welded
#5 through #14	ERICO, Inc. 34600 Solon Road Solon, OH 44139 (800) 248-2677 www.erico.com	LENTON TERMINATOR (D14)	Taper Threaded
#5 through #14	ERICO, Inc. 34600 Solon Road Solon, OH 44139 (800) 248-2677 www.erico.com	LENTON TERMINATOR (D16)	Taper Threaded
#3 through #18	Dextra America, Inc. P.O. Box 28306 Bellingham, WA 98228 (360) 527-0800 www.dextragroup.com	Bartec End Anchor	Threaded

Headed Bar Reinforcement Pre-Qualified Products

(Updated August 18, 2005)

Notes:

1. If there is a discrepancy between this list and the prequalification letter issued by the California Department of Transportation ("Caltrans") to the manufacturer, the approval letter and any conditions therein control.
2. If any of the following occur, Caltrans may revoke the prequalification of a product, and remove it from this list: the design of the product changes, the material used in the product changes, or the manufacturer engages in fraud or misrepresentation in order to comply with the quality control and quality assurance requirements in section 52 of the Standard Specifications.
3. Caltrans takes no position respecting the validity of any intellectual property rights asserted in connection with any product on this list. Users of this list are solely responsible for determining the validity of any such intellectual property rights.
4. This table was prepared to provide a reference source for headed bar reinforcement systems currently prequalified for use by Caltrans. Caltrans assumes no liability or responsibility for the accuracy or validity of this information if used by other entities.
5. If you have any questions about this list, please contact the appropriate Structural Materials Representative at <http://www.dot.ca.gov/hq/esc/Translab/smforms/StructuralMaterialsRepresentatives.pdf>.