

| Revised Date: 5/11/2012 | | | | | | | | | |
|-------------------------|-------------|------|--------------|-------------|-------|-------|-------------|-----------------|-------|
| COMPANY | JACK NUMBER | TONS | AREA (SQ IN) | STROKE (IN) | N. D. | G. F. | CALIB. DATE | GAUGES | NOTES |
| AIS | RH2008-21 | 200 | 4045 | | 2623 | 2.974 | 11/30/2009 | RH2008-21 A & B | |
| AVAR | 198 | 20 | 4.81 | 8 | 3067 | 2.547 | 08/03/2011 | 198 A & B | |
| AVAR | 202 | 20 | 4.81 | 8 | 3063 | 2.544 | 08/04/2010 | 202 A & B | |
| AVAR | 203 | 20 | 4.81 | 8 | 3080 | 2.536 | 08/03/2011 | 203 A & B | |
| AVAR | C22-6-3 | 25 | 6.28 | 12 | 4043 | 1.931 | 08/03/2011 | C22 A & B | |
| AVAR | V-901 | 25 | 7.9 | 12 | 5062 | 1.542 | 01/03/2012 | V-901 A & B | |
| AVAR | V-903 | 25 | 7.95 | 12 | 5085 | 1.534 | 09/03/2008 | V-903 A & B | |
| AVAR | V-905 | 25 | 7.9 | 12 | 5053 | 1.539 | 06/14/2010 | V-905 A & B | |
| AVAR | V-906 | 25 | 7.9 | 12 | 5003 | 1.560 | 04/15/2010 | V-906 A & B | |
| AVAR | V-907 | 25 | 7.9 | 12 | 5081 | 1.537 | 04/15/2010 | V-907 A & B | |
| AVAR | V-908 | 25 | 7.9 | 12 | 5117 | 1.525 | 10/15/2007 | V-908 A & B | |
| AVAR | 60-1 | 60 | 12.75 | 6 | 811 | 9.613 | 08/02/2011 | 60/1 A & B | |
| AVAR | 60-2 | 60 | 13.25 | 6 | 819 | 9.519 | 08/02/2011 | 60/2 A & B | |
| AVAR | 60-3 | 60 | 12.75 | 5 | 818 | 9.529 | 08/02/2011 | 60/3 A & B | |
| AVAR | 60-4 | 60 | 12.75 | 6 | 818 | 9.529 | 08/02/2011 | 60/4 A&B | |
| AVAR | 60-5 | 60 | 13.25 | 6 | 819 | 9.512 | 08/02/2011 | 60/5 A & B | |
| AVAR | 60-6 | 60 | 12.75 | 6 | 819 | 9.513 | 08/02/2011 | 60/6 A & B | |
| AVAR | 60-7 | 60 | 13.25 | 6 | 799 | 9.742 | 08/04/2010 | 60/7 A & B | |
| AVAR | 100-6-1 | 100 | 20.03 | 6 | 1252 | 6.225 | 08/02/2011 | 100/6/1 A & B | |
| AVAR | 100-6-2 | 100 | 20.03 | 6 | 1263 | 6.170 | 08/02/2011 | 100/6/2 A & B | |
| AVAR | 100-6-3 | 100 | 20.03 | 6 | 1254 | 6.213 | 08/02/2011 | 100/6/3 A & B | |
| AVAR | 120-10-1 | 120 | 24.298 | 10 | 1559 | 5.011 | 08/01/2011 | 120/10/1 A & B | |
| AVAR | 120-3-2 | 120 | 24.298 | 3 | 1743 | 4.482 | 08/01/2011 | 120/3/2 A&B | |
| AVAR | 120-3-3 | 120 | 24.298 | 3 | 1723 | 4.527 | 01/26/2010 | 120/3/3 A&B | |
| AVAR | 120-6-3 | 120 | 24.298 | 6 | 1567 | 4.985 | 08/01/2011 | 120/6/3 A & B | |
| AVAR | 120-6-4 | 120 | 24.298 | 6 | 1549 | 5.044 | 08/01/2011 | 120/6/4 A & B | |
| AVAR | 120-6-5 | 120 | 24.298 | 6 | 1583 | 4.922 | 09/14/2011 | 120/6/5 A & B | |
| AVAR | 120-6-6 | 120 | 24.298 | 6 | 1562 | 5.027 | 01/25/2011 | 120/6/6 A & B | |
| AVAR | 150-6-1 | 150 | 30.23 | 6 | 1918 | 4.072 | 08/01/2011 | 150-6-1 A & B | |
| AVAR | 150-6-2 | 150 | 30.23 | 6 | 1931 | 4.045 | 08/01/2011 | 150-6-2 A & B | |
| AVAR | 150-6-3 | 150 | 30.23 | 6 | 1931 | 4.045 | 08/01/2011 | 150-6-3 A & B | |
| AVAR | 150-6-4 | 150 | 30.23 | 6 | 1914 | 4.068 | 08/02/2011 | 150-6-4 A & B | |
| AVAR | 150-6-5 | 150 | 30.23 | 6 | 1930 | 4.044 | 08/01/2011 | 150-6-5 A & B | |
| AVAR | 175-8-1 | 175 | 37.57 | 8 | 2442 | 3.194 | 09/14/2011 | 175/8/1 A & B | |
| AVAR | 175-8-2 | 175 | 37.57 | 8 | 2396 | 3.260 | 08/01/2011 | 175/8/2 A & B | |
| AVAR | 175-8-3 | 175 | 37.57 | 8 | 2370 | 3.294 | 08/01/2011 | 175/8/3 A & B | |
| AVAR | 200-3-1 | 200 | 43.98 | 3 | 2861 | 2.729 | 12/13/2010 | 200/3/1 A&B | |

Active Prestress/ Post Tensioning Jack Calibration

For more information please call 916-227-7251

| | | | | | | | | | |
|----------------|---------------|------|--------|----|-------|-------|------------|-----------------------|-------------------------|
| AVAR | 200-3-2 | 200 | 43.98 | 3 | 2835 | 2.757 | 08/01/2011 | 200/3/2 A&B | |
| AVAR | 200-12-1 | 200 | 49.3 | 12 | 3117 | 2.507 | 08/01/2011 | 200/12/1 A&B | |
| AVAR | 200-12-2 | 200 | 49.3 | 12 | 3128 | 2.498 | 08/01/2011 | 200/12/2 A&B | |
| AVAR | 200-8-3 | 200 | 46.57 | 8 | 2959 | 2.641 | 08/01/2011 | 200/8/3 A & B | |
| AVAR | 200-8-4 | 200 | 46.57 | 8 | 2975 | 2.626 | 08/01/2011 | 200/8/4 A & B | |
| AVAR | 300-8-1 | 300 | 68.92 | 8 | 4440 | 1.765 | 01/09/2012 | 300/8/1 A&B | |
| AVAR | 300-8-2 | 300 | 68.92 | 8 | 4439 | 1.756 | 08/02/2011 | 300/8/2 A & B | |
| AVAR | 300-8-6 | 300 | 68.92 | 8 | 4416 | 1.758 | 08/04/2010 | 300/8/6 A & B | |
| AVAR | 6-8-1 | 600 | 141.80 | 8 | 9150 | 0.854 | 08/03/2011 | 6/8/1 A & B | calibrated to 1300 kips |
| AVAR | 6-8-2 | 600 | 141.80 | 8 | 9044 | 0.620 | 08/02/2011 | 6/8/2 A & B | calibrated to 1300 kips |
| AVAR | 6-8-3 | 600 | 141.80 | 8 | 9035 | 0.862 | 08/02/2011 | 6/8/3 A & B | calibrated to 1300 kips |
| AVAR | 6-8-4 | 600 | 141.80 | 8 | 9140 | 0.854 | 08/03/2011 | 6/8/4 A & B | calibrated to 1300 kips |
| AVAR | 6-8-6 | 600 | 141.80 | 8 | 9142 | 0.852 | 03/09/2010 | 6/8/6 A & B | calibrated to 1300 kips |
| AVAR | 6-8-7 | 600 | 141.80 | 8 | 9157 | 0.851 | 08/03/2011 | 6/8/7 A & B | calibrated to 1300 kips |
| AVAR | 6-8-8 | 600 | 141.80 | 8 | 9076 | 0.859 | 08/02/2011 | 6/8/8 A & B | calibrated to 1300 kips |
| AVAR | 6-8-9 | 600 | 141.80 | 8 | 9184 | 0.848 | 08/02/2011 | 6/8/9 A & B | calibrated to 1300 kips |
| AVAR | 6-8-10 | 600 | 141.80 | 8 | 8945 | 0.871 | 08/02/2011 | 6/8/10 A & B | calibrated to 1300 kips |
| AVAR | 6-8-11 | 600 | 141.80 | 8 | 9105 | 0.856 | 08/02/2011 | 6/8/11 A & B | calibrated to 1300 kips |
| AVAR | 800-8-1 | 800 | 171 | 8 | 10537 | 0.740 | 08/04/2010 | 800/8/1 A & B | |
| AVAR | 800-8-2 | 800 | 171 | 8 | 10747 | 0.725 | 08/04/2010 | 800/8/2 A & B | |
| AVAR | 820-8-3 | 820 | 210.29 | 8 | 1347 | 5.849 | 08/02/2011 | 820/8/3 A&B | |
| AVAR | 820-8-4 | 820 | 210.29 | 8 | 1333 | 5.864 | 08/03/2011 | 820/8/4 A&B | |
| AVAR | 820-8-5 | 820 | 210.29 | 8 | 1316 | 5.917 | 08/03/2011 | 820/8/5 A&B | |
| AVAR | 1400-14-1 | 1400 | 337 | 14 | 2164 | 3.590 | 09/21/2011 | 1400/14/1 A & B | calibrated to 2000 kips |
| CAL EX | 661 | 168 | 43.09 | 10 | 2767 | 2.820 | 07/20/2010 | 661-1 / 661-2 | |
| CAL EX | 662 | 168 | 43.09 | 10 | 2782 | 2.806 | 07/06/2010 | 662-1 / 662-2 | |
| Case Pacific | CP-1 | 60 | | | 832 | 9.426 | 08/06/2003 | CP-A & CP-B | |
| Case Pacific | V0436322 | 60 | 12.31 | 5 | 8279 | 0.942 | 07/06/2010 | SN106 A / SN107 B | |
| Case Pacific | RC1110C | 100 | 21.2 | 10 | 1369 | 5.694 | 07/06/2010 | SN94010 1A / SN201 1B | |
| CONDON JOHNSON | RCH202 | 20 | | | | | 06/03/2002 | | verification only |
| CONDON JOHNSON | A 50 TC | 50 | 9.81 | 3 | 6283 | 1.241 | 04/13/2011 | A 50 TC A&B | |
| CONDON JOHNSON | A50TA | 50 | | 3 | 5990 | 1.311 | 04/16/2009 | A50TA , A50TB | |
| CONDON JOHNSON | CJ-60T-YELLOW | 60 | 12.73 | 3 | 8320 | 0.937 | 10/20/2009 | CJ-60T-YELLOW A&B | |
| CONDON JOHNSON | CJA-100-1 | 100 | 20.04 | 6 | 1297 | 6.025 | 04/13/2011 | CJ100 A & B | |
| CONDON JOHNSON | CJA 150-2 | 150 | 29.95 | 8 | 1944 | 4.017 | 04/13/2011 | CJA 150-2 A&B | |
| CONDON JOHNSON | CJA-150-1 | 150 | 30.24 | 6 | 1981 | 3.937 | 12/6/1999 | | |
| CONDON JOHNSON | CJA-150-2 | 150 | 30.24 | 6 | 1906 | 4.116 | 04/02/2008 | CJA150 A&B | |
| CONDON JOHNSON | S9679 | 150 | 30.24 | 6 | 1983 | 3.956 | 07/24/2003 | A1 & B1 | |
| CONDON JOHNSON | CJA-175-1 | 175 | 37.57 | 8 | 2422 | 3.213 | 04/05/2012 | CJA-175 A & B | |
| CONDON JOHNSON | PT-02-200T | 200 | 40.45 | 8 | 2601 | 2.998 | 10/20/2009 | PT-02-200T B&B | |

Active Prestress/ Post Tensioning Jack Calibration

For more information please call 916-227-7251

| | | | | | | | | | |
|----------------|-------------|------|--------|------|-------|-------|------------|------------------|--|
| CONDON JOHNSON | PT-01-200T | 200 | | | 2631 | 2.983 | 10/14/2008 | PT-01-200T A&B | |
| CONDON JOHNSON | CJA-200-A | 200 | 40.45 | 8 | 2657 | 2.953 | 09/20/2004 | CJA 200-A A & B | |
| CONDON JOHNSON | CJA-200-B | 200 | 40.45 | 8 | 2621 | 2.997 | 08/25/2009 | CJA 200-B A & B | |
| CONDON JOHNSON | 300-CJ-2 | 300 | 78.09 | 12 | 4696 | 1.440 | 04/05/2012 | 300-CJ-2 A & B | |
| CONDON JOHNSON | CH300-12-01 | 300 | 84.23 | 12 | 5396 | 1.445 | 07/19/2005 | 300-12-01A&B | |
| CONDON JOHNSON | CH300-12-02 | 300 | 84.23 | 12 | 5522 | 1.421 | 11/06/2003 | CJ-300 A & B | |
| CONDON JOHNSON | KCA 300-3 | 300 | 84.23 | 12 | 3874 | 2.026 | 08/25/2009 | 300-3 A & B | |
| CONDON JOHNSON | CJ 300-5 | 300 | 84.23 | 12 | 3839 | 2.032 | 04/05/2012 | CJ 300-5 1&2 | |
| DRILL TECH | DT MONO-1 | 20 | 5.3 | 2 | 2993 | 2.623 | 01/29/2007 | DT-Mono-1 A & B | |
| DRILL TECH | DT MONO-2 | 25 | 4.98 | 12 | 3202 | 2.450 | 02/19/2003 | | |
| DRILL TECH | DT25-3-1 | 25 | 3.98 | 2.75 | 3407 | 2.303 | 02/14/2003 | DT25-3-1A&B | |
| DRILL TECH | DT30-6-3 | 30 | 6.35 | 6 | 4115 | 1.908 | 01/29/2007 | DT30-6-3 A & B | |
| DRILL TECH | DT30-6-4 | 30 | 6.35 | 6 | 4098 | 1.901 | 02/01/2012 | DT30/6/4 A&B | |
| DRILL TECH | DT30-6-5 | 30 | 6.35 | 6 | 4092 | 1.902 | 02/01/2012 | DT30/6/5 A&B | |
| DRILL TECH | DT30-7-1 | 30 | 7.22 | 7 | 4692 | 1.672 | 12/04/2003 | DT30-7-1 A&B | |
| DRILL TECH | DT30-7-2 | 30 | 7.22 | 7 | 4642 | 1.702 | 01/19/2010 | DT30-7-2A&B | |
| DRILL TECH | DT50-6-1 | 50 | 10.3 | 6 | 6539 | 1.191 | 02/02/2012 | DT50/6/1 A&B | |
| DRILL TECH | DT50-6-2 | 50 | 10.3 | 6 | 6387 | 1.222 | 02/02/2012 | DT50/6/2 A&B | |
| DRILL TECH | DT60-4-3 | 60 | 12.31 | 4 | 8028 | 0.981 | 01/19/2010 | DT60-4-3 A&B | |
| DRILL TECH | DT60-4-4 | 60 | 12.31 | 4 | 798 | 9.786 | 02/02/2012 | DT60-4-4 A&B | |
| DRILL TECH | DT60-4-5 | 60 | 12.31 | 4 | 7909 | 0.987 | 02/01/2012 | DT60-4-5A&B | |
| DRILL TECH | DT60-4-6 | 60 | 12.31 | 4 | 798 | 9.786 | 02/02/2012 | DT60-4-6 A&B | |
| DRILL TECH | DT60-5-1 | 60 | 12.3 | 5 | 795 | 9.821 | 02/01/2012 | DT60-5-1A&B | |
| DRILL TECH | DT60-6-2 | 60 | 12 | 6 | 827 | 9.440 | 1/26/2000 | | |
| DRILL TECH | DT75-6-1 | 75 | 15.23 | 6 | 998 | 7.835 | 01/27/2009 | DT75-6-1 A & B | |
| DRILL TECH | DT100-10-3 | 100 | 20.28 | 10 | 1397 | 5.537 | 01/19/2010 | DT100-10-3 A & B | |
| DRILL TECH | DT100-8-4 | 100 | 20.28 | 8 | 12904 | 0.565 | 07/18/2011 | DT100-8-4 A&B | |
| DRILL TECH | DT100-10-5 | 100 | 20.28 | 10 | 14012 | 0.557 | 02/01/2012 | DT100-10-5 A&B | |
| DRILL TECH | DT100-6-1 | 100 | 20 | 6 | 1335 | 5.842 | 01/19/2010 | 100-6-1 A & B | |
| DRILL TECH | DT100-6-2 | 100 | 20.28 | 6 | 1414 | 5.550 | 02/08/2008 | DT100-6-2 A & B | |
| DRILL TECH | DT150-10-5 | 150 | 31.47 | 10 | 1954 | 3.995 | 02/01/2012 | DT150-10-5A & B | |
| DRILL TECH | DT150-12-1 | 150 | 40.81 | 12 | 2657 | 2.938 | 02/01/2012 | DT150-12-1A&B | |
| DRILL TECH | DT150-12-2 | 150 | 40.81 | 12 | 2636 | 2.960 | 02/02/2012 | DT150-12-2A&B | |
| DRILL TECH | DT150-6-3 | 150 | 30.22 | 6 | 1984 | 3.936 | 01/27/2009 | DT150-6-3 A&B | |
| DRILL TECH | DT150-6-4 | 150 | 31.47 | 6 | 1950 | 4.001 | 02/02/2012 | DT150-6-4 A&B | |
| DRILL TECH | DT150-6-5 | 150 | 31.47 | 6 | 1940 | 4.023 | 02/02/2012 | DT150-6-5 A&B | |
| DRILL TECH | 200-1 | 200 | 49.3 | 12 | 4114 | 1.959 | 02/03/2012 | 200-1 A & B | |
| DRILL TECH | DT330-10-1 | 330 | 66.76 | 10 | 4348 | 1.806 | 02/14/2003 | 330-10-1A&B | |
| DRILL TECH | DT600-12-1 | 600 | 121.48 | 12 | 7660 | 1.019 | 06/15/2010 | DT600-12-1 A & B | |
| DRILL TECH | DT1700-6-3 | 1700 | 427.8 | 6 | 2717 | 2.865 | 03/09/2004 | 1700-6-3 1 & 2 | |

Active Prestress/ Post Tensioning Jack Calibration

For more information please call 916-227-7251

| | | | | | | | | |
|---------|-----------|-----|-------|-----|------|-------|------------|-------------------|
| DYWIDAG | DSI-188 | 20 | 6.28 | 8 | 4017 | 1.944 | 08/30/2011 | LB205 / 6-30065 |
| DYWIDAG | 320 | 20 | 6.28 | 8 | 4017 | 1.944 | 08/30/2011 | GW472 / 5596 |
| DYWIDAG | 1017 | 20 | 6.28 | 8 | 4017 | 1.944 | 08/30/2011 | 6-20574 / 8790 |
| DYWIDAG | 2004-056 | 20 | 6.28 | 8 | 4017 | 1.944 | 08/30/2011 | LB184 / 6-20580 |
| DYWIDAG | DSI-03 | 30 | 7.48 | 6 | 4960 | 1.577 | 08/30/2011 | E5/LB221 |
| DYWIDAG | DSI-3767 | 30 | 7.48 | 6 | 5001 | 1.559 | 08/30/2011 | LB168/3767 |
| DYWIDAG | 00135 | 40 | 7.95 | 8 | 5046 | 1.547 | 08/30/2011 | GW623 / 6-10464 |
| DYWIDAG | 583 | 40 | 7.95 | 8 | 5066 | 1.541 | 08/30/2011 | 6-30363 / 6-30687 |
| DYWIDAG | DSI-778 | 40 | 7.95 | 8 | 4968 | 1.570 | 02/29/2012 | 6-10485 / 6-30280 |
| DYWIDAG | DSI-779 | 40 | 7.95 | 8 | 5099 | 1.530 | 08/30/2011 | LB235 / 6-20140 |
| DYWIDAG | 90159 | 40 | 7.95 | 8 | 5030 | 1.554 | 02/29/2012 | 6-20641 / 6-30553 |
| DYWIDAG | 2000-049 | 40 | 7.95 | 8 | 5000 | 1.559 | 02/29/2012 | 6-20699 / 6-10308 |
| DYWIDAG | 2000-050 | 40 | 7.95 | 8 | 5092 | 1.534 | 08/30/2011 | 6-20768 / 6-20420 |
| DYWIDAG | 2000-054 | 40 | 7.95 | 8 | 5038 | 1.550 | 02/29/2012 | 6-30579 / LB232 |
| DYWIDAG | 2001-023 | 40 | 7.95 | 8 | 5048 | 1.543 | 02/29/2012 | 6-30472/ LB218 |
| DYWIDAG | 2001-028 | 40 | 7.95 | 8 | 5025 | 1.553 | 08/30/2011 | 6-30450 / 6-20433 |
| DYWIDAG | 90155 | 40 | 7.95 | 8 | 5071 | 1.538 | 02/29/2012 | 6-20746 / 6-10496 |
| DYWIDAG | 90156 | 40 | 7.95 | 8 | 5067 | 1.540 | 02/29/2012 | 6-20053 / 050 |
| DYWIDAG | J&A98-086 | 40 | 7.95 | 8 | 4988 | 1.563 | 02/29/2012 | 6-10474 / 6-30187 |
| DYWIDAG | RJ-40-10 | 40 | 9.4 | 10 | 5768 | 1.353 | 02/29/2012 | G-RJ-40 / 6-10466 |
| DYWIDAG | 75-262 | 75 | 20.54 | 2 | 1230 | 6.346 | 08/30/2011 | 6-10314 / 6-20779 |
| DYWIDAG | 75-449 | 75 | 20.54 | 2 | 1206 | 6.478 | 02/29/2012 | 449/LB227 |
| DYWIDAG | A-30 | 75 | 20.54 | 2 | 1300 | 6.003 | 08/30/2011 | 42 / 6-10329 |
| DYWIDAG | A-118 | 75 | 20.54 | 2 | 1281 | 6.101 | 08/30/2011 | LB246 / 6-30271 |
| DYWIDAG | A-134 | 75 | 20.54 | 2 | 1252 | 6.235 | 08/30/2011 | 6-20494/6-20385 |
| DYWIDAG | A-135 | 75 | 20.54 | 2 | 1260 | 6.200 | 02/29/2012 | 6-20518/6-10150 |
| DYWIDAG | DSI-6353 | 75 | 20.5 | 2 | 1249 | 6.281 | 02/29/2012 | 6-10564/6-20818 |
| DYWIDAG | WC-089 | 100 | 24.69 | 6.5 | 1574 | 4.964 | 02/29/2012 | LB180 / LB192 |
| DYWIDAG | 110-055 | 110 | 36.5 | 6 | 2228 | 3.493 | 03/05/2008 | LB226/LB245 |
| DYWIDAG | 110-062 | 110 | 36.5 | 6 | 2285 | 3.416 | 08/30/2011 | 91006/6-20151 |
| DYWIDAG | 110-B 62 | 110 | 36.5 | 2 | 2253 | 3.465 | 08/30/2011 | G-038 / 2288 |
| DYWIDAG | B1000 | 110 | 36.5 | 6 | 2331 | 3.340 | 03/04/2009 | LB177 / LB230 |
| DYWIDAG | B111 | 110 | 36.5 | 2 | 2222 | 3.510 | 02/29/2012 | 6-10309/6-10435 |
| DYWIDAG | B112 | 110 | 36.5 | 2 | 2285 | 3.412 | 02/29/2012 | 6-20666/6-10437 |
| DYWIDAG | B95 | 110 | 36.5 | 2 | 2250 | 3.471 | 02/29/2012 | 6-10476 / 6-10418 |
| DYWIDAG | B400 | 110 | 36.5 | 6 | 2321 | 3.385 | 09/29/2009 | 6-10245/LB232 |
| DYWIDAG | B800-2069 | 110 | 36.5 | 6 | 2322 | 3.381 | 09/29/2009 | 6-10004/0451 |
| DYWIDAG | DSI-2259 | 110 | 36.5 | 2 | 2352 | 3.339 | 03/01/2010 | 6-10562/LB151 |
| DYWIDAG | DSI-3609 | 110 | 36.5 | 2 | 2303 | 3.385 | 03/01/2011 | 6247 / 6-10537 |
| DYWIDAG | DSI-3713 | 110 | 36.5 | 6 | 2283 | 3.419 | 02/29/2012 | 6-10398/LB241 |

Active Prestress/ Post Tensioning Jack Calibration

For more information please call 916-227-7251

| | | | | | | | | |
|---------|----------|-------|--------|------|------|-------|------------|--------------------|
| DYWIDAG | DSI-6358 | 110 | 36.5 | 2 | 2259 | 3.456 | 08/30/2011 | 6-20780 / 6-20591 |
| DYWIDAG | HJ-8 | 150 | 40.9 | 10 | 2550 | 3.063 | 02/29/2012 | HJ8/ 6-10085 |
| DYWIDAG | DSI-5598 | 168 | 46.9 | 9.88 | 3021 | 2.590 | 02/28/2012 | LB1811/5598 |
| DYWIDAG | DSI-5510 | 168 | 46.9 | 9.88 | 3019 | 2.590 | 02/28/2012 | 343/5510 |
| DYWIDAG | DSI-6245 | 168 | 46.9 | 9.88 | 2945 | 2.646 | 02/28/2012 | 6245/LB15 |
| DYWIDAG | DSI-6246 | 168 | 46.9 | 9.88 | 2956 | 2.645 | 02/28/2012 | 6-10003/6246 |
| DYWIDAG | DSI-4938 | 191 | 46.25 | 5.5 | 2921 | 2.679 | 02/29/2012 | 6-20049 / 6-20552 |
| DYWIDAG | 964946 | 191 | 46.25 | 5.5 | 2965 | 2.631 | 02/28/2012 | 6-20575/105 |
| DYWIDAG | RJ2006-2 | 246 | 49.3 | 6 | 3098 | 2.517 | 08/29/2011 | 6-20725 / LB233 |
| DYWIDAG | RJ2006-3 | 246 | 49.3 | 6 | 3060 | 2.549 | 08/29/2011 | 6-10408 / G007 |
| DYWIDAG | 8789 | 250 | 48.29 | 12 | 3104 | 2.520 | 02/29/2012 | LB185 / 6-20646 |
| DYWIDAG | 323 | 300 | 85.22 | 9.75 | 5406 | 1.450 | 02/29/2012 | 6-20267 / 6-20416 |
| DYWIDAG | DSI-2408 | 300 | 85.22 | 9.75 | 5431 | 1.439 | 02/28/2011 | E12 / 6-10469 |
| DYWIDAG | 2953 | 300 | 78.09 | 9.5 | 5084 | 1.541 | 02/28/2012 | 6-10480 / 6-20477 |
| DYWIDAG | DSI-3490 | 300 | 78.84 | 18 | 5060 | 1.547 | 02/29/2012 | 6-20645 / 5800 |
| DYWIDAG | 4314 | 300 | 85.21 | 9.75 | 5408 | 1.442 | 02/28/2007 | LB240 / 6-20050 |
| DYWIDAG | 04389 | 300 | 85.21 | 9.75 | 5461 | 1.429 | 08/31/2010 | 6-10368 / 6-20539 |
| DYWIDAG | 800223 | 300 | 85.22 | 9.75 | 5410 | 1.444 | 02/29/2012 | E4 / 6-30582 |
| DYWIDAG | 04311 | 300 | 85.21 | 9.75 | 5473 | 1.428 | 02/28/2012 | 6-10552 / 6-10547 |
| DYWIDAG | DSI-4370 | 300 | 85.22 | 9.75 | 5441 | 1.444 | 02/28/2012 | GW617 / 48 |
| DYWIDAG | 04388 | 300 | 85.21 | 9.75 | 5457 | 1.430 | 08/29/2011 | 6-10546 / 6-10558 |
| DYWIDAG | 04391 | 300 | 85.21 | 9.75 | 5465 | 1.427 | 08/31/2010 | 6-20582 / 6-20570 |
| DYWIDAG | 5218 | 300 | 85.21 | 9.75 | 5480 | 1.421 | 03/03/2009 | 6-20780 / 6-20779 |
| DYWIDAG | DSI-372 | 300 | 85.21 | 3 | 5417 | 1.441 | 02/29/2012 | 316 / LB1681 |
| DYWIDAG | DSI-2409 | 300 | 85.27 | 9.75 | 5481 | 1.424 | 08/29/2011 | 6-20381 / 6-20398 |
| DYWIDAG | DSI-2557 | 300 | 85.22 | 9.75 | 5433 | 1.437 | 02/28/2012 | LB183 / 8859 |
| DYWIDAG | DSI-3020 | 300 | 78.09 | 9.5 | 5094 | 1.532 | 08/29/2011 | 6-20578 / 6-20491 |
| DYWIDAG | DSI-3021 | 300 | 78.09 | 9.5 | 5096 | 1.530 | 08/29/2011 | 6-20555 / LB187 |
| DYWIDAG | HT-01 | 300 | 85.22 | 9.75 | 5439 | 1.439 | 02/29/2012 | 6-20522 / 6-20397 |
| DYWIDAG | HT-05 | 300 | 85.27 | 9.75 | 5479 | 1.426 | 02/28/2012 | 6-20791 / 6-10560 |
| DYWIDAG | HT-07 | 300 | 85.27 | 9.75 | 5411 | 1.434 | 03/03/2009 | 6-20455G / GW472 |
| DYWIDAG | 1730 | 500 | 138.7 | 9.8 | 8857 | 0.887 | 09/29/2009 | 6-10436 / 6-10326 |
| DYWIDAG | 851 | 500 | 138.69 | 10 | 8803 | 0.892 | 02/28/2012 | 851 / 6-20353 |
| DYWIDAG | 893273 | 500 | 138.7 | 4 | 8907 | 0.883 | 03/02/2010 | 6-20714 / 6-20803 |
| DYWIDAG | DSI-2623 | 500 | 138.7 | 10 | 8766 | 0.890 | 02/28/2012 | LB223 / 2623 |
| DYWIDAG | DSI-3479 | 500 | 138.7 | 9.8 | 8890 | 0.878 | 08/29/2011 | 6-20536 / 6-20254 |
| DYWIDAG | 019135 | 539.5 | 135.85 | 11 | 8506 | 0.902 | 02/28/2012 | 6-20269 / 6-20129 |
| DYWIDAG | 019133 | 540 | 135.85 | 11 | 8622 | 0.906 | 08/30/2011 | 6-20584 / 6-30300 |
| DYWIDAG | 01959 | 540 | 135.85 | 11 | 8771 | 0.896 | 03/01/2010 | 6-10364 / 6-30274 |
| DYWIDAG | 01960 | 540 | 135.85 | 11 | 8546 | 0.913 | 02/28/2012 | 6-20455G / 6-30524 |

Active Prestress/ Post Tensioning Jack Calibration

For more information please call 916-227-7251

| | | | | | | | | |
|-------------------|---------------|------|--------|-------|-------|-------|------------|----------------------|
| DYWIDAG | 01987 | 540 | 135.85 | 11 | 8456 | 0.920 | 02/28/2012 | 6-10347 / 6-20191 |
| DYWIDAG | 2545 | 765 | 191.74 | 11.81 | 12275 | 0.637 | 08/29/2011 | 6-20691 / 6-10410 |
| DYWIDAG | 2546 | 765 | 189.95 | 11.81 | 12219 | 0.649 | 02/28/2012 | 6-20183 / 6-20702 |
| DYWIDAG | 2766 | 765 | 191.74 | 11.81 | 11962 | 0.653 | 02/28/2012 | LB247 / 109 |
| DYWIDAG | 2767 | 765 | 191.74 | 11.81 | 12265 | 0.637 | 08/30/2011 | LB236 / E61 |
| DYWIDAG | 3307 | 765 | 191.74 | 11.81 | 12192 | 0.640 | 08/29/2011 | 1101 / 3307 |
| DYWIDAG | 3308 | 765 | 191.74 | 11.81 | 12187 | 0.640 | 08/29/2011 | 6-20643 / 6-20750 |
| DYWIDAG | 4483 | 765 | 191.74 | 4 | 12232 | 0.638 | 08/29/2011 | LB204 / LB215 |
| DYWIDAG | DSI-4484 | 765 | 191.74 | 4 | 11963 | 0.652 | 02/28/2012 | 6-20429 / 4484 |
| DYWIDAG | DSI-2662 | 765 | 168.84 | 11.81 | 10475 | 0.740 | 02/28/2012 | 6-20706 / 6-20558 |
| Hillside Drilling | HSD-30-6-1 | 30 | 7.22 | 6 | 4618 | 1.677 | 06/15/2011 | HSD-30-6-1 A&B |
| Hillside Drilling | HSD-60-4-1 | 60 | 12.76 | 4 | 8236 | 0.946 | 06/15/2011 | HSD-60-4-1 A&B |
| Hillside Drilling | 1003 | 100 | 20.62 | 4 | 1325 | 5.828 | 06/15/2011 | 1003 A&B |
| Hillside Drilling | RH1508 | 150 | 29.95 | 8 | 1782 | 4.013 | 06/15/2011 | RH1508 A&B |
| Hillside Drilling | RT200-12-200T | 200 | 49.3 | 12 | 3188 | 2.449 | 08/11/2011 | RH1508 A&B |
| Kiewitt | KFM-125-4-1 | 125 | 26.16 | 4 | 1645 | 4.739 | 07/25/2006 | KFM-125-4-1A & 1B |
| Land Slide | LSI-60-5-1 | 60 | 12.31 | 5 | 7960 | 0.979 | 03/12/2012 | LSI-60-5-1 A&B |
| MALCOLM | MD 100-B | 100 | 20.7 | 6 | 1412 | 5.563 | 04/07/2009 | MD51508-G4,G3 |
| MALCOLM | MD 150-A | 150 | 31.47 | 6.5 | 1846 | 4.062 | 04/08/2009 | MD51508-G1,G2 |
| MALCOLM | S-9405 | 175 | 27.55 | 8 | 2759 | 2.828 | 12/8/1999 | |
| Northwest Cascade | M162 | 200 | 40.45 | 7.5 | 2622 | 2.975 | 09/07/2011 | M162A&B |
| Northwest Cascade | M181 | 100 | 20.28 | 6.5 | 14058 | 0.555 | 06/08/2010 | M181A&B |
| Pacific Coast | B544 | 60 | 12.74 | 6 | 8215 | 0.951 | 12/28/2010 | B544 A&B |
| Pacific Coast | S12762 | 200 | 42.01 | 8 | 2734 | 2.869 | 03/06/2012 | PCDC200TRJ A&B |
| Pacific Coast | 317967 | 100 | 20.6 | | 1344 | 5.837 | 08/25/2009 | PCDC100-TUN-A, TYC-B |
| R&R Drilling | JXC 777 | 100 | 20.63 | 3 | 1327 | 5.887 | 05/11/2012 | JXC A&B |
| Schwager Davis | JA5-055 | 16.5 | 6.28 | 3 | 4004 | 1.939 | 11/15/2007 | JA5-055 A&B |
| Schwager Davis | 6-8-0014 | 23.5 | 7.95 | 8 | 5027 | 1.550 | 03/28/2012 | 6-8-014 A&B |
| Schwager Davis | 6-8-0015 | 23.5 | 7.95 | 8 | 5079 | 1.536 | 02/22/2006 | 6-8-015 A&B |
| Schwager Davis | 6-8-011 | 23.5 | 7.95 | 8 | 5157 | 1.523 | 04/11/2006 | 6-8-011 A&B |
| Schwager Davis | 6-8-131 | 23.5 | 7.95 | 8 | 5077 | 1.542 | 01/10/2012 | 6-8-131 A&B |
| Schwager Davis | 6-8-132 | 23.5 | 7.95 | 8 | 5030 | 1.561 | 01/10/2012 | 6-8-132 A&B |
| Schwager Davis | 6-8-133 | 23.5 | 7.95 | 8 | 5082 | 1.533 | 01/10/2012 | 6-8-133 A&B |
| Schwager Davis | 6-8-134 | 23.5 | 7.95 | 8 | 4971 | 1.568 | 01/10/2012 | 0142- A & 0150-B |
| Schwager Davis | 6-8-135 | 23.5 | 7.95 | 8 | 5071 | 1.549 | 06/21/2007 | 6-8-135 A&B |
| Schwager Davis | 6-8-136 | 23.5 | 7.95 | 8 | 5030 | 1.552 | 02/17/2011 | 0248-A & 0229-B |
| Schwager Davis | 6-8-137 | 23.5 | 7.95 | 8 | 5008 | 1.550 | 11/15/2007 | 6-8-137 A&B |
| Schwager Davis | 6-8-138 | 23.5 | 7.95 | 8 | 5021 | 1.547 | 11/15/2007 | 6-8-138 A&B |
| Schwager Davis | 6-8-140 | 23.5 | 7.95 | 8 | 5016 | 1.546 | 11/15/2007 | 6-8-140 A&B |
| Schwager Davis | 6-8-141 | 23.5 | 7.95 | 8 | 5178 | 1.516 | 09/24/2009 | 6-8-141 A&B |

Active Prestress/ Post Tensioning Jack Calibration

For more information please call 916-227-7251

| | | | | | | | | |
|----------------|-------------|------|--------|---|------|-------|------------|-----------------|
| Schwager Davis | 6-8-142 | 23.5 | 7.95 | 8 | 5036 | 1.541 | 08/24/2010 | 6-8-142 A&B |
| Schwager Davis | 6-8-261 | 23.5 | 7.95 | 8 | 4746 | 1.543 | 01/10/2012 | 0228-A & 0230-B |
| Schwager Davis | 6-8-262 | 23.5 | 7.95 | 8 | 4983 | 1.565 | 01/10/2012 | 6-8-262 A&B |
| Schwager Davis | JAM.6-01 | 23.5 | 7.95 | 8 | 5101 | 1.529 | 01/19/2005 | JAM.6-01 A&B |
| Schwager Davis | CH60-3-3 | 60 | 12.73 | 3 | 802 | 9.732 | 01/10/2012 | CH60-3-3 A&B |
| Schwager Davis | CH60-3-5 | 60 | 12.73 | 3 | 823 | 9.506 | 03/16/2012 | CH60-3-5 A&B |
| Schwager Davis | CH60-3-11 | 60 | 12.73 | 3 | 823 | 9.485 | 12/1/2011 | CH60-3-11 A&B |
| Schwager Davis | CH60-3-12 | 60 | 12.73 | 3 | 826 | 9.470 | 3/16/2012 | CH60-3-12 A&B |
| Schwager Davis | CH60-3-305 | 60 | 12.73 | 3 | 825 | 9.438 | 03/17/2011 | 0051-A & 0047-B |
| Schwager Davis | B-36 | 110 | 36.5 | 3 | 2318 | 3.361 | 03/28/2012 | B-36 A&B |
| Schwager Davis | B117 | 110 | 36.5 | 2 | 2299 | 3.340 | 04/21/2009 | B117 A&B |
| Schwager Davis | B99 | 110 | 36.5 | 2 | 2245 | 3.477 | 02/22/2006 | B99 A & B |
| Schwager Davis | CH150-5-1 | 150 | 29.95 | 5 | 1959 | 3.995 | 03/16/2012 | CH150-5-1 A&B |
| Schwager Davis | CH150-5-2 | 150 | 29.95 | 5 | 1942 | 4.027 | 03/16/2012 | CH150-5-2 A&B |
| Schwager Davis | CH150-5-3 | 150 | 29.95 | 5 | 1940 | 4.048 | 08/12/2005 | CH150-5-3 A&B |
| Schwager Davis | CH150-5-4 | 150 | 29.95 | 5 | 1966 | 3.996 | 03/16/2012 | CH150-5-4 A&B |
| Schwager Davis | CH-150-8-1 | 150 | 29.95 | 8 | 1904 | 4.085 | 03/28/2012 | CH150-8-1 A&B |
| Schwager Davis | CH-150-8-2 | 150 | 29.95 | 8 | 1941 | 4.020 | 03/16/2012 | CH150-8-2 A&B |
| Schwager Davis | CH-150-8-3 | 150 | 29.95 | 8 | 2050 | 3.806 | 03/16/2012 | CH150-8-3 A&B |
| Schwager Davis | CH-150-8-4 | 150 | 29.95 | 8 | 2062 | 3.808 | 02/19/2009 | CH150-8-4 A&B |
| Schwager Davis | CH200-3-01 | 200 | 51.05 | 3 | 3282 | 2.375 | 03/28/2012 | CH200-3-01 A&B |
| Schwager Davis | CH200-3-02 | 200 | 51.05 | 3 | 3285 | 2.373 | 03/28/2012 | CH200-3-02 A&B |
| Schwager Davis | CH200-3-03 | 200 | 51.05 | 3 | 3289 | 2.368 | 03/28/2012 | CH200-3-03 A&B |
| Schwager Davis | CH200-8-101 | 200 | 40.45 | 8 | 2610 | 2.984 | 03/28/2012 | CH200-8-101 A&B |
| Schwager Davis | CH200-8-102 | 200 | 40.45 | 8 | 2585 | 3.014 | 03/28/2012 | CH200-8-102 A&B |
| Schwager Davis | CH200-8-103 | 200 | 40.45 | 8 | 2571 | 3.029 | 03/28/2012 | CH200-8-103 A&B |
| Schwager Davis | CH200-8-104 | 200 | 40.45 | 8 | 2624 | 2.972 | 09/22/2011 | CH200-8-104 A&B |
| Schwager Davis | CH300-8-100 | 300 | 78.54 | 8 | 5056 | 1.540 | 12/13/2005 | CH300-8-100 A&B |
| Schwager Davis | CH300-8-101 | 300 | 78.54 | 8 | 5027 | 1.550 | 03/28/2012 | CH300-8-101 A&B |
| Schwager Davis | CH300-8-102 | 300 | 78.54 | 8 | 5042 | 1.547 | 07/25/2006 | CH300-8-102 A&B |
| Schwager Davis | CH300-8-103 | 300 | 78.54 | 8 | 5065 | 1.540 | 12/19/2005 | CH300-8-103 A&B |
| Schwager Davis | BCH500-4-01 | 500 | 99.54 | 4 | 6315 | 1.237 | 02/22/2006 | BCH500-4-01 A&B |
| Schwager Davis | BCH500-4-02 | 500 | 99.54 | 4 | 6340 | 1.230 | 10/18/2006 | 500-4-02 A&B |
| Schwager Davis | CH500-6-01 | 500 | 116.58 | 6 | 7515 | 1.037 | 08/24/2010 | CH500-6-01 A&B |
| Schwager Davis | CH500-6-02 | 500 | 116.58 | 6 | 7440 | 1.046 | 03/27/2012 | CH500-6-02 A&B |
| Schwager Davis | CH500-6-03 | 500 | 116.58 | 6 | 7519 | 1.038 | 10/16/2007 | CH500-6-03A&B |
| Schwager Davis | CH500-6-04 | 500 | 116.58 | 6 | 7542 | 1.034 | 10/16/2007 | CH500-6-04 A&B |
| Schwager Davis | CH500-6-05 | 500 | 116.58 | 6 | 7419 | 1.038 | 07/06/2011 | CH500-6-05 A&B |
| Schwager Davis | CH500-6-06 | 500 | 116.58 | 6 | 7490 | 1.036 | 11/15/2007 | CH500-6-06 A&B |
| Schwager Davis | CH500-6-07 | 500 | 116.58 | 6 | 7489 | 1.036 | 11/15/2007 | CH500-6-07 A&B |

Active Prestress/ Post Tensioning Jack Calibration

For more information please call 916-227-7251

| | | | | | | | | | |
|----------------|-------------|------|--------|---|-------|-------|------------|-----------------|--|
| Schwager Davis | CH600-8-100 | 600 | 141.81 | 8 | 8935 | 0.872 | 01/10/2012 | CH600-8-100 A&B | |
| Schwager Davis | CH600-8-101 | 600 | 141.81 | 8 | 9035 | 0.863 | 10/18/2006 | CH600-8-101 A&B | |
| Schwager Davis | CH600-8-102 | 600 | 141.81 | 8 | 9113 | 0.854 | 04/13/2011 | CH600-8-102 A&B | |
| Schwager Davis | CH600-8-103 | 600 | 141.81 | 8 | 9173 | 0.851 | 10/16/2007 | CH600-8-103 A&B | |
| Schwager Davis | CH600-8-105 | 600 | 141.81 | 8 | 9148 | 0.854 | 02/22/2011 | CH600-8-105 A&B | |
| Schwager Davis | CH600-8-106 | 600 | 141.81 | 8 | 9234 | 0.844 | 04/18/2006 | CH600-8-106 A&B | |
| Schwager Davis | CH600-8-107 | 600 | 141.81 | 8 | 9307 | 0.838 | 04/18/2006 | CH600-8-107 A&B | |
| Schwager Davis | CH600-8-108 | 600 | 141.81 | 8 | 9096 | 0.858 | 08/02/2006 | CH600-8-108 A&B | |
| Schwager Davis | CH600-8-109 | 600 | 141.81 | 8 | 9017 | 0.866 | 01/10/2012 | CH600-8-109 A&B | |
| Schwager Davis | CH600-8-110 | 600 | 141.81 | 8 | 9131 | 0.858 | 11/12/2008 | CH600-8-110 A&B | |
| Schwager Davis | CH600-8-111 | 600 | 141.81 | 8 | 9085 | 0.858 | 03/27/2012 | Ch600-8-111 A&B | |
| Schwager Davis | CH600-8-113 | 600 | 141.81 | 8 | 9068 | 0.866 | 10/25/2007 | CH600-8-113 A&B | |
| Schwager Davis | CH600-8-115 | 600 | 141.81 | 8 | 9096 | 0.857 | 08/24/2010 | CH600-8-115 A&B | |
| Schwager Davis | CH600-8-116 | 600 | 141.81 | 8 | 9008 | 0.867 | 01/10/2012 | CH600-8-116 A&B | |
| Schwager Davis | CH600-8-117 | 600 | 141.81 | 8 | 8877 | 0.881 | 01/10/2012 | CH600-8-117 A&B | |
| Schwager Davis | CH820-8-1 | 820 | 210.3 | 8 | 13494 | 0.575 | 11/15/2007 | CH820-8-1 A&B | |
| Schwager Davis | CH1000-8-2 | 1000 | 210.3 | 8 | 13414 | 0.581 | 03/27/2012 | CH1000-8-2 A&B | |
| Schwager Davis | CH1000-8-3 | 1000 | 210.3 | 8 | 13422 | 0.581 | 03/27/2012 | CH1000-8-3 A&B | |
| Schwager Davis | CH1000-8-4 | 1000 | 210.3 | 8 | 13472 | 0.579 | 03/27/2012 | CH1000-8-4 A&B | |
| Schwager Davis | CH1000-8-5 | 1000 | 210.3 | 8 | 13468 | 0.579 | 03/27/2012 | CH1000-8-5 A&B | |
| Schwager Davis | CH820-8-6 | 820 | 210.3 | 8 | 13473 | 0.579 | 10/18/2006 | CH820-8-6 A&B | |
| Schwager Davis | CH820-8-7 | 820 | 210.3 | 8 | 13522 | 0.577 | 10/18/2006 | CH820-8-7 A&B | |
| VSL | 5-4-12 | 500 | | 4 | 8109 | 0.963 | 11/17/2008 | 5-4-12 A&B | |

Active Prestress/ Post Tensioning Jack Calibration

For more information please call 916-227-7251