

INFORMATION HANDOUT

For Contract No. 05-1C1104

At 05-SLO-101-12.4/29.7

Identified by

Project ID 0512000075

MATERIALS INFORMATION

Aerially Deposited Lead Location Map

Location Clarification Memorandum

Aerially Deposited Lead Concentration Data and Sample Location Maps

Water Source Information

TRAFFIC MANAGEMENT SYSTEM


Location of existing TMS elements to be maintained during construction

STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION

ADL LOCATION MAP




Dis+	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET TOTAL SHEETS
05	SLO	101	12.4/29.7	



LEGEND

- # NOT CONTAMINATED DOWN TO 2.5 FEET
- # ROADWAY EXCAVATION (TYPE Z2) FIRST 3 FEET FROM EP
- # NOT CONTAMINATED



NO SCALE

Memorandum

*Serious drought.
Help Save Water!*

To: Memo to File

Date: March 25, 2016


File: 05-SLO-101-
12.4/29.7
05-1C1101

From: JACKSON HO
Project Engineer
Design II

Subject: **05-1C110: ADLSIR LOCATION CLARIFICATION**

On August 11th of 2015, Location No. 29 (NB Higuera Onramp CST) was formally removed from the project. By July 31st of 2015, the Aerially Deposited Lead Site Investigation Report (ADLSIR) was already published by Geocon (Project No. S9800-02-05). Therefore, the ADLSIR numbering of locations of work does not reflect the final contract arrangement. Refer to the legend below when interpreting location of work information in the ADLSIR.

Location Numbering Prior to August 11, 2015	Location Numbering After August 11, 2015
29	Removed
30	29
31	30
32	31
33	32
34	33



GEOCON
CONSULTANTS, INC.

3160 GOLD VALLEY DR - SUITE 800 - RANCHO CORDOVA, CA 95742
PHONE 916.852.9118 - FAX 916.852.9132

State Route 101 (SLO-101) Safety Project

San Luis Obispo County,
California

VICINITY MAP

GEOCON Proj. No. S9800-02-50

Task Order No. 50

July 2015

Figure 1




3140 GOLD VALLEY DR., SUITE 105, RANCHO CORDOVA, CA 95742
 PHONE 916 882 9118 - FAX 916 882 9132

State Route 101 (SLO-101) Safety Project	
San Luis Obispo County, California	SITE PLAN
GEOCON Proj. No. S9800-02-50	
Task Order No. 50	July 2015
Figure 2-1	



LEGEND:
 LOC1 Approximate Hand-Auger Boring Location



GEOCON
 CONSULTANTS, INC.
 1000 W. ALBERTA AVE., SUITE 200, RANCHO CORDOVA, CA 95742
 PHONE 916.452.8115 - FAX 916.452.8132

State Route 101 (SLO-101) Safety Project	
San Luis Obispo County, California	SITE PLAN
GEOCON Proj. No. S9800-02-50	
Task Order No. 50	July 2015
Figure 2-2	



LEGEND:
 LOC Approximate Hand-Auger Boring Location



GEOCON
 CONSULTANTS, INC.
 3140 GOLD VALLEY DR., SUITE 100 - RANCHO CORDOVA, CA 95742
 PHONE 916.882.9118 - FAX 916.882.9132

State Route 101 (SLO-101) Safety Project	
San Luis Obispo County, California	SITE PLAN
GEOCON Proj. No. S9800-02-50	
Task Order No. 50	July 2015
Figure 2-3	



LEGEND:
 LOC7 (red circle with LOC7) Approximate Hand-Auger Boring Location



GEOCON
 CONSULTANTS, INC.
 11400 VALLEY DR., SUITE 100, RANCHO CORDOVA, CA 95742
 PHONE 916 662 9118 - FAX 916 662 9132

State Route 101 (SLO-101) Safety Project	
San Luis Obispo County, California	SITE PLAN
GEOCON Proj. No. S9800-02-50	
Task Order No. 50	July 2015
Figure 2-4	



LEGEND:
 LOCATION 9 Approximate Hand-Auger Boring Location



LEGEND:
 LOC11 Approximate Hand-Auger Boring Location



GEOCON
 CONSULTANTS, INC.
 3140 GOLD VALLEY DR., SUITE 405 - RANCHO CORDOVA, CA 95742
 PHONE 916 882 9118 - FAX 916 882 9132

State Route 101 (SLO-101) Safety Project	
San Luis Obispo County, California	SITE PLAN
GEOCON Proj. No. S9800-02-50	
Task Order No. 50	July 2015
Figure 2-5	



GEOCON
 CONSULTANTS, INC.
 2148 GOLD VALLEY DR., SUITE 800 - RANCHO CORDOVA, CA 95742
 PHONE 916 852 9118 - FAX 916 852 9132

State Route 101 (SLO-101) Safety Project	
San Luis Obispo County, California	SITE PLAN
GEOCON Proj. No. S9800-02-50	
Task Order No. 50	
July 2015	
Figure 2-6	



LEGEND:
 LOC14 (hatched rectangle with circle) Approximate Hand-Auger Boring Location




GEOCON
 CONSULTANTS, INC.
 1500 W. STATE ST. SUITE 602 - RANCHO CONDOVA, CA 95742
 PHONE 916 422-4115 - FAX 916 422-4152

State Route 101 (SLO-101) Safety Project	
San Luis Obispo County, California	SITE PLAN
GEOCON Proj. No. S9800-02-50	
Task Order No. 50	July 2015
Figure 2-7	



LEGEND:
 LOC17 Approximate Hand-Auger Boring Location



LEGEND:
 LOC19 Ⓞ Approximate Hand-Auger Boring Location

 GEOCON CONSULTANTS, INC. <small>9100 GOLD VALLEY DR. - SUITE 800 - RANCHO CORDOVA, CA 95742 PHONE: 916.852.9110 - FAX: 916.852.9132</small>	
State Route 101 (SLO-101) Safety Project	
San Luis Obispo County, California	SITE PLAN
GEOCON Proj. No. S9800-02-50	Task Order No. 50
July 2015	
Figure 2-8	




GEOCON
 CONSULTANTS, INC.
 3160 GOLD VALLEY DR - SUITE 800 - RANCHO CORDOVA, CA 95742
 PHONE 916 852 9118 - FAX 916 852 9132

State Route 101 (SLO-101) Safety Project	
San Luis Obispo County, California	SITE PLAN
GEOCON Proj. No. S9800-02-50	
Task Order No. 50	July 2015
Figure 2-9	



LEGEND:
 L0021 Approximate Hand-Auger Boring Location




GEOCON
 CONSULTANTS, INC.
 310 GOLD VALLEY DR - SUITE 800 - MANCHO CONDOVA, CA 93742
 PHONE: 916.866.5110 - FAX: 916.866.8102

State Route 101 (SLO-101) Safety Project	
San Luis Obispo County, California	SITE PLAN
GEOCON Proj. No. S9800-02-50	
Task Order No. 50	July 2015
Figure 2-10	



LEGEND:
 LOC ② Approximate Hand-Auger Boring Location




GEOCON
 CONSULTANTS, INC.
 3160 GOLD VALLEY DR - SUITE 805 - RANCHO CONCORDIA, CA 93742
 PHONE 916 882 9119 - FAX 916 882 8132

State Route 101 (SLO-101) Safety Project	
San Luis Obispo County, California	SITE PLAN
GEOCON Proj. No. SS9800-02-50	
Task Order No. 50	July 2015
Figure 2-11	



LEGEND:
 L_{OC} with red dot = Approximate Hand-Auger Boring Location



LEGEND:
 L029 Approximate Hand-Auger Boring Location



GEOCON
 CONSULTANTS, INC.
 2100 GOLD VALLEY DR - SUITE 800 - RANCHO GORDOYA, CA 95742
 PHONE 916 886-9110 - FAX 916 886-9152

State Route 101 (SLO-101) Safety Project	
San Luis Obispo County, California	SITE PLAN
GEOCON Proj. No. S9800-02-50	
Task Order No. 50	July 2015
Figure 2-12	



LEGEND:

Loc  Approximate Hand-Auger Boring Location

0 100
Scale in Feet



GEOCON
CONSULTANTS, INC.
3100 GOLD VALLEY DR., SUITE 400 - RANCHO CORDOVA, CA 95742
PHONE 916 852 9119 - FAX 916 852 9132

State Route 101 (SLO-101) Safety Project

San Luis Obispo County,
California

GEOCON Proj. No. S9800-02-50

Task Order No. 50

SITE PLAN

July 2015

Figure 2-13



GEOCON
CONSULTANTS, INC.
3100 GOLD VALLEY DR. - SUITE 800 - RANCHO CORDOVA, CA 95742
PHONE 916.882.9110 - FAX 916.882.9132

State Route 101 (SLO-101) Safety Project	
San Luis Obispo County, California	SITE PLAN
GEOCON Proj. No. S9800-02-50	
Task Order No. 50	July 2015
Figure 2-14	

LEGEND:

 Approximate Hand-Auger Boring Location

TABLE 2
 SUMMARY OF SOIL ANALYTICAL RESULTS - LEAD
 EA 05-1C1101
 STATE ROUTE 101 (SLO-101) SAFETY PROJECT
 SAN LUIS OBISPO COUNTY, CALIFORNIA

BORING ID	TOP OF SAMPLE DEPTH INTERVAL (feet)	TOTAL LEAD (mg/kg)	WET LEAD (mg/l)	DI-WET LEAD (mg/l)	TCLP LEAD (mg/l)	pH
LOC1-0'	0	75	5.3	<1.0	---	---
LOC1-1'	1	7.7	---	---	---	7.2
LOC1-2'	2	2.6	---	---	---	---
LOC2-0'	0	120	6.8	<1.0	<0.050	---
LOC2-1'	1	16	---	---	---	---
LOC2-2'	2	3.5	---	---	---	---
LOC3-0'	0	59	1.6	---	---	---
LOC3-1'	1	82	8.8	<1.0	---	---
LOC3-2'	2	8.7	---	---	---	---
LOC4-0'	0	74	2.5	---	---	---
LOC4-1'	1	10	---	---	---	---
LOC4-2'	2	3.4	---	---	---	---
LOC5-0'	0	170	13	<1.0	0.28	7.0
LOC5-1'	1	2.0	---	---	---	---
LOC5-2'	2	3.8	---	---	---	---
LOC6-0'	0	54	1.5	---	---	---
LOC6-1'	1	7.5	---	---	---	---
LOC6-2'	2	4.2	---	---	---	---
LOC7-0'	0	160	5.7	<1.0	---	---
LOC7-1'	1	3.0	---	---	---	---
LOC7-2'	2	5.1	---	---	---	---
LOC8-0'	0	23	---	---	---	---
LOC8-1'	1	3.8	---	---	---	---
LOC8-2'	2	3.5	---	---	---	5.4
LOC9-0'	0	17	---	---	---	---
LOC9-1'	1	4.6	---	---	---	---
LOC9-2'	2	6.5	---	---	---	---
LOC10-0'	0	100	2.9	---	<0.050	---
LOC10-1'	1	3.9	---	---	---	---
LOC10-2'	2	3.6	---	---	---	---
LOC11-0'	0	4.2	---	---	---	---
LOC11-1'	1	5.0	---	---	---	---
LOC11-2'	2	2.0	---	---	---	---
LOC12-0'	0	78	3.7	---	---	---
LOC12-1'	1	2.4	---	---	---	4.7
LOC12-2'	2	1.8	---	---	---	---

TABLE 2
 SUMMARY OF SOIL ANALYTICAL RESULTS - LEAD
 EA 05-1C1101
 STATE ROUTE 101 (SLO-101) SAFETY PROJECT
 SAN LUIS OBISPO COUNTY, CALIFORNIA


BORING ID	TOP OF SAMPLE DEPTH INTERVAL (feet)	TOTAL LEAD (mg/kg)	WET LEAD (mg/l)	DI-WET LEAD (mg/l)	TCLP LEAD (mg/l)	pH
LOC13-0'	0	99	7.2	<1.0	---	---
LOC13-1'	1	2.3	---	---	---	---
LOC13-2'	2	1.2	---	---	---	---
LOC14-0'	0	21	---	---	---	---
LOC14-1'	1	1.4	---	---	---	---
LOC14-2'	2	2.3	---	---	---	---
LOC15-0'	0	6.3	---	---	---	---
LOC15-1'	1	22	---	---	---	---
LOC15-2'	2	3.7	---	---	---	---
LOC16-0'	0	7.4	---	---	---	7.6
LOC16-1'	1	<1.0	---	---	---	---
LOC16-2'	2	2.4	---	---	---	---
LOC17-0'	0	14	---	---	---	---
LOC17-1'	1	4.1	---	---	---	---
LOC17-2'	2	2.9	---	---	---	---
LOC18-0'	0	570	31	<1.0	0.20	---
LOC18-1'	1	6.6	---	---	---	---
LOC18-2'	2	4.5	---	---	---	---
LOC19-0'	0	26	---	---	---	---
LOC19-1'	1	49	---	---	---	---
LOC19-2'	2	5.2	---	---	---	7.3
LOC20-0'	0	230	8.9	<1.0	<0.050	---
LOC20-1'	1	12	---	---	---	---
LOC20-2'	2	2.2	---	---	---	---
LOC21-0'	0	110	8.1	<1.0	---	---
LOC21-1'	1	61	1.9	---	---	---
LOC22-0'	0	250	15	<1.0	0.48	---
LOC22-1'	1	31	---	---	---	---
LOC23-0'	0	370	22	<1.0	0.26	---
LOC23-1'	1	66	2.5	---	---	7.9
LOC23-2'	2	3.2	---	---	---	---
LOC24-0'	0	20	---	---	---	---
LOC24-1'	1	1.4	---	---	---	---
LOC24-2'	2	1.1	---	---	---	---
LOC25-0'	0	8.1	---	---	---	---
LOC25-1'	1	3.9	---	---	---	---

TABLE 2
 SUMMARY OF SOIL ANALYTICAL RESULTS - LEAD
 EA 05-1C1101
 STATE ROUTE 101 (SLO-101) SAFETY PROJECT
 SAN LUIS OBISPO COUNTY, CALIFORNIA

BORING ID	TOP OF SAMPLE DEPTH INTERVAL (feet)	TOTAL LEAD (mg/kg)	WET LEAD (mg/l)	DI-WET LEAD (mg/l)	TCLP LEAD (mg/l)	pH
LOC25-2'	2	6.5	---	---	---	---
LOC26-0'	0	77	2.5	---	---	7.1
LOC26-1'	1	9.9	---	---	---	---
LOC26-2'	2	3.9	---	---	---	---
LOC27-0'	0	63	1.7	---	---	---
LOC27-1'	1	14	---	---	---	---
LOC27-2'	2	8.5	---	---	---	---
LOC28-0'	0	170	8.9	<1.0	---	---
LOC28-1'	1	35	---	---	---	---
LOC28-2'	2	14	---	---	---	---
LOC29-0'	0	59	2.7	---	---	---
LOC29-1'	1	33	---	---	---	---
LOC30-0'	0	18	---	---	---	---
LOC30-1'	1	3.6	---	---	---	---
LOC30-2'	2	30	---	---	---	---
LOC31-0'	0	5.3	---	---	---	---
LOC31-1'	1	18	---	---	---	---
LOC31-2'	2	37	---	---	---	---
LOC32-0'	0	8.6	---	---	---	---
LOC32-1'	1	21	---	---	---	---
LOC32-2'	2	9.5	---	---	---	---
LOC33-0'	0	290	10	<1.0	<0.050	---
LOC33-1'	1	5.9	---	---	---	8.0
LOC33-2'	2	5.2	---	---	---	---
LOC34-0'	0	1,900	110	<1.0	0.79	---
LOC34-1'	1	25	---	---	---	---
LOC34-2'	2	11	---	---	---	---

Notes:

LOC1-0



WET = Waste Extraction Test

DI-WET = Waste Extraction Test using deionized water

TCLP = Toxicity Characteristic Leaching Procedure

mg/kg = Milligrams per kilogram

mg/l = Milligrams per liter

--- = Not analyzed

TABLE 3
 SUMMARY OF SOIL ANALYTICAL RESULTS - TITLE 22 METALS
 EA 05-1C1101
 STATE ROUTE 101 (SLO-101) SAFETY PROJECT
 SAN LUIS OBISPO COUNTY, CALIFORNIA


Sample ID	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Lead	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc	Mercury
LOC5-0'	<2.0	<1.0	45	<1.0	<1.0	14	2.6	27	170	<1.0	12	<1.0	<1.0	<1.0	16	82	<0.10
LOC12-1'	<2.0	1.2	34	<1.0	<1.0	13	1.7	2.5	2.4	<1.0	8.8	<1.0	<1.0	<1.0	9.0	7.2	<0.10
LOC19-2'	<2.0	1.9	27	<1.0	<1.0	9.6	2.7	5.9	5.2	<1.0	8.6	<1.0	<1.0	<1.0	17	15	<0.10
LOC26-0'	<2.0	<1.0	58	<1.0	<1.0	210 (<1.0)	17	21	77	<1.0	250 (2.3)	<1.0	<1.0	<1.0	27	61	<0.10
LOC33-1'	<2.0	<1.0	160	<1.0	<1.0	110 (<1.0)	18	28	5.9	<1.0	160	<1.0	<1.0	<1.0	58	31	<0.10
T TLC	500	500	10,000	75	100	2,500	8,000	2,500	1,000	3,500	2,000	100	500	700	2,400	5,000	20
STLC	15	5.0	100	0.75	1.0	5.0	80	25	5.0	350	20	1.0	5.0	7.0	24	250	0.2
10 x STLC	150	50	1,000	7.5	10	50	800	250	50	3,500	200	10	50	70	240	2,500	2.0
<u>CHHSLs</u>																	
Industrial	380	0.24	63,000	190	7.5	100,000	3,200	38,000	320	4,800	16,000	4,800	4,800	63	6,700	100,000	180
Residential	30	0.07	5,200	16	1.7	100,000	660	3,000	80	380	1,600	380	380	5.0	530	23,000	18
<u>ESLs</u>																	
Table A, Industrial	40	1.6	1,500	8.0	12	750*	80	230	320	40	150	10	40	10	200	600	10
Table A, Residential	20	0.39	750	4.0	12	750*	23	230	80	40	150	10	20	0.78	200	600	6.7
Table K-3, Construction Exposure	120	10	61,000	180	110	460,000*	49	12,000	320	1,500	6,100	1,500	1,500	3.1	1,500	93,000	27
<u>Background Concentrations</u> ⁽¹⁾																	
Minimum	0.15	0.6	133	0.25	0.05	23	2.7	9.1	12.4	0.1	9.0	0.015	0.10	0.17	39	88	0.10
Maximum	1.95	11	1,400	2.70	1.70	1,579	46.9	96.4	97.1	9.6	509	0.430	8.30	1.10	288	236	0.90
Mean	0.60	3.5	509	1.28	0.36	122	14.9	28.7	23.9	1.3	57	0.058	0.80	0.56	112	149	0.26

TABLE 3
 SUMMARY OF SOIL ANALYTICAL RESULTS - TITLE 22 METALS
 EA 05-1C1101
 STATE ROUTE 101 (SLO-101) SAFETY PROJECT
 SAN LUIS OBISPO COUNTY, CALIFORNIA

Sample ID	Antimony	Arsenic	Barium	Beryllium	Cadmium	Chromium	Cobalt	Copper	Lead	Molybdenum	Nickel	Selenium	Silver	Thallium	Vanadium	Zinc	Mercury
-----------	----------	---------	--------	-----------	---------	----------	--------	--------	------	------------	--------	----------	--------	----------	----------	------	---------

Notes:

LOC5-0



Concentrations are shown in milligrams per kilogram unless otherwise noted

< = Less than laboratory reporting limits

TTLC = Total Threshold Limit Concentration

STLC = Soluble Threshold Limit Concentration

CHHSLs = California Environmental Protection Agency, California Human Health Screening Levels for industrial and residential land use

TTLC, STLC, and CHHSLs shown for chromium are for chromium III

* = for Chromium or Chromium III compounds

ESLs = Environmental Screening Levels, Table A and Table K-3, San Francisco Bay Regional Water Quality Control Board, December 2013

⁽¹⁾ Background Concentrations of Trace and Major Elements in California Soils (Kearney Foundation of Soil Science, Division of Agricultural and Natural Resources, University of California, Ma

Value in parenthesis is WET soluble metal concentration

Ho, Jackson S@DOT

From: Bennet, Kristin <KBennet@PismoBeach.org>
Sent: Friday, February 26, 2016 10:37 AM
To: Ho, Jackson S@DOT; Hembree, Tom
Subject: RE: Caltrans Request for Confirmation of Non-Potable Water Availability

Hi Jackson,

Based on your figure of 8,004 gallons needed for the project, which equates to 11 units (HCF) needed from the City of Pismo Beach. We have this non-potable water available for your usage. Please let me know if you have any questions or need further assistance.

Thank you!

Kristin Bennet

Accounting Technician | Payroll

City of Pismo Beach

760 Mattie Road | Pismo Beach, CA 93449

805.773.7011 | office
805.773.7065 | fax

From: Ho, Jackson S@DOT [mailto:jackson.ho@dot.ca.gov]
Sent: Thursday, February 25, 2016 4:48 PM
To: Hembree, Tom <thembree@PismoBeach.org>; Bennet, Kristin <KBennet@PismoBeach.org>
Subject: Caltrans Request for Confirmation of Non-Potable Water Availability

Mr. Tom Hembree and Ms. Kristen Bennet,

This a follow-up to a conversation we had last year in September. I also left Ms. Kristen a voicemail message.

Caltrans will be advertising a contract to pave minor areas adjacent to existing gore areas on Route 101 with the goal of decreasing maintenance worker exposure to high speed traffic from Traffic Way Interchange in the City of Arroyo Grande to Grand Ave Interchange in the City of San Luis Obispo in San Luis Obispo County. All work is within State right of way. The projected starting date for construction is September 2016, and the estimated project construction period is 110 working days. With the current water shortage in our State, there is statewide effort to conserve potable water. Approximately 8,004 gallons of non-potable water is needed for the entire project.

In our last conversation, I was informed about the requirements of the contractors in order to acquire a hydrant meter as well as the water use rate. That's good. Part of my required procedure as project engineer is to also obtain a confirmation from the local agency stating that there is a sufficient quantity of non-potable water available for this project, if that is the case.

I would appreciate it if you can please take a moment to respond to my email confirming the availability of non-potable water for this project's needs.

Thanks,

MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION

ELEMENT	POST MILE	LOCATION	DIRECTION
CCTV,MVDS	13.47	ROUTE 101 AT GRAND Ave	SB
MVDS	13.73	ROUTE 101 AT HALCYON Rd	NB
CCTV,MVDS	14.34	ROUTE 101 AT CAMINO MERCADO Rd	NB
MVDS	14.78	ROUTE 101 AT OAK PARK Blvd	NB
MVDS	15.23	ROUTE 101 AT FOURTH St	NB
CCTV	15.65	ROUTE 101 AT FOURTH St	NB
MVDS	15.75	ROUTE 101 AT FOURTH St	NB
MVDS	16.21	ROUTE 101 AT PRICE St	NB
MVDS	16.71	ROUTE 101 AT PRICE St	SB
CCTV	17.24	ROUTE 101 AT ROUTE 1	NB
MVDS	17.24	ROUTE 101 AT ROUTE 1	NB
LOOPS	17.70	ROUTE 101 AT PISMO BEACH SB OFF-RAMP	SB
LOOPS	17.70	ROUTE 101 AT PISMO BEACH NB OFF-RAMP	NB
MVDS	17.92	ROUTE 101 AT SHELL BEACH Rd	NB
CCTV	18.05	ROUTE 101 AT MATTIE Rd	NB
MVDS	18.30	ROUTE 101 AT MATTIE Rd	NB
CCTV,MVDS	19.86	ROUTE 101 AT SPYGLASS Dr	SB
CCTV,MVDS	20.96	ROUTE 101 AT AVILA BEACH Dr	NB
WAPB	21.22	ROUTE 101 AT MATTIE Rd	SB
CCTV,MVDS	22.07	ROUTE 101 AT SAN LUIS BAY Dr	SB

ELEMENT	POST MILE	LOCATION	DIRECTION
CCTV,MVDS	24.32	ROUTE 101 AT HIGUERA St	NB
MVDS	24.86	ROUTE 101 AT HIGUERA St	NB
WDSC	25.37	ROUTE 101 AT LOS OSOS VALLEY Rd	NB
MVDS	25.88	ROUTE 101 AT HIGUERA St	SB
CCTV	25.97	ROUTE 101 AT HIGUERA St	SB
CCTV	26.36	ROUTE 101 AT LOS OSOS VALLEY Rd/PRADO Rd	NB
LOOPS	26.36	ROUTE 101 AT LOS OSOS VALLEY Rd/PRADO Rd	NB/SB
CMS	26.36	ROUTE 101 AT LOS OSOS VALLEY Rd/PRADO Rd	NB
MVDS	26.37	ROUTE 101 AT LOS OSOS VALLEY Rd/PRADO Rd	NB
PIEZO	26.80	ROUTE 101 AT MADONNA Rd	NB/SB
MVDS	26.92	ROUTE 101 AT PRADO Rd	NB
CCTV/MVDS	27.53	ROUTE 101 AT MADONNA Rd	SB
WDSC	27.55	ROUTE 101 AT MADONNA Rd	SB
CCTV/MVDS	28.06	ROUTE 101 AT MARSH St	SB
CCTV/MVDS	28.79	ROUTE 101 AT BROAD St	SB
MVDS	29.20	ROUTE 101 AT TORO St	NB/SB
MVDS	29.63	ROUTE 101 AT GRAND St	SB