STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION
Contract No.: 02-4E4304 Project ID: 0200020284
Bidder Name:J. F. Shea Construction, Inc. Bidder ID:VC0000022972
CALTRANS BIDDER - DBE - COMMITMENT
DES-OE-0102.10C (NEW 6/2012)

10-27-14A11:57 RCVD

Third Bidder

BID AMOUNT: 5,676,318.00
BID OPENING DATE: 10-22-14
DBE PRIME CONTRACTOR CERTIFICATION:

IMPORTANT: Identify all DBE firms being claimed for credit, regardless of tier. Names of the First Tier DBE Subcontractors and their respective item(s) of work listed must be consistent, where applicable, with the names and items of work in the Subcontractor List. Copies of the DBE quotes are required.

1. DBE prime contractors must enter their certification number and indicate all work to be performed by DBEs including work performed by its own forces.

2. If 100% of item is not to be performed or furnished by DBE, describe exact portion of item to be performed or furnished.

Total Claimed Participation $ 612,606.50
% 10.79
Person to Contact : Logan Hanson
(Area Code) Tel.No. : (530) 246-4292

Logan Hanson 10/24/14

Signature of Bidder Date

10-27-14A11:58 RCVD

Bid Item No.
40,41
Item of work and description of services to be subcontracted or materials to be provided.
Supply & Haul Asphalt Oil
FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number)
(Indicate 2nd and lower tier subcontractors)
Dragon Material Transport, Inc. / DBE # 37444
P.O. Box 27800, Fresno, CA 93729-7800
559-351-8822
Dollar amount DBE 545,089.50

Bid Item No.
24,48
Item of work and description of services to be subcontracted or materials to be provided.
Reset 24" Reinforced Concrete Pipe, Drill and Bond Dowel (Chem Adhesive)
FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number)
(Indicate 2nd and lower tier subcontractors)
S.T. Rhoades Construction Inc. / DBE # 37693
8585 Commercial Way, Redding, CA 96002
530-223-9322
Dollar amount DBE 13,230.00

Bid Item No.
33,34
Item of work and description of services to be subcontracted or materials to be provided.
Erosion Control (Dry Seed), Straw
FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number)
(Indicate 2nd and lower tier subcontractors)
M & S Environmental Landscapes, Inc. / DBE # 030736
12192 Mac's Road Redding, CA 96003
530-241-1418
Dollar amount DBE 5,663.50

10-27-14 A11:58 RCVD

Bid Item No.
80,81
Item of work and description of services to be subcontracted or materials to be provided.
Maintaining Existing TMS Elements During Construction, Traffic Count Station
FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number)
(Indicate 2nd and lower tier subcontractors)
Northern Industrial Electric / DBE # 34396
2435 Radio Lane Redding, CA 96001
530-246-2366
Dollar amount DBE 42,579.40

Bid Item No.
45
Item of work and description of services to be subcontracted or materials to be provided.
Place Hot Mix Asphalt Dike (Type F)
FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number)
(Indicate 2nd and lower tier subcontractors)
A.C. Dike CO. / DBE # CT 000219
2788 Venture Dr. Lincoln, CA 95648
916-652-0159
Dollar amount DBE 4,200.00

Bid Item No.
1,7
Item of work and description of services to be subcontracted or materials to be provided.
Lead Compliance Plan, Prepare Water Pollution Control Plan
FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number)
(Indicate 2nd and lower tier subcontractors)
Veridico Group / DBE # 39572
P.O. Box 673, Roseville, CA 95661
707-317-0002
Dollar amount DBE 1,845.00

10-27-14A11:58 RCVD

Bid Item No.

Item of work and description of services to be subcontracted or materials to be provided.

FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number) (Indicate 2nd and lower tier subcontractors)

Dollar amount DBE

Bid Item No.

Item of work and description of services to be subcontracted or materials to be provided.

FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number) (Indicate 2nd and lower tier subcontractors)

Dollar amount DBE

Bid Item No.

Item of work and description of services to be subcontracted or materials to be provided.

FOR CALTRANS USE ONLY

Name of DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number) (Indicate 2nd and lower tier subcontractors)

Dollar amount DBE

DRAGON
MATERIAL TRANSPORT, INC.

P.O. Box 27800, Fresno, CA 93729-7800
Office (559)351-8822 Fax (559) 276-0818
CA No. 0366649
dragonmaterial@yahoo.com

DBE

DBE/WBE/UDBE Firm No. 37444
SBE 52655

----QUOTE

DBE

J.F. Shea Construction, Co.
Attn: Juan Bernardino
Date: 10/22/14

Project: Caltrans 02-4E4304 - Rehabilitate Pavement in Shasta County

Material: 1,350 Ton - PG 64-16
Delivered Price: $626.00 Per U.S. Ton + Any applicable taxes

ORIGIN: Paramount, Elk Grove
DESTINATION: Fawndale Rock

***Indexed 5% Crude**
***Standby after 1 hour from scheduled delivery time at $100.00 per hour**
***Pricing based on full loads - 26.00 ton**
*Fuel surcharge - rate increase - add $1.00 for every $.10 increase if California On-Highway reaches $4.25 per gallon. www.eia.gov. $4.084 on bid day.

$626.00 + TAX x $1,350.00 = $908,482.50

60 %

= $545,089.50

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING, CA 96002
P.O. BOX 494520, REDDING, CA., 96049
530-223-9322, Fax 530-223-9222, License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

RECEIVED
J.F. SHEA CONST., INC.

PROPOSAL

DBE

OCT 22 2014

To: General Contractors
Attn:
Project: 02-4E4304
Bid date: 10/22/2014

Date: 10/22/2014

DIV NO.

	Item	Description	Quantity	UM	Unit Price	Amount
SA	8	Temporary Fiber Roll	720	lf	$ 6.00	$ 4,320.00
SA	13	Remove Roadside Sign	12	ea	$ 150.00	$ 1,800.00
D	16	Remove Culvert	150	lf	$ 50.00	$ 7,500.00
D	17	Remove Inlet	1	ea	$ 1,200.00	$ 1,200.00
D	18	Remove Headwall	3	ea	$ 1,660.00	$ 4,980.00
D	24	Reset 24" Reinforced Concrete Pipe	3	ea	$ 3,210.00	$ 9,630.00
SA	31	Shoulder Backing	2220	ton	$ 45.00	$ 99,900.00
D	35	Class 2 Ag Base	7	cy	$ 55.00	$ 385.00
SA	38	Replace Asphalt Concret Surfacing **Excludes Asphalt**	3410	cy	$ 137.00	$ 467,170.00
D	47	Minor Concrete (minor structure)	11.9	cy	$ 3,100.00	$ 36,890.00
D	48	Drill and Bond Dowel (chem Adhesive)	48	ea	$ 75.00	$ 3,600.00
D	57	24" Alternative Pipe Culvert	160	lf	$ 249.00	$ 39,840.00
D	58	Concrete Backfill (pipe trench)	5	cy	$ 300.00	$ 1,500.00
D	59	18" Corrugated Steel Pipe (.138" thick)	24	lf	$ 99.00	$ 2,376.00
D	60	36" Corrugated Steel Pipe Inlet	7	lf	$ 400.00	$ 2,800.00
D	61	Steel Flared End Section	1	ea	$ 275.00	$ 275.00
D	66	Misc. Iron and Steel	942	lb	$ 4.00	$ 3,768.00
					Total:	$ 687,934.00

DBE

Notes:
- Proposal valid for 30 days, Allow 30 days for scheduling
- Payment to be made 15 days after work is completed
- Price includes furnishing and installation unless otherwise noted.
- Addendums 1 Acknowledged
- Proposal is based on 1 move in/move out
- SA= Stand Alone Pricing, can be seperated out
- D= Drainage Package- items are non seperable.
- Traffic Control is included in item 38 for STR work only

Excludes
- Bonds
- Permits
- Raising/Lowering Iron
- Traffic Control (unless noted otherwise)
- Striping
- Staking
- Engineering
- Referencing

24 100%
48 100%

Respectively Submitted,
Steve Rhoades
Estimator

S.T.RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY REDDING, CA 96002
P.O. BOX 494520, REDDING, CA.,96049
530-223-9322, FAX 530-223-9222 License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

TRAFFIC CONTROL PROPOSAL

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

To: GENERAL CONTRACTORS
Attn: ESTIMATORS
Project: CT 02-4E4304

Date: 10/22/14

Item	Description	Quantity	UM	Price
A	1 Man 1 Lane 1 Mile day or night	1	shift	$ 895.00
B	Additional lane same direction	1	ea	$ 135.00
C	Additional lane opposite direction	1	ea	$ 175.00
D	Additional mileage	1	ea	$ 85.00
E	Ramp closure with lane closure minor detour	1	ea	$ 75.00
F	Ramp closure w.o lane closure minor detour	1	ea	$ 925.00
G	1 man lane closure overtime rate	1	hr	$ 80.00
H	Additional man	1	shift	$ 525.00
I	Pilot car	1	shift	$ 725.00
J	2 flaggers 8 hr shift,signs,cones	1	shift	$ 1,175.00
K	2 flaggers overtime rate	1	hr	$ 170.00
L	2 flaggers 8 hr night/special shift	1	shift	$ 1,300.00
M	2 flaggers overtime night/special shift	1	hr	$ 180.00
N *	Attenuator truck	1	shift	$ 350.00
	Attenuator truck	1	wk	$ 1,200.00
	Attenuator truck	1	month	$ 3,500.00
	optional driver	1	shift	$ 525.00
O *	Portable changeable message sign	1	day	$ 200.00
		1	week	$ 425.00
		1	month	$ 975.00
P *	Portable radar trailer	1	day	$ 175.00
		1	week	$ 375.00
		1	month	$ 750.00
Q	Shoulder closure	1	shift	$ 825.00
R *	High dump sweeper unoperated	1	day	$ 360.00
*	High dump sweeper operated	1	hr	$ 140.00
*	Based on availibility at time of project start			
S	Pilot car overtime	1	hr	$ 90.00
T	Traffic control plans	1	ea	$ 750.00

Notes:
- Proposal valid for 30 days, Allow 10 days for scheduling
- 1 shift - up to and minimum of 8hrs, up to 1 mile
- Subsistance to be added as needed per union rates
- Sunday rates available upon request
- We also provide erosion, water pollution programs, storm water plans, and BMP placement.
- Multiple move ins and outs may require additional charges

Includes:
- Price includes furnishing and installation unless otherwise noted.

Excludes
- Bonds
- Permits
- Mobilization, call for rates

Respectively Submitted,
Steve Rhoades

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING CA 96002
P.O. BOX 494520, REDDING, CA., 96049
530-223-9322, Fax 530-223-9222, License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

Standard Asphalt Concrete Grinder/ Cold plane Quotation 10/21/2014

CT 02-4E4304

Wirtgen 1900DC 72" grinder/cold planer $ 3,500 daily rate minimum, O.T. @ $ 520 per hour
Saturday minimum rate $ 5000, Sunday/holiday rate $ 5750 minimum

NOTE: Daily rate based on 8 hour shift, all grinders/cold planers will have 2 operators min./max.

Excudes:

- Water for machines supplied by others and is not included in rental rate.The machine requires approx. 425 gallons per hr.
- Mobilization is not included in rental, additional @ $ 125 per hr (from Redding). Plus a pilot car when required.
- Under ground service alert, locating of any utilities, monuments, valve boxes, pipe, man hole lids, any obstacle above or below surface.
- Repair charges for damage to machine or property will be customers responsibility.
- Refrencing,layout marking.
- Areas machine will not reach.
- Clean up, sweeping, off hauling of materials.
- Permits, bonds,
- Portland cement grinding
- Responsibility for Safety hazards as a result of grinding/cold planing operations.
- Subsistance and night rates.

Includes:

- Rates include one set of teeth per shift. Additional boxes of teeth are $ 375 per box
- S.T. Rhoades Const. pursuant to this agreement, we will perform extra work (subject to our prior approval) at Cal Trans rental / force account rates.
- Cutting capability up to 8" depth in one pass.
- S.T. Rhoades Const. Inc. purposes within this proposal produces airborne & surface particulates, water runoff & mud. These machines have a decibel rating of 90 dba @ 25', and the customer acknowledges the scope S.T. Rhoades Const. Inc. work includes changing the elevation of the existing roadway. By accepting this proposal , the customer releases & agrees to hold S.T. Rhoades Const. Inc. harmless for claims or damages arising out of or related to these or other by-products of its normal use.

10 day notice to schedule.
Payment in full within 30 days from invoice date

Respectively Submitted

Steve Rhoades, President

CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

S.T. RHOADES CONSTRUCTION, INC.

8585 Commercial Way
REDDING, CA 96002

Owner: STEVE TYLER RHOADES
Business Structure: CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 237310 Highway, Street, and Bridge Construction
238110 Poured Concrete Foundation and Structure Contractors
238910 Site Preparation Contractors
237110 Water and Sewer Line and Related Structures Construction
237990 Other Heavy and Civil Engineering Construction

Work Category Code(s)

C1201	TRAFFIC CONTROL SYSTEM	C1901	ROADWAY EXCAVATION
C1910	GRADING	C2066	TEMPORARY EROSION CONTROL
C2201	FINISHING ROADWAY	C3910	PAVING ASPHALT (ASPHALT CONCRETE)

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV NO.
A/C NO.

Licenses

A General Engineering Contractor
C31 Construction Zone Traffic Control Contractor

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number : 37693

James Dolan
CUCP OFFICER

January 12, 2012

BIDSYNC

Home | Search | Bids | Orders | Bolts | CRM | Agency List | Support | Logout

CALIFORNIA PROFILE

BidSync Supplier Name	S.T.Rhoades Construction Inc.	Supplier Number	1247344
Legal Business Name	S.T.Rhoades Construction Inc.	DBA Business Name	S.T.Rhoades Construction Inc.
Address	P.O. Box 494520 REDDING, CA 96049	Phone FAX	(530) 223-9322 (530) 223-9222
Email	steve@strhoadesinc.com		
Number of Employees	20		
Business Types	Construction		
Service Areas	Alpine, Amador, Butte, Colusa, Del Norte, El Dorado, Glenn, Humboldt, Inyo, Lake, Lassen, Mendocino, Modoc, Mono, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Sutter, Tehama, Trinity, Yolo, Yuba,		
Keywords	paving grading excavating trenching drainage fence concrete sidewalks curb&gutter adaramps culverts retainingwalls valleygutters removereplaceAC removereplacePCC boxculverts drainageinlets sloperepair slideremoval remodelbuildings slabs footings siteprep		
Construction License Types	A - General Engineering C-31 - Construction Zone Traffic Control Contractor		
Classifications	721110 - Single family dwelling construction services 721210 - New industrial building and warehouse construction services 721211 - Commercial and office building construction services 721212 - Agricultural building construction services 721410 - Highway and road construction services 721411 - Infrastructure building and surfacing and paving services 721412 - Marine construction services 721413 - Athletic and recreational facility construction service 721414 - Detention facility construction and repair services 721415 - Land preparation services 721416 - Mass transit system construction services 721511 - Plumbing construction services 721523 - Carpentry services 721526 - Roofing and siding and sheet metal services 721527 - Concrete installation and repair services 721531 - Athletic and recreational facility construction services 721537 - Parking facility construction and equipment installation and maintenance and repair services 721539 - Building site preparation services		
View Options	View Application		
Edit Options	Amend Application | Register as Disabled Veteran Business Enterprise (DVBE)		

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO._____
A/C NO._____

Active Certifications

Register as Disabled Veteran Business Enterprise (DVBE)

TYPE	STATUS	STATUS DATE	FROM	TO	ACTIONS
SB	Approved	Feb 7, 2014	Feb 7, 2014	Feb 28, 2015	

Certification History

TYPE	STATUS	STATUS DATE	FROM	TO
SB (Micro)	Expired	Feb 7, 2014	Feb 2, 2012	Feb 28, 2014
SB (Micro)	Expired	Feb 2, 2012	Mar 19, 2010	Mar 31, 2012
SB (Micro)	Expired	Mar 19, 2010	Apr 4, 2009	Apr 29, 2010

Home Bid Search Bids Orders My account Privacy Terms Logout

Customer Support - vendorsupport@bidsync.com or 800-990-9339

Copyright © 1999-2014 - BidSync - All rights reserved.

DBE

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1416
Fax 241-9647
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

RECEIVED
J.F. SHEA CONST., INC.
OCT 21 2014
DIV. NO.
A/C NO.

10/20/14 Bids 10/22/14

Bid For - Shasta county Near Palo Cedro Route 44

Cal-trans Contract # 02-4E4304

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
33	Erosion Control (Dry Seed)	SQFT	24100	$ 0.155	$ 3,735.50
34	Temporary Tacked Straw Straw	SQFT	24100	$ 0.080	$ 1,928.00

100%

DBE

TOTAL $ 5,663.50

ADDITIONAL BID NOTES

* Prime Contractor to provide and pay for water source on site (i.e.-fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
* All traffic control to be provided by Prime contractor. Bid valid for 60 days.
* One move-in is inlcuded in total bid, unless otherwise stated. Additional move-in (if necessary) at the rate of $400.00 each.
* An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by time will be billed at $600.00 per hour.
* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

Northern Industrial Electric

DBE DBE

2435 Radio Lane • Redding, California 96001 • Phone (530) 246-2366 • FAX (530) 246-2368 • Email: nie01@sbcglobal.net

Contractor License #291649 DBE/SWBE Certification #34396 SBE Certification #9083

REVISED QUOTE

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

October 22, 2014

To Bidding Contractors

Re: Caltrans Contract 02-4E4304 – Construction on State Highway in Shasta County in and Near Palo Cedro, 02-Sha-44-R4.2/R14.5

Bid Date: October 22, 2014 @ 2:00 p.m.

Northern Industrial Electric is pleased to quote the above referenced project per plans and specifications as follows:

~~Bid Item 65: Minor Concrete (Sidewalk)~~	~~1.1 c.y. @ $5,706~~	~~=~~	~~$6,276.60~~
Bid Item 80: Maintaining Existing TMS Elements During Construction • Includes pre and post job walk-through. Does not include labor and material for items damaged by contractor forces or traveling public.		L.S.	$ 500.00
Bid Item 81: Traffic Count Station		L.S.	$42,079.40

We acknowledge Addendum Nos. 1

Exclusions:

1. Traffic control
2. Portable changeable message signs;
3. Light towers;
4. Pull box paving;
5. SWPP/WPCP and implementation;
6. Fees, permits or bonds;
7. Worker's comp waivers of subrogation;
8. Excess (umbrella) liability insurance;
9. Weekend and holiday shift;
10. Staking;
11. This proposal must be attached and incorporated into our subcontract agreement.

NOT used on #65. Price Was Higher Then Wards Concret.

80, 81

100%

Our quote is firm for 30 days unless otherwise stated. If you have any questions, please do not hesitate to call.

Sincerely,

Dori Cram for Harry Cram

Harry P. Cramer
Project Manager / Estimator

STATE OF CALIFORNIA CERTIFICATIONS
DBE/SWBE Certification No. 34396
Small Business Certification No. 9083

CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE
NORTHERN INDUSTRIAL ELECTRIC

2435 RADIO LANE
REDDING, CA 96001 3810

Owner : DORI CRAMER
Business Structure : CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 238210 Electrical Contractors

Work Category Code(s)

C0686 ELECTRICAL & SIGNALS
E4910 ELECTRIC SERVICES
C9858 RESIDENTIAL ELECTRICAL

Licenses

A General Engineering Contractor
B General Building Contractor
C10 Electrical Contractor

RECEIVED
OCT 22 2014
J.F. SHEA CONST., INC.
DIV. NO.
AGN. NO.

CERTIFYING AGENCY:

DEPARTMENT OF TRANSPORTATION
1823 14TH STREET, MS 79
SACRAMENTO, CA 95814 0000
(916) 324-1700

UCP Firm Number : 34396

CUCP OFFICER

July 18, 2007

It is CUCP's policy and objective to promote and maintain a level playing field for DBEs in California on Federal-aid contracts. We ensure nondiscrimination in the award and administration of U.S. DOT assisted contracts based on the requirements of 49 CFR Parts 21 and 26.

BUSINESS ENTERPRISE CERTIFICATE

NORTHERN INDUSTRIAL ELECTRIC

2435 RADIO LANE
REDDING, CA 96001 3810
Owner: DORI CRAMER

Business Structure: CORPORATION

STATE WOMEN BUSINESS ENTERPRISE

This Certification Not Valid For Federal Aid Contracts

This certificate acknowledges that said firm is approved by the California Department of Transportation as a State Minority Business Enterprise or State Women Business Enterprise (or in some cases both) in accordance with Assembly Bill Number 486, Chapter 1329 and the California Public Code, Chapter 2.5 (commencing with Section 2050), for the following NAICS codes:

* 238210 Electrical Contractors

* Indicates primary NAICS code

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
AC NO.

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET, MS 79
SACRAMENTO, CA 95814 0000
(916) 324-1700

Firm Number : 34396
Renewal Date : March 1, 2015

Janice Salais, CERTIFYING AGENCY REPRESENTATIVE

March 1, 2013

CA.GOV Department of General Services
BUILDING GREEN BUYING GREEN WORKING GREEN

NORTHERN INDUSTRIAL ELECTRIC - #9083

SUPPLIER PROFILE

Legal Business Name	NORTHERN INDUSTRIAL ELECTRIC		
Doing Business As	NORTHERN INDUSTRIAL ELECTRIC		
Address	2435 RADIO LN REDDING, CA 96001-3810	Phone	(530) 246-2366
		FAX	(530) 246-2368
Email	nie01@sbcglobal.net		
Business Types	Construction		
Service Areas	Butte, Colusa, Del Norte, El Dorado, Glenn, Humboldt, Lake, Lassen, Mendocino, Modoc, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Sutter, Tehama, Trinity, Yolo, Yuba,		
Keywords	electrical industrial and highway services		
Construction License Types	A - General Engineering B - General Building Contractor C-10 - Electrical (general)		
Classifications	721410 - Highway and road construction services 721515 - Electrical system services		

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

Active Certifications

TYPE	STATUS	FROM	TO
SB (Micro)	Approved	Oct 31, 2013	Nov 30, 2017

Certification History

TYPE	STATUS	FROM	TO
SB (Micro)	Expired	Nov 18, 2011	Nov 30, 2013
SB (Micro)	Expired	Nov 2, 2009	Nov 30, 2011
SB (Micro)	Expired	Mar 14, 2006	Aug 31, 2009
SB	Expired	Jan 23, 2004	Apr 30, 2006
SB	Expired	Dec 18, 2000	Nov 30, 2003
SB	Expired	Jan 9, 1998	Dec 31, 2000

DBE

A. C. DIKE CO.

Specialty Paving Inc.

SPECIALTY PAVING CONTRACTOR

DBE

100 %

RECEIVED
J.F. SHEA CONST., INC.

OCT 20 2014

DIV. NO._____
A/C NO._____

QUOTATION: CDOT SHASTA CO. RT44 02-4E4304

BIDS : 10/22/14

Item #45

"PLACE ONLY"* 240 LF ASPHALT DIKE TYPE "F" @ $17.50 LF

PLACE IMPORTED SHOULDER BACKING @ $2380.00 8 HR SHIFT.**
** PRICE INCLUDES PLACING AND SCREEDING.
EXCLUDES WATERING AND COMPACTION.
MOBILIZATION FOR SHOULDER MACHINE $800.00

**PRICE INCLUDES TACK AND ONE MOBILIZATION FOR DIKE CREW.
ASPHALT MATERIAL AND HAULING BY PRIME CONTRACTOR.
TRAFFIC CONTROL BY PRIME CONTRACTOR.**

* PLACE ONLY ASPHALT DIKE. SPECIFICALLY EXCLUDES SURFACE PREPARATION, BACKFILL, OR FOGSEAL.

QUALIFIED MINORITY CONTRACTOR, DBE/WBE/UDBE # CT 000219
CAL. LIC.# 407417 NEV. LIC.#24188
2788 VENTURE DR. LINCOLN, CA. 95648
(916) 652-0159 FAX (916) 645-9618
WWW.ACDIKE.COM

VERIDICO GROUP, INC.

DBE

4H

1667.

PROGRAM MANAGEMENT | ENVIRONMENTAL SERVICES | WATER RESOURCES ENGINEERING

DBE Contractor – CUCP Certificate Number 39572

Date: 21 OCT 14

DBE

Contract #: 02-4E4304 – REHABILITATE PAVEMENT
Bid Date: 22 OCT 2014

Veridico Group, Inc. (Veridico) is pleased to provide the following contract pricing for the specified work scope items detailed in the subject contract solicitation:

Item No.	Item code	Item Description	Unit of Measure	Est Qty	Bid	Amount
~~1~~	~~070030~~	~~LEAD COMPLIANCE PLAN (SOIL)~~	~~LS~~	~~LS~~	~~$1,250.00~~	~~$1,250.00~~
1	070030	LEAD COMPLIANCE PLAN (GRINDING/COLD PLANING)	LS	LS	$1,250.00	$1,250.00
~~6~~	~~130100~~	~~JOB SITE MANAGEMENT~~	~~LS~~	~~LS~~	~~$6,325.00~~	~~$6,325.00~~
7	130200	PREPARE WATER POLLUTION CONTROL PROGRAM (PARTIAL – PLAN ONLY)	LS	LS	$595.00	$595.00

TERMS AND CONDITIONS:

1. This quote and attached terms and conditions must become a binding part of any sub-contract.
2. A contract and 10 working days notice must be given prior to start of work. This quote shall remain valid for 30 days from date of actual bid opening, unless otherwise agreed upon.
3. TERMS: Due and payable within 30 days from date of installation and/or as per Business and Professional code 7108.5 and Public contract code 10262.5 (for progress payments) and/or as per Public contract Code 7107 (for retention due).
4. All change orders must be approved by agency/owner prior to work being performed by Veridico.
5. Excludes any insurance requirements in excess of Caltrans Standard Specifications.
6. Splitting offered bid item quotes **may be considered**. Please call Tim Anenson at (707) 317-0002 to discuss splitting the bid item quotes prior to the Caltrans submittal deadline.

RECEIVED
J.F. SHEA CONST., INC.

OCT 21 2014

DIV. NO.
A/C NO.

P.O. Box 673, Roseville, California 95661
Phone: 707-317-0002, Fax: 707-620-7000
www.veridicogroup.com

D2:4E4304

4H

ASSUMPTIONS

1. **Field monitoring may be required** for the Lead Compliance Plan line item. Field monitoring (under the supervision of a CIH) can be provided at a rate of $2,495.00 per day including all labor, travel, perdiem, equipment, materials, supplies, and lab costs.
2. Training specified in the LCP can be conducted (by a CIH) at contractor location. The training can be conducted for a lump sum of $1,950.00.
3. Job Site Management assumes a project duration of 115 days (field work), or 23 weeks of on-site field work.

   23 weeks x $275.00/week = $6,325.00

   This is a weekly rate for Veridico to document required WPCP compliance by completing Caltrans forms 2030 and 2034 by a QSD/P. Veridico will work with your field staff to assess site conditions each week; no site visits are included. Pre-, during and post-rain event site inspections are not included but will be billed at the Job Site Management rate if required.
4. No other plans, reports, monitoring or permits are included.
5. The WPCP and the LCPs are **guaranteed** acceptance for the quoted bid.
6. Contractor to provide completed questionnaire (supplied by Veridico upon notice of award) prior to start of work.
7. Print-ready electronic draft and final copies of plans and/or reports will be provided so hard copies can be produced; no hard copies will be provided by Veridico.

Veridico is a certified DBE contractor (No. 39572) with a number of associates that have supported Caltrans projects for many years. We have the necessary certified personnel to support your efforts on this project and we look forward to providing you our highest level of project support. Please don't hesitate to contact me directly at (707) 317-0002 or at tim.anenson@veridicogroup.com if we can provide anything further.

My Very Best Regards,
VERIDICO GROUP, INC.

Tim Anenson, QSD, CPSWQ
Principal Consultant

RECEIVED
J.F. SHEA CONST., INC.

OCT 21 2014

DIV. NO.
A/C NO.

P.O. Box 673, Roseville, California 95661
Phone: 707-317-0002, Fax: 707-620-7000
www.veridicogroup.com

1.List items of work the Bidder made available to DBE firms. Identify those items of work the Bidder might otherwise perform with its own forces and those items that have been broken down into economically feasible units to facilitate DBE participation. For each item listed, show the dollar value and percentage of the total contract. The Bidder must demonstrate that sufficient work to meet the goal was made available to DBE firms.

Item of work offered :
See Attached Spreadsheet with Breakdown
Bidder normally performs item (Y/N) : Yes
Item broken down to facilitate participation (Y/N) : Yes
Amount($) : 0.00
Percentage of Contract : 0.00

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($):
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Item of work offered :

Bidder normally performs item (Y/N) :
Item broken down to facilitate participation (Y/N) :
Amount($) :
Percentage of Contract :

Good Faith Efforts Documentation - DBE Page 1 of 3 - # 1 - Item of Work Offered to Subcontractors

State of California Department of Transportation - CALTRANS
Contract # 02-4E4304
Good Faith Efforts Documentation - DBE
DES-OE-0102.11A (New 06/2012)
Bid Date: 10/22/14 @ 2 PM

J.F. Shea Construction, Inc.

#:	Item of Work Offered:	Bidder Normally Performs Item: (Y/N)	Item Broken Down to Facilitate Participation : (Y/N)	Amount: ($)	Percentage of Contract: (%)
1	LEAD CDMPLIANCE PLAN	N	Y	$1,375.00	0.02%
2	TIME-RELATED OVERHEAD (WDAY)	Y	Y	$44,275.00	0.78%
3	CONSTRUCTION AREA SIGNS	N	Y	$6,050.00	0.11%
4	TRAFFIC CONTROL SYSTEM	N	Y	$282,926.00	4.98%
5	PORTABLE CHANGEABLE MESSAGE SIGN (LS)	N	Y	$13,750.00	0.24%
6	JOB SITE MANAGEMENT	Y	Y	$6,539.00	0.12%
7	PREPARE WATER POLLUTION CONTROL PROGRAM	N	Y	$655.00	0.01%
8	TEMPORARY FIBER ROLL	Y	Y	$1,944.00	0.03%
9	TEMPORARY CONCRETE WASHOUT	Y	Y	$1,271.00	0.02%
10	TREATED WOOD WASTE	N	Y	$2,090.00	0.04%
11	REMOVE GUARDRAIL	N	Y	$209.00	0.00%
12	REMOVE THERMOPLASTIC PAVEMENT MARKING	N	Y	$1,881.00	0.03%
13	REMOVE ROADSIDE SIGN	N	Y	$660.00	0.01%
14	REMOVE ROADSIDE SIGN PANEL	N	Y	$37.00	0.00%
15	REMOVE ASPHALT CONCRETE DIKE	Y	Y	$6,000.00	0.11%
16	REMOVE CULVERT (LF)	Y	Y	$5,745.00	0.10%
17	REMOVE INLET	Y	Y	$2,059.00	0.04%
18	REMOVE HEADWALL	Y	Y	$5,433.00	0.10%
19	RECONSTRUCT FENCE	N	Y	$2,511.00	0.04%
20	RECONSTRUCT GUARDRAIL	N	Y	$17,787.00	0.31%
21	RECONSTRUCT GUARDRAIL (7' POST)	N	Y	$2,310.00	0.04%
22	RECONSTRUCT TERMINAL SYSTEM	N	Y	$4,290.00	0.08%
23	RECONSTRUCT TRANSITION RAILING (TYPE WB)	N	Y	$4,400.00	0.08%
24	RESET 24" REINFORCED CONCRETE PIPE	N	Y	$10,593.00	0.19%
25	COLD PLANE ASPHALT CONCRETE PAVEMENT	Y	Y	$43,365.00	0.76%
26	CLEANING, INSPECTING, AND PREPARING CULVERT (LF)	N	Y	$7,371.00	0.13%
27	24" CURED IN PLACE PIPELINER	N	Y	$18,228.00	0.32%
28	30" CURED IN PLACE PIPELINER	N	Y	$22,572.00	0.40%
29	CLEARING AND GRUBBING (LS)	Y	Y	$5,319.00	0.09%
30	DEVELOP WATER SUPPLY	Y	Y	$8,525.00	0.15%
31	SHOULDER BACKING	Y	Y	$78,033.00	1.37%
32	DITCH EXCAVATION	Y	Y	$16,170.00	0.28%
33	EROSION CONTROL (DRY SEED) (SQFT)	N	Y	$4,338.00	0.08%
34	STRAW	N	Y	$2,169.00	0.04%

35	CLASS 2 AGGREGATE BASE (CY)	Y	Y	$3,465.00	0.06%
36	PREPAVING INERTIAL PROFILER	N	Y	$17,430.00	0.31%
37	PREPAVING GRINDING DAY	N	Y	$43,615.00	0.77%
38	REPLACE ASPHALT CONCRETE SURFACING	Y	Y	$818,400.00	14.42%
39	HOT MIX ASPHALT (TYPE A)	Y	Y	$2,590.00	0.05%
40	RUBBERIZED HOT MIX ASPHALT (GAP GRADED)	Y	Y	$2,395,600.00	42.20%
41	RUBBERIZED HOT MIX ASPHALT (OPEN GRADED)	Y	Y	$972,060.00	17.12%
42	SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS)	N	Y	$2,816.00	0.05%
43	CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS)	N	Y	$1,584.00	0.03%
44	DATA CORE	N	Y	$3,630.00	0.06%
45	PLACE HOT MIX ASPHALT DIKE (TYPE F)	N	Y	$4,620.00	0.08%
46	TACK COAT	Y	Y	$365.00	0.01%
47 (F)	MINOR CONCRETE (MINOR STRUCTURE)	Y	Y	$40,700.14	0.72%
48	DRILL AND BOND DOWEL (CHEMICAL ADHESIVE)	N	Y	$3,960.00	0.07%
49 (F)	SHOTCRETE	N	Y	$25,109.00	0.44%
50	FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B)	N	Y	$3,762.00	0.07%
51	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)	N	Y	$1,320.00	0.02%
52	FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED)	N	Y	$3,759.00	0.07%
53	ROADSIDE SIGN - ONE POST	N	Y	$1,980.00	0.03%
54	ROADSIDE SIGN - TWO POST	N	Y	$2,640.00	0.05%
55	INSTALL ROADSIDE SIGN PANEL ON EXISTING POST	N	Y	$176.00	0.00%
56	INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST)	N	Y	$935.00	0.02%
57	24" ALTERNATIVE PIPE CULVERT	Y	Y	$22,240.00	0.39%
58 (F)	CONCRETE BACKFILL (PIPE TRENCH)	Y	Y	$2,405.00	0.04%
59	18" CORRUGATED STEEL PIPE (.138" THICK)	Y	Y	$5,472.00	0.10%
60	36" CORRUGATED STEEL PIPE INLET (.109" THICK)	Y	Y	$8,260.00	0.15%
61	STEEL FLARED END SECTION	Y	Y	$177.00	0.00%
62	SMALL-ROCK SLOPE PROTECTION	Y	Y	$5,928.00	0.10%
63	ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY)	Y	Y	$21,450.00	0.38%
64	ROCK SLOPE PROTECTION FABRIC (CLASS 8)	Y	Y	$2,880.00	0.05%
65	MINOR CONCRETE (SIDEWALK)	N	Y	$816.86	0.01%
66 (F)	MISCELLANEOUS IRON AND STEEL	N	Y	$3,768.00	0.07%
67	DELINEATOR (CLASS 1)	N	Y	$693.00	0.01%
68	DELINEATOR (CLASS 2)	N	Y	$8,910.00	0.16%
69	MILEPOST MARKER	N	Y	$735.00	0.01%
70	MARKER (CULVERT)	N	Y	$2,695.00	0.05%
71	OBJECT MARKER	N	Y	$700.00	0.01%
72	VEGETATION CONTROL (MINOR CONCRETE)	N	Y	$47,685.00	0.84%
73	SINGLE THRIE BEAM BARRIER	N	Y	$6,000.00	0.11%
74	TRANSITION RAILING (TYPE WB)	N	Y	$13,200.00	0.23%
75	ALTERNATIVE FLARED TERMINAL SYSTEM	N	Y	$55,000.00	0.97%
76	THERMOPLASTIC PAVEMENT MARKING	N	Y	$1,881.00	0.03%

77	THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)	N	Y	$38,940.00	0.69%
78	PAVEMENT MARKER (RETROREFLECTIVE)	N	Y	$6,699.00	0.12%
79	PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)	N	Y	$9,834.00	0.17%
80	MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION	N	Y	$550.00	0.01%
81	TRAFFIC COUNT STATION	N	Y	$46,287.00	0.82%
82	MOBILIZATION	Y	Y	$381,716.00	6.72%
				$5,676,318.00	**100.00%**

2. List the names of certified DBEs and the dates on which they were solicited to bid on this project. Include the items of work offered and the dates and methods used for following up initial solicitations to determine with certainty whether the DBEs were interested. Attach copies of solicitations, telephone records, fax confirmations, etc.

Name of DBEs solicited : See Attached List of 50 Solicited DBE Subcontractors
Date of initial solicitation : 09/29/2014
Item(s) of work :
ALL Items of Work Offered
Follow Up Methods and Dates : Faxed & Emailed:9/29/14,Call #1:9/30-10/1/14,Call

Name of DBEs solicited :
Date of initial solicitation :
Item(s) of work :

Follow Up Methods and Dates :

Name of DBEs solicited :
Date of initial solicitation :
Item(s) of work :

Follow Up Methods and Dates :

Name of DBEs solicited :
Date of initial solicitation :
Item(s) of work :

Follow Up Methods and Dates :

Name of DBEs solicited :
Date of initial solicitation :
Item(s) of work :

Follow Up Methods and Dates :

Name of DBEs solicited :
Date of initial solicitation :
Item(s) of work :

Follow Up Methods and Dates :
Enter name of DBEs solicited :
Enter date of initial solicitation :
Item(s) of work :

Follow Up Methods and Dates :

Good Faith Efforts Documentation - DBE Page 2 of 3 - # 2 - Solicited DBE Subcontractors

DBE Goodfaith Inc. Fax Confirmation Report for J. F. Shea Construction, Inc. Bid Number:02-4E4304

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
1	6 RIVERS CONSTRUCTION, INC.	DBE	5305157563	5306255423	Success	09/29/2014 13:34
2	A B S L CONSTRUCTION	DBE	5107270900	5107270910	Success	09/29/2014 13:32
3	A C DIKE CO	DBE	9166457747	9166459618	Failed	09/29/2014 13:38
4	A S CONTRACTORS, INC.	DBE	2097426684	2099662643	Success	09/29/2014 13:28
5	ALFRED CIVIL ENGINEERING	DBE	9162353967	0000000000	Failed	09/28/2014 17:00
6	ALL AMERICAN ASPHALT SEALING INC	DBE	7753293003	7758273006	Success	09/29/2014 13:24
7	ALLEN GILL CONSTRUCTION, INC.	DBE	5305474334	5305473197	Success	09/29/2014 14:18
8	AMLAND CORP	DBE	4089293949	4082984344	Success	09/29/2014 13:25
9	ARROW S COMPANY	DBE	7073960073	7074372555	Success	09/29/2014 13:21
10	AUSTIN ENTERPRISE	DBE	6615891001	6615899509	Success	09/29/2014 13:19
11	AXNER EXCAVATING, INC	DBE	5302220539	5302228910	Success	09/29/2014 13:16
12	BC SCHMIDT CONSTRUCTION, INC.	DBE	5304735423	5304732749	Success	09/29/2014 13:15
13	BORG FENCE	DBE	9254559620	9254559626	Success	09/29/2014 14:17
14	BURKE CONSTRUCTION	DBE	5306761009	5306722411	Success	09/29/2014 14:14
15	CAL-CON PUMPING, LLC	DBE	4154019838	4154017664	Success	09/29/2014 14:12
16	CAMACHO COMMUNICATIONS CORPORATIONS	DBE	9164449853	9164479853	Success	09/29/2014 14:10
17	CHARLIE'S CUSTOM EXCAVATING, INC	DBE	5302213626	5302217563	Success	09/29/2014 14:08
18	CLEAR CREEK CONSTRUCTION	DBE	5302241430	5302241430	Success	09/29/2014 14:06
19	CMC TRAFFIC CONTROL SPECIALIST	DBE	4152061700	4152061711	Success	09/29/2014 14:04
20	CONSTRUCTION AREA SIGNS, INCORPORATED	DBE	9166639097	9166631858	Success	09/29/2014 14:02

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
21	CONTRACTOR SERVICES GROUP, INC.	DBE	9613717303	8663666646	Success	09/29/2014 14:01
22	DIAMOND D GENERAL ENGINEERING, INC.	DBE	5306622042	5306626770	Success	09/29/2014 14:06
23	DILLARD ENVIRONMENTAL SERVICES	DBE	9256346850	9256346858	Success	09/29/2014 13:57
24	DIRT & AGGREGATE INTERCHANGE, INC	DBE	5036615093	5036691192	Success	09/29/2014 13:57
25	EAGLE ENGINEERING AND CONSTRUCTION, INC	DBE	6503678000	6503678282	Success	09/29/2014 14:42
26	FCS STRIPING, SEALING AND PAVING, INC.	DBE	9253736205	9253736208	Success	09/29/2014 14:40
27	FRANK MEDINA GENERAL ENGINEERING CONTRACTOR	DBE	5307430744	5307439352	Success	09/29/2014 14:38
28	GREEN BUILDING PRODUCTS, INC	DBE	9163330557	9163747998	Success	09/29/2014 13:11
29	K & K CONSTRUCTION SUPPLY, INC	DBE	9168510965	9168510999	Success	09/29/2014 13:10
30	K. W. EMERSON, INC.	DBE	2097543839	2097543830	Success	09/29/2014 14:34
31	KA'PEL CONSTRUCTION INC	DBE	5306293300	5306293300	Success	09/29/2014 14:32
32	KRS CONSTRUCTION INC	DBE	9163816438	9163816438	Success	09/29/2014 14:31
33	MC CULLOUGH CONSTRUCTION INC	DBE	7078251014	7078251769	Success	09/29/2014 14:28
34	NATURAL INVESTIGATIONS COMPANY, LLC	DBE	9167659381	0000000000	Failed	09/28/2014 17:00
35	NITTA EROSION CONTROL	DBE	9166527459	9166524376	Success	09/29/2014 14:24
36	NUNO IRON & MFG, INC	DBE	8313860513	8313869976	Success	09/29/2014 13:52
37	OLIVEIRA FENCE, INC.	DBE	4087273811	4087272690	Success	09/29/2014 13:51
38	PAPILLON BUILDERS	DBE	9165807019	8887177270	Success	09/29/2014 13:47
39	QUIMU CONTRACTING, INC.	DBE	7076930289	7076788384	Failed	09/29/2014 13:52
40	R. E. SERRANO INC.	DBE	9259578184	9259578121	Success	09/29/2014 13:44

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
41	S KWOK ENGINEERS, INC.	DBE	5102209017	8887331360	Success	09/29/2014 13:42
42	S.T. RHOADES CONSTRUCTION INC	DBE	5302239322	5302239222	Success	09/29/2014 13:40
43	STONY CREEK GENERAL ENGINEERING	DBE	5305263191	5309885092	Success	09/29/2014 14:21
44	STORMWATER SPECIALISTS INC	DBE	9162300370	9164054180	Success	09/29/2014 14:20
45	SUULUTAAQ, INC - ALASKA NATIVE CORP	DBE	7074273209	7074194851	Success	09/29/2014 14:36
46	TRINITY VALLEY CONSULTING ENGINEERS, INC	DBE	5306293000	5306293011	Success	09/29/2014 13:08
47	TULLY CONSULTING GROUP	DBE	7076931926	7074710318	Success	09/29/2014 13:06
48	TYRRELL RESOURCES, INC.	DBE	5302438733	5302418975	Success	09/29/2014 13:04
49	VINTAGE PAVING COMPANY, INC.	DBE	5307950132	5307955734	Success	09/29/2014 13:38
50	WALLACE STRUCTURES	DBE	7078344992	7077683386	Success	09/29/2014 13:36

3. For each item of work made available, list the selected firm and its status as a DBE, the DBEs that provided quotes, the price quote for each firm, and the price difference for each DBE if the selected firm is not a DBE.

Item(s) of work :
24,48
Name of selected firm : S.T. RHOADES CONSTRUCTION INC.
DBE or Non-DBE : DBE
Name of Rejected Firm :
Quote($) : 13,230.00 Price Difference($) :

Item(s) of work :
33,34
Name of selected firm : M&S Environmental Landscapes, Inc
DBE or Non-DBE : DBE
Name of Rejected Firm :
Quote($) : 5,663.50 Price Difference($) :

Item(s) of work :
80,81
Name of selected firm : Northern Industrial Electric
DBE or Non-DBE : DBE
Name of Rejected Firm :
Quote($) : 42,579.40 Price Difference($) :

Item(s) of work :
45
Name of selected firm : A.C. DIKE CO.
DBE or Non-DBE : DBE
Name of Rejected Firm :
Quote($) : 4,200.00 Price Difference($) :

Item(s) of work :
1,7
Name of selected firm : Veridico Group, Inc
DBE or Non-DBE : DBE
Name of Rejected Firm :
Quote($) : 1,845.00 Price Difference($) :

Item(s) of work :
40,41
Name of selected firm : Dragon Material Transport, Inc.
DBE or Non-DBE : DBE
Name of Rejected Firm :
Quote($) : 545,089.50 Price Difference($) :

Item(s) of work :
47
Name of selected firm : Ward's Concrete. Inc. (See Quote)
DBE or Non-DBE : Non-DBE
Name of Rejected Firm : S.T. RHOADES (Not Low)
Quote($) : 10,000.00 Price Difference($) : 2,400.00

Item(s) of work :
65
Name of selected firm : Ward's Concrete. Inc. (See Quote)
DBE or Non-DBE : Non-DBE
Name of Rejected Firm : Northern Industrial Electric (Not Low)
Quote($) : 742.50 Price Difference($) : 6,276.60

Item(s) of work :
10,11,20,21,22,23,73,74,75,82
Name of selected firm : Apex Fence Co., Inc. (See Quote)
DBE or Non-DBE : Non-DBE
Name of Rejected Firm : Dirt & Aggregate Interchange, Inc. (Not Low)
Quote($) : 55,660.00 Price Difference($) : 27,900.00

Item(s) of work :
82,4,12,42,43,76,77,78,79
Name of selected firm : Linear Options, Inc.
DBE or Non-DBE : Non-DBE
Name of Rejected Firm : None Quoted
Quote($) : 64,050.00 Price Difference($) :

If the firm selected for the item is not a DBE, provide the reasons for the selection on a separate sheet and attach names, addresses, and phone numbers for the firms listed above.

Continued

3. For each item of work made available, list the selected firm and its status as a DBE, the DBEs that provided quotes, the price quote for each firm, and the price difference for each DBE if the selected firm is not a DBE.

Item(s) of work :
49 Partial, 82 Partial
Name of selected firm : Guitons Pool Center, Inc.
DBE or Non-DBE : Non-DBE
Name of Rejected Firm : None Quoted
Quote($) : 27,830.00 Price Difference($) :

Item(s) of work :
26,27,28, 82 Partial
Name of selected firm : SAK Construction
DBE or Non-DBE : Non-DBE
Name of Rejected Firm : None Quoted
Quote($) : 53,774.00 Price Difference($) :

Item(s) of work :

Name of selected firm :
DBE or Non-DBE :
Name of Rejected Firm :
Quote($) : Price Difference($) :

Item(s) of work :

Name of selected firm :
DBE or Non-DBE :
Name of Rejected Firm :
Quote($) : Price Difference($) :

Item(s) of work :

Name of selected firm :
DBE or Non-DBE :
Name of Rejected Firm :
Quote($) : Price Difference($) :

Item(s) of work :

Name of selected firm :
DBE or Non-DBE :
Name of Rejected Firm :
Quote($) : Price Difference($) :

Continued

3. For each item of work made available, list the selected firm and its status as a DBE, the DBEs that provided quotes, the price quote for each firm, and the price difference for each DBE if the selected firm is not a DBE.

Item(s) of work :
49 Partial, 82 Partial
Name of selected firm : Independent Structures
DBE or Non-DBE : Non-DBE
Name of Rejected Firm : None Quoted
Quote($) : 31,958.00 Price Difference($) :

Item(s) of work :

Name of selected firm :
DBE or Non-DBE :
Name of Rejected Firm :
Quote($) : Price Difference($) :

Item(s) of work :

Name of selected firm :
DBE or Non-DBE :
Name of Rejected Firm :
Quote($) : Price Difference($) :

Item(s) of work :

Name of selected firm :
DBE or Non-DBE :
Name of Rejected Firm :
Quote($) : Price Difference($) :

Item(s) of work :

Name of selected firm :
DBE or Non-DBE :
Name of Rejected Firm :
Quote($) : Price Difference($) :

Item(s) of work :

Name of selected firm :
DBE or Non-DBE :
Name of Rejected Firm :
Quote($) : Price Difference($) :

Good Faith Efforts Documentation - DBE Page 2 of 3 - # 3 - Subcontractors Used vs Not Used

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING, CA 96002
P.O. BOX 494520, REDDING, CA., 96049
530-223-9322, Fax 530-223-9222, License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

PROPOSAL

RECEIVED
J.F. SHEA CONST., INC.

DBE

OCT 22 2014

DIV NO.

To: General Contractors
Attn:
Project: 02-4E4304
Bid date: 10/22/2014

Date: 10/22/2014

	Item	Description	Quantity	UM	Unit Price	Amount
SA	8	Temporary Fiber Roll	720	lf	$ 6.00	$ 4,320.00
SA	13	Remove Roadside Sign	12	ea	$ 150.00	$ 1,800.00
D	16	Remove Culvert	150	lf	$ 50.00	$ 7,500.00
D	17	Remove Inlet	1	ea	$ 1,200.00	$ 1,200.00
D	18	Remove Headwall	3	ea	$ 1,660.00	$ 4,980.00
D	24	Reset 24" Reinforced Concrete Pipe	3	ea	$ 3,210.00	$ 9,630.00
SA	31	Shoulder Backing	2220	ton	$ 45.00	$ 99,900.00
D	35	Class 2 Ag Base	7	cy	$ 55.00	$ 385.00
SA	38	Replace Asphalt Concret Surfacing **Excludes Asphalt**	3410	cy	$ 137.00	$ 467,170.00
D	47	Minor Concrete (minor structure)	11.9	cy	$ 3,100.00	$ 36,890.00
D	48	Drill and Bond Dowel (chem Adhesive)	48	ea	$ 75.00	$ 3,600.00
D	57	24" Alternative Pipe Culvert	160	lf	$ 249.00	$ 39,840.00
D	58	Concrete Backfill (pipe trench)	5	cy	$ 300.00	$ 1,500.00
D	59	18" Corrugated Steel Pipe (.138" thick)	24	lf	$ 99.00	$ 2,376.00
D	60	36" Corrugated Steel Pipe Inlet	7	lf	$ 400.00	$ 2,800.00
D	61	Steel Flared End Section	1	ea	$ 275.00	$ 275.00
D	66	Misc. Iron and Steel	942	lb	$ 4.00	$ 3,768.00
					Total:	$ 687,934.00

DBE

Notes:
- Proposal valid for 30 days, Allow 30 days for scheduling
- Payment to be made 15 days after work is completed
- Price includes furnishing and installation unless otherwise noted.
- Addendums 1 Acknowledged
- Proposal is based on 1 move in/move out
- SA= Stand Alone Pricing, can be seperated out
- D= Drainage Package- items are non seperable.
- Traffic Control is included in item 38 for STR work only

Excludes
- Bonds
- Permits
- Raising/Lowering Iron
- Traffic Control (unless noted otherwise)
- Striping
- Staking
- Engineering
- Referencing

24 100%
48 100%

Respectively Submitted,
Steve Rhoades
Estimator

S.T.RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY REDDING, CA 96002
P.O. BOX 494520, REDDING, CA.,96049
530-223-9322, FAX 530-223-9222 License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

TRAFFIC CONTROL PROPOSAL

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

To: GENERAL CONTRACTORS
Attn: ESTIMATORS
Project: CT 02-4E4304

Date: 10/22/14

Item	Description	Quantity	UM	Price
A	1 Man 1 Lane 1 Mile day or night	1	shift	$ 895.00
B	Additional lane same direction	1	ea	$ 135.00
C	Additional lane opposite direction	1	ea	$ 175.00
D	Additional mileage	1	ea	$ 85.00
E	Ramp closure with lane closure minor detour	1	ea	$ 75.00
F	Ramp closure w.o lane closure minor detour	1	ea	$ 925.00
G	1 man lane closure overtime rate	1	hr	$ 80.00
H	Additional man	1	shift	$ 525.00
I	Pilot car	1	shift	$ 725.00
J	2 flaggers 8 hr shift,signs,cones	1	shift	$ 1,175.00
K	2 flaggers overtime rate	1	hr	$ 170.00
L	2 flaggers 8 hr night/special shift	1	shift	$ 1,300.00
M	2 flaggers overtime night/special shift	1	hr	$ 180.00
N *	Attenuator truck	1	shift	$ 350.00
	Attenuator truck	1	wk	$ 1,200.00
	Attenuator truck	1	month	$ 3,500.00
	optional driver	1	shift	$ 525.00
O *	Portable changeable message sign	1	day	$ 200.00
		1	week	$ 425.00
		1	month	$ 975.00
P *	Portable radar trailer	1	day	$ 175.00
		1	week	$ 375.00
		1	month	$ 750.00
Q	Shoulder closure	1	shift	$ 825.00
R *	High dump sweeper unoperated	1	day	$ 360.00
*	High dump sweeper operated	1	hr	$ 140.00
*	Based on availibility at time of project start			
S	Pilot car overtime	1	hr	$ 90.00
T	Traffic control plans	1	ea	$ 750.00

Notes:
- Proposal valid for 30 days, Allow 10 days for scheduling
- 1 shift - up to and minimum of 8hrs, up to 1 mile
- Subsistance to be added as needed per union rates
- Sunday rates available upon request
- We also provide erosion, water pollution programs, storm water plans, and BMP placement.
- Multiple move ins and outs may require additional charges

Includes:
- Price includes furnishing and installation unless otherwise noted.

Excludes
- Bonds
- Permits
- Mobilization, call for rates

Respectively Submitted,
Steve Rhoades

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING CA 96002
P.O. BOX 494520, REDDING, CA., 96049
530-223-9322, Fax 530-223-9222, License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

Standard Asphalt Concrete Grinder/ Cold plane Quotation 10/21/2014

CT 02-4E4304

Wirtgen 1900DC 72" grinder/cold planer $ 3,500 daily rate minimum, O.T. @ $ 520 per hour
Saturday minimum rate $ 5000, Sunday/holiday rate $ 5750 minimum

NOTE: Daily rate based on 8 hour shift, all grinders/cold planers will have 2 operators min./max.

Excudes:

- Water for machines supplied by others and is not included in rental rate.The machine requires approx. 425 gallons per hr.
- Mobilization is not included in rental, additional @ $ 125 per hr (from Redding). Plus a pilot car when required.
- Under ground service alert, locating of any utilities, monuments, valve boxes, pipe, man hole lids, any obstacle above or below surface.
- Repair charges for damage to machine or property will be customers responsibility.
- Refrencing,layout marking.
- Areas machine will not reach.
- Clean up, sweeping, off hauling of materials.
- Permits, bonds,
- Portland cement grinding
- Responsibility for Safety hazards as a result of grinding/cold planing operations.
- Subsistance and night rates.

Includes:

- Rates include one set of teeth per shift. Additional boxes of teeth are $ 375 per box
- S.T. Rhoades Const. pursuant to this agreement, we will perform extra work (subject to our prior approval) at Cal Trans rental / force account rates.
- Cutting capability up to 8" depth in one pass.
- S.T. Rhoades Const. Inc. purposes within this proposal produces airborne & surface particulates, water runoff & mud. These machines have a decibel rating of 90 dba @ 25', and the customer acknowledges the scope S.T. Rhoades Const. Inc. work includes changing the elevation of the existing roadway. By accepting this proposal , the customer releases & agrees to hold S.T. Rhoades Const. Inc. harmless for claims or damages arising out of or related to these or other by-products of its normal use.

10 day notice to schedule.
Payment in full within 30 days from invoice date

Respectively Submitted

Steve Rhoades, President

CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

S.T. RHOADES CONSTRUCTION, INC.

8585 Commercial Way
REDDING, CA 96002

Owner: STEVE TYLER RHOADES
Business Structure: CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 237310 Highway, Street, and Bridge Construction
238110 Poured Concrete Foundation and Structure Contractors
238910 Site Preparation Contractors
237110 Water and Sewer Line and Related Structures Construction
237990 Other Heavy and Civil Engineering Construction

Work Category Code(s)

C1201	TRAFFIC CONTROL SYSTEM	C1901	ROADWAY EXCAVATION
C1910	GRADING	C2066	TEMPORARY EROSION CONTROL
C2201	FINISHING ROADWAY	C3910	PAVING ASPHALT (ASPHALT CONCRETE)

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

Licenses

A General Engineering Contractor
C31 Construction Zone Traffic Control Contractor

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number : 37693

Janice Salais
CUCP OFFICER

January 12, 2012

BIDSYNC

Home | Search | Bids | Orders | Tools | CRM | Agency List | Support | Logout

CALIFORNIA PROFILE			
BidSync Supplier Name	S.T.Rhoades Construction Inc.	Supplier Number	1247344
Legal Business Name	S.T.Rhoades Construction Inc.	DBA Business Name	S.T.Rhoades Construction Inc.
Address	P.O. Box 494520 REDDING, CA 96049	Phone FAX	(530) 223-9322 (530) 223-9222
Email	steve@strhoadesinc.com		
Number of Employees	20		
Business Types	Construction		
Service Areas	Alpine, Amador, Butte, Colusa, Del Norte, El Dorado, Glenn, Humboldt, Inyo, Lake, Lassen, Mendocino, Modoc, Mono, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Sutter, Tehama, Trinity, Yolo, Yuba,		
Keywords	paving grading excavating trenching drainage fence concrete sidewalks curb&gutter adaramps culverts retainingwalls valleygutters removereplaceAC removereplacePCC boxculverts drainageinlets sloperepair slideremoval remodelbuildings slabs footings siteprep		
Construction License Types	A - General Engineering C-31 - Construction Zone Traffic Control Contractor		
Classifications	721110 - Single family dwelling construction services 721210 - New industrial building and warehouse construction services 721211 - Commercial and office building construction services 721212 - Agricultural building construction services 721410 - Highway and road construction services 721411 - Infrastructure building and surfacing and paving services 721412 - Marine construction services 721413 - Athletic and recreational facility construction service 721414 - Detention facility construction and repair services 721415 - Land preparation services 721416 - Mass transit system construction services 721511 - Plumbing construction services 721523 - Carpentry services 721526 - Roofing and siding and sheet metal services 721527 - Concrete installation and repair services 721531 - Athletic and recreational facility construction services 721537 - Parking facility construction and equipment installation and maintenance and repair services 721539 - Building site preparation services		
View Options	View Application		
Edit Options	Amend Application | Register as Disabled Veteran Business Enterprise (DVBE)		

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO._____
A/C NO._____

Active Certifications

Register as Disabled Veteran Business Enterprise (DVBE)

TYPE	STATUS	STATUS DATE	FROM	TO	ACTIONS
SB	Approved	Feb 7, 2014	Feb 7, 2014	Feb 28, 2015	

Certification History

TYPE	STATUS	STATUS DATE	FROM	TO
SB (Micro)	Expired	Feb 7, 2014	Feb 2, 2012	Feb 28, 2014
SB (Micro)	Expired	Feb 2, 2012	Mar 19, 2010	Mar 31, 2012
SB (Micro)	Expired	Mar 19, 2010	Apr 4, 2009	Apr 29, 2010

Home Bid Search Bids Orders My account Privacy Terms Logout

Customer Support - vendorsupport@bidsync.com or 800-990-9339

Copyright © 1999-2014 - BidSync - All rights reserved.

DBE

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418
Fax 241-9647
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

RECEIVED
J.F. SHEA CONST., INC.
OCT 21 2014
DIV. NO.
A/C NO.

10/20/14 Bids 10/22/14

Bid For - Shasta county Near Palo Cedro Route 44

Cal-trans Contract # 02-4E4304

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
33	Erosion Control (Dry Seed)	SQFT	24100	$ 0.155	$ 3,735.50
34	Temporary Tacked Straw Straw	SQFT	24100	$ 0.080	$ 1,928.00

100%

DBE

TOTAL $ 5,663.50

ADDITIONAL BID NOTES

* Prime Contractor to provide and pay for water source on site (i.e.-fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
* All traffic control to be provided by Prime contractor. Bid valid for 60 days.
* One move-in is inlcuded in total bid, unless otherwise stated. Additional move-in (if necessary) at the rate of $400.00 each.
* An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by time will be billed at $600.00 per hour.
* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

Northern Industrial Electric

DBE DBE

2435 Radio Lane • Redding, California 96001 • Phone (530) 246-2366 • FAX (530) 246-2368 • Email: nie01@sbcglobal.net

Contractor License #291649 DBE/SWBE Certification #34396 SBE Certification #9083

★ REVISED QUOTE ★

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

October 22, 2014

To Bidding Contractors

Re: Caltrans Contract 02-4E4304 – Construction on State Highway in Shasta County in and Near Palo Cedro, 02-Sha-44-R4.2/R14.5

Bid Date: October 22, 2014 @ 2:00 p.m.

Northern Industrial Electric is pleased to quote the above referenced project per plans and specifications as follows:

~~Bid Item 65: Minor Concrete (Sidewalk)~~	~~1.1 c.y. @ $5,706~~	~~=~~	~~$6,276.60~~
Bid Item 80: Maintaining Existing TMS Elements During Construction • Includes pre and post job walk-through. Does not include labor and material for items damaged by contractor forces or traveling public.		L.S.	$ 500.00
Bid Item 81: Traffic Count Station		L.S.	$42,079.40

We acknowledge Addendum Nos. 1

Exclusions:

1. Traffic control
2. Portable changeable message signs;
3. Light towers;
4. Pull box paving;
5. SWPP/WPCP and implementation;
6. Fees, permits or bonds;
7. Worker's comp waivers of subrogation;
8. Excess (umbrella) liability insurance;
9. Weekend and holiday shift;
10. Staking;
11. This proposal must be attached and incorporated into our subcontract agreement.

NOT used on #65. Price was Higher Then Wards Concret.

80, 81

100%

Our quote is firm for 30 days unless otherwise stated. If you have any questions, please do not hesitate to call.

Sincerely,

Dori Cramer for Harry Cramer

Harry P. Cramer
Project Manager / Estimator

STATE OF CALIFORNIA CERTIFICATIONS
DBE/SWBE Certification No. 34396
Small Business Certification No. 9083

CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE
NORTHERN INDUSTRIAL ELECTRIC

2435 RADIO LANE
REDDING, CA 96001 3810

Owner : DORI CRAMER
Business Structure : CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 238210 Electrical Contractors

Work Category Code(s)

C0686 ELECTRICAL & SIGNALS
E4910 ELECTRIC SERVICES
C9858 RESIDENTIAL ELECTRICAL

Licenses

A General Engineering Contractor
B General Building Contractor
C10 Electrical Contractor

RECEIVED
OCT 22 2014
J.F. SHEA CONST., INC.
DIV. NO.
ACC. NO.

CERTIFYING AGENCY:

DEPARTMENT OF TRANSPORTATION
1823 14TH STREET, MS 79
SACRAMENTO, CA 95814 0000
(916) 324-1700

UCP Firm Number : 34396

CUCP OFFICER

July 18, 2007

It is CUCP's policy and objective to promote and maintain a level playing field for DBEs in California on Federal-aid contracts. We ensure nondiscrimination in the award and administration of U.S. DOT assisted contracts based on the requirements of 49 CFR Parts 21 and 26.

BUSINESS ENTERPRISE CERTIFICATE

NORTHERN INDUSTRIAL ELECTRIC
2435 RADIO LANE
REDDING, CA 96001 3810
Owner: DORI CRAMER

Business Structure: CORPORATION

STATE WOMEN BUSINESS ENTERPRISE

This Certification Not Valid For Federal Aid Contracts

This certificate acknowledges that said firm is approved by the California Department of Transportation as a State Minority Business Enterprise or State Women Business Enterprise (or in some cases both) in accordance with Assembly Bill Number 486, Chapter 1329 and the California Public Code, Chapter 2.5 (commencing with Section 2050), for the following NAICS codes:

* 238210 Electrical Contractors

* Indicates primary NAICS code

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
AC NO.

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET, MS 79
SACRAMENTO, CA 95814 0000
(916) 324-1700

Firm Number: 34396
Renewal Date: March 1, 2015

Janice Salais, CERTIFYING AGENCY REPRESENTATIVE

March 1, 2013

CA.GOV Department of General Services
BUILDING GREEN · BUYING GREEN · WORKING GREEN

NORTHERN INDUSTRIAL ELECTRIC - #9083

SUPPLIER PROFILE

Legal Business Name	NORTHERN INDUSTRIAL ELECTRIC		
Doing Business As	NORTHERN INDUSTRIAL ELECTRIC		
Address	2435 RADIO LN REDDING, CA 96001-3810	Phone FAX	(530) 246-2366 (530) 246-2368
Email	nie01@sbcglobal.net		
Business Types	Construction		
Service Areas	Butte, Colusa, Del Norte, El Dorado, Glenn, Humboldt, Lake, Lassen, Mendocino, Modoc, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Sutter, Tehama, Trinity, Yolo, Yuba,		
Keywords	electrical industrial and highway services		
Construction License Types	A - General Engineering B - General Building Contractor C-10 - Electrical (general)		
Classifications	721410 - Highway and road construction services 721515 - Electrical system services		

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

Active Certifications

TYPE	STATUS	FROM	TO
SB (Micro)	Approved	Oct 31, 2013	Nov 30, 2017

Certification History

TYPE	STATUS	FROM	TO
SB (Micro)	Expired	Nov 18, 2011	Nov 30, 2013
SB (Micro)	Expired	Nov 2, 2009	Nov 30, 2011
SB (Micro)	Expired	Mar 14, 2006	Aug 31, 2009
SB	Expired	Jan 23, 2004	Apr 30, 2006
SB	Expired	Dec 18, 2000	Nov 30, 2003
SB	Expired	Jan 9, 1998	Dec 31, 2000

DBE

A. C. DIKE CO.

Specialty Paving Inc.

SPECIALTY PAVING CONTRACTOR

DBE

100 %

RECEIVED
J.F. SHEA CONST., INC.

OCT 20 2014

DIV. NO._____
A/C NO._____

QUOTATION: CDOT SHASTA CO. RT44 02-4E4304

BIDS : 10/22/14

Item #45

"PLACE ONLY"* 240 LF ASPHALT DIKE TYPE "F" @ $17.50 LF

PLACE IMPORTED SHOULDER BACKING @ $2380.00 8 HR SHIFT.**
** PRICE INCLUDES PLACING AND SCREEDING.
EXCLUDES WATERING AND COMPACTION.
MOBILIZATION FOR SHOULDER MACHINE $800.00

**PRICE INCLUDES TACK AND ONE MOBILIZATION FOR DIKE CREW.
ASPHALT MATERIAL AND HAULING BY PRIME CONTRACTOR.
TRAFFIC CONTROL BY PRIME CONTRACTOR.**

* **PLACE ONLY ASPHALT DIKE. SPECIFICALLY EXCLUDES SURFACE PREPARATION, BACKFILL, OR FOGSEAL.**

QUALIFIED MINORITY CONTRACTOR, DBE/WBE/UDBE # CT 000219
CAL. LIC.# 407417 NEV. LIC.#24188
2788 VENTURE DR. LINCOLN, CA. 95648
(916) 652-0159 FAX (916) 645-9618
WWW.ACDIKE.COM

VERIDICO GROUP, INC.

DBE

44

1667.

PROGRAM MANAGEMENT | ENVIRONMENTAL SERVICES | WATER RESOURCES ENGINEERING

DBE Contractor – CUCP Certificate Number 39572

Date: 21 OCT 14

DBE

Contract #: 02-4E4304 – REHABILITATE PAVEMENT
Bid Date: 22 OCT 2014

Veridico Group, Inc. (Veridico) is pleased to provide the following contract pricing for the specified work scope items detailed in the subject contract solicitation:

Item No.	Item code	Item Description	Unit of Measure	Est Qty	Bid	Amount
~~1~~	~~070030~~	~~LEAD COMPLIANCE PLAN (SOIL)~~	~~LS~~	~~LS~~	~~$1,250.00~~	~~$1,250.00~~
1	070030	LEAD COMPLIANCE PLAN (GRINDING/COLD PLANING)	LS	LS	$1,250.00	$1,250.00
~~6~~	~~130100~~	~~JOB SITE MANAGEMENT~~	~~LS~~	~~LS~~	~~$6,325.00~~	~~$6,325.00~~
7	130200	PREPARE WATER POLLUTION CONTROL PROGRAM (PARTIAL – PLAN ONLY)	LS	LS	$595.00	$595.00

TERMS AND CONDITIONS:

1. This quote and attached terms and conditions must become a binding part of any sub-contract.
2. A contract and 10 working days notice must be given prior to start of work. This quote shall remain valid for 30 days from date of actual bid opening, unless otherwise agreed upon.
3. TERMS: Due and payable within 30 days from date of installation and/or as per Business and Professional code 7108.5 and Public contract code 10262.5 (for progress payments) and/or as per Public contract Code 7107 (for retention due).
4. All change orders must be approved by agency/owner prior to work being performed by Veridico.
5. Excludes any insurance requirements in excess of Caltrans Standard Specifications.
6. Splitting offered bid item quotes may be considered. Please call Tim Anenson at (707) 317-0002 to discuss splitting the bid item quotes prior to the Caltrans submittal deadline.

RECEIVED
J.F. SHEA CONST., INC.

OCT 21 2014

DIV. NO.
A/C NO.

P.O. Box 673, Roseville, California 95661
Phone: 707-317-0002, Fax: 707-620-7000
www.veridicogroup.com

D2:4E4304

4H

ASSUMPTIONS

1. **Field monitoring may be required** for the Lead Compliance Plan line item. Field monitoring (under the supervision of a CIH) can be provided at a rate of $2,495.00 per day including all labor, travel, perdiem, equipment, materials, supplies, and lab costs.
2. Training specified in the LCP can be conducted (by a CIH) at contractor location. The training can be conducted for a lump sum of $1,950.00.
3. Job Site Management assumes a project duration of 115 days (field work), or 23 weeks of on-site field work.

   23 weeks x $275.00/week = $6,325.00

   This is a weekly rate for Veridico to document required WPCP compliance by completing Caltrans forms 2030 and 2034 by a QSD/P. Veridico will work with your field staff to assess site conditions each week; no site visits are included. Pre-, during and post-rain event site inspections are not included but will be billed at the Job Site Management rate if required.
4. No other plans, reports, monitoring or permits are included.
5. The WPCP and the LCPs are **guaranteed** acceptance for the quoted bid.
6. Contractor to provide completed questionnaire (supplied by Veridico upon notice of award) prior to start of work.
7. Print-ready electronic draft and final copies of plans and/or reports will be provided so hard copies can be produced; no hard copies will be provided by Veridico.

Veridico is a certified DBE contractor (No. 39572) with a number of associates that have supported Caltrans projects for many years. We have the necessary certified personnel to support your efforts on this project and we look forward to providing you our highest level of project support. Please don't hesitate to contact me directly at (707) 317-0002 or at tim.anenson@veridicogroup.com if we can provide anything further.

My Very Best Regards,
VERIDICO GROUP, INC.

Tim Anenson, QSD, CPSWQ
Principal Consultant

RECEIVED
J.F. SHEA CONST., INC.

OCT 21 2014

DIV. NO.
A/C NO.

P.O. Box 673, Roseville, California 95661
Phone: 707-317-0002, Fax: 707-620-7000
www.veridicogroup.com

DRAGON
MATERIAL TRANSPORT, INC.

P.O. Box 27800, Fresno, CA 93729-7800
Office (559)351-8822 Fax (559) 276-0818
CA No. 0366649
dragonmaterial@yahoo.com

DBE

DBE/WBE/UDBE Firm No. 37444
SBE 52655

---QUOTE

DBE

J.F. Shea Construction, Co.
Attn: Juan Bernardino
Date: 10/22/14

Project: Caltrans 02-4E4304 - Rehabilitate Pavement in Shasta County

Material: 1,350 Ton - PG 64-16
Delivered Price: $626.00 Per U.S. Ton + Any applicable taxes

ORIGIN: Paramount, Elk Grove
DESTINATION: Fawndale Rock

***Indexed 5% Crude**
***Standby after 1 hour from scheduled delivery time at $100.00 per hour**
***Pricing based on full loads - 26.00 ton**
*Fuel surcharge - rate increase - add $1.00 for every $.10 increase if California On-Highway reaches $4.25 per gallon. www.eia.gov. $4.084 on bid day.

$626.00 + TAX x $1,350.00 = $908,482.50

60 %

= $545,089.50

WARD'S CONCRETE, INC.
PO Box 1276
ANDERSON, CA 96007
PHONE (530) 378-1023 FAX (530) 378-1123

PROPOSAL & CONTRACT

DATE: 10/22/14

TO: JF Shea Attn Logan

JOB: Cal Trans 02-4E4304 Prevailing Wage

Dear Sir,
We propose to furnish all materials and perform all labor necessary to complete the following:

Item 47	Minor Concrete, Minor Structure - End Blocks		
4	@	$2500.00 ea	$10,000.00
Item 65	Minor Concrete, Sidewalk		
1.1 CY	@	$675.00 CY	$ 742.50
~~Item 72~~	~~Minor Concrete, Veg Control~~		
~~850 SQ YD~~	~~@~~	~~$62.55 SQ YD~~	~~$53,167.50~~

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

Total Bid $63,910.00

All Grade +/- .10'
All traffic control by others

47 24.56%
65 100%

Amount of contract to be paid within 30 days after completion. Any alteration or deviations from the above specifications involving extra cost of material or labor will only be executed upon written order for same, and will become an extra charge over the sum mentioned in this contract, all agreements must be made in writing.

Contractor's State License Board
3132 Bradshaw Rd.
Sacramento, Ca 95826

Respectfully submitted
By Leland Ward Jr
LELAND WARD
Contractor's State License No. 348143

ACCEPTANCE

You are hereby authorized to furnish all materials and labor required to complete the work mentioned in the above proposal, for which _____ agrees to pay the amount mentioned in said proposal and according to the terms thereof.
ACCEPTED _____ DATE _____

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING, CA 96002
P.O. BOX 494520, REDDING, CA., 96049
530-223-9322, Fax 530-223-9222, License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

PROPOSAL

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV NO

To: General Contractors
Attn:
Project: 02-4E4304
Bid date: 10/22/2014

DBE

Date: 10/22/2014

	Item	Description	Quantity	UM	Unit Price	Amount
SA	8	Temporary Fiber Roll	720	lf	$ 6.00	$ 4,320.00
SA	13	Remove Roadside Sign	12	ea	$ 150.00	$ 1,800.00
D	16	Remove Culvert	150	lf	$ 50.00	$ 7,500.00
D	17	Remove Inlet	1	ea	$ 1,200.00	$ 1,200.00
D	18	Remove Headwall	3	ea	$ 1,660.00	$ 4,980.00
D	24	Reset 24" Reinforced Concrete Pipe	3	ea	$ 3,210.00	$ 9,630.00
SA	31	Shoulder Backing	2220	ton	$ 45.00	$ 99,900.00
D	35	Class 2 Ag Base	7	cy	$ 55.00	$ 385.00
SA	38	Replace Asphalt Concret Surfacing **Excludes Asphalt**	3410	cy	$ 137.00	$ 467,170.00
D	47	Minor Concrete (minor structure)	11.9	cy	$ 3,100.00	$ 36,890.00
D	48	Drill and Bond Dowel (chem Adhesive)	48	ea	$ 75.00	$ 3,600.00
D	57	24" Alternative Pipe Culvert	160	lf	$ 249.00	$ 39,840.00
D	58	Concrete Backfill (pipe trench)	5	cy	$ 300.00	$ 1,500.00
D	59	18" Corrugated Steel Pipe (.138" thick)	24	lf	$ 99.00	$ 2,376.00
D	60	36" Corrugated Steel Pipe Inlet	7	lf	$ 400.00	$ 2,800.00
D	61	Steel Flared End Section	1	ea	$ 275.00	$ 275.00
D	66	Misc. Iron and Steel	942	lb	$ 4.00	$ 3,768.00
					Total:	$ 687,934.00

Notes:
- Proposal valid for 30 days, Allow 30 days for scheduling
- Payment to be made 15 days after work is completed
- Price includes furnishing and installation unless otherwise noted.
- Addendums 1 Acknowledged
- Proposal is based on 1 move in/move out
- SA= Stand Alone Pricing, can be seperated out
- D= Drainage Package- items are non seperable.
- Traffic Control is included in item 38 for STR work only

Excludes
- Bonds
- Permits
- Raising/Lowering Iron
- Traffic Control (unless noted otherwise)
- Striping
- Staking
- Engineering
- Referencing

24 100%
48 100%

Respectively Submitted,
Steve Rhoades
Estimator

Did Not USE on 47

Minor Concrete $3,100 cy x 4 cy = 12,400 Not Low

S.T.RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY REDDING, CA 96002
P.O. BOX 494520, REDDING, CA.,96049
530-223-9322, FAX 530-223-9222 License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

TRAFFIC CONTROL PROPOSAL

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

To: GENERAL CONTRACTORS
Attn: ESTIMATORS
Project: CT 02-4E4304

Date: 10/22/14

Item	Description	Quantity	UM	Price
A	1 Man 1 Lane 1 Mile day or night	1	shift	$ 895.00
B	Additional lane same direction	1	ea	$ 135.00
C	Additional lane opposite direction	1	ea	$ 175.00
D	Additional mileage	1	ea	$ 85.00
E	Ramp closure with lane closure minor detour	1	ea	$ 75.00
F	Ramp closure w.o lane closure minor detour	1	ea	$ 925.00
G	1 man lane closure overtime rate	1	hr	$ 80.00
H	Additional man	1	shift	$ 525.00
I	Pilot car	1	shift	$ 725.00
J	2 flaggers 8 hr shift,signs,cones	1	shift	$ 1,175.00
K	2 flaggers overtime rate	1	hr	$ 170.00
L	2 flaggers 8 hr night/special shift	1	shift	$ 1,300.00
M	2 flaggers overtime night/special shift	1	hr	$ 180.00
N *	Attenuator truck	1	shift	$ 350.00
	Attenuator truck	1	wk	$ 1,200.00
	Attenuator truck	1	month	$ 3,500.00
	optional driver	1	shift	$ 525.00
O *	Portable changeable message sign	1	day	$ 200.00
		1	week	$ 425.00
		1	month	$ 975.00
P *	Portable radar trailer	1	day	$ 175.00
		1	week	$ 375.00
		1	month	$ 750.00
Q	Shoulder closure	1	shift	$ 825.00
R *	High dump sweeper unoperated	1	day	$ 360.00
*	High dump sweeper operated	1	hr	$ 140.00
*	Based on availibility at time of project start			
S	Pilot car overtime	1	hr	$ 90.00
T	Traffic control plans	1	ea	$ 750.00

Notes:
- Proposal valid for 30 days, Allow 10 days for scheduling
- 1 shift - up to and minimum of 8hrs, up to 1 mile
- Subsistance to be added as needed per union rates
- Sunday rates available upon request
- We also provide erosion, water pollution programs, storm water plans, and BMP placement.
- Multiple move ins and outs may require additional charges

Includes:
- Price includes furnishing and installation unless otherwise noted.

Excludes
- Bonds
- Permits
- Mobilization, call for rates

Respectively Submitted,
Steve Rhoades

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING CA 96002
P.O. BOX 494520, REDDING, CA., 96049
530-223-9322, Fax 530-223-9222, License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

RECEIVED
ST RHOADES CONST. INC.
OCT 22 2014

Standard Asphalt Concrete Grinder/ Cold plane Quotation 10/21/2014

CT 02-4E4304

Wirtgen 1900DC 72" grinder/cold planer $ 3,500 daily rate minimum, O.T. @ $ 520 per hour
Saturday minimum rate $ 5000, Sunday/holiday rate $ 5750 minimum

NOTE: Daily rate based on 8 hour shift, all grinders/cold planers will have 2 operators min./max.

Excudes:

- Water for mechines supplied by others and is not included in rental rate.The machine requires approx. 425 gallons per hr.
- Mobilization is not included in rental, additional @ $ 125 per hr (from Redding). Plus a pilot car when required.
- Under ground service alert, locating of any utilities, monuments, valve boxes, pipe, man hole lids, any obstacle above or below surface.
- Repair charges for damage to machine or property will be customers responsibility.
- Refrencing,layout merking.
- Areas machine will not reach.
- Clean up, sweeping, off hauling of materials.
- Permits, bonds,
- Portland cement grinding
- Responsibility for Safety hazards as a result of grinding/cold planing operations.
- Subsistance and night rates.

Includes:

- Rates include one set of teeth per shift. Additional boxes of teeth are $ 375 per box
- S.T. Rhoades Const. pursuant to this agreement, we will perform extra work (subject to our prior approval) at Cal Trans rental / force account rates.
- Cutting capability up to 8" depth in one pass.
- S.T. Rhoades Const. Inc. purposes within this proposal produces airborne & surface particulates, water runoff & mud. These machines have a decibel rating of 90 dba @ 25', and the customer acknowledges the scope S.T. Rhoades Const. Inc. work includes changing the elevation of the existing roadway. By accepting this proposal , the customer releases & agrees to hold S.T. Rhoades Const. Inc. harmless for claims or damages arising out of or related to these or other by-products of Its normal use.

10 day notice to schedule.
Payment in full within 30 days from invoice date

Respectively Submitted

Steve Rhoades, President

CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

S.T. RHOADES CONSTRUCTION, INC.

8585 Commercial Way
REDDING, CA 96002

Owner: STEVE TYLER RHOADES
Business Structure: CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 237310 Highway, Street, and Bridge Construction
238110 Poured Concrete Foundation and Structure Contractors
238910 Site Preparation Contractors
237110 Water and Sewer Line and Related Structures Construction
237990 Other Heavy and Civil Engineering Construction

Work Category Code(s)

C1201	TRAFFIC CONTROL SYSTEM	C1901	ROADWAY EXCAVATION
C1910	GRADING	C2066	TEMPORARY EROSION CONTROL
C2201	FINISHING ROADWAY	C3910	PAVING ASPHALT (ASPHALT CONCRETE)

Licenses

A General Engineering Contractor
C31 Construction Zone Traffic Control Contractor

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number : 37693

January 12, 2012

CUCP OFFICER

BIDSYNC

Home | Search | Bids | Orders | Tools | CRM | Agency List | Support | Logout

CALIFORNIA PROFILE

BidSync Supplier Name	S.T.Rhoades Construction Inc.	Supplier Number	1247344
Legal Business Name	S.T.Rhoades Construction Inc.	DBA Business Name	S.T.Rhoades Construction Inc.
Address	P.O. Box 494520 REDDING, CA 96049	Phone FAX	(530) 223-9322 (530) 223-9222
Email	steve@strhoadesinc.com		
Number of Employees	20		
Business Types	Construction		
Service Areas	Alpine, Amador, Butte, Colusa, Del Norte, El Dorado, Glenn, Humboldt, Inyo, Lake, Lassen, Mendocino, Modoc, Mono, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Sutter, Tehama, Trinity, Yolo, Yuba,		
Keywords	paving grading excavating trenching drainage fence concrete sidewalks curb&gutter adaramps culverts retainingwalls valleygutters removereplaceAC removereplacePCC boxculverts drainageinlets sloperepair slideremoval remodelbuildings slabs footings siteprep		
Construction License Types	A - General Engineering C-31 - Construction Zone Traffic Control Contractor		
Classifications	721110 - Single family dwelling construction services 721210 - New industrial building and warehouse construction services 721211 - Commercial and office building construction services 721212 - Agricultural building construction services 721410 - Highway and road construction services 721411 - Infrastructure building and surfacing and paving services 721412 - Marine construction services 721413 - Athletic and recreational facility construction service 721414 - Detention facility construction and repair services 721415 - Land preparation services 721416 - Mass transit system construction services 721511 - Plumbing construction services 721523 - Carpentry services 721526 - Roofing and siding and sheet metal services 721527 - Concrete installation and repair services 721531 - Athletic and recreational facility construction services 721537 - Parking facility construction and equipment installation and maintenance and repair services 721539 - Building site preparation services		
View Options	View Application		
Edit Options	Amend Application | Register as Disabled Veteran Business Enterprise (DVBE)		

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

Active Certifications

Register as Disabled Veteran Business Enterprise (DVBE)

TYPE	STATUS	STATUS DATE	FROM	TO	ACTIONS
SB	Approved	Feb 7, 2014	Feb 7, 2014	Feb 28, 2015	

Certification History

TYPE	STATUS	STATUS DATE	FROM	TO
SB (Micro)	Expired	Feb 7, 2014	Feb 2, 2012	Feb 28, 2014
SB (Micro)	Expired	Feb 2, 2012	Mar 19, 2010	Mar 31, 2012
SB (Micro)	Expired	Mar 19, 2010	Apr 4, 2009	Apr 29, 2010

Home Bid Search Bids Orders My account Privacy Terms Logout

Customer Support - vendorsupport@bidsync.com or 800-990-9339

Copyright © 1999-2014 - BidSync - All rights reserved.

Wards	S.T. Rhoades
$2,500/cy @ 4cy =	$3,100/cy @ 4cy =
$ 10,000	$ 12,400
Low	Not Low

WARD'S CONCRETE, INC.
PO Box 1276
ANDERSON, CA 96007
PHONE (530) 378-1023 FAX (530) 378-1123

PROPOSAL & CONTRACT

DATE: 10/22/14

TO: JF Shea Attn Logan

JOB: Cal Trans 02-4E4304 Prevailing Wage

Dear Sir,
We propose to furnish all materials and perform all labor necessary to complete the following:

Item 47	Minor Concrete, Minor Structure - End Blocks		
4	@	$2500.00 ea	$10,000.00
Item 65	Minor Concrete, Sidewalk		
1.1 CY	@	$675.00 CY	$ 742.50
~~Item 72~~	~~Minor Concrete, Veg Control~~		
~~.850 SQ YD~~	~~@~~	~~$62.55 SQ YD~~	~~$53,167.50~~

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

Total Bid $63,910.00

All Grade +/- .10'
All traffic control by others

47 24.56%
65 100%

Amount of contract to be paid within 30 days after completion. Any alteration or deviations from the above specifications involving extra cost of material or labor will only be executed upon written order for same, and will become an extra charge over the sum mentioned in this contract, all agreements must be made in writing.

Contractor's State License Board
3132 Bradshaw Rd.
Sacramento, Ca 95826

Respectfully submitted
By Leland Ward Jr
LELAND WARD
Contractor's State License No. 348143

ACCEPTANCE

You are hereby authorized to furnish all materials and labor required to complete the work mentioned in the above proposal, for which _____ agrees to pay the amount mentioned in said proposal and according to the terms thereof.
ACCEPTED _____ DATE _____

Northern Industrial Electric DBE DBE

2435 Radio Lane • Redding, California 96001 • Phone (530) 246-2366 • FAX (530) 246-2368 • Email: nie01@sbcglobal.net

Contractor License #291649 DBE/SWBE Certification #34396 SBE Certification #9083

REVISED QUOTE

RECEIVED J.F. SHEA CONST., INC. OCT 22 2014 DIV. NO. A/C NO.

October 22, 2014

To Bidding Contractors

Re: Caltrans Contract 02-4E4304 – Construction on State Highway in Shasta County in and ~~Near~~ Palo Cedro, 02-Sha-44-R4.2/R14.5

Bid Date: October 22, 2014 @ 2:00 p.m.

Northern Industrial Electric is pleased to quote the above referenced project per plans and specifications as follows:

~~Bid Item 65: Minor Concrete (Sidewalk) 1.1 c.y. @ $5,706 =~~			~~$6,276.60~~
Bid Item 80: Maintaining Existing TMS Elements During Construction • Includes pre and post job walk-through. Does not include labor and material for items damaged by contractor forces or traveling public.		L.S.	$ 500.00
Bid Item 81: Traffic Count Station		L.S.	$42,079.40

We acknowledge Addendum Nos. 1

Exclusions:

1. Traffic control
2. Portable changeable message signs;
3. Light towers;
4. Pull box paving;
5. SWPP/WPCP and implementation;
6. Fees, permits or bonds;
7. Worker's comp waivers of subrogation;
8. Excess (umbrella) liability insurance;
9. Weekend and holiday shift;
10. Staking;
11. This proposal must be attached and incorporated into our subcontract agreement.

NOT used on #65. Price Was Higher Then Wards Concret.

80, 81

100%

Our quote is firm for 30 days unless otherwise stated. If you have any questions, please do not hesitate to call.

Sincerely,

Dori Cramer for Harry Cramer

Harry P. Cramer
Project Manager / Estimator

STATE OF CALIFORNIA CERTIFICATIONS
DBE/SWBE Certification No. 34396
Small Business Certification No. 9083

CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE
NORTHERN INDUSTRIAL ELECTRIC

2435 RADIO LANE
REDDING, CA 96001 3810

Owner : DORI CRAMER
Business Structure : CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 238210 Electrical Contractors

Work Category Code(s)

C0686	ELECTRICAL & SIGNALS	C9858	RESIDENTIAL ELECTRICAL
E4910	ELECTRIC SERVICES		

Licenses

A General Engineering Contractor

B General Building Contractor

C10 Electrical Contractor

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET, MS 79
SACRAMENTO, CA 95814 0000
(916) 324-1700

UCP Firm Number : 34396

Janice Salais
CUCP OFFICER

July 18, 2007

It is CUCP's policy and objective to promote and maintain a level playing field for DBEs in California on Federal-aid contracts. We ensure nondiscrimination in the award and administration of U.S. DOT assisted contracts based on the requirements of 49 CFR Parts 21 and 26.

BUSINESS ENTERPRISE CERTIFICATE

NORTHERN INDUSTRIAL ELECTRIC
2435 RADIO LANE
REDDING, CA 96001 3810
Owner: DORI CRAMER

Business Structure: CORPORATION

STATE WOMEN BUSINESS ENTERPRISE

This Certification Not Valid For Federal Aid Contracts

This certificate acknowledges that said firm is approved by the California Department of Transportation as a State Minority Business Enterprise or State Women Business Enterprise (or in some cases both) in accordance with Assembly Bill Number 486, Chapter 1329 and the California Public Code, Chapter 2.5 (commencing with Section 2050), for the following NAICS codes:

* 238210 Electrical Contractors

* Indicates primary NAICS code

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
AC NO.

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET, MS 79
SACRAMENTO, CA 95814 0000
(916) 324-1700

Firm Number: 34396
Renewal Date: March 1, 2015

Janice Salais, CERTIFYING AGENCY REPRESENTATIVE

March 1, 2013

CA.GOV Department of General Services
BUILDING GREEN · BUYING GREEN · WORKING GREEN

NORTHERN INDUSTRIAL ELECTRIC - #9083

SUPPLIER PROFILE

Legal Business Name	NORTHERN INDUSTRIAL ELECTRIC		
Doing Business As	NORTHERN INDUSTRIAL ELECTRIC		
Address	2435 RADIO LN REDDING, CA 96001-3810	Phone FAX	(530) 246-2366 (530) 246-2368
Email	nie01@sbcglobal.net		
Business Types	Construction		
Service Areas	Butte, Colusa, Del Norte, El Dorado, Glenn, Humboldt, Lake, Lassen, Mendocino, Modoc, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Sutter, Tehama, Trinity, Yolo, Yuba,		
Keywords	electrical industrial and highway services		
Construction License Types	A - General Engineering B - General Building Contractor C-10 - Electrical (general)		
Classifications	721410 - Highway and road construction services 721515 - Electrical system services		

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

Active Certifications

TYPE	STATUS	FROM	TO
SB (Micro)	Approved	Oct 31, 2013	Nov 30, 2017

Certification History

TYPE	STATUS	FROM	TO
SB (Micro)	Expired	Nov 18, 2011	Nov 30, 2013
SB (Micro)	Expired	Nov 2, 2009	Nov 30, 2011
SB (Micro)	Expired	Mar 14, 2006	Aug 31, 2009
SB	Expired	Jan 23, 2004	Apr 30, 2006
SB	Expired	Dec 18, 2000	Nov 30, 2003
SB	Expired	Jan 9, 1998	Dec 31, 2000

APEX FENCE CO., INC.

Since 1970

CA.LIC.269127/NV.LIC.0022365
19896 ALEXANDER AVE.
P.O. BOX 545
ANDERSON, CA 96007

SBE NO. 11760531

UNION CONTRACTOR

HUB ZONE CERTIFIED

TELEPHONE 530-365-3316
FAX 530-365-5478
BOND RATE 1%

QUOTATION: FOR CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. IN DISTRICT 02 ON ROUTE 44. CONTRACT NO. 02-4E4304

BID DATE: October 22, 2014

THE FOLLOWING QUOTATION ON THE ABOVE MENTIONED PROJECT IS HEREBY SUBMITTED ON THE ITEMS QUOTED. THE FOLLOWING QUOTATION INCLUDES TAX AND INSTALLATION. A MUTUALLY AGREEABLE SCHEDULE OF TIME WILL BE MADE PRIOR TO PERFORMING THE WORK. TRAFFIC CONTROL IS NOT INCLUDED. COST FOR ANY WATER POLLUTION CONTROL MEASURES OR SWPPP NOT INCLUDED. BONDABLE, BUT NO BONDS OR CONSTRUCTION STAKING INCLUDED IN THIS QUOTE. RETENTION BY THE CONTRACTOR SHALL NOT EXCEED THE AMOUNT WITHHELD BY THE OWNER. ALL RETENTION TO BE RELEASED WITHIN 30 DAYS AFTER COMPLETION AND ACCEPTANCE BY THE OWNER. THIS WOULD APPLY TO APEX FENCE'S ITEMS OF WORK. THIS QUOTE GOOD FOR ONLY 30 DAYS AFTER BID DATE. ATTORNEY FEES, IN THE EVENT LEGAL ACTION IS TAKEN TO ENFORCE ANY ITEM OF THIS AGREEMENT, WILL BE BORN BY THE OWNER AND ANY MONIES SPENT BY APEX FENCE CO. TO ENFORCE PAYMENT OF THIS AGREEMENT WILL BE BORE TO THE GENERAL CONTRACTOR.

ITEM #	QTY	U/M	DESCRIPTION	UNIT PRICE	TOTAL
10	19000	LB	TREATED WOOD WASTE	$0.10	$1,900.00
11	38	LF	REMOVE GUARDRAIL	$5.00	$190.00
19	91	LF	RECONSTRUCT FENCE	$40.00	$3,640.00
20	980	LF	RECONSTRUCT GUARDRAIL	$16.50	$16,170.00
21	75	LF	RECONSTRUCT GUARDRAIL (7' POST)	$28.00	$2,100.00
22	4	EA	RECONSTRUCT TERMINAL SYSTEM	$975.00	$3,900.00
23	2	EA	RECONSTRUCT TRANSTION RAILING (TYPE- WB)	$2,000.00	$4,000.00
~~47~~	~~4.8~~	~~CY~~	~~MINOR CONCRETE (MINO STRUCTURE)~~	~~$3,000.00~~	~~$14,400.00~~
~~48~~	~~48~~	~~EA~~	~~DRILL AND BOND DOWEL (CHEMICAL ADHESIVE)~~	~~$30.00~~	~~$1,440.00~~
~~67~~	~~18~~	~~EA~~	~~DELINEATOR (CLASS 1)~~	~~$40.00~~	~~$720.00~~
~~68~~	~~180~~	~~EA~~	~~DELINEATOR (CLASS 2)~~	~~$40.00~~	~~$7,200.00~~
~~69~~	~~15~~	~~EA~~	~~MILEPOST MARKER~~	~~$50.00~~	~~$750.00~~
~~70~~	~~55~~	~~EA~~	~~MARKER (CULVERT)~~	~~$45.00~~	~~$2,475.00~~
~~71~~	~~14~~	~~EA~~	~~OBJECT MARKER~~	~~$45.00~~	~~$630.00~~
72	850	SQYD	VEGEATION CONTROL (MINOR CONCRETE)	$51.00	$43,350.00
73	120	LF	SINGLE THRIE BEAM BARRIER	$45.00	$5,400.00
74	4	EA	TRANSITION RAILING (TYPE WB)	$3,000.00	$12,000.00
75	5	EA	ALTERNATIVE FLARED TERMINAL SYSTEM	$2,000.00	$10,000.00
			ITEM 47 IS ONLY FOR THE CONCRETE ANCHOR BLOCKS, DOESN'T INCLUDE DRAINAGE ITEM WORK.		
			ESTIMATED WORKINGS DAYS (12)		
			100%		
			ITEMS DON'T INCLUDE CLEARING OR GRUBBING		
			ITEMS DON'T INCLUDE SLEEVES FOR CONNECTIONS TO CONCRETE BARRIER **IF ITEM 47 IS DELETED FROM OUR BID**		
			PRIME TO MARK ALL USA, APEX WILL CALL IN THE TAG.		
				TOTAL	**$130,265.00**

RECEIVED
OCT 22 2014
J.F. SHEA CONST., INC.
ADV. NO.
ACC. NO.

SINCERELY,
APEX FENCE CO., INC.

DAVID PARMER/VICE-PRESIDENT

DIRT & AGGREGATE
INTERCHANGE, INC.

QUOTATION

Apex Fence price was Lower on the same Items quoted

DATE: 10/22/2014

TO: J.F. SHEA CONSTRUCTION Attn: ESTIMATOR FAX: 530-248-9940

Project Name: 02-4E4304 REHABILITATE PAVEMENT
Owner: CALTRANS
Bid Date & Time: 10/22/14 2:00PM

Item	Description	Qty	U/M	Unit Price	Extended
10	Treated Wood Waste	19000	LB	$0.25	$4,750.00
11	Remove Guardrail	38	LF	$15.00	$570.00
20	Reconstruct Guardrail	980	LF	$18.00	$17,640.00
21	Reconstruct Guardrail (7' Post)	75	LF	$22.00	$1,650.00
22	Reconstruct Terminal System	4	LF	$1,750.00	$7,000.00
23	Reconstruct Transition Railing (Type WB)	2	EA	$2,500.00	$5,000.00
73	Single Thrie Beam Barrier	120	EA	$100.00	$12,000.00
74	Transition Railing (Type WB)	4	EA	$3,500.00	$14,000.00
75	Alternative Flared Terminal System	6	EA	$2,700.00	$16,200.00
82	Mobilization	1	LS	$5,000.00	$5,000.00
				TOTAL:	$83,810.00

Stipulations:
- Bond not included.
- No traffic control. No Survey Work.
- Excludes all dirt work and concrete work on guardrail items.
- Exlcudes erosion control.
- Price based on 1 mobilization.
- Extra mobilization = $5,000.00 per mobilization.
- 10 Working days.
- California Contractor License # 507828
- California UDBE Certified #CT-000020.

Due to continued and unpredictable increases in material costs and resulting delays in delivery of such materials, the prices and delivery dates quoted herein will automatically expire thirty (30) days from the above date, unless accepted in writing prior to that date.

Thank you for your consideration.

DIRT and AGGREGATE INTERCHANGE, INC.

Signed: William Smith

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

We are a Minority Business Enterprise

OR DBE #493, OR CCB# 26599, WA CCB# DIRTAI192NP, WA DBE# D4 M0700 761
20905 NE Sandy Blvd, Fairview, OR 97024 Phone: 503-661-5093 Fax: 503-669-1192

	APEX	D and A
10.	1,900	4,500
11.	190	570
20.	16,170	17,640
21.	2,100	1,650
22.	3,900	7,000
23.	4,000	5,000
73.	5,400	12,000
74.	12,000	14,000
75.	10,000	16,200
82.	0	5,000
Total	$ 55,660	$ 83,560

LINEAR OPTIONS, INC.

CERTIFIED SMALL BUSINESS #0023178
Phone 530-896-1800
Fax 530-896-1814

792 Durham Dayton Highway
Durham, Ca 95938
Contractors Lic # 704182

QUOTATION

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014

Description: 02-Sha-44
Contract No: 02-4E4304

Bid Date: October 22, 2014
Owner: Caltrans
DIV. NO.
A/C NO

We are pleased to confirm our quotation for work on the above project as follows:

Item No.	Description	Eng. Est	Unit	Unit Price	Item Total
~~1~~	~~Lead Plan (Partial)~~	~~Lump Sum~~		~~$2,500.00~~	~~$2,500.00~~
82	Mobilization (Partial)	Lump Sum		$4,000.00	$4,000.00
4	Traffic Control (Partial)	Lump Sum		$2,200.00	$2,200.00
12	Rem Therm Pvt Mrkg	570	SF	$3.00	$1,710.00
42	Shoulder Rumble Strip	320	STA	$8.00	$2,560.00
43	Center Rumble Strip	180	STA	$8.00	$1,440.00
76	Therm Pvt Mrkg	570	SF	$3.00	$1,710.00
77	Therm Stripe	177000	LF	$0.20	$35,400.00
78	Pvt Mrkr-Reflect	2030	EA	$3.00	$6,090.00
79	Pvt Mrkr-Reflect-Rec	1490	EA	$6.00	$8,940.00
				Total Bid	$66,550.00

** Mobilization & Traffic Control Items shall not be adjusted for decreases in the work. Mobilization & Traffic Control Items shall be adjusted for increases in the work.
** This quotation is all inclusive and must be accepted in writing within 30 calendar days of the bid date above or it becomes null and void.
** Any modifications and/or additions and deletions must be agreed upon in writing prior to bid opening.

SEE ATTACHED STIPULATIONS FOR THIS QUOTATION

100 %

82 =

LINEAR OPTIONS, INC.

CERTIFIED SMALL BUSINESS #0023178

Phone 530-896-1800
Fax 530-896-1814

792 Durham Dayton Highway
Durham, Ca. 95938
Contractors Lic # 704182

STIPULATIONS

The following stipulations are hereby incorporated into and made part of the quotation from Linear Options, Inc. dated **October 22, 2014** for the following project:

RECEIVED
J.F. SHEA CONST., INC.

02-Sha-44 ; 02-4E4304

OCT 22 2014

These stipulations shall be incorporated into any subcontract entered into between LOI and Contractor.

A/C NO.

- Linear Options, Inc. requires 10 Calendar Days written notice prior to proceeding with ~~any of the work.~~
- Scheduling for all work shall be by telephone with LOI project manager.
- **Linear Options, Inc. includes move-ins for its work as follows:**
  - **Removal One (1) Only.**
  - **Permanent Striping and Rumble Strip One (1) Only**
- **Linear Options, Inc. will perform required traffic control for its own work only except rumble strip and markings removal.**
- **Linear Options, Inc. will remove contractors floppies placed for lane lines and centerlines only (no edgelines or shoulders). No Tape removal. Floppies to be placed so that striping may be placed before removal of floppies.**
- **Linear Options, Inc. will furnish Lead Compliance Plan for Thermo Removal Only.**
- This quotation is based upon and the work shall be performed per project plans and specifications.
- **This quotation excludes Payment & Performance Bonds (Add 1.875%).**
- **This quotation excludes Waiver of Subrogation (Add $800)**
- This quotation excludes Primary Liability Insurance greater than $2,000,000.
- This quotation excludes Excess Liability Insurance.
- This quotation excludes Portable Changeable Message Boards.
- This quotation excludes a Fire Plan.
- This quotation excludes all work associated with the project SWPP and WPCP.
- This quotation excludes coordinating lane closures with the owner & using the required forms. Linear Options, Inc. will notify contractor of requested lane closures for our work only.
- **This quotation excludes traffic control, layout, sweeping, fog seal and removal and disposal of grindings for rumble strip work.**
- **This quotation excludes DRB and DRA costs except when DRA or DRB is requested LOI for LOI Claim.**
- **This quotation excludes Temporary Delineation.**
- **This quotation excludes performing its work while other operations are in progress on jobsite.**
- **This quotation excludes the removal & disposal of non-hazardous grindings & spoils from jobsite. Contractor to provide operated dump truck or stockpile adjacent to the work and within the limits of each traffic control setup for LOI to dump grindings.**
- **This quotation excludes area lighting for night work.**
- **Contractor to provide a water source on jobsite.**
- **Contractor to provide staging area on jobsite for all work performed by Linear Options, Inc.**

License #231577

2305 Larkspur Lane, Redding, CA 96002-0611
Telephone: 530-221-6656 *Fax: 530-221-5323
guitonspools@guitons.com www.guitons.com

HIGHWAY 44
CONTRACT NO. 02-4E4304

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV NO.
A/C NO

Price for job as follows:

Item #49	Shotcrete	$22,830.00
Item #82	Mobilization	$ 5,000.00
Total Bid Price:		$27,830.00

Notes:

1. No concrete included – shotcrete material to be supplied by the General Contractor
   a. If supplied by Guiton's Pool Center additional $2,000 for 7-12 yards
2. If test panels are required it will be additional at $4,000 each
3. No bond or bond cost included
4. No traffic control
5. No storm water control or plan
6. No weekend work
7. No light towers
8. No concrete washout
9. No permits or permit costs
10. No site prep/dirt work included
11. This quote will become part of the sub-contract
12. Payment net 30 days from completion of work

#49 56.09%
#82 1.5%

Dale Simpson
Guiton's Pool Center Inc.
Ph: 530-221-6656
Cell: 530-949-1843
Fax: 530-221-5323
Email: dsimpson@guitons.com

SAK™

Pipeline Infrastructure. Solved.™

100%

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014

916.644.1400 tel/
916.644.1401 fax
4253 Duluth Avenue
Rocklin, CA 95765
www.sakcon.com

DIV. NO.
A/C NO.

PROPOSAL

TO: Estimator **COMPANY:** General Contractor **FAX:**

FROM: Jennifer Allen **COMPANY:** SAK Construction, LLC **PAGES:** 4

CC: **DATE:** 10/22/14

RE: CALTRANS – Contract No. 02-4E4304, 02-Sha-44-R4.2/R14.5, Rehabilitate pavement Construction on State Highway in Shasta County in and near Palo Cedro from 0.1 mile west of Stillwater Creek Bridge to 0.1 mile east of Bear Creek Bridge

Bids Due 10/22/14 @ 2:00 PM P.D.T.

The following is our unit price quotation for the CIPP portion of the above referenced project:

ITEM	DESCRIPTION	QTY	U/M	UNIT PRICE	EXTENSION
BASE BID					
27	24" cured-in-place pipeliner 100%	62	LF	$ 267.00	$ 16,554.00
28	30" cured-in-place pipeliner 100%	72	LF	$ 285.00	$ 20,520.00
82	Mobilization for installation of CIPP 3.01%	1	LS	$ 10,000.00	$ 10,000.00
				ESTIMATED TOTAL FOR CIPP BASE BID:	$ 47,074.00
ADD ALTERNATE					
26	Clean & CCTV inspect 24" & 30" CMP prior to CIPP 100%	1	LS	$ 6,700.00	$ 6,700.00
				ESTIMATED TOTAL FOR CIPP ADD ALTERNATE:	$ 6,700.00
				ESTIMATED TOTAL FOR CIPP WITH BASE BID AND ADD ALTERNATE:	$ 53,774.00

***** SAK CONSTRUCTION IS A UNION CONTRACTOR *****

PROPOSAL INCLUSIONS:

1. One mobilization / demobilization to the project site for the CIPP lining crew. If the Add Alternate is provided by SAK, one mobilization / demobilization to the project site for the pre-lining cleaning & CCTV inspection crew will also be provided. Any additional mobilizations will be negotiated as extra work.
2. IF THE ADD ALTERNATE IS PROVIDED BY SAK: Prior to lining operations, perform cleaning of the existing mainline pipe to remove debris that can be removed with standard pipe cleaning equipment and dispose of the collected debris at a site provided by the General Contractor. Subsequent to cleaning operations and prior to CIPP lining, perform CCTV inspection of the existing mainline pipe and provide required documentation of the inspection to the General Contractor. Pre-lining cleaning & CCTV inspection of the host pipe is offered as an Add Alternate for the General Contractor, and only pipes being lined with CIPP by SAK will be cleaned and CCTV inspected. If the General Contractor elects to self-perform the pre-lining cleaning and CCTV inspection, or have it performed by others, then the Add Alternate containing the pre-lining cleaning and CCTV inspection items may be deleted in its entirety from this proposal without affecting the remaining pricing, terms, and conditions contained herein.

CA STATE CONTRACTOR LICENSE NO.: 984560

3. Install approximately 134 LF of cured-in-place pipe (CIPP) in the designated 24" & 30" diameter pipelines. The CIPP will utilize a polyester resin system and be installed per the requirements of the Cured-in-place Pipeliner (CIPP) specification section 15-6.11.
4. If needed, provide reinstatement of any laterals or downdrains encountered in the CIPP-lined pipes on a negotiated basis. Currently, the project documents do not show any laterals or downdrains entering the pipelines designated for CIPP installation that would require reinstatement by SAK after lining.
5. Provide required testing of samples of the installed CIPP at an independent laboratory to confirm conformance with minimum specified physical properties. Sampling methods and frequency will conform to specified parameters.
6. Perform CCTV inspection of the CIPP-lined mainline pipe immediately subsequent to CIPP lining and provide required documentation of the inspection to the General Contractor. Only mainline pipes that have been lined with CIPP by SAK will be inspected.
7. Payment of California State Sales Tax as applicable for the scope of work covered under this proposal.
8. Provide standard 1-year construction warranty on CIPP materials and workmanship.
9. Provide certificate of insurance and endorsements evidencing typical coverage and limits for General Liability ($1 million / $2 million), Automobile Liability ($1 million), Workers' Compensation & Employer's Liability ($1 million), and if required, Excess Liability ($5 million). If insurance coverage above and beyond this is required, the General Contractor will be responsible for securing any additional insurance coverage or reimbursing SAK for the costs associated with obtaining the additional insurance.
10. When payment of prevailing wages is applicable, provide the required documentation showing workers on this project have been paid in accordance with the relevant prevailing wage determination for the appropriate laborer classification.

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014

PROPOSAL EXCLUSIONS:

The following items are not included in this proposal, and when required, will be provided by the General Contractor at no cost to SAK. If SAK is required to provide any of these items, the costs will be charged to the General Contractor as extra work.

1. IF THE ADD ALTERNATE IS PROVIDED BY THE GENERAL CONTRACTOR OR OTHERS: If the Add Alternate containing the items for pre-lining cleaning & CCTV inspection of the host pipe is deleted from this proposal and SAK's scope of work, then the General Contractor shall perform the complete cleaning of the existing mainline pipe required prior to lining and dispose of the collected debris. The General Contractor shall also perform the CCTV inspection of the existing mainline pipe required subsequent to cleaning and prior to CIPP lining to confirm the adequacy of the cleaning operations and to confirm that no obstacle remains in the pipe that would impede lining. This shall also include taking measurements of the actual diameters, circumferences (for non-circular pipe), and lengths of the pipelines to be lined. The General Contractor shall provide records & documentation of the completed cleaning, CCTV inspection, and pipe measurements to SAK sufficiently in advance of the start of lining so that SAK may confirm that the pipe is ready to be lined and arrange for the necessary CIPP materials in a timely manner. The General Contractor shall also provide any required records & documentation of the completed CCTV inspection to the Owner.
2. Provide any necessary traffic, parking, &/or pedestrian control. Traffic, parking, &/or pedestrian control systems shall be coordinated to accommodate SAK's operations and placed in a timely manner such that SAK's operations are not impeded or delayed.
3. Provide legal and physical access to the pipeline, manholes, structures, inlets, outlets, catch basins and other access points sufficient to allow CIPP lining operations to be conducted, and to allow large trucks and equipment to access the inlets, outlets, catch basins, structures, and manholes directly when in streets, or as near as possible for easement locations. This shall include locating, exposing, and making accessible any manholes, structures, inlets, outlets, catch basins, or other access points associated with the lining work, including any necessary alterations to fencing, trees, and vegetation; snow &/or ice removal; excavation, clearing, or regrading of existing flowlines or channels; clearing of brush, trees, and debris outside of the pipe or obstructing the ends of the pipe; and providing any final restoration once lining operations are complete. When necessary, this shall also include providing expanded access by either staging construction of new storm drain structures or temporarily altering existing storm drain structures where the existing or new structure configuration will impede lining operations.

4. Provide any point repairs or other repairs necessary or required to repair or prepare the existing pipeline for CIPP lining. This shall include providing any grouting or cement slurry backfill of holes in the pipe or voids outside the pipe required prior to or after lining
5. Provide any final repair, testing &/or inspection of CIPP-lined pipes when additional work has been performed in or on those pipes by others subsequent to the completion of SAK's work.
6. Provide access to a high-volume water supply at the project site either from fire hydrants, or other high-volume on-demand sources, as designated by and coordinated with SAK. Access to the water source must be within 500 feet of the installation site.
7. Provide access to appropriate dump sites at the project site for disposal of liquids and material collected from the pipelines during pipeline cleaning and lining operations and other waste materials from the project.
8. Provide access to a secure yard at or near site for staging and storage of equipment and materials, when available.
9. Provide all required notifications of agencies and other parties affected by the work. This shall include providing any necessary public relations work.
10. Obtain and pay for all special licenses, permits, variances, or other fees required to perform the work. The only exception to this is that SAK will obtain and pay for its own city &/or county business license(s), when required.
11. Subcontract bonds are not included. If subcontract bonds will be required, they can be provided for an additional fee of 1.5% of the bonded amount. Period of coverage for the bonds shall not exceed 1 year.

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

OTHER CONDITIONS:

1. Work covered by this proposal will be performed under a mutually agreed upon subcontract agreement which incorporates the terms and conditions contained in this proposal either by direct attachment, by insertion, or by reference. In case of conflict, the terms and conditions of this proposal shall prevail. The subcontract agreement shall not require either party to be liable to the other for consequential damages arising out of or relating to the subcontract or contract.
2. Work covered by this proposal will be performed under a mutually agreed upon project schedule. No material acquisition or mobilization will commence prior to the execution of a mutually agreed upon subcontract agreement. Once crews have been mobilized to site, work covered under this proposal must be able to proceed at an unrestricted pace without impediment or delay. If CIPP operations are delayed by the General Contractor or others, then standby costs &/or additional mobilization costs will be charged to the General Contractor accordingly.
3. This proposal is based on performing the CIPP lining work after an extended period of dry weather, so that flows in the storm drains are eliminated and a diversion or bypass is not required. If this is not the case, and work must be scheduled prior to the storm drains being in a dry condition, of if the storm drains never achieve a dry condition, then the General Contractor shall provide any necessary plugging, damming, diversion, and/or bypass pumping of existing pipeline flows, including providing any necessary dewatering of the pipelines, structures, and liner termination points once the plugs, dams, diversion, &/or bypass systems are in place and operating. Bypass or diversions systems shall be coordinated to accommodate SAK's lining operations and placed in a timely manner such that SAK's equipment and personnel are not obstructed by suction & discharge locations, and CIPP lining operations are not impeded or delayed.
4. Normal working hours for installing CIPP are 24-hours a day due to the nature of the product, which requires that once an install is started, it cannot be suspended until it is completed. To the extent that SAK will incur overtime expenses due to this schedule, those costs have been anticipated and are covered in this proposal. However, SAK will not be liable for any penalties, liquidated damages, overtime inspection costs, or other fees that may result from these required working hours.
5. Progress and final payments are due within 30 days of invoice, or when applicable regulations require, whichever is soonest. Release of any withheld retention shall be no later than 30 days from the completion and acceptance of the work covered under this proposal, excluding any subsequent work required in the warranty period, and regardless of whether the General Contractor's retention has been released by the Owner. If retention is not withheld from the General Contractor's payments, then retention shall not be withheld from SAK's payments. Overdue amounts will be subject to interest at a rate of 1.5% monthly, 18% annually.

6. This proposal covers only the scope of work specifically included above. It does not cover performing any cleaning or inspection of pipe or structures not specifically included above; warranty inspections or testing; verification of active/inactive status of laterals; alteration, repair, installation, or rehabilitation of manholes or other structures; abandonment of any pipe or structures; bypassing, plugging, damming, diversion, or dewatering of existing pipe flows or structures; pedestrian control, parking control, or traffic control; sampling or testing of the installed CIPP liner not specifically included above; sampling or testing of any substances or materials on the project not specifically included above; alteration, testing, sealing, repair, replacement, or rehabilitation of any lateral pipes or lateral connections, aside from any internal reinstatement specifically included above; grouting or repair of obstructions, voids, or defects in the host pipe prior to or after lining; mandrel testing or other similar testing of the pipe; or any work requiring excavation. This proposal also does not cover providing any field yards, meeting facilities, or office facilities for the project; phones, cameras, computer software, or computer equipment for the use of the General Contractor or Owner; photos or other documentation for record of pre- or post-construction site conditions; tree or vegetation clearing, trimming, removal, protection or restoration; snow &/or ice removal; handling, transportation, or disposal of hazardous materials; surveying or staking; engineered plans, designs, or drawings; preparation or implementation of any pollution control or environmental protection programs or plans; street sweeping; security; fire control truck and operator; fencing of any kind; erosion or sedimentation control; public relations work; project signs or advance notification signs; and any necessary archaeological, biological, or ground settlement / movement monitoring and mitigation. If any of this type of work is required to be performed by SAK, it will be considered to be extra work and charged accordingly.
7. For the purposes of this proposal, the General Contractor shall be defined to be the entity contracting with SAK to perform the work covered under this proposal.
8. This proposal is valid for 90 days from the date of submission as indicated above.

SAK acknowledges receipt of ONE (1) addendum for this project

SAK has also checked Bidder inquiries through the date of this proposal: NO (0) inquiries

RECEIVED
J.F. SHEA CONST., INC.

OCT 22 2014

DIV. NO._____
A/C NO._____

Independent Structures Inc.
Redding, Ca

Estimating Dept.

Quote

Independent Structures Inc.
License #951126
8490 Hartmeyer lane
Redding, Ca. 96002
PH (530) 223-5238
Fax (530) 223-5432
CELL (530)941-9006

Bid Date: 10/22/2014
Contract Info:
02-4E4304
HWY 44 PALO CEDRO

Estimator:
Scott Langum

ITEM #	ITEM DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL
3	CONSTRUCTION AREA SIGNS	1	LUMP SUM	$5,600.00
4	TRAFFIC CONTROL SYSTEM	SEE ATTACHMENT		
5	P.C.M.S.	SEE ATTACHMENT		
13	REMOVE ROADSIDE SIGN	12	$50.00	$600.00
14	REMOVE ROADSIDE SIGN PANEL	2	$17.00	$34.00
50	FURNISH LAMINATED PANEL SIGN 2 1/2" TYPE B	120 SF	$28.50	$3,420.00
51	FURNISH SINGLE SHEET ALUM SIGN (0.063-UNFRAMED)	110 SF	$10.65	$1,171.50
52	FURNISH SINGLE SHEET ALUM SIGN (0.080 FRAMED)	210 SF	$16.25	$3,412.50
53	ROADSIDE SIGNS-ONE POST	8	$225.00	$1,800.00
54	ROADSIDE SIGNS-TWO POST	6	$400.00	$2,400.00
55	INSTALL ROADSIDE SIGN PANEL ON EXISTING POST	4	$40.00	$160.00
56	INSTALL ROADSIDE SIGN LAMINATED WDOD BOX POST(EXCLUDES POST)	1	$850.00	$850.00
67	DELINEATOR (CLASS 1)	18	$35.00	$630.00
68	DELINEATOR (CLASS 2)	180	$45.00	$8,100.00
69	MILEPOST MARKER	15	$45.00	$675.00
70	MARKER (CULVERT)	55	$45.00	$2,475.00
71	OBJECT MARKER	14	$45.00	$630.00
			TOTAL	$31,958.00

100%

RECEIVED
J.F. SHEA CONST., INC.

OCT 22 2014

DIV. NO._____
A/C NO._____

4. List the names and dates of each publication in which a request for DBE participation for this project was placed by the bidder. Attach copies of published advertisements or proofs of publication:

Publications : Shasta Builders Exchange
Dates of Advertisement : 10/1/14 - 10/22/14

Publications : Construction Up-Date
Dates of Advertisement : 10/2/14, 10/9/14, 10/16/14

Publications : Minority Bidders Bulletin
Dates of Advertisement : 10/6/14, 10/13/14, 10/20/14

Publications : Reed Construction Data
Dates of Advertisement : 10/1/14 - 10/22/14

5. List the names of agencies and the dates on which they were contacted to provide assistance in contacting, recruiting and using DBE firms. If the agencies were contacted in writing, provide copies of supporting documents.

Name of Agency : Caltrans
Date of Contact : 10/2/14
Method of Contact: Online
Results : Placed Online Ad Requesting Subcontractors

Name of Agency : DBE Good Faith
Date of Contact : 9/29/14
Method of Contact: Online
Results : Placed Online Ad:Emailed,Faxed,Called 50 DBE Subs

Name of Agency :
Date of Contact :
Method of Contact:
Results :

Name of Agency :
Date of Contact :
Method of Contact:
Results :

6. List efforts made to provide interested DBEs with adequate information about the plans, specifications, and requirements of the contract to assist them in responding to a solicitation. Identify the DBE assisted, the information provided, and the date of contact. Provide copies of supporting documents.

See Attached Advertising and Solicitation

7. List efforts made to assist interested DBEs in obtaining bonding, lines of credit, insurance, necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate. Identify the DBE assisted, the assistance offered, and the date. Provide copies of supporting documents.

See Attached Advertising and Solicitation

8. Include additional data to support a demonstration of good faith efforts.

NOTE: USE ADDITIONAL SHEETS OF PAPER IF NECESSARY.

Good Faith Efforts Documentation - DBE Page 3 of 3 - # 4 - Advertising Back-Up

* * * Communication Result Report (Oct. 1. 2014 11:51AM) * * *

1) JF SHEA
2)

Date/Time: Oct. 1. 2014 11:50AM

File No.	Mode	Destination	Pg(s)	Result	Page Not Sent
1859	Memory TX	92212140	P. 3	OK	

Reason for error
E. 1) Hang up or line fail
E. 2) Busy
E. 3) No answer
E. 4) No facsimile connection
E. 5) Exceeded max. E-mail size
E. 6) Destination does not support IP-Fax

221-2140

Listing Only ☒ Place Ad ☑

AEOE, MBE, WBE, SBE, DBE & DVBE REQUEST FORM

LISTING ONLY

Date _____ Time _____

Company Name: J.F. Shea Construction, Inc.

Phone: 530) 246-4292

Fax: 530) 246-9940

Contact Person:

Job Location:

Job Name:

Job Number:

Bid Date: _____ Bid Time: _____

Job Location:

Job Name:

Job Number:

Bid Date: _____ Bid Time: _____

Members $20/Week Non-Members $40/Week

Non-Member Payment

Payment:
Mailed
Amount $ _____
Date Received _____

Bulletin

Date Listing Was Done: _____
Date Ad Was Done: _____

LISTING & AD

Date 10/1/14 Time 11:25 AM

Company Name: J.F. Shea Construction, Inc.

Address: P. O. Box 494519

City, State, Zip: Redding, Ca. 96049-4519

Phone: 530) 246-4292

Fax: 530) 246-9940

License #: 769999 A

Per:

Contact Person: Stacy Dutra

Place Ad on These Dates: ASAP - please run until bid date, thanks!

Job Location: Shasta County

Job Name: Rehabilitate Pavement

Job Number: Contract #: 02-4E4304

Bid Date: 10/22/14 Time: 2:00 PM

Place Ad on These Dates:

Job Location:

Job Name:

Job Number:

Bid Date: _____ Time: _____

RECEIVED
J.F. SHEA CONST., INC.

OCT 01 2014

DIV. NO. _____
A/C NO. _____

Fax #: (530) 221-2140

221-2140

Listing Only ☒ Place Ad ☑

AEOE, MBE, WBE, SBE, DBE & DVBE REQUEST FORM

LISTING ONLY

Date _____ Time _____

Company Name: J. F. Shea Construction, Inc.

Phone: 530) 246-4292

Fax: 530) 246-9940

Contact Person:

Job Location:

Job Name:

Job Number:

Bid Date: _____ Bid Time: _____

Job Location:

Job Name:

Job Number:

Bid Date: _____ Bid Time: _____

Members $20/Week Non-Members $40/Week

Non-Member Payment

Payment:
Mailed
Amount $ _____
Date Received _____

Bulletin

Date Listing Was Done: _____
Date Ad Was Done: _____

LISTING & AD

Date 10/1/14 Time 11:25 AM

Company Name: J. F. Shea Construction, Inc.

Address: P. O. Box 494519

City, State, Zip: Redding, Ca. 96049-4519

Phone: 530) 246-4292

Fax: 530) 246-9940

License #: 769989 A

Per:

Contact Person: Stacy Dutra

Place Ad on These Dates: ASAP - please run until bid date, thanks!

Job Location: Shasta County

Job Name: Rehabilitate Pavement

Job Number: Contract #: 02-4E4304

Bid Date: 10/22/14 Time: 2:00 PM

Place Ad on These Dates:

Job Location:

Job Name:

Job Number:

Bid Date: _____ Time: _____

Fax #: (530) 221-2140

REQUEST FOR QUALIFIED UDBE/DBE
SUBCONTRACTORS & SUPPLIERS FOR:

State of California Department of Transportation - Caltrans
Rehabilitate Pavement
CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE
Shasta County
Contract #: 02-4E4304
Engineers Estimate: $5,200,000.00
Bid Date: 10/22/2014 @ 2 PM
Goal: 8 % DBE

J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to:

1 LEAD COMPLIANCE PLAN
2 TIME-RELATED OVERHEAD (WDAY)
3 CONSTRUCTION AREA SIGNS
4 TRAFFIC CONTROL SYSTEM
5 PORTABLE CHANGEABLE MESSAGE SIGN (LS)
6 JOB SITE MANAGEMENT
7 PREPARE WATER POLLUTION CONTROL PROGRAM
8 TEMPORARY FIBER ROLL
9 TEMPORARY CONCRETE WASHOUT
10 TREATED WOOD WASTE
11 REMOVE GUARDRAIL
12 REMOVE THERMOPLASTIC PAVEMENT MARKING
13 REMOVE ROADSIDE SIGN
14 REMOVE ROADSIDE SIGN PANEL
15 REMOVE ASPHALT CONCRETE DIKE
16 REMOVE CULVERT (LF)
17 REMOVE INLET
18 REMOVE HEADWALL
19 RECONSTRUCT FENCE
20 RECONSTRUCT GUARDRAIL
21 RECONSTRUCT GUARDRAIL (7' POST)
22 RECONSTRUCT TERMINAL SYSTEM
23 RECONSTRUCT TRANSITION RAILING (TYPE WB)
24 RESET 24" REINFORCED CONCRETE PIPE
25 COLD PLANE ASPHALT CONCRETE PAVEMENT
26 CLEANING, INSPECTING, AND PREPARING CULVERT (LF)
27 24" CURED IN PLACE PIPELINER
28 30" CURED IN PLACE PIPELINER
29 CLEARING AND GRUBBING (LS)
30 DEVELOP WATER SUPPLY
31 SHOULDER BACKING
32 DITCH EXCAVATION
33 EROSION CONTROL (DRY SEED) (SQFT)
34 STRAW
35 CLASS 2 AGGREGATE BASE (CY)
36 PREPAVING INERTIAL PROFILER
37 PREPAVING GRINDING DAY
38 REPLACE ASPHALT CONCRETE SURFACING
39 HOT MIX ASPHALT (TYPE A)
40 RUBBERIZED HOT MIX ASPHALT (GAP GRADED)
41 RUBBERIZED HOT MIX ASPHALT (OPEN GRADED)
42 SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS)
43 CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS)
44 DATA CORE
45 PLACE HOT MIX ASPHALT DIKE (TYPE F)
46 TACK COAT
47 (F) MINOR CONCRETE (MINOR STRUCTURE)
48 DRILL AND BOND DOWEL (CHEMICAL ADHESIVE)
49 (F) SHOTCRETE
50 FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B)
51 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
52 FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED)
53 ROADSIDE SIGN - ONE POST
54 ROADSIDE SIGN - TWO POST
55 INSTALL ROADSIDE SIGN PANEL ON EXISTING POST
56 INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST)
57 24" ALTERNATIVE PIPE CULVERT
58 CONCRETE BACKFILL (PIPE TRENCH)
59 18" CORRUGATED STEEL PIPE (.138" THICK)
60 36" CORRUGATED STEEL PIPE INLET (.109" THICK)
61 STEEL FLARED END SECTION
62 SMALL-ROCK SLOPE PROTECTION
63 ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY)
64 ROCK SLOPE PROTECTION FABRIC (CLASS 8)
65 MINOR CONCRETE (SIDEWALK)
66 (F) MISCELLANEOUS IRON AND STEEL
67 DELINEATOR (CLASS 1)
68 DELINEATOR (CLASS 2)
69 MILEPOST MARKER
70 MARKER (CULVERT)
71 OBJECT MARKER
72 VEGETATION CONTROL (MINOR CONCRETE)
73 SINGLE THRIE BEAM BARRIER
74 TRANSITION RAILING (TYPE WB)

75 ALTERNATIVE FLARED TERMINAL SYSTEM
76 THERMOPLASTIC PAVEMENT MARKING
77 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)
78 PAVEMENT MARKER (RETROREFLECTIVE)
79 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)
80 MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION
81 TRAFFIC COUNT STATION
82 MOBILIZATION

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. **Women and Minority Employees are encouraged to apply.**

J. F. SHEA CONSTRUCTION, INC.
P.O. Box 494519 - Redding, CA 96049
Phone: (530) 246-4292 Fax: (530) 246-9940
An Equal Opportunity Employer

PUBLICATION AFFIDAVIT
DECLARATION OF PUBLICATION

FILE COPY

RECEIVED J. SHEA CONST. INC.

STATE OF CALIFORNIA

F I L E D OCT 01 2014

Suzie Davidson /Art Director

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR:

STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION - CALTRANS
REHABILITATE PAVEMENT - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE
CONTRACT # 02-4E4304 - ENGINEER'S ESTIMATE: $5,200,000.00
BID DATE: 10/22/14 @ 2:00 PM **GOAL: 8% DBE**

J.F. Shea Construction is requesting quotes from all qualified subcontractors and suppliers including certified **UDBE/DBE** firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2" TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN-ONE POST; ROADSIDE SIGN-TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J.F. Shea Construction, Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, CA 96001 or call for any additional needed project information. J.F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. **Women and Minority Employees are encouraged to apply.**

J.F. SHEA CONSTRUCTION, INC.
P.O. Box 494319, Redding, CA 96049
Phone: (530) 246-4292 • Fax: (530) 246-9940
An Equal Opportunity Employer

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am not a party to and have no interest in this matter. I am principal clerk of the publisher of the Construction Up-Date, Inc, and Minority Bidders Bulletin, a trade/focus publication in the City of San Diego, the County of San Diego, and the State of California. This notice, a true copy hereon, was published on the below date(s):

I declare under penality of perjury that the foregoing is true and correct.
Executed at San Diego, California

Suzie Davidson
signature

CONSTRUCTION UP-DATE INC.

DATES PUBLISHED

Minority Bidders Bulletin C.U. Inc.'s

10/2/14, 10/9/14, 10/16/14

TRADE PUBLICATION

10/6/14, 10/13/14, 10/20/14

FOCUS PUBLICATION

ALSO DISPLAYED ON WEB SITE @ *http://www.goodfaitheffort.com*

FILE COPY

PUBLICATION AFFIDAVIT
DECLARATION OF PUBLICATION

FILED

STATE OF CALIFORNIA

Suzie Davidson /Art Director

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR:

STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION - CALTRANS
REHABILITATE PAVEMENT - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE
CONTRACT # 02-4E4304 - ENGINEER'S ESTIMATE: $5,200,000.00
BID DATE: 10/22/14 @ 2:00 PM **GOAL: 8% DBE**

J.F. Shea Construction is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DRILL AND ASPHALT DIKE (TYPE F); TACK COAT; MINOR CONCRETE (MINOR STRUCTURE); PLACE HOT MIX BOND DOWEL (CHEMICAL ADHESIVE); SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2" TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN-ONE POST; ROADSIDE SIGN-TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T. METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); DBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J.F. Shea Construction, Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, CA 96001 or call for any additional needed project information. J.F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply.

J.F. SHEA CONSTRUCTION, INC.
P.O. Box 494519, Redding, CA 96049
Phone: (530) 246-4292 - Fax: (530) 246-9940
An Equal Opportunity Employer

OCT 01 2014

DIV. NO.
A/C NO.

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am not a party to and have no interest in this matter. I am principal clerk of the publisher of the Construction Up-Date, Inc, and Minority Bidders Bulletin, a trade/focus publication in the City of San Diego, the County of San Diego, and the State of California. This notice, a true copy hereon, was published on the below date(s):

I declare under penality of perjury that the foregoing is true and correct.
Executed at San Diego, California

Suzie Davidson
signature

DATES PUBLISHED

CONSTRUCTION UP-DATE INC.

10/2/14, 10/9/14, 10/16/14

TRADE PUBLICATION

Minority Bidders Bulletin C.U. Inc.'s

10/6/14, 10/13/14, 10/20/14

FOCUS PUBLICATION

ALSO DISPLAYED ON WEB SITE @ *http://www.goodfaitheffort.com*

16885 W. Bernardo Dr., Suite 335, San Diego, CA 92127 • Phone No. (858) 487-2600 • Fax Number (858) 487-3500

* * * Communication Result Report (Oct. 1. 2014 11:54AM) * * *

1) JF SHEA
2)

Date/Time: Oct. 1. 2014 11:50AM

File No.	Mode	Destination	Pg(s)	Result	Page Not Sent
1860	Memory TX	918584873500	P. 3	OK	

RECEIVED
J.F. SHEA CONST., INC.
OCT 01 2014
DIV. NO.
A/C NO.

Reason for error
E. 1) Hang up or line fail
E. 2) Busy
E. 3) No answer
E. 4) No facsimile connection
E. 5) Exceeded max. E-mail size
E. 6) Destination does not support IP-Fax

PAGE 1/2

PRINT OUT THIS PAGE AND FAX IT TO: 858/487-3500

AD INFORMATION

SUB BIDS REQUESTED FROM QUALIFIED M/W/DBE/DVBE SUBCONTRACTORS AND SUPPLIERS

Project: * Rehabilitate Pavement *

Project Number: Contract #: 02-4E4304

Project Location: Shasta County

Bid Date and Time: 10/22/14 @ 2:00 PM

Respond By: ASAP

Company Name: J.F. SHEA CONSTRUCTION

Contact Name: Stacy Dutra

Address/City/State/Zip: P.O. BOX 494519 REDDING, CA. 96049

Phone: (530) 246-4990

Fax: (530) 246-9940

Additional Information: - SEE ATTACHED -

GOAL: 8 % DBE

Run Ad On Following Dates: PLEASE RUN UNTIL BID DATE

Special Program Rate is only $48.00
$24.00 each insertion - min 2

Publishing Dates & Advertising Deadlines
We publish every Monday and Thursday
To place your ad in Monday's Minority Bidder's Bulletin the deadline is 4:00 P.M. on Friday
To Place an ad in Thursday's Construction Update the deadline is 4:00 P.M. on Wednesday

http://www.goodfaitheffort.com/placeads.htm 3/12/2008

PRINT OUT THIS PAGE AND FAX IT TO: 858/487-3500

AD INFORMATION

SUB BIDS REQUESTED FROM QUALIFIED M/W/DBE/DVBE SUBCONTRACTORS AND SUPPLIERS

Project * Rehabilitate Pavement *

Project Number
Contract #: 02-4E4304

Project Location Shasta County

Bid Date and Time
10/22/14 @ 2:00 PM

Respond By
ASAP

Company Name
J.F. SHEA CONSTRUCTION

Contact Name
Stacy Dutra

Address/City/State/Zip
P.O. BOX 494519 REDDING, CA. 96049

Phone
(530) 246-4292

Fax
(530) 246-9940

Additional Information
- SEE ATTACHED -

GOAL: 8 % DBE

Run Ad On Following Dates
PLEASE RUN UNTIL BID DATE

Special Program Rate is only
$48.00
$24.00 each insertion - min 2

Publishing Dates & Advertising Deadlines
We publish every Monday and Thursday
To place and ad in Monday's Minority Bidder's Bulletin
the deadline is 4:00 P.M. on Friday
To Place an ad in Thursday's Construction Update
the deadline is 4:00 P.M. on Wednesday

REQUEST FOR QUALIFIED UDBE/DBE
SUBCONTRACTORS & SUPPLIERS FOR:

State of California Department of Transportation - Caltrans
Rehabilitate Pavement
CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE
Shasta County
Contract #: 02-4E4304
Engineers Estimate: $5,200,000.00
Bid Date: 10/22/2014 @ 2 PM
Goal: 8 % DBE

J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to:

1 LEAD COMPLIANCE PLAN
2 TIME-RELATED OVERHEAD (WDAY)
3 CONSTRUCTION AREA SIGNS
4 TRAFFIC CONTROL SYSTEM
5 PORTABLE CHANGEABLE MESSAGE SIGN (LS)
6 JOB SITE MANAGEMENT
7 PREPARE WATER POLLUTION CONTROL PROGRAM
8 TEMPORARY FIBER ROLL
9 TEMPORARY CONCRETE WASHOUT
10 TREATED WOOD WASTE
11 REMOVE GUARDRAIL
12 REMOVE THERMOPLASTIC PAVEMENT MARKING
13 REMOVE ROADSIDE SIGN
14 REMOVE ROADSIDE SIGN PANEL
15 REMOVE ASPHALT CONCRETE DIKE
16 REMOVE CULVERT (LF)
17 REMOVE INLET
18 REMOVE HEADWALL
19 RECONSTRUCT FENCE
20 RECONSTRUCT GUARDRAIL
21 RECONSTRUCT GUARDRAIL (7' POST)
22 RECONSTRUCT TERMINAL SYSTEM
23 RECONSTRUCT TRANSITION RAILING (TYPE WB)
24 RESET 24" REINFORCED CONCRETE PIPE
25 COLD PLANE ASPHALT CONCRETE PAVEMENT
26 CLEANING, INSPECTING, AND PREPARING CULVERT (LF)
27 24" CURED IN PLACE PIPELINER
28 30" CURED IN PLACE PIPELINER
29 CLEARING AND GRUBBING (LS)
30 DEVELOP WATER SUPPLY
31 SHOULDER BACKING
32 DITCH EXCAVATION
33 EROSION CONTROL (DRY SEED) (SQFT)
34 STRAW
35 CLASS 2 AGGREGATE BASE (CY)
36 PREPAVING INERTIAL PROFILER
37 PREPAVING GRINDING DAY
38 REPLACE ASPHALT CONCRETE SURFACING
39 HOT MIX ASPHALT (TYPE A)
40 RUBBERIZED HOT MIX ASPHALT (GAP GRADED)
41 RUBBERIZED HOT MIX ASPHALT (OPEN GRADED)
42 SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS)
43 CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS)
44 DATA CORE
45 PLACE HOT MIX ASPHALT DIKE (TYPE F)
46 TACK COAT
47 (F) MINOR CONCRETE (MINOR STRUCTURE)
48 DRILL AND BOND DOWEL (CHEMICAL ADHESIVE)
49 (F) SHOTCRETE
50 FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B)
51 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
52 FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED)
53 ROADSIDE SIGN - ONE POST
54 ROADSIDE SIGN - TWO POST
55 INSTALL ROADSIDE SIGN PANEL ON EXISTING POST
56 INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST)
57 24" ALTERNATIVE PIPE CULVERT
58 CONCRETE BACKFILL (PIPE TRENCH)
59 18" CORRUGATED STEEL PIPE (.138" THICK)
60 36" CORRUGATED STEEL PIPE INLET (.109" THICK)
61 STEEL FLARED END SECTION
62 SMALL-ROCK SLOPE PROTECTION
63 ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY)
64 ROCK SLOPE PROTECTION FABRIC (CLASS 8)
65 MINOR CONCRETE (SIDEWALK)
66 (F) MISCELLANEOUS IRON AND STEEL
67 DELINEATOR (CLASS 1)
68 DELINEATOR (CLASS 2)
69 MILEPOST MARKER
70 MARKER (CULVERT)
71 OBJECT MARKER
72 VEGETATION CONTROL (MINOR CONCRETE)
73 SINGLE THRIE BEAM BARRIER
74 TRANSITION RAILING (TYPE WB)

75 ALTERNATIVE FLARED TERMINAL SYSTEM
76 THERMOPLASTIC PAVEMENT MARKING
77 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)
78 PAVEMENT MARKER (RETROREFLECTIVE)
79 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)
80 MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION
81 TRAFFIC COUNT STATION
82 MOBILIZATION

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. **Women and Minority Employees are encouraged to apply.**

J. F. SHEA CONSTRUCTION, INC.
P.O. Box 494519 - Redding, CA 96049
Phone: (530) 246-4292 Fax: (530) 246-9940
An Equal Opportunity Employer

* * * Communication Result Report (Oct. 1. 2014 11:56AM) * * *

1) JF SHEA
2)

Date/Time: Oct. 1. 2014 11:50AM

File No.	Mode	Destination	Pg(s)	Result	Page Not Sent
1861	Memory TX	918006422437	P. 3	OK	

Reason for error
E. 1) Hang up or line fail
E. 2) Busy
E. 3) No answer
E. 4) No facsimile connection
E. 5) Exceeded max. E-mail size
E. 6) Destination does not support IP-Fax

Reed Construction Data

Fax 800-642-2437

To Be Listed As A Bidder In
Daily Construction Service, Northern California

RECEIVED
J.F. SHEA CONST., INC.
OCT 01 2014
DIV. NO.
A/C NO.

Bid Date	Owner	CMD Project No.	Project Title/Location
10/22/14 2:00 PM	Caltrans	Contract # 02-4E4304	* Rehabilitate Pavement * Shasta County

☐ Please call me for MWBE/DVBE Advertising (or call Vidd direct at 800-242-8747)

Company Name: J. F. Shea Construction, Inc.

Address: PO Box 494519 - Redding, Ca. 96049-4519

Ph: (530) 246-4292 Fax: (530) 246-6940 Requested By: Stacy Dutra

Reed Construction Data

Fax 800-642-2437

To Be Listed As A Bidder in
Daily Construction Service, Northern California

Bid Date	Owner	CMD Project No.	Project Title/Location
10/22/14 2:00 PM	Caltrans	Contract # 02-4E4304	* Rehabilitate Pavement * Shasta County

☐ Please call me for M/W/D/DVBE Advertising (or call Vikki direct at 800-242-9747)

Company Name: J. F. Shea Construction, Inc.

Address: PO Box 494519 - Redding, Ca. 96049-4519

Phr (530) 246-4292 Fax: (530) 246-9940 Requested By: Stacy Dutra

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR:

State of California Department of Transportation - Caltrans
Rehabilitate Pavement
CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE
Shasta County
Contract #: 02-4E4304
Engineers Estimate: $5,200,000.00
Bid Date: 10/22/2014 @ 2 PM
Goal: 8 % DBE

J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to:

1 LEAD COMPLIANCE PLAN
2 TIME-RELATED OVERHEAD (WDAY)
3 CONSTRUCTION AREA SIGNS
4 TRAFFIC CONTROL SYSTEM
5 PORTABLE CHANGEABLE MESSAGE SIGN (LS)
6 JOB SITE MANAGEMENT
7 PREPARE WATER POLLUTION CONTROL PROGRAM
8 TEMPORARY FIBER ROLL
9 TEMPORARY CONCRETE WASHOUT
10 TREATED WOOD WASTE
11 REMOVE GUARDRAIL
12 REMOVE THERMOPLASTIC PAVEMENT MARKING
13 REMOVE ROADSIDE SIGN
14 REMOVE ROADSIDE SIGN PANEL
15 REMOVE ASPHALT CONCRETE DIKE
16 REMOVE CULVERT (LF)
17 REMOVE INLET
18 REMOVE HEADWALL
19 RECONSTRUCT FENCE
20 RECONSTRUCT GUARDRAIL
21 RECONSTRUCT GUARDRAIL (7' POST)
22 RECONSTRUCT TERMINAL SYSTEM
23 RECONSTRUCT TRANSITION RAILING (TYPE WB)
24 RESET 24" REINFORCED CONCRETE PIPE
25 COLD PLANE ASPHALT CONCRETE PAVEMENT
26 CLEANING, INSPECTING, AND PREPARING CULVERT (LF)
27 24" CURED IN PLACE PIPELINER
28 30" CURED IN PLACE PIPELINER
29 CLEARING AND GRUBBING (LS)
30 DEVELOP WATER SUPPLY
31 SHOULDER BACKING
32 DITCH EXCAVATION
33 EROSION CONTROL (DRY SEED) (SQFT)
34 STRAW
35 CLASS 2 AGGREGATE BASE (CY)
36 PREPAVING INERTIAL PROFILER
37 PREPAVING GRINDING DAY
38 REPLACE ASPHALT CONCRETE SURFACING
39 HOT MIX ASPHALT (TYPE A)
40 RUBBERIZED HOT MIX ASPHALT (GAP GRADED)
41 RUBBERIZED HOT MIX ASPHALT (OPEN GRADED)
42 SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS)
43 CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS)
44 DATA CORE
45 PLACE HOT MIX ASPHALT DIKE (TYPE F)
46 TACK COAT
47 (F) MINOR CONCRETE (MINOR STRUCTURE)
48 DRILL AND BOND DOWEL (CHEMICAL ADHESIVE)
49 (F) SHOTCRETE
50 FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B)
51 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
52 FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED)
53 ROADSIDE SIGN - ONE POST
54 ROADSIDE SIGN - TWO POST
55 INSTALL ROADSIDE SIGN PANEL ON EXISTING POST
56 INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST)
57 24" ALTERNATIVE PIPE CULVERT
58 CONCRETE BACKFILL (PIPE TRENCH)
59 18" CORRUGATED STEEL PIPE (.138" THICK)
60 36" CORRUGATED STEEL PIPE INLET (.109" THICK)
61 STEEL FLARED END SECTION
62 SMALL-ROCK SLOPE PROTECTION
63 ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY)
64 ROCK SLOPE PROTECTION FABRIC (CLASS 8)
65 MINOR CONCRETE (SIDEWALK)
66 (F) MISCELLANEOUS IRON AND STEEL
67 DELINEATOR (CLASS 1)
68 DELINEATOR (CLASS 2)
69 MILEPOST MARKER
70 MARKER (CULVERT)
71 OBJECT MARKER
72 VEGETATION CONTROL (MINOR CONCRETE)
73 SINGLE THRIE BEAM BARRIER
74 TRANSITION RAILING (TYPE WB)

75 ALTERNATIVE FLARED TERMINAL SYSTEM
76 THERMOPLASTIC PAVEMENT MARKING
77 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)
78 PAVEMENT MARKER (RETROREFLECTIVE)
79 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)
80 MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION
81 TRAFFIC COUNT STATION
82 MOBILIZATION

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. **Women and Minority Employees are encouraged to apply.**

J. F. SHEA CONSTRUCTION, INC.
P.O. Box 494519 - Redding, CA 96049
Phone: (530) 246-4292 Fax: (530) 246-9940
An Equal Opportunity Employer

Contractor: J. F. Shea Construction, Inc. **Contact:** Stacy Dutra
Address: 17400 Clear Creek Road Redding, CA 96001
Phone: 530-246-4292 **Fax:** 530-246-9940 **Email:** Stacy.Dutra@jfshea.com
Services needed: REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans Rehabilitate Pavement CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE Shasta County Contract #: 02-4E4304 Engineers Estimate: $5,200,000.00 Bid Date: 10/22/2014 @ 2 PM Goal: 8 % DBE J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: 1 LEAD COMPLIANCE PLAN 2 TIME-RELATED OVERHEAD (WDAY) 3 CONSTRUCTION AREA SIGNS 4 TRAFFIC CONTROL SYSTEM 5 PORTABLE CHANGEABLE MESSAGE SIGN (LS) 6 JOB SITE MANAGEMENT 7 PREPARE WATER POLLUTION CONTROL PROGRAM 8 TEMPORARY FIBER ROLL 9 TEMPORARY CONCRETE WASHOUT 10 TREATED WOOD WASTE 11 REMOVE GUARDRAIL 12 REMOVE THERMOPLASTIC PAVEMENT MARKING 13 REMOVE ROADSIDE SIGN 14 REMOVE ROADSIDE SIGN PANEL 15 REMOVE ASPHALT CONCRETE DIKE 16 REMOVE CULVERT (LF) 17 REMOVE INLET 18 REMOVE HEADWALL 19 RECONSTRUCT FENCE 20 RECONSTRUCT GUARDRAIL 21 RECONSTRUCT GUARDRAIL (7' POST) 22 RECONSTRUCT TERMINAL SYSTEM 23 RECONSTRUCT TRANSITION RAILING (TYPE WB) 24 RESET 24" REINFORCED CONCRETE PIPE 25 COLD PLANE ASPHALT CONCRETE PAVEMENT 26 CLEANING, INSPECTING, AND PREPARING CULVERT (LF) 27 24" CURED IN PLACE PIPELINER 28 30" CURED IN PLACE PIPELINER 29 CLEARING AND GRUBBING (LS) 30 DEVELOP WATER SUPPLY 31 SHOULDER BACKING 32 DITCH EXCAVATION 33 EROSION CONTROL (DRY SEED) (SQFT) 34 STRAW 35 CLASS 2 AGGREGATE BASE (CY) 36 PREPAVING INERTIAL PROFILER 37 PREPAVING GRINDING DAY 38 REPLACE ASPHALT CONCRETE SURFACING 39 HOT MIX ASPHALT (TYPE A) 40 RUBBERIZED HOT MIX ASPHALT (GAP GRADED) 41 RUBBERIZED HOT MIX ASPHALT (OPEN GRADED) 42 SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS) 43 CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS) 44 DATA CORE 45 PLACE HOT MIX ASPHALT DIKE (TYPE F) 46 TACK COAT 47 (F) MINOR CONCRETE (MINOR STRUCTURE) 48 DRILL AND BOND DOWEL (CHEMICAL ADHESIVE) 49 (F) SHOTCRETE 50 FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B) 51 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED) 52 FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) 53 ROADSIDE SIGN - ONE POST 54 ROADSIDE SIGN - TWO POST 55 INSTALL ROADSIDE SIGN PANEL ON EXISTING POST 56 INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST) 57 24" ALTERNATIVE PIPE CULVERT 58 CONCRETE BACKFILL (PIPE TRENCH) 59 18" CORRUGATED STEEL PIPE (.138" THICK) 60 36" CORRUGATED STEEL PIPE INLET (.109" THICK) 61 STEEL FLARED END SECTION 62 SMALL-ROCK SLOPE PROTECTION 63 ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY) 64 ROCK SLOPE PROTECTION FABRIC (CLASS 8) 65 MINOR CONCRETE (SIDEWALK) 66 (F) MISCELLANEOUS IRON AND STEEL 67 DELINEATOR (CLASS 1) 68 DELINEATOR (CLASS 2) 69 MILEPOST MARKER 70 MARKER (CULVERT) 71 OBJECT MARKER 72 VEGETATION CONTROL (MINOR CONCRETE) 73 SINGLE THRIE BEAM BARRIER 74 TRANSITION RAILING (TYPE WB) 75 ALTERNATIVE FLARED TERMINAL SYSTEM 76 THERMOPLASTIC PAVEMENT MARKING 77 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE) 78 PAVEMENT MARKER (RETROREFLECTIVE) 79 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED) 80 MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION 81 TRAFFIC COUNT STATION 82 MOBILIZATION
Requirements: J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor?s license, insurance coverage and worker?s compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work

cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. J. F. SHEA CONSTRUCTION, INC. P.O. Box 494519 - Redding, CA 96049 Phone: (530) 246-4292 Fax: (530) 246-9940 An Equal Opportunity Employer
Date posted: 10/02/2014

DBE Goodfaith Inc. **Good Faith Transaction Log**

Company Details

Company Name	:	J. F. Shea Construction, Inc.
Department	:	Office
Address	:	17400 Clear Creek Rd.
Suite #	:	
City	:	Redding
State	:	California
Zip	:	96001
Phone #	:	Tel : 530-246-4292
Fax #	:	Fax : 530-246-9940
Email #	:	stacy.dutra@jfshea.com

Solicitation Transaction Log (STL)

Bid #	:	02-4E4304
Bid Date	:	10/22/2014
Bid Description	:	REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET

	ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

This document contains all information pertaining with solicitations made on behalf of/for J. F. Shea Construction, Inc. of Redding, California by DBE Goodfaith Inc. (a California-based Corporation).

These solicitations have been done in good faith. DBE Goodfaith has participated with J. F. Shea Construction, Inc. in communicating with selected DBE firms.

DBE Goodfaith has contacted the California Department of Transportation (Office of Civil Rights) on 09/29/2014 on your behalf. Please write this information on the appropriate forms if required.

Advertisements published in DBE GoodFaith's Minority Focus and Trade Journals run from the publication date until the bid date listed on the advertisements.

Total Companies Solicited

The following information is a summary of the different types of Business that have been solicited by DBE Good Faith Inc. on behalf of J. F. Shea Construction, Inc.

DVBE (Disadvantaged Veteran Business Enterprises)	-	0
DBE (Disadvantaged Business Enterprises)	-	50
UDBE (Underutilized Disadvantaged Business Enterprise)	-	0
MBE (Minority Owned Business Enterprises)	-	0
WBE (Women Owned Business Enterprises)	-	0
SBE (Small Business Enterprises)	-	0
Total	-	50

Minority Focus Journal Ad posted to website www.dbegoodfaith.net on 09/29/2014 at 11:40AM

The advertisement published in DBE GoodFaith's Focus Journal runs from the publication date until the bid date listed on the advertisement.

Estimator
Logan Hanson

Project Coordinator
Stacy Dutra

Contact Information
17400 Clear Creek Rd.
Redding, California
96001
Tel : 530-246-4292
Fax : 530-246-9940

J. F. Shea Construction, Inc.

is seeking qualified DBEs

Project Name
Rehabilitate Pavement

Awarding Agency
State of California Department of Transportation - CALTRANS

Project Location
Near Palo Cedro, Shasta County, California

Bid Date & Time
10/22/2014 at 02:00 P.M

Bid/Contract #
02-4E4304

Project Details
REQUEST FOR QUALIFIED UDBE/DBE SUBCDNTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JDB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMDVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CDNCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HDT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 1B" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLDPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTIDN FABRIC (CLASS B); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEDU5 IRDN AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); 5INGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE

FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETRDREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTIDN; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

Minority Trade Journal Ad posted to website trade.dbegoodfaith.net on 09/29/2014 at 11:40AM

The advertisement published in DBE GoodFaith's Trade Journal runs from the publication date until the bid date listed on the advertisement.

Trade Journal Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

Bid Due Date : 10/22/2014 at 02:00 P.M Bid No : 02-4E4304

Contact Estimator : Logan Hanson

Project Name	:	Rehabilitate Pavement
Agency Name	:	State of California Department of Transportation - CALTRANS
Project City	:	Near Palo Cedro
Project County	:	Shasta County
Project State	:	California
Project Details	:	

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 38" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

Contact Details : Stacy Dutra
17400 Clear Creek Rd.
Redding, California 96001
Tel : 530-246-4292
Fax : 530-246-9940

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

Recipient List (Fax/Email)

Set No 1

Company Name/Specialty	Fax Date	Email Date	Log Page#
6 RIVERS CONSTRUCTION, INC. Address - 200 REDWOOD GROVE RD Phone - 5305157563, Fax - 5306255423, Email - 6riversconstruction@gmail.com	09/29/2014	09/29/2014	
A B S L CONSTRUCTION Address - 29334 PACIFIC STREET Phone - 5107270900, Fax - 5107270910, Email - luis@ailendes.com	09/29/2014	09/29/2014	
A C OIKE CO Address - 2788 VENTURE DR. Phone - 9166457747 , Fax - 9166459618, Email - email@acdike.com	09/29/2014	09/29/2014	
A S CONTRACTORS, INC. Address - 5347 COLE ROAD Phone - 2097426684, Fax - 2099662643, Email - deni@sti.com	09/29/2014	09/29/2014	
ALFRED CIVIL ENGINEERING Address - 7604 SOQUEL WAY Phone - 9162353967, Fax - 0000000000, Email - btouray@comcast.net	09/29/2014	09/29/2014	
ALL AMERICAN ASPHALT SEALING INC Address - 1565 TRAINER WAY Phone - 7753293003, Fax - 7758273006, Email - aaasealing96@yahoo.com	09/29/2014	09/29/2014	
ALLEN GILL CONSTRUCTION, INC. Address - 20633 GAS POINT ROAD, SUITE B2 Phone - 5305474334, Fax - 5305473197, Email - tgill@frontiemet.net	09/29/2014	09/29/2014	
AMLAND CORP Address - 3168 KNIGHTS BRIDGE RD Phone - 4089293949, Fax - 4082984344, Email - kevinphan@amlandcorp.com	09/29/2014	09/29/2014	
ARROW S COMPANY Address - 177 CALIFORNIA AVENUE Phone - 7073960073, Fax - 7074372555, Email - lori@arrowco.com	09/29/2014	09/29/2014	
AUSTIN ENTERPRISE Address - 13421 SNOW ROAD Phone - 6615891001, Fax - 6615899509, Email - paustin@austin-enterprise.com	09/29/2014	09/29/2014	
AXNER EXCAVATING, INC Address - 2900 OLD OREGON TRAIL Phone - 5302220539, Fax - 5302228910, Email - julieb@axnerexcavating.com	09/29/2014	09/29/2014	
BC SCHMIDT CONSTRUCTION, INC. Address - P.O. BOX 1557 Phone - 5304735423, Fax - 5304732749, Email - carrie@hangarbuilders.com	09/29/2014	09/29/2014	
BORG FENCE Address - 50 CONTRACTORS STREET Phone - 9254559620, Fax - 9254559626, Email - julieborg@borgfence.com	09/29/2014	09/29/2014	
BURKE CONSTRUCTION Address - 4421 TENNESSEE DRIVE Phone - 5306761009, Fax - 5306722411, Email - burkebid@gmail.com	09/29/2014	09/29/2014	
CAL-CON PUMPING, LLC Address - 2270 PALOU AVENUE Phone - 4154019838, Fax - 4154017664, Email - jb.calcon@mac.com	09/29/2014	09/29/2014	
CAMACHO COMMUNICATIONS CORPORATIONS Address - 517 8TH STREET Phone - 9164449853, Fax - 9164479853, Email - j_camacho@camcosolutions.net	09/29/2014	09/29/2014	
CHARLIE'S CUSTOM EXCAVATING, INC Address - 21113 GILBERT DRIVE Phone - 5302213626, Fax - 5302217563, Email - office@ccexcavatinginc.com	09/29/2014	09/29/2014	
CLEAR CREEK CONSTRUCTION Address - 570 JULIAN STREET Phone - 5302241430, Fax - 5302241430, Email - clearcreekadam@gmail.com	09/29/2014	09/29/2014	
CMC TRAFFIC CONTROL SPECIALIST Address - 375 ILLINOIS STREET Phone - 4152061700, Fax - 4152061711, Email - crystairn.cmc@gmail.com	09/29/2014	09/29/2014	

CONSTRUCTION AREA SIGNS, INCORPORATED 09/29/2014 09/29/2014
Address - 9093 OLD STATE HWY
Phone - 9166639097, Fax - 9166631858, Email - elisa@cas-tc.com

CONTRACTOR SERVICES GROUP, INC. 09/29/2014 09/29/2014
Address - 3960 INDUSTRIAL BLVD SUITE 500
Phone - 9613717303, Fax - 8663666646, Email - shelli@csg-web.com

DIAMOND D GENERAL ENGINEERING, INC. 09/29/2014 09/29/2014
Address - 32500 STATE HIGHWAY 16
Phone - 5306622042, Fax - 5306626770, Email - sdefty@ddge.net

DILLARD ENVIRONMENTAL SERVICES 09/29/2014 09/29/2014
Address - 3120 CAMINO DIABLO RD
Phone - 9256346850, Fax - 9256346858, Email - patriciad@dillardenv.com

DIRT & AGGREGATE INTERCHANGE, INC 09/29/2014 09/29/2014
Address - 20905 N.E. SANDY BOULEVARD
Phone - 5036615093, Fax - 5036691192, Email - contractor@dirtagg.com

EAGLE ENGINEERING AND CONSTRUCTION, INC 09/29/2014 09/29/2014
Address - 1175 PALOMAR DRIVE
Phone - 6503678000, Fax - 6503678282, Email - brooks.curtis@att.net

FCS STRIPING, SEALING AND PAVING, INC. 09/29/2014 09/29/2014
Address - 206 THRASHER AVENUE
Phone - 9253736205, Fax - 9253736208, Email - inesseoane@fcs-ssp.com

FRANK MEDINA GENERAL ENGINEERING CONTRACTOR 09/29/2014 09/29/2014
Address - 10096 AHART ROAD
Phone - 5307430744, Fax - 5307439352, Email - toni.medina@att.net

GREEN BUILDING PRODUCTS, INC 09/29/2014 09/29/2014
Address - 3303 LUYUNG DRIVE
Phone - 9163330557, Fax - 9163747998, Email - carole@greenbpi.com

K & K CONSTRUCTION SUPPLY, INC 09/29/2014 09/29/2014
Address - 11280 SUNRISE PARK DR., STE B
Phone - 9168510965, Fax - 9168510999, Email - kelly@urataconcrete.com

K. W. EMERSON, INC. 09/29/2014 09/29/2014
Address - 413 WEST ST. CHARLES STREET
Phone - 2097543839, Fax - 2097543830, Email - alison@kwemerson.com

KA'PEL CONSTRUCTION INC 09/29/2014 09/29/2014
Address - 691 PONY EXPRESS WAY, LOT 31
Phone - 5306293300, Fax - 5306293300, Email - lrobbins@kapelconstruction.com

KRS CONSTRUCTION INC 09/29/2014 09/29/2014
Address - 9302 ELDER CREEK RD.
Phone - 9163816438 , Fax - 9163816438 , Email - krsconstruction@sbcglobal.net

MC CULLOUGH CONSTRUCTION INC 09/29/2014 09/29/2014
Address - 57 ALDERGROVE ROAD
Phone - 7078251014, Fax - 7078251769, Email - mackymccullough@mculloughconstructioninc.com

NATURAL INVESTIGATIONS COMPANY, LLC 09/29/2014 09/29/2014
Address - 6124 SHADOW LANE
Phone - 9167659381, Fax - 0000000000, Email - Cindy@naturalinvestigations.com

NITTA EROSION CONTROL 09/29/2014 09/29/2014
Address - 3778 DEL MAR AVENUE
Phone - 9166527459, Fax - 9166524376, Email - nittaec@gmail.com

NUNO IRON & MFG, INC 09/29/2014 09/29/2014
Address - 315 BITTERWATER RD.
Phone - 8313860513, Fax - 8313869976, Email - bpantoja@nunoiron.com

OLIVEIRA FENCE, INC. 09/29/2014 09/29/2014
Address - 400 REED STREET SUITE 106
Phone - 4087273811, Fax - 4087272690, Email - pam@oliveirafenceinc.com

PAPILLON BUILDERS 09/29/2014 09/29/2014
Address - 20300 RIM ROCK CT
Phone - 9165807019, Fax - 8887177270, Email - jsellers@papillonbuilders.com

QUIMU CONTRACTING, INC. 09/29/2014 09/29/2014
Address - 695 PRIDDY DRIVE
Phone - 7076930289, Fax - 7076788384, Email - quimu@sbcglobal.net

R. E. SERRANO INC. 09/29/2014 09/29/2014
Address - 3430 PACHECO BLVD.

Phone - 9259578184, Fax - 9259578121, Email - ricky@reserrano.com

S KWOK ENGINEERS, INC. 09/29/2014 09/29/2014
Address - 1815 CORNELL DRIVE
Phone - 5102209017, Fax - 8887331360, Email - seng@skwokengineers.com

S.T. RHOADES CONSTRUCTION INC 09/29/2014 09/29/2014
Address - 14105 DOS PINION TRAIL
Phone - 5302239322, Fax - 5302239222, Email - steve@strhoadesinc.com

STONY CREEK GENERAL ENGINEERING 09/29/2014 09/29/2014
Address - 5321 COUNTY RD 206
Phone - 5305263191, Fax - 5309885092, Email - luke@scgeinc.com

STORMWATER SPECIALISTS INC 09/29/2014 09/29/2014
Address - 8698 ELK GROVE BLVD, SUITE 224
Phone - 9162300370, Fax - 9164054180, Email - Mary@stormwaterspecialists.com

SUULUTAAQ, INC - ALASKA NATIVE CORP 09/29/2014 09/29/2014
Address - 827 MISSOURI STREET, SUITE 6
Phone - 7074273209, Fax - 7074194851, Email - ninah.moody@suulutaaq.com

TRINITY VALLEY CONSULTING ENGINEERS, INC 09/29/2014 09/29/2014
Address - 67 WALNUT WAY
Phone - 5306293000 , Fax - 5306293011 , Email - tvce@tvce.biz

TULLY CONSULTING GROUP 09/29/2014 09/29/2014
Address - 580 WIEGAND WAY
Phone - 7076931926 , Fax - 7074710318 , Email - robintully8@gmail.com

TYRRELL RESOURCES, INC. 09/29/2014 09/29/2014
Address - 275 HILLTOP DRIVE
Phone - 5302438733, Fax - 5302418975 , Email - tyrrellresources@sbcglobal.net

VINTAGE PAVING COMPANY, INC. 09/29/2014 09/29/2014
Address - 119 MAIN STREET
Phone - 5307950132, Fax - 5307955734, Email - edc@vintagepavingco.com

WALLACE STRUCTURES 09/29/2014 09/29/2014
Address - 2515 TAWNDALE LN
Phone - 7078344992, Fax - 7077683386, Email - wallacestr@aol.com

Recipients Phone Log 1 Set 1 Date: 09/30/2014

Company Details	Spoke to	Date/Time	Y/M/N
6 RIVERS CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:03 P.M	M
A B S L CONSTRUCTION May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:06 P.M	M
A C DIKE CO May be interested, not sure. They will have a look at the fax and will reply if interested.	Receptionist	09/30/2014 02:08 P.M	M
A S CONTRACTORS, INC. May be interested, no answer to call. No voicemail.	No answer	10/01/2014 02:04 P.M	M
ALFRED CIVIL ENGINEERING Yes, is interested. Sent another fax on request.	Alfred	09/30/2014 03:40 P.M	Y
ALL AMERICAN ASPHALT SEALING INC May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:06 P.M	M
ALLEN GILL CONSTRUCTION, INC. No, not bidding this project.	Receptionist	10/01/2014 02:09 P.M	N
AMLAND CORP May be interested, not sure. Voicemail is full.	Voicemail full	09/30/2014 02:16 P.M	M
ARROW S COMPANY May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:11 P.M	M
AUSTIN ENTERPRISE No, not bidding this project.	Receptionist	09/30/2014 03:46 P.M	N
AXNER EXCAVATING, INC May be interested, left a voicemail for the estimator with all the project details.	John Voicemail	10/01/2014 02:16 P.M	M
BC SCHMIDT CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:20 P.M	M
BORG FENCE May be interested, left a voicemail for the estimator with all the project details.	Julie Voicemail	10/01/2014 02:21 P.M	M
BURKE CONSTRUCTION May be interested, not sure. Unable to connect call.	Unable to connect	10/01/2014 02:24 P.M	M
CAL-CON PUMPING, LLC May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 03:48 P.M	M
CAMACHO COMMUNICATIONS CORPORATIONS May be interested, not sure. Unable to leave a message.	Unable to leave a message	10/01/2014 02:25 P.M	M
CHARLIE'S CUSTOM EXCAVATING, INC May be interested, no answer to call. Unable to leave a message.	No answer	09/30/2014 03:50 P.M	M
CLEAR CREEK CONSTRUCTION May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:27 P.M	M
CMC TRAFFIC CONTROL SPECIALIST No, not bidding this project.	Receptionist	09/30/2014 02:22 P.M	N

CONSTRUCTION AREA SIGNS, INCORPORATED May be interested, not sure. They will have a look at the fax and will reply if interested.	Receptionist	09/30/2014 02:25 P.M	M
CONTRACTOR SERVICES GROUP, INC. No, not interested in bidding.	Receptionist	10/01/2014 02:30 P.M	N
DIAMOND D GENERAL ENGINEERING, INC. No, not bidding this project.	Adam	10/01/2014 02:36 P.M	N
DILLARD ENVIRONMENTAL SERVICES May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:38 P.M	M
DIRT & AGGREGATE INTERCHANGE, INC Yes, will be bidding the project.	Receptionist	09/30/2014 02:30 P.M	Y
EAGLE ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:33 P.M	M
FCS STRIPING, SEALING AND PAVING, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:41 P.M	M
FRANK MEDINA GENERAL ENGINEERING CONTRACTOR May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 03:58 P.M	M
GREEN BUILDING PRODUCTS, INC No, not bidding this project.	Estimator	09/30/2014 02:45 P.M	N
K & K CONSTRUCTION SUPPLY, INC May be interested, not sure. Number not available at the moment.	Not available	09/30/2014 02:48 P.M	M
K. W. EMERSON, INC. May be interested, not sure. Reached voicemail but unable to leave a message.	Voicemail	10/01/2014 02:45 P.M	M
KA`PEL CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:47 P.M	M
KRS CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:53 P.M	M
MC CULLOUGH CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:56 P.M	M
NATURAL INVESTIGATIONS COMPANY, LLC No, not interested in bidding.	Receptionist	10/01/2014 02:56 P.M	N
NITTA EROSION CONTROL May be interested, not sure yet. They will know closer to the bid date.	Valerie	09/30/2014 03:19 P.M	M
NUNO IRON & MFG, INC No, not bidding this project.	Receptionist	09/30/2014 04:07 P.M	N
OLIVEIRA FENCE, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:58 P.M	M
PAPILLON BUILDERS May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:01 P.M	M
QUIMU CONTRACTING, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:05 P.M	M
R. E. SERRANO INC.	Receptionist	09/30/2014 03:23 P.M	N

No, not bidding this project.			
S KWOK ENGINEERS, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:11 P.M	M
S.T. RHOADES CONSTRUCTION INC No, not bidding this project.	Receptionist	09/30/2014 03:25 P.M	N
STONY CREEK GENERAL ENGINEERING May be interested, not sure. Reached voicemail but unable to leave a message.	Voicemail	09/30/2014 03:31 P.M	M
STORMWATER SPECIALISTS INC May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:16 P.M	M
SUULUTAAQ, INC - ALASKA NATIVE CORP No, not interested in bidding.	Christina	09/30/2014 04:13 P.M	N
TRINITY VALLEY CONSULTING ENGINEERS, INC No, not interested in bidding.	Receptionist	09/30/2014 03:35 P.M	N
TULLY CONSULTING GROUP May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 04:15 P.M	M
TYRRELL RESOURCES, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:18 P.M	M
VINTAGE PAVING COMPANY, INC. No, not bidding this project.	Receptionist	10/01/2014 03:21 P.M	N
WALLACE STRUCTURES May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:23 P.M	M

Recipients Phone Log 2 set 1 Date: 10/15/2014

Company Details	Spoke to	Date/Time	Y/M/N
6 RIVERS CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:19 A.M	M
A B S L CONSTRUCTION Yes, will be bidding this project.	Estimator	10/15/2014 11:29 A.M	Y
A C DIKE CO May be bidding, not sure. Lines temporarily busy.	Lines Busy	10/15/2014 11:29 A.M	M
A S CONTRACTORS, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:30 A.M	M
ALFRED CIVIL ENGINEERING Yes, is interested. They are looking at the project.	Estimator	10/15/2014 11:31 A.M	Y
ALL AMERICAN ASPHALT SEALING INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:33 A.M	M
AMLAND CORP May be bidding, not sure. Voicemail is full.	Voicemail full	10/15/2014 11:33 A.M	M
ARROW S COMPANY May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:44 A.M	M
AXNER EXCAVATING, INC No, not bidding this project.	Sherry	10/15/2014 11:46 A.M	N
BC SCHMIDT CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:46 A.M	M
BORG FENCE May be interested, left a voicemail for the estimator with all the project details.	Julie Voicemail	10/15/2014 11:52 A.M	M
BURKE CONSTRUCTION May be interested, not sure. Unable to connect call.	Unable to connect	10/15/2014 11:52 A.M	M
CAL-CON PUMPING, LLC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:54 A.M	M
CAMACHO COMMUNICATIONS CORPORATIONS May be interested, not sure. Unable to leave a message.	Unable to leave a message	10/15/2014 00:01 P.M	M
CHARLIE'S CUSTOM EXCAVATING, INC May be interested, no answer to call. Unable to leave a message.	No answer	10/15/2014 00:01 P.M	M
CLEAR CREEK CONSTRUCTION May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 00:03 P.M	M
CONSTRUCTION AREA SIGNS, INCORPORATED May be bidding, not sure. The estimator will have a look at the fax and reply if interested.	Receptionist	10/15/2014 00:04 P.M	M
DILLARD ENVIRONMENTAL SERVICES No, not bidding this project.	Receptionist	10/15/2014 02:47 P.M	N
DIRT & AGGREGATE INTERCHANGE, INC Yes, will be bidding this project.	Receptionist	10/15/2014 02:52 P.M	Y

EAGLE ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 02:52 P.M	M
FCS STRIPING, SEALING AND PAVING, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 02:53 P.M	M
FRANK MEDINA GENERAL ENGINEERING CONTRACTOR May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 02:54 P.M	M
K & K CONSTRUCTION SUPPLY, INC No, not bidding this project.	Receptionist	10/15/2014 03:00 P.M	N
K. W. EMERSON, INC. No, not bidding this project.	Receptionist	10/15/2014 03:13 P.M	N
KA`PEL CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:14 P.M	M
KRS CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:17 P.M	M
MC CULLOUGH CONSTRUCTION INC No, not bidding this project.	Receptionist	10/15/2014 03:18 P.M	N
NITTA EROSION CONTROL May be bidding, not sure yet. They are looking at the project.	Laura	10/15/2014 03:23 P.M	M
OLIVEIRA FENCE, INC. No, not bidding this project.	Receptionist	10/15/2014 03:25 P.M	N
PAPILLON BUILDERS May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:27 P.M	M
QUIMU CONTRACTING, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:27 P.M	M
S KWOK ENGINEERS, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:29 P.M	M
STONY CREEK GENERAL ENGINEERING May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:33 P.M	M
STORMWATER SPECIALISTS INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:41 P.M	M
TULLY CONSULTING GROUP May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:42 P.M	M
TYRRELL RESOURCES, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:43 P.M	M
WALLACE STRUCTURES May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:46 P.M	M

DBE Goodfaith Inc. Fax Confirmation Report for J. F. Shea Construction, Inc. Bid Number:02-4E4304

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
1	6 RIVERS CONSTRUCTION, INC.	DBE	5305157563	5306255423	Success	09/29/2014 13:34
2	A B S L CONSTRUCTION	DBE	5107270900	5107270910	Success	09/29/2014 13:32
3	A C DIKE CO	DBE	9166457747	9166459618	Failed	09/29/2014 13:38
4	A S CONTRACTORS, INC.	DBE	2097426684	2099662643	Success	09/29/2014 13:28
5	ALFRED CIVIL ENGINEERING	DBE	9162353967	0000000000	Failed	09/28/2014 17:00
6	ALL AMERICAN ASPHALT SEALING INC	DBE	7753293003	7758273006	Success	09/29/2014 13:24
7	ALLEN GILL CONSTRUCTION, INC.	DBE	5305474334	5305473197	Success	09/29/2014 14:18
8	AMLAND CORP	DBE	4089293949	4082984344	Success	09/29/2014 13:25
9	ARROW S COMPANY	DBE	7073960073	7074372555	Success	09/29/2014 13:21
10	AUSTIN ENTERPRISE	DBE	6615891001	6615899509	Success	09/29/2014 13:19
11	AXNER EXCAVATING, INC	DBE	5302220539	5302228910	Success	09/29/2014 13:16
12	BC SCHMIDT CONSTRUCTION, INC.	DBE	5304735423	5304732749	Success	09/29/2014 13:15
13	BORG FENCE	DBE	9254559620	9254559626	Success	09/29/2014 14:17
14	BURKE CONSTRUCTION	DBE	5306761009	5306722411	Success	09/29/2014 14:14
15	CAL-CON PUMPING, LLC	DBE	4154019838	4154017664	Success	09/29/2014 14:12
16	CAMACHO COMMUNICATIONS CORPORATIONS	DBE	9164449853	9164479853	Success	09/29/2014 14:10
17	CHARLIE'S CUSTOM EXCAVATING, INC	DBE	5302213626	5302217563	Success	09/29/2014 14:08
18	CLEAR CREEK CONSTRUCTION	DBE	5302241430	5302241430	Success	09/29/2014 14:06
19	CMC TRAFFIC CONTROL SPECIALIST	DBE	4152061700	4152061711	Success	09/29/2014 14:04
20	CONSTRUCTION AREA SIGNS, INCORPORATED	DBE	9166639097	9166631858	Success	09/29/2014 14:02

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
21	CONTRACTOR SERVICES GROUP, INC.	DBE	9613717303	8663666646	Success	09/29/2014 14:01
22	DIAMOND D GENERAL ENGINEERING, INC.	DBE	5306622042	5306626770	Success	09/29/2014 14:06
23	DILLARD ENVIRONMENTAL SERVICES	DBE	9256346850	9256346858	Success	09/29/2014 13:57
24	DIRT & AGGREGATE INTERCHANGE, INC	DBE	5036615093	5036691192	Success	09/29/2014 13:57
25	EAGLE ENGINEERING AND CONSTRUCTION, INC	DBE	6503678000	6503678282	Success	09/29/2014 14:42
26	FCS STRIPING, SEALING AND PAVING, INC.	DBE	9253736205	9253736208	Success	09/29/2014 14:40
27	FRANK MEDINA GENERAL ENGINEERING CONTRACTOR	DBE	5307430744	5307439352	Success	09/29/2014 14:38
28	GREEN BUILDING PRODUCTS, INC	DBE	9163330557	9163747998	Success	09/29/2014 13:11
29	K & K CONSTRUCTION SUPPLY, INC	DBE	9168510965	9168510999	Success	09/29/2014 13:10
30	K. W. EMERSON, INC.	DBE	2097543839	2097543830	Success	09/29/2014 14:34
31	KA`PEL CONSTRUCTION INC	DBE	5306293300	5306293300	Success	09/29/2014 14:32
32	KRS CONSTRUCTION INC	DBE	9163816438	9163816438	Success	09/29/2014 14:31
33	MC CULLOUGH CONSTRUCTION INC	DBE	7078251014	7078251769	Success	09/29/2014 14:28
34	NATURAL INVESTIGATIONS COMPANY, LLC	DBE	9167659381	0000000000	Failed	09/28/2014 17:00
35	NITTA EROSION CONTROL	DBE	9166527459	9166524376	Success	09/29/2014 14:24
36	NUNO IRON & MFG, INC	DBE	8313860513	8313869976	Success	09/29/2014 13:52
37	OLIVEIRA FENCE, INC.	DBE	4087273811	4087272690	Success	09/29/2014 13:51
38	PAPILLON BUILDERS	DBE	9165807019	8887177270	Success	09/29/2014 13:47
39	QUIMU CONTRACTING, INC.	DBE	7076930289	7076788384	Failed	09/29/2014 13:52
40	R. E. SERRANO INC.	DBE	9259578184	9259578121	Success	09/29/2014 13:44

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
41	S KWOK ENGINEERS, INC.	DBE	5102209017	8887331360	Success	09/29/2014 13:42
42	S.T. RHOADES CONSTRUCTION INC	DBE	5302239322	5302239222	Success	09/29/2014 13:40
43	STONY CREEK GENERAL ENGINEERING	DBE	5305263191	5309885092	Success	09/29/2014 14:21
44	STORMWATER SPECIALISTS INC	DBE	9162300370	9164054180	Success	09/29/2014 14:20
45	SUULUTAAQ, INC - ALASKA NATIVE CORP	DBE	7074273209	7074194851	Success	09/29/2014 14:36
46	TRINITY VALLEY CONSULTING ENGINEERS, INC	DBE	5306293000	5306293011	Success	09/29/2014 13:08
47	TULLY CONSULTING GROUP	DBE	7076931926	7074710318	Success	09/29/2014 13:06
48	TYRRELL RESOURCES, INC.	DBE	5302438733	5302418975	Success	09/29/2014 13:04
49	VINTAGE PAVING COMPANY, INC.	DBE	5307950132	5307955734	Success	09/29/2014 13:38
50	WALLACE STRUCTURES	DBE	7078344992	7077683386	Success	09/29/2014 13:36

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TYRRELL RESOURCES, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5302438733
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302418975
	Redding, California, 96001	Date :09/29/2014 1:04PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TULLY CONSULTING GROUP
CONTACT NAME	Stacy Dutra	Phone Number :7076931926
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074710318
	Redding, California, 96001	Date :09/29/2014 1:06PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TRINITY VALLEY CONSULTING ENGINEERS, INC
CONTACT NAME	Stacy Dutra	Phone Number :5306293000
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5306293011 Date :09/29/2014 1:08PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K & K CONSTRUCTION SUPPLY, INC
CONTACT NAME	Stacy Dutra	Phone Number :9168510965
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9168510999 Date :09/29/2014 1:10PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GREEN BUILDING PRODUCTS, INC
CONTACT NAME	Stacy Dutra	Phone Number :9163330557
ADDRESS	17400 Clear Creek Rd.	Fax Number :9163747998
	Redding, California, 96001	Date :09/29/2014 1:11PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:BC SCHMIDT CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5304735423
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5304732749 Date :09/29/2014 1:15PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AXNER EXCAVATING, INC
CONTACT NAME	Stacy Dutra	Phone Number :5302220539
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302228910
	Redding, California, 96001	Date :09/29/2014 1:16PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 38" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AUSTIN ENTERPRISE
CONTACT NAME	Stacy Dutra	Phone Number :6615891001
ADDRESS	17400 Clear Creek Rd.	Fax Number :6615899509
	Redding, California, 96001	Date :09/29/2014 1:19PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ARROW S COMPANY
CONTACT NAME	Stacy Dutra	Phone Number :7073960073
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074372555
	Redding, California, 96001	Date :09/29/2014 1:21PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ALFRED CIVIL ENGINEERING
CONTACT NAME	Stacy Dutra	Phone Number :9162353967
ADDRESS	17400 Clear Creek Rd.	Fax Number :0000000000
	Redding, California, 96001	Date :09/28/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATDR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ALL AMERICAN ASPHALT SEALING INC
CONTACT NAME	Stacy Dutra	Phone Number :7753293003
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :7758273006 Date :09/29/2014 1:24PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AMLAND CORP
CONTACT NAME	Stacy Dutra	Phone Number :4089293949
ADDRESS	17400 Clear Creek Rd.	Fax Number :4082984344
	Redding, California, 96001	Date :09/29/2014 1:25PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLDPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A S CONTRACTORS, INC.
CONTACT NAME	Stacy Dutra	Phone Number :2097426684
ADDRESS	17400 Clear Creek Rd.	Fax Number :2099662643
	Redding, California, 96001	Date :09/29/2014 1:28PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JDB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMDVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITIDN RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CDNTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HDT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETRDREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATIDN; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A B S L CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5107270900
ADDRESS	17400 Clear Creek Rd.	Fax Number :5107270910
	Redding, California, 96001	Date :09/29/2014 1:32PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:6 RIVERS CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5305157563
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306255423
	Redding, California, 96001	Date :09/29/2014 1:34PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:WALLACE STRUCTURES
CONTACT NAME	Stacy Dutra	Phone Number :7078344992
ADDRESS	17400 Clear Creek Rd.	Fax Number :7077683386
	Redding, California, 96001	Date :09/29/2014 1:36PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A C DIKE CO
CONTACT NAME	Stacy Dutra	Phone Number :9166457747
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166459618
	Redding, California, 96001	Date :09/29/2014 1:38PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2'-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:VINTAGE PAVING COMPANY, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5307950132
ADDRESS	17400 Clear Creek Rd.	Fax Number :5307955734
	Redding, California, 96001	Date :09/29/2014 1:38PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:S.T. RHOADES CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :5302239322
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5302239222 Date :09/29/2014 1:40PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:S KWOK ENGINEERS, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5102209017
ADDRESS	17400 Clear Creek Rd.	Fax Number :8887331360
	Redding, California, 96001	Date :09/29/2014 1:42PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PRDJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:R. E. SERRANO INC.
CONTACT NAME	Stacy Dutra	Phone Number :9259578184
ADDRESS	17400 Clear Creek Rd.	Fax Number :9259578121
	Redding, California, 96001	Date :09/29/2014 1:44PM
Phone	530-248-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:PAPILLON BUILDERS
CONTACT NAME	Stacy Dutra	Phone Number :9165807019
ADDRESS	17400 Clear Creek Rd.	Fax Number :8887177270
	Redding, California, 96001	Date :09/29/2014 1:47PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIDNS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:OLIVEIRA FENCE, INC.
CONTACT NAME	Stacy Dutra	Phone Number :4087273811
ADDRESS	17400 Clear Creek Rd.	Fax Number :4087272690
	Redding, California, 96001	Date :09/29/2014 1:51PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:QUIMU CONTRACTING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :7076930289
ADDRESS	17400 Clear Creek Rd.	Fax Number :7076788384
	Redding, California, 96001	Date :09/29/2014 1:52PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NUNO IRON & MFG, INC
CONTACT NAME	Stacy Dutra	Phone Number :8313860513
ADDRESS	17400 Clear Creek Rd.	Fax Number :8313869976
	Redding, California, 96001	Date :09/29/2014 1:52PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DILLARD ENVIRONMENTAL SERVICES
CONTACT NAME	Stacy Dutra	Phone Number :9256346850
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9256346858 Date :09/29/2014 1:57PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DIRT & AGGREGATE INTERCHANGE, INC
CONTACT NAME	Stacy Dutra	Phone Number :5036615093
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5036691192 Date :09/29/2014 1:57PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CONTRACTOR SERVICES GROUP, INC.
CONTACT NAME	Stacy Dutra	Phone Number :9613717303
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :8663666646 Date :09/29/2014 2:01PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CONSTRUCTION AREA SIGNS, INCORPORATED
CONTACT NAME	Stacy Dutra	Phone Number :9166639097
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9166631858 Date :09/29/2014 2:02PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CMC TRAFFIC CONTROL SPECIALIST
CONTACT NAME	Stacy Dutra	Phone Number :4152061700
ADDRESS	17400 Clear Creek Rd.	Fax Number :4152061711
	Redding, California, 96001	Date :09/29/2014 2:04PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CLEAR CREEK CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5302241430
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302241430
	Redding, California, 96001	Date :09/29/2014 2:06PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DIAMOND D GENERAL ENGINEERING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5306622042
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5306626770 Date :09/29/2014 2:06PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CHARLIE'S CUSTOM EXCAVATING, INC
CONTACT NAME	Stacy Dutra	Phone Number :5302213626
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5302217563 Date :09/29/2014 2:08PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CAMACHO COMMUNICATIONS CORPORATIONS
CONTACT NAME	Stacy Dutra	Phone Number :9164449853
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9164479853 Date :09/29/2014 2:10PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CAL-CON PUMPING, LLC
CONTACT NAME	Stacy Dutra	Phone Number :4154019838
ADDRESS	17400 Clear Creek Rd.	Fax Number :4154017664
	Redding, California, 96001	Date :09/29/2014 2:12PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:BURKE CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5306761009
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306722411
	Redding, California, 96001	Date :09/29/2014 2:14PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:BORG FENCE
CONTACT NAME	Stacy Dutra	Phone Number :9254559620
ADDRESS	17400 Clear Creek Rd.	Fax Number :9254559626
	Redding, California, 96001	Date :09/29/2014 2:17PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ALLEN GILL CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5305474334
ADDRESS	17400 Clear Creek Rd.	Fax Number :5305473197
	Redding, California, 96001	Date :09/29/2014 2:18PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:STORMWATER SPECIALISTS INC
CONTACT NAME	Stacy Dutra	Phone Number :9162300370
ADDRESS	17400 Clear Creek Rd.	Fax Number :9164054180
	Redding, California, 96001	Date :09/29/2014 2:20PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:STONY CREEK GENERAL ENGINEERING
CONTACT NAME	Stacy Dutra	Phone Number :5305263191
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5309885092 Date :09/29/2014 2:21PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NITTA EROSION CONTROL
CONTACT NAME	Stacy Dutra	Phone Number :9166527459
ADORESS	17400 Clear Creek Rd.	Fax Number :9166524376
	Redding, California, 96001	Date :09/29/2014 2:24PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % OBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATEO OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE OIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, ANO PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INOENTATIONS); OATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIOE SIGN - TWO POST; INSTALL ROADSIOE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory conlractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. inlends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NATURAL INVESTIGATIONS COMPANY, LLC
CONTACT NAME	Stacy Dutra	Phone Number :9167659381
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :0000000000 Date :09/28/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:MC CULLOUGH CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :7078251014
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :7078251769 Date :09/29/2014 2:28PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KRS CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :9163816438
ADDRESS	17400 Clear Creek Rd.	Fax Number :9163816438
	Redding, California, 96001	Date :09/29/2014 2:31PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KA'PEL CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :5306293300
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306293300
	Redding, California, 96001	Date :09/29/2014 2:32PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K. W. EMERSON, INC.
CONTACT NAME	Stacy Dutra	Phone Number :2097543839
ADDRESS	17400 Clear Creek Rd.	Fax Number :2097543830
	Redding, California, 96001	Date :09/29/2014 2:34PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARORAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCEO CONCRETE PIPE; COLO PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (ORY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRAOED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INOENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIOE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOO B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPDST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:SUULUTAAQ, INC - ALASKA NATIVE CORP
CONTACT NAME	Stacy Dutra	Phone Number :7074273209
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :7074194851 Date :09/29/2014 2:36PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:FRANK MEDINA GENERAL ENGINEERING CONTRACTOR
CONTACT NAME	Stacy Dutra	Phone Number :5307430744
ADDRESS	17400 Clear Creek Rd.	Fax Number :5307439352
	Redding, California, 96001	Date :09/29/2014 2:38PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:FCS STRIPING, SEALING AND PAVING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :9253736205
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9253736208 Date :09/29/2014 2:40PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooparatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:EAGLE ENGINEERING AND CONSTRUCTION, INC
CONTACT NAME	Stacy Dutra	Phone Number :6503678000
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :6503678282 Date :09/29/2014 2:42PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

Good Faith Efforts Documentation - DBE Page 3 of 3 - # 5 - Agency Back-Up

Contractor: J. F. Shea Construction, Inc. **Contact:** Stacy Dutra
Address: 17400 Clear Creek Road Redding, CA 96001
Phone: 530-246-4292 **Fax:** 530-246-9940 **Email:** Stacy.Dutra@jfshea.com
Services needed: REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans Rehabilitate Pavement CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE Shasta County Contract #: 02-4E4304 Engineers Estimate: $5,200,000.00 Bid Date: 10/22/2014 @ 2 PM Goal: 8 % DBE J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: 1 LEAD COMPLIANCE PLAN 2 TIME-RELATED OVERHEAD (WDAY) 3 CONSTRUCTION AREA SIGNS 4 TRAFFIC CONTROL SYSTEM 5 PORTABLE CHANGEABLE MESSAGE SIGN (LS) 6 JOB SITE MANAGEMENT 7 PREPARE WATER POLLUTION CONTROL PROGRAM 8 TEMPORARY FIBER ROLL 9 TEMPORARY CONCRETE WASHOUT 10 TREATED WOOD WASTE 11 REMOVE GUARDRAIL 12 REMOVE THERMOPLASTIC PAVEMENT MARKING 13 REMOVE ROADSIDE SIGN 14 REMOVE ROADSIDE SIGN PANEL 15 REMOVE ASPHALT CONCRETE DIKE 16 REMOVE CULVERT (LF) 17 REMOVE INLET 18 REMOVE HEADWALL 19 RECONSTRUCT FENCE 20 RECONSTRUCT GUARDRAIL 21 RECONSTRUCT GUARDRAIL (7' POST) 22 RECONSTRUCT TERMINAL SYSTEM 23 RECONSTRUCT TRANSITION RAILING (TYPE WB) 24 RESET 24" REINFORCED CONCRETE PIPE 25 COLD PLANE ASPHALT CONCRETE PAVEMENT 26 CLEANING, INSPECTING, AND PREPARING CULVERT (LF) 27 24" CURED IN PLACE PIPELINER 28 30" CURED IN PLACE PIPELINER 29 CLEARING AND GRUBBING (LS) 30 DEVELOP WATER SUPPLY 31 SHOULDER BACKING 32 DITCH EXCAVATION 33 EROSION CONTROL (DRY SEED) (SQFT) 34 STRAW 35 CLASS 2 AGGREGATE BASE (CY) 36 PREPAVING INERTIAL PROFILER 37 PREPAVING GRINDING DAY 38 REPLACE ASPHALT CONCRETE SURFACING 39 HOT MIX ASPHALT (TYPE A) 40 RUBBERIZED HOT MIX ASPHALT (GAP GRADED) 41 RUBBERIZED HOT MIX ASPHALT (OPEN GRADED) 42 SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS) 43 CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS) 44 DATA CORE 45 PLACE HOT MIX ASPHALT DIKE (TYPE F) 46 TACK COAT 47 (F) MINOR CONCRETE (MINOR STRUCTURE) 48 DRILL AND BOND DOWEL (CHEMICAL ADHESIVE) 49 (F) SHOTCRETE 50 FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B) 51 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED) 52 FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) 53 ROADSIDE SIGN - ONE POST 54 ROADSIDE SIGN - TWO POST 55 INSTALL ROADSIDE SIGN PANEL ON EXISTING POST 56 INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST) 57 24" ALTERNATIVE PIPE CULVERT 58 CONCRETE BACKFILL (PIPE TRENCH) 59 18" CORRUGATED STEEL PIPE (.138" THICK) 60 36" CORRUGATED STEEL PIPE INLET (.109" THICK) 61 STEEL FLARED END SECTION 62 SMALL-ROCK SLOPE PROTECTION 63 ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY) 64 ROCK SLOPE PROTECTION FABRIC (CLASS 8) 65 MINOR CONCRETE (SIDEWALK) 66 (F) MISCELLANEOUS IRON AND STEEL 67 DELINEATOR (CLASS 1) 68 DELINEATOR (CLASS 2) 69 MILEPOST MARKER 70 MARKER (CULVERT) 71 OBJECT MARKER 72 VEGETATION CONTROL (MINOR CONCRETE) 73 SINGLE THRIE BEAM BARRIER 74 TRANSITION RAILING (TYPE WB) 75 ALTERNATIVE FLARED TERMINAL SYSTEM 76 THERMOPLASTIC PAVEMENT MARKING 77 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE) 78 PAVEMENT MARKER (RETROREFLECTIVE) 79 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED) 80 MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION 81 TRAFFIC COUNT STATION 82 MOBILIZATION
Requirements: J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor?s license, insurance coverage and worker?s compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work

cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. J. F. SHEA CONSTRUCTION, INC. P.O. Box 494519 - Redding, CA 96049 Phone: (530) 246-4292 Fax: (530) 246-9940 An Equal Opportunity Employer
Date posted: 10/02/2014

DBE Goodfaith Inc. **Good Faith Transaction Log**

Company Details

Company Name	:	J. F. Shea Construction, Inc.
Department	:	Office
Address	:	17400 Clear Creek Rd.
Suite #	:	
City	:	Redding
State	:	California
Zip	:	96001
Phone #	:	Tel : 530-246-4292
Fax #	:	Fax : 530-246-9940
Email #	:	stacy.dutra@jfshea.com

Solicitation Transaction Log (STL)

Bid #	:	02-4E4304
Bid Date	:	10/22/2014
Bid Description	:	REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET

	ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

This document contains all information pertaining with solicitations made on behalf of/for J. F. Shea Construction, Inc. of Redding, California by DBE Goodfaith Inc. (a California-based Corporation).

These solicitations have been done in good faith. DBE Goodfaith has participated with J. F. Shea Construction, Inc. in communicating with selected DBE firms.

DBE Goodfaith has contacted the California Department of Transportation (Office of Civil Rights) on 09/29/2014 on your behalf. Please write this information on the appropriate forms if required.

Advertisements published in DBE GoodFaith's Minority Focus and Trade Journals run from the publication date until the bid date listed on the advertisements.

Total Companies Solicited

The following information is a summary of the different types of Business that have been solicited by DBE Good Faith Inc. on behalf of J. F. Shea Construction, Inc.

DVBE (Disadvantaged Veteran Business Enterprises)	-	0
DBE (Disadvantaged Business Enterprises)	-	50
UDBE (Underutilized Disadvantaged Business Enterprise)	-	0
MBE (Minority Owned Business Enterprises)	-	0
WBE (Women Owned Business Enterprises)	-	0
SBE (Small Business Enterprises)	-	0
Total	-	50

Minority Focus Journal Ad posted to website www.dbegoodfaith.net on 09/29/2014 at 11:40AM

The advertisement published in DBE GoodFaith's Focus Journal runs from the publication date until the bid date listed on the advertisement.

Estimator
Logan Hanson

Project Coordinator
Stacy Dutra

Contact Information
17400 Clear Creek Rd.
Redding, California
96001
Tel : 530-246-4292
Fax : 530-246-9940

J. F. Shea Construction, Inc.

is seeking qualified DBEs

Project Name
Rehabilitate Pavement

Awarding Agency
State of California Department of Transportation - CALTRANS

Project Location
Near Palo Cedro, Shasta County, California

Bid Date & Time
10/22/2014 at 02:00 P.M

Bid/Contract #
02-4E4304

Project Details
REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTDRS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE W8); ALTERNATIVE

	FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMDPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETRDREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION. J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

Minority Trade Journal Ad posted to website trade.dbegoodfaith.net on 09/29/2014 at 11:40AM

The advertisement published in DBE GoodFaith's Trade Journal runs from the publication date until the bid date listed on the advertisement.

Trade Journal Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

Bid Due Date : 10/22/2014 at 02:00 P.M Bid No : 02-4E4304

Contact Estimator : Logan Hanson

Project Name	:	Rehabilitate Pavement
Agency Name	:	State of California Department of Transportation - CALTRANS
Project City	:	Near Palo Cedro
Project County	:	Shasta County
Project State	:	California
Project Details	:	

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % OBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors end suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIOE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARORAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCEO CONCRETE PIPE; COLO PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CUREO IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEEO) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINOING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZEO HOT MIX ASPHALT (GAP GRAOEO); RUBBERIZEO HOT MIX ASPHALT (OPEN GRADED); SHOULOER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INOENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT OIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); ORILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMEO); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIOE SIGN (LAMINATEO WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSEO); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS OURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

Contact Details	:	Stacy Dutra
		17400 Clear Creek Rd.
		Redding, California 96001
		Tel : 530-246-4292
		Fax : 530-246-9940

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage end worker's compensation for the entire length of the contract. All subcontractors will be required to sign our stendard Subcontract Agreement. 100% payment and performance bonds mey be required. Please call if you need assistance in obtaining insurence, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Roed, Redding, Ca. 96001 or call for any additionel needed project information. J. F. Shea Construction Inc. intends to work cooperetively with all qualified firms seeking work on this project. We are en equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

Recipient List (Fax/Email)

Set No 1

Company Name/Specialty	Fax Date	Email Date	Log Page#
6 RIVERS CONSTRUCTION, INC. Address - 200 REDWOOD GROVE RD Phone - 5305157563, Fax - 5306255423, Email - 6riversconstruction@gmail.com	09/29/2014	09/29/2014	
A B S L CONSTRUCTION Address - 29334 PACIFIC STREET Phone - 5107270900, Fax - 5107270910, Email - luis@allendes.com	09/29/2014	09/29/2014	
A C DIKE CO Address - 2788 VENTURE DR. Phone - 9166457747 , Fax - 9166459618, Email - email@acdike.com	09/29/2014	09/29/2014	
A S CONTRACTORS, INC. Address - 5347 COLE ROAD Phone - 2097426684, Fax - 2099662643, Email - deni@sti.com	09/29/2014	09/29/2014	
ALFRED CIVIL ENGINEERING Address - 7604 SOQUEL WAY Phone - 9162353967, Fax - 0000000000, Email - btouray@comcast.net	09/29/2014	09/29/2014	
ALL AMERICAN ASPHALT SEALING INC Address - 1565 TRAINER WAY Phone - 7753293003, Fax - 7758273006, Email - aaasealing96@yahoo.com	09/29/2014	09/29/2014	
ALLEN GILL CONSTRUCTION, INC. Address - 20633 GAS POINT ROAD, SUITE B2 Phone - 5305474334, Fax - 5305473197, Email - tgill@frontiernet.net	09/29/2014	09/29/2014	
AMLAND CORP Address - 3168 KNIGHTS BRIDGE RD Phone - 4089293949, Fax - 4082984344, Email - kevinphan@amlandcorp.com	09/29/2014	09/29/2014	
ARROW S COMPANY Address - 177 CALIFORNIA AVENUE Phone - 7073960073, Fax - 7074372555, Email - lori@arrowco.com	09/29/2014	09/29/2014	
AUSTIN ENTERPRISE Address - 13421 SNOW ROAD Phone - 6615891001, Fax - 6615899509, Email - paustin@austin-enterprise.com	09/29/2014	09/29/2014	
AXNER EXCAVATING, INC Address - 2900 OLD OREGON TRAIL Phone - 5302220539, Fax - 5302228910, Email - julieb@axnerexcavating.com	09/29/2014	09/29/2014	
BC SCHMIDT CONSTRUCTION, INC. Address - P.O. BOX 1557 Phone - 5304735423, Fax - 5304732749, Email - carrie@hangarbuilders.com	09/29/2014	09/29/2014	
BORG FENCE Address - 50 CONTRACTORS STREET Phone - 9254559620, Fax - 9254559626, Email - julieborg@borgfence.com	09/29/2014	09/29/2014	
BURKE CONSTRUCTION Address - 4421 TENNESSEE DRIVE Phone - 5306761009, Fax - 5306722411, Email - burkebid@gmail.com	09/29/2014	09/29/2014	
CAL-CON PUMPING, LLC Address - 2270 PALOU AVENUE Phone - 4154019838, Fax - 4154017664, Email - jb.calcon@mac.com	09/29/2014	09/29/2014	
CAMACHO COMMUNICATIONS CORPORATIONS Address - 517 8TH STREET Phone - 9164449853, Fax - 9164479853, Email - j_camacho@camcosolutions.net	09/29/2014	09/29/2014	
CHARLIE'S CUSTOM EXCAVATING, INC Address - 21113 GILBERT DRIVE Phone - 5302213626, Fax - 5302217563, Email - office@ccexcavatinginc.com	09/29/2014	09/29/2014	
CLEAR CREEK CONSTRUCTION Address - 570 JULIAN STREET Phone - 5302241430, Fax - 5302241430, Email - clearcreekadam@gmail.com	09/29/2014	09/29/2014	
CMC TRAFFIC CONTROL SPECIALIST Address - 375 ILLINOIS STREET Phone - 4152061700, Fax - 4152061711, Email - crystalm.cmc@gmail.com	09/29/2014	09/29/2014	

CONSTRUCTION AREA SIGNS, INCORPORATED Address - 9093 OLD STATE HWY Phone - 9166639097, Fax - 9166631858, Email - elisa@cas-tc.com	09/29/2014	09/29/2014
CONTRACTOR SERVICES GROUP, INC. Address - 3960 INDUSTRIAL BLVD SUITE 500 Phone - 9613717303, Fax - 8663666646, Email - shelli@csg-web.com	09/29/2014	09/29/2014
DIAMOND D GENERAL ENGINEERING, INC. Address - 32500 STATE HIGHWAY 16 Phone - 5306622042, Fax - 5306626770, Email - sdefty@ddge.net	09/29/2014	09/29/2014
DILLARD ENVIRONMENTAL SERVICES Address - 3120 CAMINO DIABLO RD Phone - 9256346850, Fax - 9256346858, Email - patriciad@dillardenv.com	09/29/2014	09/29/2014
DIRT & AGGREGATE INTERCHANGE, INC Address - 20905 N.E. SANDY BOULEVARD Phone - 5036615093, Fax - 5036691192, Email - contractor@dirtagg.com	09/29/2014	09/29/2014
EAGLE ENGINEERING AND CONSTRUCTION, INC Address - 1175 PALOMAR DRIVE Phone - 6503678000, Fax - 6503678282, Email - brooks.curtis@att.net	09/29/2014	09/29/2014
FCS STRIPING, SEALING AND PAVING, INC. Address - 206 THRASHER AVENUE Phone - 9253736205, Fax - 9253736208, Email - inesseoane@fcs-ssp.com	09/29/2014	09/29/2014
FRANK MEDINA GENERAL ENGINEERING CONTRACTOR Address - 10096 AHART ROAD Phone - 5307430744, Fax - 5307439352, Email - toni.medina@att.net	09/29/2014	09/29/2014
GREEN BUILDING PRODUCTS, INC Address - 3303 LUYUNG DRIVE Phone - 9163330557, Fax - 9163747998, Email - carole@greenbpi.com	09/29/2014	09/29/2014
K & K CONSTRUCTION SUPPLY, INC Address - 11280 SUNRISE PARK DR., STE B Phone - 9168510965, Fax - 9168510999, Email - kelly@urataconcrete.com	09/29/2014	09/29/2014
K. W. EMERSON, INC. Address - 413 WEST ST. CHARLES STREET Phone - 2097543839, Fax - 2097543830, Email - alison@kwemerson.com	09/29/2014	09/29/2014
KA'PEL CONSTRUCTION INC Address - 691 PONY EXPRESS WAY, LOT 31 Phone - 5306293300, Fax - 5306293300, Email - irobbins@kapelconstruction.com	09/29/2014	09/29/2014
KRS CONSTRUCTION INC Address - 9302 ELDER CREEK RD. Phone - 9163816438 , Fax - 9163816438 , Email - krsconstruction@sbcglobal.net	09/29/2014	09/29/2014
MC CULLOUGH CONSTRUCTION INC Address - 57 ALDERGROVE ROAD Phone - 7078251014, Fax - 7078251769, Email - mackymccullough@mculloughconstructioninc.com	09/29/2014	09/29/2014
NATURAL INVESTIGATIONS COMPANY, LLC Address - 6124 SHADOW LANE Phone - 9167659381, Fax - 0000000000, Email - Cindy@naturalinvestigations.com	09/29/2014	09/29/2014
NITTA EROSION CONTROL Address - 3778 DEL MAR AVENUE Phone - 9166527459, Fax - 9166524376, Email - nittaec@gmail.com	09/29/2014	09/29/2014
NUNO IRON & MFG, INC Address - 315 BITTERWATER RD. Phone - 8313860513, Fax - 8313869976, Email - bpantoja@nunoiron.com	09/29/2014	09/29/2014
OLIVEIRA FENCE, INC. Address - 400 REED STREET SUITE 106 Phone - 4087273811, Fax - 4087272690, Email - pam@oliveirafenceinc.com	09/29/2014	09/29/2014
PAPILLON BUILDERS Address - 20300 RIM ROCK CT Phone - 9165807019, Fax - 8887177270, Email - jsellers@papillonbuilders.com	09/29/2014	09/29/2014
QUIMU CONTRACTING, INC. Address - 695 PRIDDY DRIVE Phone - 7076930289, Fax - 7076788384, Email - quimu@sbcglobal.net	09/29/2014	09/29/2014
R. E. SERRANO INC. Address - 3430 PACHECO BLVD.	09/29/2014	09/29/2014

Phone - 9259578184, Fax - 9259578121, Email - ricky@reserrano.com

S KWOK ENGINEERS, INC. 09/29/2014 09/29/2014
Address - 1815 CORNELL DRIVE
Phone - 5102209017, Fax - 8887331360, Email - seng@skwokengineers.com

S.T. RHOADES CONSTRUCTION INC 09/29/2014 09/29/2014
Address - 14105 DOS PINION TRAIL
Phone - 5302239322, Fax - 5302239222, Email - steve@strhoadesinc.com

STONY CREEK GENERAL ENGINEERING 09/29/2014 09/29/2014
Address - 5321 COUNTY RD 206
Phone - 5305263191, Fax - 5309885092, Email - luke@scgeinc.com

STORMWATER SPECIALISTS INC 09/29/2014 09/29/2014
Address - 8698 ELK GROVE BLVD, SUITE 224
Phone - 9162300370, Fax - 9164054180, Email - Mary@stormwaterspecialists.com

SUULUTAAQ, INC - ALASKA NATIVE CORP 09/29/2014 09/29/2014
Address - 827 MISSOURI STREET, SUITE 6
Phone - 7074273209, Fax - 7074194851, Email - ninah.moody@suulutaaq.com

TRINITY VALLEY CONSULTING ENGINEERS, INC 09/29/2014 09/29/2014
Address - 67 WALNUT WAY
Phone - 5306293000 , Fax - 5306293011 , Email - tvce@tvce.biz

TULLY CONSULTING GROUP 09/29/2014 09/29/2014
Address - 580 WIEGAND WAY
Phone - 7076931926 , Fax - 7074710318 , Email - robintully8@gmail.com

TYRRELL RESOURCES, INC. 09/29/2014 09/29/2014
Address - 275 HILLTOP DRIVE
Phone - 5302438733, Fax - 5302418975 , Email - tyrrellresources@sbcglobal.net

VINTAGE PAVING COMPANY, INC. 09/29/2014 09/29/2014
Address - 119 MAIN STREET
Phone - 5307950132, Fax - 5307955734, Email - edc@vintagepavingco.com

WALLACE STRUCTURES 09/29/2014 09/29/2014
Address - 2515 TAWNDALE LN
Phone - 7078344992, Fax - 7077683386, Email - wallacestr@aol.com

Recipients Phone Log 1 Set 1 Date: 09/30/2014

Company Details	Spoke to	Date/Time	Y/M/N
6 RIVERS CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:03 P.M	M
A B S L CONSTRUCTION May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:06 P.M	M
A C DIKE CO May be interested, not sure. They will have a look at the fax and will reply if interested.	Receptionist	09/30/2014 02:08 P.M	M
A S CONTRACTORS, INC. May be interested, no answer to call. No voicemail.	No answer	10/01/2014 02:04 P.M	M
ALFRED CIVIL ENGINEERING Yes, is interested. Sent another fax on request.	Alfred	09/30/2014 03:40 P.M	Y
ALL AMERICAN ASPHALT SEALING INC May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:06 P.M	M
ALLEN GILL CONSTRUCTION, INC. No, not bidding this project.	Receptionist	10/01/2014 02:09 P.M	N
AMLAND CORP May be interested, not sure. Voicemail is full.	Voicemail full	09/30/2014 02:16 P.M	M
ARROW S COMPANY May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:11 P.M	M
AUSTIN ENTERPRISE No, not bidding this project.	Receptionist	09/30/2014 03:46 P.M	N
AXNER EXCAVATING, INC May be interested, left a voicemail for the estimator with all the project details.	John Voicemail	10/01/2014 02:16 P.M	M
BC SCHMIDT CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:20 P.M	M
BORG FENCE May be interested, left a voicemail for the estimator with all the project details.	Julie Voicemail	10/01/2014 02:21 P.M	M
BURKE CONSTRUCTION May be interested, not sure. Unable to connect call.	Unable to connect	10/01/2014 02:24 P.M	M
CAL-CON PUMPING, LLC May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 03:48 P.M	M
CAMACHO COMMUNICATIONS CORPORATIONS May be interested, not sure. Unable to leave a message.	Unable to leave a message	10/01/2014 02:25 P.M	M
CHARLIE'S CUSTOM EXCAVATING, INC May be interested, no answer to call. Unable to leave a message.	No answer	09/30/2014 03:50 P.M	M
CLEAR CREEK CONSTRUCTION May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:27 P.M	M
CMC TRAFFIC CONTROL SPECIALIST No, not bidding this project.	Receptionist	09/30/2014 02:22 P.M	N

CONSTRUCTION AREA SIGNS, INCORPORATED May be interested, not sure. They will have a look at the fax and will reply if interested.	Receptionist	09/30/2014 02:25 P.M	M
CONTRACTOR SERVICES GROUP, INC. No, not interested in bidding.	Receptionist	10/01/2014 02:30 P.M	N
DIAMOND D GENERAL ENGINEERING, INC. No, not bidding this project.	Adam	10/01/2014 02:36 P.M	N
DILLARD ENVIRONMENTAL SERVICES May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:38 P.M	M
DIRT & AGGREGATE INTERCHANGE, INC Yes, will be bidding the project.	Receptionist	09/30/2014 02:30 P.M	Y
EAGLE ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:33 P.M	M
FCS STRIPING, SEALING AND PAVING, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:41 P.M	M
FRANK MEDINA GENERAL ENGINEERING CONTRACTOR May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 03:58 P.M	M
GREEN BUILDING PRODUCTS, INC No, not bidding this project.	Estimator	09/30/2014 02:45 P.M	N
K & K CONSTRUCTION SUPPLY, INC May be interested, not sure. Number not available at the moment.	Not available	09/30/2014 02:48 P.M	M
K. W. EMERSON, INC. May be interested, not sure. Reached voicemail but unable to leave a message.	Voicemail	10/01/2014 02:45 P.M	M
KA`PEL CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:47 P.M	M
KRS CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:53 P.M	M
MC CULLOUGH CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:56 P.M	M
NATURAL INVESTIGATIONS COMPANY, LLC No, not interested in bidding.	Receptionist	10/01/2014 02:56 P.M	N
NITTA EROSION CONTROL May be interested, not sure yet. They will know closer to the bid date.	Valerie	09/30/2014 03:19 P.M	M
NUNO IRON & MFG, INC No, not bidding this project.	Receptionist	09/30/2014 04:07 P.M	N
OLIVEIRA FENCE, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:58 P.M	M
PAPILLON BUILDERS May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:01 P.M	M
QUIMU CONTRACTING, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:05 P.M	M
R. E. SERRANO INC.	Receptionist	09/30/2014 03:23 P.M	N

No, not bidding this project.			
S KWOK ENGINEERS, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:11 P.M	M
S.T. RHOADES CONSTRUCTION INC No, not bidding this project.	Receptionist	09/30/2014 03:25 P.M	N
STONY CREEK GENERAL ENGINEERING May be interested, not sure. Reached voicemail but unable to leave a message.	Voicemail	09/30/2014 03:31 P.M	M
STORMWATER SPECIALISTS INC May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:16 P.M	M
SUULUTAAQ, INC - ALASKA NATIVE CORP No, not interested in bidding.	Christina	09/30/2014 04:13 P.M	N
TRINITY VALLEY CONSULTING ENGINEERS, INC No, not interested in bidding.	Receptionist	09/30/2014 03:35 P.M	N
TULLY CONSULTING GROUP May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 04:15 P.M	M
TYRRELL RESOURCES, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:18 P.M	M
VINTAGE PAVING COMPANY, INC. No, not bidding this project.	Receptionist	10/01/2014 03:21 P.M	N
WALLACE STRUCTURES May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:23 P.M	M

Recipients Phone Log 2 set 1 Date: 10/15/2014

Company Details	Spoke to	Date/Time	Y/M/N
6 RIVERS CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:19 A.M	M
A B S L CONSTRUCTION Yes, will be bidding this project.	Estimator	10/15/2014 11:29 A.M	Y
A C DIKE CO May be bidding, not sure. Lines temporarily busy.	Lines Busy	10/15/2014 11:29 A.M	M
A S CONTRACTORS, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:30 A.M	M
ALFRED CIVIL ENGINEERING Yes, is interested. They are looking at the project.	Estimator	10/15/2014 11:31 A.M	Y
ALL AMERICAN ASPHALT SEALING INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:33 A.M	M
AMLAND CORP May be bidding, not sure. Voicemail is full.	Voicemail full	10/15/2014 11:33 A.M	M
ARROW S COMPANY May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:44 A.M	M
AXNER EXCAVATING, INC No, not bidding this project.	Sherry	10/15/2014 11:46 A.M	N
BC SCHMIDT CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:46 A.M	M
BORG FENCE May be interested, left a voicemail for the estimator with all the project details.	Julie Voicemail	10/15/2014 11:52 A.M	M
BURKE CONSTRUCTION May be interested, not sure. Unable to connect call.	Unable to connect	10/15/2014 11:52 A.M	M
CAL-CON PUMPING, LLC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:54 A.M	M
CAMACHO COMMUNICATIONS CORPORATIONS May be interested, not sure. Unable to leave a message.	Unable to leave a message	10/15/2014 00:01 P.M	M
CHARLIE'S CUSTOM EXCAVATING, INC May be interested, no answer to call. Unable to leave a message.	No answer	10/15/2014 00:01 P.M	M
CLEAR CREEK CONSTRUCTION May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 00:03 P.M	M
CONSTRUCTION AREA SIGNS, INCORPORATED May be bidding, not sure. The estimator will have a look at the fax and reply if interested.	Receptionist	10/15/2014 00:04 P.M	M
DILLARD ENVIRONMENTAL SERVICES No, not bidding this project.	Receptionist	10/15/2014 02:47 P.M	N
DIRT & AGGREGATE INTERCHANGE, INC Yes, will be bidding this project.	Receptionist	10/15/2014 02:52 P.M	Y

EAGLE ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 02:52 P.M	M
FCS STRIPING, SEALING AND PAVING, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 02:53 P.M	M
FRANK MEDINA GENERAL ENGINEERING CONTRACTOR May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 02:54 P.M	M
K & K CONSTRUCTION SUPPLY, INC No, not bidding this project.	Receptionist	10/15/2014 03:00 P.M	N
K. W. EMERSON, INC. No, not bidding this project.	Receptionist	10/15/2014 03:13 P.M	N
KA`PEL CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:14 P.M	M
KRS CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:17 P.M	M
MC CULLOUGH CONSTRUCTION INC No, not bidding this project.	Receptionist	10/15/2014 03:18 P.M	N
NITTA EROSION CONTROL May be bidding, not sure yet. They are looking at the project.	Laura	10/15/2014 03:23 P.M	M
OLIVEIRA FENCE, INC. No, not bidding this project.	Receptionist	10/15/2014 03:25 P.M	N
PAPILLON BUILDERS May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:27 P.M	M
QUIMU CONTRACTING, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:27 P.M	M
S KWOK ENGINEERS, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:29 P.M	M
STONY CREEK GENERAL ENGINEERING May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:33 P.M	M
STORMWATER SPECIALISTS INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:41 P.M	M
TULLY CONSULTING GROUP May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:42 P.M	M
TYRRELL RESOURCES, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:43 P.M	M
WALLACE STRUCTURES May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:46 P.M	M

DBE Goodfaith Inc. Fax Confirmation Report for J. F. Shea Construction, Inc. Bid Number:02-4E4304

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
1	6 RIVERS CONSTRUCTION, INC.	DBE	5305157563	5306255423	Success	09/29/2014 13:34
2	A B S L CONSTRUCTION	DBE	5107270900	5107270910	Success	09/29/2014 13:32
3	A C OIKE CO	DBE	9166457747	9166459618	Failed	09/29/2014 13:38
4	A S CONTRACTORS, INC.	DBE	2097426684	2099662643	Success	09/29/2014 13:28
5	ALFRED CIVIL ENGINEERING	DBE	9162353967	0000000000	Failed	09/28/2014 17:00
6	ALL AMERICAN ASPHALT SEALING INC	DBE	7753293003	7758273006	Success	09/29/2014 13:24
7	ALLEN GILL CONSTRUCTION, INC.	DBE	5305474334	5305473197	Success	09/29/2014 14:18
8	AMLAND CORP	DBE	4089293949	4082984344	Success	09/29/2014 13:25
9	ARROW S COMPANY	DBE	7073960073	7074372555	Success	09/29/2014 13:21
10	AUSTIN ENTERPRISE	DBE	6615891001	6615899509	Success	09/29/2014 13:19
11	AXNER EXCAVATING, INC	DBE	5302220539	5302226910	Success	09/29/2014 13:16
12	BC SCHMIDT CONSTRUCTION, INC.	DBE	5304735423	5304732749	Success	09/29/2014 13:15
13	BORG FENCE	DBE	9254559620	9254559626	Success	09/29/2014 14:17
14	BURKE CONSTRUCTION	DBE	5306761009	5306722411	Success	09/29/2014 14:14
15	CAL-CON PUMPING, LLC	DBE	4154019838	4154017664	Success	09/29/2014 14:12
16	CAMACHO COMMUNICATIONS CORPORATIONS	DBE	9164449853	9164479853	Success	09/29/2014 14:10
17	CHARLIE'S CUSTOM EXCAVATING, INC	DBE	5302213626	5302217563	Success	09/29/2014 14:06
18	CLEAR CREEK CONSTRUCTION	DBE	5302241430	5302241430	Success	09/29/2014 14:06
19	CMC TRAFFIC CONTROL SPECIALIST	DBE	4152061700	4152061711	Success	09/29/2014 14:04
20	CONSTRUCTION AREA SIGNS, INCORPORATED	DBE	9166639097	9166631858	Success	09/29/2014 14:02

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
21	CONTRACTOR SERVICES GROUP, INC.	DBE	9613717303	8663666646	Success	09/29/2014 14:01
22	DIAMOND D GENERAL ENGINEERING, INC.	DBE	5306622042	5306626770	Success	09/29/2014 14:06
23	DILLARD ENVIRONMENTAL SERVICES	DBE	9256346850	9256346858	Success	09/29/2014 13:57
24	DIRT & AGGREGATE INTERCHANGE, INC	DBE	5036615093	5036691192	Success	09/29/2014 13:57
25	EAGLE ENGINEERING AND CONSTRUCTION, INC	DBE	6503678000	6503678282	Success	09/29/2014 14:42
26	FCS STRIPING, SEALING AND PAVING, INC.	DBE	9253736205	9253736208	Success	09/29/2014 14:40
27	FRANK MEDINA GENERAL ENGINEERING CONTRACTOR	DBE	5307430744	5307439352	Success	09/29/2014 14:38
28	GREEN BUILDING PRODUCTS, INC	DBE	9163330557	9163747998	Success	09/29/2014 13:11
29	K & K CONSTRUCTION SUPPLY, INC	DBE	9168510965	9168510999	Success	09/29/2014 13:10
30	K. W. EMERSON, INC.	DBE	2097543839	2097543830	Success	09/29/2014 14:34
31	KA`PEL CONSTRUCTION INC	DBE	5306293300	5306293300	Success	09/29/2014 14:32
32	KRS CONSTRUCTION INC	DBE	9163816438	9163816438	Success	09/29/2014 14:31
33	MC CULLOUGH CONSTRUCTION INC	DBE	7078251014	7078251769	Success	09/29/2014 14:28
34	NATURAL INVESTIGATIONS COMPANY, LLC	DBE	9167659381	0000000000	Failed	09/28/2014 17:00
35	NITTA EROSION CONTROL	DBE	9166527459	9166524376	Success	09/29/2014 14:24
36	NUNO IRON & MFG, INC	DBE	8313860513	8313869976	Success	09/29/2014 13:52
37	OLIVEIRA FENCE, INC.	DBE	4087273811	4087272690	Success	09/29/2014 13:51
38	PAPILLON BUILDERS	DBE	9165807019	8887177270	Success	09/29/2014 13:47
39	QUIMU CONTRACTING, INC.	DBE	7076930289	7076788384	Failed	09/29/2014 13:52
40	R. E. SERRANO INC.	DBE	9259578184	9259578121	Success	09/29/2014 13:44

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
41	S KWOK ENGINEERS, INC.	DBE	5102209017	8887331360	Success	09/29/2014 13:42
42	S.T. RHOADES CONSTRUCTION INC	DBE	5302239322	5302239222	Success	09/29/2014 13:40
43	STONY CREEK GENERAL ENGINEERING	DBE	5305263191	5309885092	Success	09/29/2014 14:21
44	STORMWATER SPECIALISTS INC	DBE	9162300370	9164054180	Success	09/29/2014 14:20
45	SUULUTAAQ, INC - ALASKA NATIVE CORP	DBE	7074273209	7074194851	Success	09/29/2014 14:36
46	TRINITY VALLEY CONSULTING ENGINEERS, INC	DBE	5306293000	5306293011	Success	09/29/2014 13:08
47	TULLY CONSULTING GROUP	DBE	7076931926	7074710318	Success	09/29/2014 13:06
48	TYRRELL RESOURCES, INC.	DBE	5302438733	5302418975	Success	09/29/2014 13:04
49	VINTAGE PAVING COMPANY, INC.	DBE	5307950132	5307955734	Success	09/29/2014 13:38
50	WALLACE STRUCTURES	DBE	7078344992	7077683386	Success	09/29/2014 13:36

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TYRRELL RESOURCES, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5302438733
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302418975
	Redding, California, 96001	Date :09/29/2014 1:04PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TULLY CONSULTING GROUP
CONTACT NAME	Stacy Dutra	Phone Number :7076931926
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074710318
	Redding, California, 96001	Date :09/29/2014 1:06PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINDR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TRINITY VALLEY CONSULTING ENGINEERS, INC
CONTACT NAME	Stacy Dutra	Phone Number :5306293000
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5306293011 Date :09/29/2014 1:08PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K & K CONSTRUCTION SUPPLY, INC
CONTACT NAME	Stacy Dutra	Phone Number :9168510965
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9168510999 Date :09/29/2014 1:10PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD CDMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GREEN BUILDING PRODUCTS, INC
CONTACT NAME	Stacy Dutra	Phone Number :9163330557
ADDRESS	17400 Clear Creek Rd.	Fax Number :9163747998
	Redding, California, 96001	Date :09/29/2014 1:11PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:BC SCHMIDT CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5304735423
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5304732749 Date :09/29/2014 1:15PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AXNER EXCAVATING, INC
CONTACT NAME	Stacy Dutra	Phone Number :5302220539
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302228910
	Redding, California, 96001	Date :09/29/2014 1:16PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AUSTIN ENTERPRISE
CONTACT NAME	Stacy Dutra	Phone Number :6615891001
ADDRESS	17400 Clear Creek Rd.	Fax Number :6615899509
	Redding, California, 96001	Date :09/29/2014 1:19PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ARROW S COMPANY
CONTACT NAME	Stacy Dutra	Phone Number :7073960073
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074372555
	Redding, California, 96001	Date :09/29/2014 1:21PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ALFRED CIVIL ENGINEERING
CONTACT NAME	Stacy Dutra	Phone Number :9162353967
ADDRESS	17400 Clear Creek Rd.	Fax Number :0000000000
	Redding, California, 96001	Date :09/28/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ALL AMERICAN ASPHALT SEALING INC
CONTACT NAME	Stacy Dutra	Phone Number :7753293003
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :7758273006 Date :09/29/2014 1:24PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AMLAND CORP
CONTACT NAME	Stacy Dutra	Phone Number :4089293949
ADDRESS	17400 Clear Creek Rd.	Fax Number :4082984344
	Redding, California, 96001	Date :09/29/2014 1:25PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A S CONTRACTORS, INC.
CONTACT NAME	Stacy Dutra	Phone Number :2097426684
ADDRESS	17400 Clear Creek Rd.	Fax Number :2099662643
	Redding, California, 96001	Date :09/29/2014 1:28PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A B S L CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5107270900
ADDRESS	17400 Clear Creek Rd.	Fax Number :5107270910
	Redding, California, 96001	Date :09/29/2014 1:32PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2'-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:6 RIVERS CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5305157563
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306255423
	Redding, California, 96001	Date :09/29/2014 1:34PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:WALLACE STRUCTURES
CONTACT NAME	Stacy Dutra	Phone Number :7078344992
ADDRESS	17400 Clear Creek Rd.	Fax Number :7077683386
	Redding, California, 96001	Date :09/29/2014 1:36PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A C DIKE CO
CONTACT NAME	Stacy Dutra	Phone Number :9166457747
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166459618
	Redding, California, 96001	Date :09/29/2014 1:38PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:VINTAGE PAVING COMPANY, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5307950132
ADDRESS	17400 Clear Creek Rd.	Fax Number :5307955734
	Redding, California, 96001	Date :09/29/2014 1:38PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:S.T. RHOADES CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :5302239322
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302239222
	Redding, California, 96001	Date :09/29/2014 1:40PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Esbmate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL DN EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:S KWOK ENGINEERS, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5102209017
ADDRESS	17400 Clear Creek Rd.	Fax Number :8887331360
	Redding, California, 96001	Date :09/29/2014 1:42PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:R. E. SERRANO INC.
CONTACT NAME	Stacy Dutra	Phone Number :9259578184
ADDRESS	17400 Clear Creek Rd.	Fax Number :9259578121
	Redding, California, 96001	Date :09/29/2014 1:44PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:PAPILLON BUILDERS
CONTACT NAME	Stacy Dutra	Phone Number :9165807019
ADDRESS	17400 Clear Creek Rd.	Fax Number :8887177270
	Redding, California, 96001	Date :09/29/2014 1:47PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINDR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minorily Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:OLIVEIRA FENCE, INC.
CONTACT NAME	Stacy Dutra	Phone Number :4087273811
ADDRESS	17400 Clear Creek Rd.	Fax Number :4087272690
	Redding, California, 96001	Date :09/29/2014 1:51PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:QUIMU CONTRACTING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :7076930289
ADDRESS	17400 Clear Creek Rd.	Fax Number :7076788384
	Redding, California, 96001	Date :09/29/2014 1:52PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PRDJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NUNO IRON & MFG, INC
CONTACT NAME	Stacy Dutra	Phone Number :8313860513
ADDRESS	17400 Clear Creek Rd.	Fax Number :8313869976
	Redding, California, 96001	Date :09/29/2014 1:52PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DILLARD ENVIRONMENTAL SERVICES
CONTACT NAME	Stacy Dutra	Phone Number :9256346850
ADDRESS	17400 Clear Creek Rd.	Fax Number :9256346858
	Redding, California, 96001	Date :09/29/2014 1:57PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DIRT & AGGREGATE INTERCHANGE, INC
CONTACT NAME	Stacy Dutra	Phone Number :5036615093
ADDRESS	17400 Clear Creek Rd.	Fax Number :5036691192
	Redding, California, 96001	Date :09/29/2014 1:57PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CONTRACTOR SERVICES GROUP, INC.
CONTACT NAME	Stacy Dutra	Phone Number :9613717303
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :8663666646 Date :09/29/2014 2:01PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CONSTRUCTION AREA SIGNS, INCORPORATED
CONTACT NAME	Stacy Dutra	Phone Number :9166639097
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9166631858 Date :09/29/2014 2:02PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CMC TRAFFIC CONTROL SPECIALIST
CONTACT NAME	Stacy Dutra	Phone Number :4152061700
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :4152061711 Date :09/29/2014 2:04PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CLEAR CREEK CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5302241430
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302241430
	Redding, California, 96001	Date :09/29/2014 2:06PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DIAMOND D GENERAL ENGINEERING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5306622042
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5306626770 Date :09/29/2014 2:06PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CHARLIE'S CUSTOM EXCAVATING, INC
CONTACT NAME	Stacy Dutra	Phone Number :5302213626
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5302217563 Date :09/29/2014 2:08PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CAMACHO COMMUNICATIONS CORPORATIONS
CONTACT NAME	Stacy Dutra	Phone Number :9164449853
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9164479853 Date :09/29/2014 2:10PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CAL-CON PUMPING, LLC
CONTACT NAME	Stacy Dutra	Phone Number :4154019838
ADDRESS	17400 Clear Creek Rd.	Fax Number :4154017664
	Redding, California, 96001	Date :09/29/2014 2:12PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:BURKE CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5306761009
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306722411
	Redding, California, 96001	Date :09/29/2014 2:14PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:BORG FENCE
CONTACT NAME	Stacy Dutra	Phone Number :9254559620
ADDRESS	17400 Clear Creek Rd.	Fax Number :9254559626
	Redding, California, 96001	Date :09/29/2014 2:17PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ALLEN GILL CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5305474334
ADDRESS	17400 Clear Creek Rd.	Fax Number :5305473197
	Redding, California, 96001	Date :09/29/2014 2:18PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATIDN; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:STORMWATER SPECIALISTS INC
CONTACT NAME	Stacy Dutra	Phone Number :9162300370
ADDRESS	17400 Clear Creek Rd.	Fax Number :9164054180
	Redding, California, 96001	Date :09/29/2014 2:20PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:STONY CREEK GENERAL ENGINEERING
CONTACT NAME	Stacy Dutra	Phone Number :5305263191
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5309885092 Date :09/29/2014 2:21PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NITTA EROSION CONTROL
CONTACT NAME	Stacy Dutra	Phone Number :9166527459
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166524376
	Redding, California, 96001	Date :09/29/2014 2:24PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NATURAL INVESTIGATIONS COMPANY, LLC
CONTACT NAME	Stacy Dutra	Phone Number :9167659381
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :0000000000 Date :09/28/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional Information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:MC CULLOUGH CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :7078251014
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :7078251769 Date :09/29/2014 2:28PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KRS CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :9163816436
ADDRESS	17400 Clear Creek Rd.	Fax Number :9163816438
	Redding, California, 96001	Date :09/29/2014 2:31PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 6 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.060"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KA'PEL CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :5306293300
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306293300
	Redding, California, 96001	Date :09/29/2014 2:32PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K. W. EMERSON, INC.
CONTACT NAME	Stacy Dutra	Phone Number :2097543839
ADDRESS	17400 Clear Creek Rd.	Fax Number :2097543830
	Redding, California, 96001	Date :09/29/2014 2:34PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:SUULUTAAQ, INC - ALASKA NATIVE CORP
CONTACT NAME	Stacy Dutra	Phone Number :7074273209
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :7074194851 Date :09/29/2014 2:36PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.136" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:FRANK MEDINA GENERAL ENGINEERING CONTRACTOR
CONTACT NAME	Stacy Dutra	Phone Number :5307430744
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5307439352 Date :09/29/2014 2:38PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:FCS STRIPING, SEALING AND PAVING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :9253736205
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9253736208 Date :09/29/2014 2:40PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:EAGLE ENGINEERING AND CONSTRUCTION, INC
CONTACT NAME	Stacy Dutra	Phone Number :6503678000
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :6503678282 Date :09/29/2014 2:42PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

Good Faith Efforts Documentation - DBE Page 3 of 3 - # 6 & # 7 - Advertising and Solicitation Back-Up

* * * Communication Result Report (Oct. 1. 2014 11:51AM) * * *

1) JF SHEA
2)

Date/Time: Oct. 1. 2014 11:50AM

File No.	Mode	Destination	Pg(s)	Result	Page Not Sent
1859	Memory TX	92212140	P. 3	OK	

Reason for error
E. 1) Hang up or line fail
E. 2) Busy
E. 3) No answer
E. 4) No facsimile connection
E. 5) Exceeded max. E-mail size
E. 6) Destination does not support IP-Fax

221-2140

Listing Only ☒ Place Ad ☒

AEOE, MBE, WBE, SBE, DBE & DVBE REQUEST FORM

LISTING ONLY

Date _____ Time _____

Company Name: J. F. Shea Construction, Inc.

Phone: 530) 246-4292

Fax: 530) 246-0940

Contact Person:

Job Location:
Job Name:
Job Number:
Bid Date: _____ Bid Time: _____

Job Location:
Job Name:
Job Number:
Bid Date: _____ Bid Time: _____

Members $20/Week Non-Members $40/Week

Non-Member Payment

Payment:
Mailed
Amount $
Date Received

Bulletin

Date Listing Was Done:
Date Ad Was Done:

LISTING & AD

Date 10/1/14 Time 11:25 AM

Company Name: J. F. Shea Construction, Inc.

Address: P. O. Box 494519

City, State, Zip: Redding, Ca. 96049-4519

Phone: 530) 246-4292

Fax: 530) 246-0940

License #: 706099 A

Fax:

Contact Person: Stacy Dutra

Place Ad on These Dates: ASAP - please the well bid date, thanks!

Job Location: Shasta County
Job Name: Rehabilitate Pavement
Job Number: Contract #: 02-4E4304
Bid Date: 10/22/14 Time: 2:00 PM

Place Ad on These Dates:

Job Location:
Job Name:
Job Number:
Bid Date: _____ Time: _____

RECEIVED
J.F. SHEA CONST., INC.
OCT 01 2014
DIV. NO. _____
A/C NO. _____

Fax #: (530) 221-2140

221-2140

Listing Only ☒ Place Ad ☑

AEOE, MBE, WBE, SBE, DBE & DVBE REQUEST FORM

LISTING ONLY

Date _____ Time _____

Company Name: J. F. Shea Construction, Inc.

Phone: 530) 246-4292

Fax: 530) 246-9940

Contact Person:

Job Location:

Job Name:

Job Number:

Bid Date: _____ Bid Time: _____

Job Location:

Job Name:

Job Number:

Bid Date: _____ Bid Time: _____

Members $20/Week Non-Members $40/Week

Non-Member Payment

Payment Mailed

Amount $ _____

Date Received _____

Bulletin

Date Listing Was Done: _____

Date Ad Was Done: _____

LISTING & AD

Date 10/1/14 Time 11:25 AM

Company Name: J. F. Shea Construction, Inc.

Address: P. O. Box 494519

City, State, Zip: Redding, Ca. 96049-4519

Phone: 530) 246-4292

Fax: 530) 246-9940

License #: 769989 A

Per:

Contact Person: Stacy Dutra

Place Ad on These Dates: ASAP - please run until bid date, thanks!

Job Location: Shasta County

Job Name: Rehabilitate Pavement

Job Number: Contract #: 02-4E4304

Bid Date: 10/22/14 Time: 2:00 PM

Place Ad on These Dates:

Job Location:

Job Name:

Job Number:

Bid Date: _____ Time: _____

Fax #: (530) 221-2140

REQUEST FOR QUALIFIED UDBE/DBE
SUBCONTRACTORS & SUPPLIERS FOR:

State of California Department of Transportation - Caltrans
Rehabilitate Pavement
CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE
Shasta County
Contract #: 02-4E4304
Engineers Estimate: $5,200,000.00
Bid Date: 10/22/2014 @ 2 PM
Goal: 8 % DBE

J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to:

1 LEAD COMPLIANCE PLAN
2 TIME-RELATED OVERHEAD (WDAY)
3 CONSTRUCTION AREA SIGNS
4 TRAFFIC CONTROL SYSTEM
5 PORTABLE CHANGEABLE MESSAGE SIGN (LS)
6 JOB SITE MANAGEMENT
7 PREPARE WATER POLLUTION CONTROL PROGRAM
8 TEMPORARY FIBER ROLL
9 TEMPORARY CONCRETE WASHOUT
10 TREATED WOOD WASTE
11 REMOVE GUARDRAIL
12 REMOVE THERMOPLASTIC PAVEMENT MARKING
13 REMOVE ROADSIDE SIGN
14 REMOVE ROADSIDE SIGN PANEL
15 REMOVE ASPHALT CONCRETE DIKE
16 REMOVE CULVERT (LF)
17 REMOVE INLET
18 REMOVE HEADWALL
19 RECONSTRUCT FENCE
20 RECONSTRUCT GUARDRAIL
21 RECONSTRUCT GUARDRAIL (7' POST)
22 RECONSTRUCT TERMINAL SYSTEM
23 RECONSTRUCT TRANSITION RAILING (TYPE WB)
24 RESET 24" REINFORCED CONCRETE PIPE
25 COLD PLANE ASPHALT CONCRETE PAVEMENT
26 CLEANING, INSPECTING, AND PREPARING CULVERT (LF)
27 24" CURED IN PLACE PIPELINER
28 30" CURED IN PLACE PIPELINER
29 CLEARING AND GRUBBING (LS)
30 DEVELOP WATER SUPPLY
31 SHOULDER BACKING
32 DITCH EXCAVATION
33 EROSION CONTROL (DRY SEED) (SQFT)
34 STRAW
35 CLASS 2 AGGREGATE BASE (CY)
36 PREPAVING INERTIAL PROFILER
37 PREPAVING GRINDING DAY
38 REPLACE ASPHALT CONCRETE SURFACING
39 HOT MIX ASPHALT (TYPE A)
40 RUBBERIZED HOT MIX ASPHALT (GAP GRADED)
41 RUBBERIZED HOT MIX ASPHALT (OPEN GRADED)
42 SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS)
43 CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS)
44 DATA CORE
45 PLACE HOT MIX ASPHALT DIKE (TYPE F)
46 TACK COAT
47 (F) MINOR CONCRETE (MINOR STRUCTURE)
48 DRILL AND BOND DOWEL (CHEMICAL ADHESIVE)
49 (F) SHOTCRETE
50 FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B)
51 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
52 FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED)
53 ROADSIDE SIGN - ONE POST
54 ROADSIDE SIGN - TWO POST
55 INSTALL ROADSIDE SIGN PANEL ON EXISTING POST
56 INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST)
57 24" ALTERNATIVE PIPE CULVERT
58 CONCRETE BACKFILL (PIPE TRENCH)
59 18" CORRUGATED STEEL PIPE (.138" THICK)
60 36" CORRUGATED STEEL PIPE INLET (.109" THICK)
61 STEEL FLARED END SECTION
62 SMALL-ROCK SLOPE PROTECTION
63 ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY)
64 ROCK SLOPE PROTECTION FABRIC (CLASS 8)
65 MINOR CONCRETE (SIDEWALK)
66 (F) MISCELLANEOUS IRON AND STEEL
67 DELINEATOR (CLASS 1)
68 DELINEATOR (CLASS 2)
69 MILEPOST MARKER
70 MARKER (CULVERT)
71 OBJECT MARKER
72 VEGETATION CONTROL (MINOR CONCRETE)
73 SINGLE THRIE BEAM BARRIER
74 TRANSITION RAILING (TYPE WB)

75 ALTERNATIVE FLARED TERMINAL SYSTEM
76 THERMOPLASTIC PAVEMENT MARKING
77 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)
78 PAVEMENT MARKER (RETROREFLECTIVE)
79 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)
80 MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION
81 TRAFFIC COUNT STATION
82 MOBILIZATION

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. **Women and Minority Employees are encouraged to apply.**

J. F. SHEA CONSTRUCTION, INC.
P.O. Box 494519 - Redding, CA 96049
Phone: (530) 246-4292 Fax: (530) 246-9940
An Equal Opportunity Employer

PUBLICATION AFFIDAVIT
DECLARATION OF PUBLICATION

FILE COPY

RECEIVED J. F. SHEA CONST. INC.

STATE OF CALIFORNIA

F I L E D OCT 01 2014

Suzie Davidson /Art Director

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR:

STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION - CALTRANS REHABILITATE PAVEMENT - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE

CONTRACT # 02-4E4304 - ENGINEER'S ESTIMATE: $5,200,000.00

BID DATE: 10/22/14 @ 2:00 PM **GOAL: 8% DBE**

J.F. Shea Construction is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2" TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN-ONE POST; ROADSIDE SIGN-TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J.F. Shea Construction, Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, CA 96001 or call for any additional needed project information. J.F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. **Women and Minority Employees are encouraged to apply.**

J.F. SHEA CONSTRUCTION, INC.
P.O. Box 494319, Redding, CA 96049
Phone: (530) 246-4292 • Fax: (530) 246-9940
An Equal Opportunity Employer

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am not a party to and have no interest in this matter. I am principal clerk of the publisher of the Construction Up-Date, Inc. and Minority Bidders Bulletin, a trade/focus publication in the City of San Diego, the County of San Diego, and the State of California. This notice, a true copy hereon, was published on the below date(s):

I declare under penality of perjury that the foregoing is true and correct.
Executed at San Diego, California

Suzie Davidson
signature

CONSTRUCTION UP-DATE INC.

DATES PUBLISHED

Minority Bidders Bulletin C.U. Inc.'s

10/2/14, 10/9/14, 10/16/14

TRADE PUBLICATION

10/6/14, 10/13/14, 10/20/14

FOCUS PUBLICATION

ALSO DISPLAYED ON WEB SITE @ *http://www.goodfaitheffort.com*

16885 W. Bernardo Dr., Suite 335, San Diego, CA 92127 • Phone No. (858) 487-2600 • Fax Number (858) 487-3500

FILE COPY

PUBLICATION AFFIDAVIT
DECLARATION OF PUBLICATION

FILED

STATE OF CALIFORNIA

Suzie Davidson /Art Director

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR:

STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION - CALTRANS
REHABILITATE PAVEMENT - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE
CONTRACT # 02-4E4304 - ENGINEER'S ESTIMATE: $5,200,000.00
BID DATE: 10/22/14 @ 2:00 PM **GOAL: 8% DBE**

J.F. Shea Construction is requesting quotes from all qualified subcontractors and suppliers including certified **UDBE/DBE** firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DRILL AND ASPHALT DIKE (TYPE F); TACK COAT; MINOR CONCRETE (MINOR STRUCTURE); PREPAVING BOND DOWEL (CHEMICAL ADHESIVE); SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2" TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN-ONE POST; ROADSIDE SIGN-TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T. METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS B); MINOR CONCRETE (SIDEWALK); MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J.F. Shea Construction, Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, CA 96001 or call for any additional needed project information. J.F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. **Women and Minority Employees are encouraged to apply.**

J.F. SHEA CONSTRUCTION, INC.
P.O. Box 494519, Redding, CA 96049
Phone: (530) 246-4292 • Fax: (530) 246-9940
An Equal Opportunity Employer

OCT 01 2014

DIV. NO. _____
A/C NO. _____

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am not a party to and have no interest in this matter. I am principal clerk of the publisher of the Construction Up-Date, Inc, and Minority Bidders Bulletin, a trade/focus publication in the City of San Diego, the County of San Diego, and the State of California. This notice, a true copy hereon, was published on the below date(s):

I declare under penality of perjury that the foregoing is true and correct.
Executed at San Diego, California

Suzie Davidson
signature

DATES PUBLISHED

CONSTRUCTION UP-DATE INC.

10/2/14, 10/9/14, 10/16/14

TRADE PUBLICATION

Minority Bidders Bulletin C.U. Inc.'s

10/6/14, 10/13/14, 10/20/14

FOCUS PUBLICATION

ALSO DISPLAYED ON WEB SITE @ *http://www.goodfaitheffort.com*

* * * Communication Result Report (Oct. 1. 2014 11:54AM) * * *

1) JF SHEA
2)

Date/Time: Oct. 1. 2014 11:50AM

File No.	Mode	Destination	Pg(s)	Result	Page Not Sent
1860	Memory TX	918584873500	P. 3	OK	

RECEIVED
J.F. SHEA CONST., INC.
OCT 01 2014
DIV. NO.
A/C NO.

Reason for error
E. 1) Hang up or line fail
E. 2) Busy
E. 3) No answer
E. 4) No facsimile connection
E. 5) Exceeded max. E-mail size
E. 6) Destination does not support IP-Fax

PAGE 1/2

PRINT OUT THIS PAGE AND FAX IT TO: 8584873500

AD INFORMATION

SUB BIDS REQUESTED FROM QUALIFIED M/W/DBE/DVBE SUBCONTRACTORS AND SUPPLIERS

Project: * Rehabilitate Pavement *

Project Number: Contract #: 02-4E4304

Project Location: Shasta County

Bid Date and Time: 10/22/14 @ 2:00 PM

Respond By: ASAP

Company Name: J.F. SHEA CONSTRUCTION

Contact Name: Stacy Dutra

Address/City/State/Zip: P.O. BOX 494519 REDDING, CA. 96049

Phone: (530) 246-4390

Fax: (530) 246-9940

Additional Information:
– SEE ATTACHED –

GOAL: 8 % DBE

Run Ad On Following Dates: PLEASE RUN UNTIL BID DATE

Special Program Rate is only $48.00
$24.00 each insertion - note 2

Publishing Dates & Advertising Deadlines
We publish every Monday and Thursday
To place and ad in Monday's Minority Bidder's Bulletin the deadline is 4:00 P.M. on Friday
To Place an ad in Thursday's Construction Update the deadline is 4:00 P.M. on Wednesday

http://www.goodfaithefforts.com/placeads.htm 3/12/2008

PRINT OUT THIS PAGE AND FAX IT TO: 858/487-3500

AD INFORMATION

SUB BIDS REQUESTED FROM QUALIFIED M/W/DBE/DVBE SUBCONTRACTORS AND SUPPLIERS

Project * Rehabilitate Pavement *

Project Number Contract #: 02-4E4304	Project Location Shasta County
Bid Date and Time 10/22/14 @ 2:00 PM	Respond By ASAP
Company Name J.F. SHEA CONSTRUCTION	Contact Name Stacy Dutra

Address/City/State/Zip
P.O. BOX 494519 REDDING, CA. 96049

Phone (530) 246-4292	Fax (530) 246-9940

Additional Information
- SEE ATTACHED -

GOAL: 8 % DBE

Run Ad On Following Dates
PLEASE RUN UNTIL BID DATE

Special Program Rate is only
$48.00
$24.00 each insertion - min 2

Publishing Dates & Advertising Deadlines
We publish every Monday and Thursday
To place and ad in Monday's Minority Bidder's Bulletin
the deadline is 4:00 P.M. on Friday
To Place an ad in Thursday's Construction Update
the deadline is 4:00 P.M. on Wednesday

REQUEST FOR QUALIFIED UDBE/DBE
SUBCONTRACTORS & SUPPLIERS FOR:

State of California Department of Transportation - Caltrans
Rehabilitate Pavement
CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE
Shasta County
Contract #: 02-4E4304
Engineers Estimate: $5,200,000.00
Bid Date: 10/22/2014 @ 2 PM
Goal: 8 % DBE

J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to:

1 LEAD COMPLIANCE PLAN
2 TIME-RELATED OVERHEAD (WDAY)
3 CONSTRUCTION AREA SIGNS
4 TRAFFIC CONTROL SYSTEM
5 PORTABLE CHANGEABLE MESSAGE SIGN (LS)
6 JOB SITE MANAGEMENT
7 PREPARE WATER POLLUTION CONTROL PROGRAM
8 TEMPORARY FIBER ROLL
9 TEMPORARY CONCRETE WASHOUT
10 TREATED WOOD WASTE
11 REMOVE GUARDRAIL
12 REMOVE THERMOPLASTIC PAVEMENT MARKING
13 REMOVE ROADSIDE SIGN
14 REMOVE ROADSIDE SIGN PANEL
15 REMOVE ASPHALT CONCRETE DIKE
16 REMOVE CULVERT (LF)
17 REMOVE INLET
18 REMOVE HEADWALL
19 RECONSTRUCT FENCE
20 RECONSTRUCT GUARDRAIL
21 RECONSTRUCT GUARDRAIL (7' POST)
22 RECONSTRUCT TERMINAL SYSTEM
23 RECONSTRUCT TRANSITION RAILING (TYPE WB)
24 RESET 24" REINFORCED CONCRETE PIPE
25 COLD PLANE ASPHALT CONCRETE PAVEMENT
26 CLEANING, INSPECTING, AND PREPARING CULVERT (LF)
27 24" CURED IN PLACE PIPELINER
28 30" CURED IN PLACE PIPELINER
29 CLEARING AND GRUBBING (LS)
30 DEVELOP WATER SUPPLY
31 SHOULDER BACKING
32 DITCH EXCAVATION
33 EROSION CONTROL (DRY SEED) (SQFT)
34 STRAW
35 CLASS 2 AGGREGATE BASE (CY)
36 PREPAVING INERTIAL PROFILER
37 PREPAVING GRINDING DAY
38 REPLACE ASPHALT CONCRETE SURFACING
39 HOT MIX ASPHALT (TYPE A)
40 RUBBERIZED HOT MIX ASPHALT (GAP GRADED)
41 RUBBERIZED HOT MIX ASPHALT (OPEN GRADED)
42 SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS)
43 CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS)
44 DATA CORE
45 PLACE HOT MIX ASPHALT DIKE (TYPE F)
46 TACK COAT
47 (F) MINOR CONCRETE (MINOR STRUCTURE)
48 DRILL AND BOND DOWEL (CHEMICAL ADHESIVE)
49 (F) SHOTCRETE
50 FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B)
51 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
52 FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED)
53 ROADSIDE SIGN - ONE POST
54 ROADSIDE SIGN - TWO POST
55 INSTALL ROADSIDE SIGN PANEL ON EXISTING POST
56 INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST)
57 24" ALTERNATIVE PIPE CULVERT
58 CONCRETE BACKFILL (PIPE TRENCH)
59 18" CORRUGATED STEEL PIPE (.138" THICK)
60 36" CORRUGATED STEEL PIPE INLET (.109" THICK)
61 STEEL FLARED END SECTION
62 SMALL-ROCK SLOPE PROTECTION
63 ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY)
64 ROCK SLOPE PROTECTION FABRIC (CLASS 8)
65 MINOR CONCRETE (SIDEWALK)
66 (F) MISCELLANEOUS IRON AND STEEL
67 DELINEATOR (CLASS 1)
68 DELINEATOR (CLASS 2)
69 MILEPOST MARKER
70 MARKER (CULVERT)
71 OBJECT MARKER
72 VEGETATION CONTROL (MINOR CONCRETE)
73 SINGLE THRIE BEAM BARRIER
74 TRANSITION RAILING (TYPE WB)

75 ALTERNATIVE FLARED TERMINAL SYSTEM
76 THERMOPLASTIC PAVEMENT MARKING
77 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)
78 PAVEMENT MARKER (RETROREFLECTIVE)
79 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)
80 MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION
81 TRAFFIC COUNT STATION
82 MOBILIZATION

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. **Women and Minority Employees are encouraged to apply.**

J. F. SHEA CONSTRUCTION, INC.
P.O. Box 494519 - Redding, CA 96049
Phone: (530) 246-4292 Fax: (530) 246-9940
An Equal Opportunity Employer

* * * Communication Result Report (Oct. 1. 2014 11:56AM) * * *

1) JF SHEA
2)

Date/Time: Oct. 1. 2014 11:50AM

File No.	Mode	Destination	Pg(s)	Result	Page Not Sent
1861	Memory TX	918006422437	P. 3	OK	

Reason for error
E. 1) Hang up or line fail
E. 2) Busy
E. 3) No answer
E. 4) No facsimile connection
E. 5) Exceeded max. E-mail size
E. 6) Destination does not support IP-Fax

Reed Construction Data

Fax 800-642-2437

To Be Listed As A Bidder In
Daily Construction Service, Northern California

RECEIVED
J.F. SHEA CONST., INC.
OCT 01 2014
OM NO.
A/C NO.

Bid Date	Owner	CMD Project No.	Project Title/Location
10/22/14 2:00 PM	Caltrans	Contract # 02-4E4304	* Rehabilitate Pavement * Shasta County

☐ Please call me for MWBE/DVBE Advertising (or call Vicki direct at 800-242-9747)

Company Name: J. F. Shea Construction, Inc.

Address: PO Box 494519 - Redding, Ca. 96049-4519

Ph: (530) 246-4292 Fax: (530) 246-0840 Requested By: Stacy Dutra

Reed Construction Data

Fax 800-642-2437

To Be Listed As A Bidder in
Daily Construction Service, Northern California

Bid Date	Owner	CMD Project No.	Project Title/Location
10/22/14 2:00 PM	Caltrans	Contract # 02-4E4304	* Rehabilitate Pavement * Shasta County

☐ Please call me for M/W/D/DVBE Advertising (or call Vikki direct at 800-242-9747)

Company Name: J. F. Shea Construction, Inc.

Address: PO Box 494519 - Redding, Ca. 96049-4519

Phr (530) 246-4292 Fax: (530) 246-9940 Requested By: Stacy Dutra

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR:

State of California Department of Transportation - Caltrans
Rehabilitate Pavement
CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE
Shasta County
Contract #: 02-4E4304
Engineers Estimate: $5,200,000.00
Bid Date: 10/22/2014 @ 2 PM
Goal: 8 % DBE

J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to:

1 LEAD COMPLIANCE PLAN
2 TIME-RELATED OVERHEAD (WDAY)
3 CONSTRUCTION AREA SIGNS
4 TRAFFIC CONTROL SYSTEM
5 PORTABLE CHANGEABLE MESSAGE SIGN (LS)
6 JOB SITE MANAGEMENT
7 PREPARE WATER POLLUTION CONTROL PROGRAM
8 TEMPORARY FIBER ROLL
9 TEMPORARY CONCRETE WASHOUT
10 TREATED WOOD WASTE
11 REMOVE GUARDRAIL
12 REMOVE THERMOPLASTIC PAVEMENT MARKING
13 REMOVE ROADSIDE SIGN
14 REMOVE ROADSIDE SIGN PANEL
15 REMOVE ASPHALT CONCRETE DIKE
16 REMOVE CULVERT (LF)
17 REMOVE INLET
18 REMOVE HEADWALL
19 RECONSTRUCT FENCE
20 RECONSTRUCT GUARDRAIL
21 RECONSTRUCT GUARDRAIL (7' POST)
22 RECONSTRUCT TERMINAL SYSTEM
23 RECONSTRUCT TRANSITION RAILING (TYPE WB)
24 RESET 24" REINFORCED CONCRETE PIPE
25 COLD PLANE ASPHALT CONCRETE PAVEMENT
26 CLEANING, INSPECTING, AND PREPARING CULVERT (LF)
27 24" CURED IN PLACE PIPELINER
28 30" CURED IN PLACE PIPELINER
29 CLEARING AND GRUBBING (LS)
30 DEVELOP WATER SUPPLY
31 SHOULDER BACKING
32 DITCH EXCAVATION
33 EROSION CONTROL (DRY SEED) (SQFT)
34 STRAW
35 CLASS 2 AGGREGATE BASE (CY)
36 PREPAVING INERTIAL PROFILER
37 PREPAVING GRINDING DAY
38 REPLACE ASPHALT CONCRETE SURFACING
39 HOT MIX ASPHALT (TYPE A)
40 RUBBERIZED HOT MIX ASPHALT (GAP GRADED)
41 RUBBERIZED HOT MIX ASPHALT (OPEN GRADED)
42 SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS)
43 CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS)
44 DATA CORE
45 PLACE HOT MIX ASPHALT DIKE (TYPE F)
46 TACK COAT
47 (F) MINOR CONCRETE (MINOR STRUCTURE)
48 DRILL AND BOND DOWEL (CHEMICAL ADHESIVE)
49 (F) SHOTCRETE
50 FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B)
51 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
52 FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED)
53 ROADSIDE SIGN - ONE POST
54 ROADSIDE SIGN - TWO POST
55 INSTALL ROADSIDE SIGN PANEL ON EXISTING POST
56 INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST)
57 24" ALTERNATIVE PIPE CULVERT
58 CONCRETE BACKFILL (PIPE TRENCH)
59 18" CORRUGATED STEEL PIPE (.138" THICK)
60 36" CORRUGATED STEEL PIPE INLET (.109" THICK)
61 STEEL FLARED END SECTION
62 SMALL-ROCK SLOPE PROTECTION
63 ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY)
64 ROCK SLOPE PROTECTION FABRIC (CLASS 8)
65 MINOR CONCRETE (SIDEWALK)
66 (F) MISCELLANEOUS IRON AND STEEL
67 DELINEATOR (CLASS 1)
68 DELINEATOR (CLASS 2)
69 MILEPOST MARKER
70 MARKER (CULVERT)
71 OBJECT MARKER
72 VEGETATION CONTROL (MINOR CONCRETE)
73 SINGLE THRIE BEAM BARRIER
74 TRANSITION RAILING (TYPE WB)

75 ALTERNATIVE FLARED TERMINAL SYSTEM
76 THERMOPLASTIC PAVEMENT MARKING
77 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE)
78 PAVEMENT MARKER (RETROREFLECTIVE)
79 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED)
80 MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION
81 TRAFFIC COUNT STATION
82 MOBILIZATION

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. **Women and Minority Employees are encouraged to apply.**

J. F. SHEA CONSTRUCTION, INC.
P.O. Box 494519 - Redding, CA 96049
Phone: (530) 246-4292 Fax: (530) 246-9940
An Equal Opportunity Employer

Contractor: J. F. Shea Construction, Inc. **Contact:** Stacy Dutra
Address: 17400 Clear Creek Road Redding, CA 96001
Phone: 530-246-4292 **Fax:** 530-246-9940 **Email:** Stacy.Dutra@jfshea.com
Services needed: REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans Rehabilitate Pavement CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE Shasta County Contract #: 02-4E4304 Engineers Estimate: $5,200,000.00 Bid Date: 10/22/2014 @ 2 PM Goal: 8 % DBE J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: 1 LEAD COMPLIANCE PLAN 2 TIME-RELATED OVERHEAD (WDAY) 3 CONSTRUCTION AREA SIGNS 4 TRAFFIC CONTROL SYSTEM 5 PORTABLE CHANGEABLE MESSAGE SIGN (LS) 6 JOB SITE MANAGEMENT 7 PREPARE WATER POLLUTION CONTROL PROGRAM 8 TEMPORARY FIBER ROLL 9 TEMPORARY CONCRETE WASHOUT 10 TREATED WOOD WASTE 11 REMOVE GUARDRAIL 12 REMOVE THERMOPLASTIC PAVEMENT MARKING 13 REMOVE ROADSIDE SIGN 14 REMOVE ROADSIDE SIGN PANEL 15 REMOVE ASPHALT CONCRETE DIKE 16 REMOVE CULVERT (LF) 17 REMOVE INLET 18 REMOVE HEADWALL 19 RECONSTRUCT FENCE 20 RECONSTRUCT GUARDRAIL 21 RECONSTRUCT GUARDRAIL (7' POST) 22 RECONSTRUCT TERMINAL SYSTEM 23 RECONSTRUCT TRANSITION RAILING (TYPE WB) 24 RESET 24" REINFORCED CONCRETE PIPE 25 COLD PLANE ASPHALT CONCRETE PAVEMENT 26 CLEANING, INSPECTING, AND PREPARING CULVERT (LF) 27 24" CURED IN PLACE PIPELINER 28 30" CURED IN PLACE PIPELINER 29 CLEARING AND GRUBBING (LS) 30 DEVELOP WATER SUPPLY 31 SHOULDER BACKING 32 DITCH EXCAVATION 33 EROSION CONTROL (DRY SEED) (SQFT) 34 STRAW 35 CLASS 2 AGGREGATE BASE (CY) 36 PREPAVING INERTIAL PROFILER 37 PREPAVING GRINDING DAY 38 REPLACE ASPHALT CONCRETE SURFACING 39 HOT MIX ASPHALT (TYPE A) 40 RUBBERIZED HOT MIX ASPHALT (GAP GRADED) 41 RUBBERIZED HOT MIX ASPHALT (OPEN GRADED) 42 SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS) 43 CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS) 44 DATA CORE 45 PLACE HOT MIX ASPHALT DIKE (TYPE F) 46 TACK COAT 47 (F) MINOR CONCRETE (MINOR STRUCTURE) 48 DRILL AND BOND DOWEL (CHEMICAL ADHESIVE) 49 (F) SHOTCRETE 50 FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B) 51 FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED) 52 FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) 53 ROADSIDE SIGN - ONE POST 54 ROADSIDE SIGN - TWO POST 55 INSTALL ROADSIDE SIGN PANEL ON EXISTING POST 56 INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST) 57 24" ALTERNATIVE PIPE CULVERT 58 CONCRETE BACKFILL (PIPE TRENCH) 59 18" CORRUGATED STEEL PIPE (.138" THICK) 60 36" CORRUGATED STEEL PIPE INLET (.109" THICK) 61 STEEL FLARED END SECTION 62 SMALL-ROCK SLOPE PROTECTION 63 ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY) 64 ROCK SLOPE PROTECTION FABRIC (CLASS 8) 65 MINOR CONCRETE (SIDEWALK) 66 (F) MISCELLANEOUS IRON AND STEEL 67 DELINEATOR (CLASS 1) 68 DELINEATOR (CLASS 2) 69 MILEPOST MARKER 70 MARKER (CULVERT) 71 OBJECT MARKER 72 VEGETATION CONTROL (MINOR CONCRETE) 73 SINGLE THRIE BEAM BARRIER 74 TRANSITION RAILING (TYPE WB) 75 ALTERNATIVE FLARED TERMINAL SYSTEM 76 THERMOPLASTIC PAVEMENT MARKING 77 THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE) 78 PAVEMENT MARKER (RETROREFLECTIVE) 79 PAVEMENT MARKER (RETROREFLECTIVE-RECESSED) 80 MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION 81 TRAFFIC COUNT STATION 82 MOBILIZATION
Requirements: J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor?s license, insurance coverage and worker?s compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work

cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. J. F. SHEA CONSTRUCTION, INC. P.O. Box 494519 - Redding, CA 96049 Phone: (530) 246-4292 Fax: (530) 246-9940 An Equal Opportunity Employer
Date posted: 10/02/2014

DBE Goodfaith Inc. **Good Faith Transaction Log**

Company Details

Company Name	:	J. F. Shea Construction, Inc.
Department	:	Office
Address	:	17400 Clear Creek Rd.
Suite #	:	
City	:	Redding
State	:	California
Zip	:	96001
Phone #	:	Tel : 530-246-4292
Fax #	:	Fax : 530-246-9940
Email #	:	stacy.dutra@jfshea.com

Solicitation Transaction Log (STL)

Bid #	:	02-4E4304
Bid Date	:	10/22/2014
Bid Description	:	REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET

	ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

This document contains all information pertaining with solicitations made on behalf of/for J. F. Shea Construction, Inc. of Redding, California by DBE Goodfaith Inc. (a California-based Corporation).

These solicitations have been done in good faith. DBE Goodfaith has participated with J. F. Shea Construction, Inc. in communicating with selected DBE firms.

DBE Goodfaith has contacted the California Department of Transportation (Office of Civil Rights) on 09/29/2014 on your behalf. Please write this information on the appropriate forms if required.

Advertisements published in DBE GoodFaith's Minority Focus and Trade Journals run from the publication date until the bid date listed on the advertisements.

Total Companies Solicited

The following information is a summary of the different types of Business that have been solicited by DBE Good Faith Inc. on behalf of J. F. Shea Construction, Inc.

DVBE (Disadvantaged Veteran Business Enterprises)	-	0
DBE (Disadvantaged Business Enterprises)	-	50
UDBE (Underutilized Disadvantaged Business Enterprise)	-	0
MBE (Minority Owned Business Enterprises)	-	0
WBE (Women Owned Business Enterprises)	-	0
SBE (Small Business Enterprises)	-	0
Total	-	50

Minority Focus Journal Ad posted to website www.dbegoodfaith.net on 09/29/2014 at 11:40AM

The advertisement published in DBE GoodFaith's Focus Journal runs from the publication date until the bid date listed on the advertisement.

Estimator
Logan Hanson

Project Coordinator
Stacy Dutra

Contact Information
17400 Clear Creek Rd.
Redding, California
96001
Tel : 530-246-4292
Fax : 530-246-9940

J. F. Shea Construction, Inc.

is seeking qualified DBEs

Project Name
Rehabilitate Pavement

Awarding Agency
State of California Department of Transportation - CALTRANS

Project Location
Near Palo Cedro, Shasta County, California

Bid Date & Time
10/22/2014 at 02:00 P.M

Bid/Contract #
02-4E4304

Project Details
REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRD FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTIDN AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMDVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HDT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GRDUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINDR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); RDCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATIDN CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE

	FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION. J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

Minority Trade Journal Ad posted to website trade.dbegoodfaith.net on 09/29/2014 at 11:40AM

The advertisement published in DBE GoodFaith's Trade Journal runs from the publication date until the bid date listed on the advertisement.

Trade Journal Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

Bid Due Date : 10/22/2014 at 02:00 P.M Bid No : 02-4E4304

Contact Estimator : Logan Hanson

Project Name	:	Rehabilitate Pavement
Agency Name	:	State of California Department of Transportation - CALTRANS
Project City	:	Near Palo Cedro
Project County	:	Shasta County
Project State	:	California
Project Details	:	

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CDNSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPDRT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED DVERHEAD (WDAY); CONSTRUCTIDN AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECDNSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CDNTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING PDST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BDX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPDST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CDNTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMDPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTIDN; TRAFFIC COUNT STATION; MDBILIZATION.

Contact Details	:	Stacy Dutra
		17400 Clear Creek Rd.
		Redding, California 96001
		Tel : 530-246-4292
		Fax : 530-246-9940

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

Recipient List (Fax/Email)

Set No 1

Company Name/Specialty	Fax Date	Email Date	Log Page#
6 RIVERS CONSTRUCTION, INC. Address - 200 REDWOOD GROVE RD Phone - 5305157563, Fax - 5306255423, Email - 6riversconstruction@gmail.com	09/29/2014	09/29/2014	
A B S L CONSTRUCTION Address - 29334 PACIFIC STREET Phone - 5107270900, Fax - 5107270910, Email - luis@allendes.com	09/29/2014	09/29/2014	
A C DIKE CO Address - 2788 VENTURE DR. Phone - 9166457747 , Fax - 9166459618, Email - email@acdike.com	09/29/2014	09/29/2014	
A S CONTRACTORS, INC. Address - 5347 COLE ROAD Phone - 2097426684, Fax - 2099662643, Email - deni@sti.com	09/29/2014	09/29/2014	
ALFRED CIVIL ENGINEERING Address - 7604 SOQUEL WAY Phone - 9162353967, Fax - 0000000000, Email - btouray@comcast.net	09/29/2014	09/29/2014	
ALL AMERICAN ASPHALT SEALING INC Address - 1565 TRAINER WAY Phone - 7753293003, Fax - 7758273006, Email - aaasealing96@yahoo.com	09/29/2014	09/29/2014	
ALLEN GILL CONSTRUCTION, INC. Address - 20633 GAS POINT ROAD, SUITE B2 Phone - 5305474334, Fax - 5305473197, Email - tgill@frontiemet.net	09/29/2014	09/29/2014	
AMLAND CORP Address - 3168 KNIGHTS BRIDGE RD Phone - 4089293949, Fax - 4082984344, Email - kevinphan@amlandcorp.com	09/29/2014	09/29/2014	
ARROW S COMPANY Address - 177 CALIFORNIA AVENUE Phone - 7073960073, Fax - 7074372555, Email - lori@arrowco.com	09/29/2014	09/29/2014	
AUSTIN ENTERPRISE Address - 13421 SNOW ROAD Phone - 6615891001, Fax - 6615899509, Email - paustin@austin-enterprise.com	09/29/2014	09/29/2014	
AXNER EXCAVATING, INC Address - 2900 OLD OREGON TRAIL Phone - 5302220539, Fax - 5302228910, Email - julieb@axnerexcavating.com	09/29/2014	09/29/2014	
BC SCHMIDT CONSTRUCTION, INC. Address - P.O. BOX 1557 Phone - 5304735423, Fax - 5304732749, Email - carrie@hangarbuilders.com	09/29/2014	09/29/2014	
BORG FENCE Address - 50 CONTRACTORS STREET Phone - 9254559620, Fax - 9254559626, Email - julieborg@borgfence.com	09/29/2014	09/29/2014	
BURKE CONSTRUCTION Address - 4421 TENNESSEE DRIVE Phone - 5306761009, Fax - 5306722411, Email - burkebid@gmail.com	09/29/2014	09/29/2014	
CAL-CON PUMPING, LLC Address - 2270 PALOU AVENUE Phone - 4154019838, Fax - 4154017664, Email - jb.calcon@mac.com	09/29/2014	09/29/2014	
CAMACHO COMMUNICATIONS CORPORATIONS Address - 517 8TH STREET Phone - 9164449853, Fax - 9164479853, Email - j_camacho@camcosolutions.net	09/29/2014	09/29/2014	
CHARLIE'S CUSTOM EXCAVATING, INC Address - 21113 GILBERT DRIVE Phone - 5302213626, Fax - 5302217563, Email - office@ccexcavatinginc.com	09/29/2014	09/29/2014	
CLEAR CREEK CONSTRUCTION Address - 570 JULIAN STREET Phone - 5302241430, Fax - 5302241430, Email - clearcreekadam@gmail.com	09/29/2014	09/29/2014	
CMC TRAFFIC CONTROL SPECIALIST Address - 375 ILLINOIS STREET Phone - 4152061700, Fax - 4152061711, Email - crystalm.cmc@gmail.com	09/29/2014	09/29/2014	

CONSTRUCTION AREA SIGNS, INCORPORATED 09/29/2014 09/29/2014
Address - 9093 OLD STATE HWY
Phone - 9166639097, Fax - 9166631858, Email - elisa@cas-tc.com

CONTRACTOR SERVICES GROUP, INC. 09/29/2014 09/29/2014
Address - 3960 INDUSTRIAL BLVD SUITE 500
Phone - 9613717303, Fax - 8663666646, Email - shelli@csg-web.com

DIAMOND D GENERAL ENGINEERING, INC. 09/29/2014 09/29/2014
Address - 32500 STATE HIGHWAY 16
Phone - 5306622042, Fax - 5306626770, Email - sdefty@ddge.net

DILLARD ENVIRONMENTAL SERVICES 09/29/2014 09/29/2014
Address - 3120 CAMINO DIABLO RD
Phone - 9256346850, Fax - 9256346858, Email - patriciad@dillardenv.com

DIRT & AGGREGATE INTERCHANGE, INC 09/29/2014 09/29/2014
Address - 20905 N.E. SANDY BOULEVARD
Phone - 5036615093, Fax - 5036691192, Email - contractor@dirtagg.com

EAGLE ENGINEERING AND CONSTRUCTION, INC 09/29/2014 09/29/2014
Address - 1175 PALOMAR DRIVE
Phone - 6503678000, Fax - 6503678282, Email - brooks.curtis@att.net

FCS STRIPING, SEALING AND PAVING, INC. 09/29/2014 09/29/2014
Address - 206 THRASHER AVENUE
Phone - 9253736205, Fax - 9253736208, Email - inesseoane@fcs-ssp.com

FRANK MEDINA GENERAL ENGINEERING CONTRACTOR 09/29/2014 09/29/2014
Address - 10096 AHART ROAD
Phone - 5307430744, Fax - 5307439352, Email - toni.medina@att.net

GREEN BUILDING PRODUCTS, INC 09/29/2014 09/29/2014
Address - 3303 LUYUNG DRIVE
Phone - 9163330557, Fax - 9163747998, Email - carole@greenbpi.com

K & K CONSTRUCTION SUPPLY, INC 09/29/2014 09/29/2014
Address - 11280 SUNRISE PARK DR., STE B
Phone - 9168510965, Fax - 9168510999, Email - kelly@urataconcrete.com

K. W. EMERSON, INC. 09/29/2014 09/29/2014
Address - 413 WEST ST. CHARLES STREET
Phone - 2097543839, Fax - 2097543830, Email - alison@kwemerson.com

KA`PEL CONSTRUCTION INC 09/29/2014 09/29/2014
Address - 691 PONY EXPRESS WAY, LOT 31
Phone - 5306293300, Fax - 5306293300, Email - lrobbins@kapelconstruction.com

KRS CONSTRUCTION INC 09/29/2014 09/29/2014
Address - 9302 ELDER CREEK RD.
Phone - 9163816438 , Fax - 9163816438 , Email - krsconstruction@sbcglobal.net

MC CULLOUGH CONSTRUCTION INC 09/29/2014 09/29/2014
Address - 57 ALDERGROVE ROAD
Phone - 7078251014, Fax - 7078251769, Email - mackymccullough@mculloughconstructioninc.com

NATURAL INVESTIGATIONS COMPANY, LLC 09/29/2014 09/29/2014
Address - 6124 SHADOW LANE
Phone - 9167659381, Fax - 0000000000, Email - Cindy@naturalinvestigations.com

NITTA EROSION CONTROL 09/29/2014 09/29/2014
Address - 3778 DEL MAR AVENUE
Phone - 9166527459, Fax - 9166524376, Email - nittaec@gmail.com

NUNO IRON & MFG, INC 09/29/2014 09/29/2014
Address - 315 BITTERWATER RD.
Phone - 8313860513, Fax - 8313869976, Email - bpantoja@nunoiron.com

OLIVEIRA FENCE, INC. 09/29/2014 09/29/2014
Address - 400 REED STREET SUITE 106
Phone - 4087273811, Fax - 4087272690, Email - pam@oliveirafenceinc.com

PAPILLON BUILDERS 09/29/2014 09/29/2014
Address - 20300 RIM ROCK CT
Phone - 9165807019, Fax - 8887177270, Email - jsellers@papillonbuilders.com

QUIMU CONTRACTING, INC. 09/29/2014 09/29/2014
Address - 695 PRIDDY DRIVE
Phone - 7076930289, Fax - 7076788384, Email - quimu@sbcglobal.net

R. E. SERRANO INC. 09/29/2014 09/29/2014
Address - 3430 PACHECO BLVD.

Phone - 9259578184, Fax - 9259578121, Email - ricky@reserrano.com

S KWOK ENGINEERS, INC. 09/29/2014 09/29/2014
Address - 1815 CORNELL DRIVE
Phone - 5102209017, Fax - 8887331360, Email - seng@skwokengineers.com

S.T. RHOADES CONSTRUCTION INC 09/29/2014 09/29/2014
Address - 14105 DOS PINION TRAIL
Phone - 5302239322, Fax - 5302239222, Email - steve@strhoadesinc.com

STONY CREEK GENERAL ENGINEERING 09/29/2014 09/29/2014
Address - 5321 COUNTY RD 206
Phone - 5305263191, Fax - 5309885092, Email - luke@scgeinc.com

STORMWATER SPECIALISTS INC 09/29/2014 09/29/2014
Address - 8698 ELK GROVE BLVD, SUITE 224
Phone - 9162300370, Fax - 9164054180, Email - Mary@stormwaterspecialists.com

SUULUTAAQ, INC - ALASKA NATIVE CORP 09/29/2014 09/29/2014
Address - 827 MISSOURI STREET, SUITE 6
Phone - 7074273209, Fax - 7074194851, Email - ninah.moody@suulutaaq.com

TRINITY VALLEY CONSULTING ENGINEERS, INC 09/29/2014 09/29/2014
Address - 67 WALNUT WAY
Phone - 5306293000 , Fax - 5306293011 , Email - tvce@tvce.biz

TULLY CONSULTING GROUP 09/29/2014 09/29/2014
Address - 580 WIEGAND WAY
Phone - 7076931926 , Fax - 7074710318 , Email - robintully8@gmail.com

TYRRELL RESOURCES, INC. 09/29/2014 09/29/2014
Address - 275 HILLTOP DRIVE
Phone - 5302438733, Fax - 5302418975 , Email - tyrrellresources@sbcglobal.net

VINTAGE PAVING COMPANY, INC. 09/29/2014 09/29/2014
Address - 119 MAIN STREET
Phone - 5307950132, Fax - 5307955734, Email - edc@vintagepavingco.com

WALLACE STRUCTURES 09/29/2014 09/29/2014
Address - 2515 TAWNDALE LN
Phone - 7078344992, Fax - 7077683386, Email - wallacestr@aol.com

Recipients Phone Log 1 Set 1 Date: 09/30/2014

Company Details	Spoke to	Date/Time	Y/M/N
6 RIVERS CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:03 P.M	M
A B S L CONSTRUCTION May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:06 P.M	M
A C DIKE CO May be interested, not sure. They will have a look at the fax and will reply if interested.	Receptionist	09/30/2014 02:08 P.M	M
A S CONTRACTORS, INC. May be interested, no answer to call. No voicemail.	No answer	10/01/2014 02:04 P.M	M
ALFRED CIVIL ENGINEERING Yes, is interested. Sent another fax on request.	Alfred	09/30/2014 03:40 P.M	Y
ALL AMERICAN ASPHALT SEALING INC May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:06 P.M	M
ALLEN GILL CONSTRUCTION, INC. No, not bidding this project.	Receptionist	10/01/2014 02:09 P.M	N
AMLAND CORP May be interested, not sure. Voicemail is full.	Voicemail full	09/30/2014 02:16 P.M	M
ARROW S COMPANY May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:11 P.M	M
AUSTIN ENTERPRISE No, not bidding this project.	Receptionist	09/30/2014 03:46 P.M	N
AXNER EXCAVATING, INC May be interested, left a voicemail for the estimator with all the project details.	John Voicemail	10/01/2014 02:16 P.M	M
BC SCHMIDT CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:20 P.M	M
BORG FENCE May be interested, left a voicemail for the estimator with all the project details.	Julie Voicemail	10/01/2014 02:21 P.M	M
BURKE CONSTRUCTION May be interested, not sure. Unable to connect call.	Unable to connect	10/01/2014 02:24 P.M	M
CAL-CON PUMPING, LLC May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 03:48 P.M	M
CAMACHO COMMUNICATIONS CORPORATIONS May be interested, not sure. Unable to leave a message.	Unable to leave a message	10/01/2014 02:25 P.M	M
CHARLIE'S CUSTOM EXCAVATING, INC May be interested, no answer to call. Unable to leave a message.	No answer	09/30/2014 03:50 P.M	M
CLEAR CREEK CONSTRUCTION May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:27 P.M	M
CMC TRAFFIC CONTROL SPECIALIST No, not bidding this project.	Receptionist	09/30/2014 02:22 P.M	N

CONSTRUCTION AREA SIGNS, INCORPORATED May be interested, not sure. They will have a look at the fax and will reply if interested.	Receptionist	09/30/2014 02:25 P.M	M
CONTRACTOR SERVICES GROUP, INC. No, not interested in bidding.	Receptionist	10/01/2014 02:30 P.M	N
DIAMOND D GENERAL ENGINEERING, INC. No, not bidding this project.	Adam	10/01/2014 02:36 P.M	N
DILLARD ENVIRONMENTAL SERVICES May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:38 P.M	M
DIRT & AGGREGATE INTERCHANGE, INC Yes, will be bidding the project.	Receptionist	09/30/2014 02:30 P.M	Y
EAGLE ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:33 P.M	M
FCS STRIPING, SEALING AND PAVING, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:41 P.M	M
FRANK MEDINA GENERAL ENGINEERING CONTRACTOR May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 03:58 P.M	M
GREEN BUILDING PRODUCTS, INC No, not bidding this project.	Estimator	09/30/2014 02:45 P.M	N
K & K CONSTRUCTION SUPPLY, INC May be interested, not sure. Number not available at the moment.	Not available	09/30/2014 02:48 P.M	M
K. W. EMERSON, INC. May be interested, not sure. Reached voicemail but unable to leave a message.	Voicemail	10/01/2014 02:45 P.M	M
KA`PEL CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:47 P.M	M
KRS CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:53 P.M	M
MC CULLOUGH CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 02:56 P.M	M
NATURAL INVESTIGATIONS COMPANY, LLC No, not interested in bidding.	Receptionist	10/01/2014 02:56 P.M	N
NITTA EROSION CONTROL May be interested, not sure yet. They will know closer to the bid date.	Valerie	09/30/2014 03:19 P.M	M
NUNO IRON & MFG, INC No, not bidding this project.	Receptionist	09/30/2014 04:07 P.M	N
OLIVEIRA FENCE, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 02:58 P.M	M
PAPILLON BUILDERS May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:01 P.M	M
QUIMU CONTRACTING, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:05 P.M	M
R. E. SERRANO INC.	Receptionist	09/30/2014 03:23 P.M	N

No, not bidding this project.			
S KWOK ENGINEERS, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:11 P.M	M
S.T. RHOADES CONSTRUCTION INC No, not bidding this project.	Receptionist	09/30/2014 03:25 P.M	N
STONY CREEK GENERAL ENGINEERING May be interested, not sure. Reached voicemail but unable to leave a message.	Voicemail	09/30/2014 03:31 P.M	M
STORMWATER SPECIALISTS INC May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:16 P.M	M
SUULUTAAQ, INC - ALASKA NATIVE CORP No, not interested in bidding.	Christina	09/30/2014 04:13 P.M	N
TRINITY VALLEY CONSULTING ENGINEERS, INC No, not interested in bidding.	Receptionist	09/30/2014 03:35 P.M	N
TULLY CONSULTING GROUP May be interested, left a voicemail with all the project details.	Voicemail	09/30/2014 04:15 P.M	M
TYRRELL RESOURCES, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:18 P.M	M
VINTAGE PAVING COMPANY, INC. No, not bidding this project.	Receptionist	10/01/2014 03:21 P.M	N
WALLACE STRUCTURES May be interested, left a voicemail with all the project details.	Voicemail	10/01/2014 03:23 P.M	M

Recipients Phone Log 2 set 1 Date: 10/15/2014

Company Details	Spoke to	Date/Time	Y/M/N
6 RIVERS CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:19 A.M	M
A B S L CONSTRUCTION Yes, will be bidding this project.	Estimator	10/15/2014 11:29 A.M	Y
A C DIKE CO May be bidding, not sure. Lines temporarily busy.	Lines Busy	10/15/2014 11:29 A.M	M
A S CONTRACTORS, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:30 A.M	M
ALFRED CIVIL ENGINEERING Yes, is interested. They are looking at the project.	Estimator	10/15/2014 11:31 A.M	Y
ALL AMERICAN ASPHALT SEALING INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:33 A.M	M
AMLAND CORP May be bidding, not sure. Voicemail is full.	Voicemail full	10/15/2014 11:33 A.M	M
ARROW S COMPANY May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:44 A.M	M
AXNER EXCAVATING, INC No, not bidding this project.	Sherry	10/15/2014 11:46 A.M	N
BC SCHMIDT CONSTRUCTION, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:46 A.M	M
BORG FENCE May be interested, left a voicemail for the estimator with all the project details.	Julie Voicemail	10/15/2014 11:52 A.M	M
BURKE CONSTRUCTION May be interested, not sure. Unable to connect call.	Unable to connect	10/15/2014 11:52 A.M	M
CAL-CON PUMPING, LLC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 11:54 A.M	M
CAMACHO COMMUNICATIONS CORPORATIONS May be interested, not sure. Unable to leave a message.	Unable to leave a message	10/15/2014 00:01 P.M	M
CHARLIE'S CUSTOM EXCAVATING, INC May be interested, no answer to call. Unable to leave a message.	No answer	10/15/2014 00:01 P.M	M
CLEAR CREEK CONSTRUCTION May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 00:03 P.M	M
CONSTRUCTION AREA SIGNS, INCORPORATED May be bidding, not sure. The estimator will have a look at the fax and reply if interested.	Receptionist	10/15/2014 00:04 P.M	M
DILLARD ENVIRONMENTAL SERVICES No, not bidding this project.	Receptionist	10/15/2014 02:47 P.M	N
DIRT & AGGREGATE INTERCHANGE, INC Yes, will be bidding this project.	Receptionist	10/15/2014 02:52 P.M	Y

EAGLE ENGINEERING AND CONSTRUCTION, INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 02:52 P.M	M
FCS STRIPING, SEALING AND PAVING, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 02:53 P.M	M
FRANK MEDINA GENERAL ENGINEERING CONTRACTOR May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 02:54 P.M	M
K & K CONSTRUCTION SUPPLY, INC No, not bidding this project.	Receptionist	10/15/2014 03:00 P.M	N
K. W. EMERSON, INC. No, not bidding this project.	Receptionist	10/15/2014 03:13 P.M	N
KA'PEL CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:14 P.M	M
KRS CONSTRUCTION INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:17 P.M	M
MC CULLOUGH CONSTRUCTION INC No, not bidding this project.	Receptionist	10/15/2014 03:18 P.M	N
NITTA EROSION CONTROL May be bidding, not sure yet. They are looking at the project.	Laura	10/15/2014 03:23 P.M	M
OLIVEIRA FENCE, INC. No, not bidding this project.	Receptionist	10/15/2014 03:25 P.M	N
PAPILLON BUILDERS May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:27 P.M	M
QUIMU CONTRACTING, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:27 P.M	M
S KWOK ENGINEERS, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:29 P.M	M
STONY CREEK GENERAL ENGINEERING May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:33 P.M	M
STORMWATER SPECIALISTS INC May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:41 P.M	M
TULLY CONSULTING GROUP May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:42 P.M	M
TYRRELL RESOURCES, INC. May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:43 P.M	M
WALLACE STRUCTURES May be interested, left a voicemail with all the project details.	Voicemail	10/15/2014 03:46 P.M	M

DBE Goodfaith Inc. Fax Confirmation Report for J. F. Shea Construction, Inc. Bid Number:02-4E4304

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
1	6 RIVERS CONSTRUCTION, INC.	DBE	5305157563	5306255423	Success	09/29/2014 13:34
2	A B S L CONSTRUCTION	DBE	5107270900	5107270910	Success	09/29/2014 13:32
3	A C DIKE CO	DBE	9166457747	9166459618	Failed	09/29/2014 13:38
4	A S CONTRACTORS, INC.	DBE	2097426684	2099662643	Success	09/29/2014 13:28
5	ALFRED CIVIL ENGINEERING	DBE	9162353967	0000000000	Failed	09/28/2014 17:00
6	ALL AMERICAN ASPHALT SEALING INC	DBE	7753293003	7758273006	Success	09/29/2014 13:24
7	ALLEN GILL CONSTRUCTION, INC.	DBE	5305474334	5305473197	Success	09/29/2014 14:18
8	AMLAND CORP	DBE	4089293949	4082984344	Success	09/29/2014 13:25
9	ARROW S COMPANY	DBE	7073960073	7074372555	Success	09/29/2014 13:21
10	AUSTIN ENTERPRISE	DBE	6615891001	6615899509	Success	09/29/2014 13:19
11	AXNER EXCAVATING, INC	DBE	5302220539	5302228910	Success	09/29/2014 13:16
12	BC SCHMIDT CONSTRUCTION, INC.	DBE	5304735423	5304732749	Success	09/29/2014 13:15
13	BORG FENCE	DBE	9254559620	9254559626	Success	09/29/2014 14:17
14	BURKE CONSTRUCTION	DBE	5306761009	5306722411	Success	09/29/2014 14:14
15	CAL-CON PUMPING, LLC	DBE	4154019838	4154017664	Success	09/29/2014 14:12
16	CAMACHO COMMUNICATIONS CORPORATIONS	DBE	9164449853	9164479853	Success	09/29/2014 14:10
17	CHARLIE'S CUSTOM EXCAVATING, INC	DBE	5302213626	5302217563	Success	09/29/2014 14:08
18	CLEAR CREEK CONSTRUCTION	DBE	5302241430	5302241430	Success	09/29/2014 14:06
19	CMC TRAFFIC CONTROL SPECIALIST	DBE	4152061700	4152061711	Success	09/29/2014 14:04
20	CONSTRUCTION AREA SIGNS, INCORPORATED	DBE	9166639097	9166631858	Success	09/29/2014 14:02

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
21	CONTRACTOR SERVICES GROUP, INC.	DBE	9613717303	8663666646	Success	09/29/2014 14:01
22	DIAMOND D GENERAL ENGINEERING, INC.	DBE	5306622042	5306626770	Success	09/29/2014 14:06
23	DILLARD ENVIRONMENTAL SERVICES	DBE	9256346850	9256346858	Success	09/29/2014 13:57
24	DIRT & AGGREGATE INTERCHANGE, INC	DBE	5036615093	5036691192	Success	09/29/2014 13:57
25	EAGLE ENGINEERING AND CONSTRUCTION, INC	DBE	6503678000	6503678282	Success	09/29/2014 14:42
26	FCS STRIPING, SEALING AND PAVING, INC.	DBE	9253736205	9253736208	Success	09/29/2014 14:40
27	FRANK MEDINA GENERAL ENGINEERING CONTRACTOR	DBE	5307430744	5307439352	Success	09/29/2014 14:38
28	GREEN BUILDING PRODUCTS, INC	DBE	9163330557	9163747998	Success	09/29/2014 13:11
29	K & K CONSTRUCTION SUPPLY, INC	DBE	9168510965	9168510999	Success	09/29/2014 13:10
30	K. W. EMERSON, INC.	DBE	2097543839	2097543830	Success	09/29/2014 14:34
31	KA'PEL CONSTRUCTION INC	DBE	5306293300	5306293300	Success	09/29/2014 14:32
32	KRS CONSTRUCTION INC	DBE	9163816438	9163816438	Success	09/29/2014 14:31
33	MC CULLOUGH CONSTRUCTION INC	DBE	7078251014	7078251769	Success	09/29/2014 14:28
34	NATURAL INVESTIGATIONS COMPANY, LLC	DBE	9167659381	0000000000	Failed	09/28/2014 17:00
35	NITTA EROSION CONTROL	DBE	9166527459	9166524376	Success	09/29/2014 14:24
36	NUNO IRON & MFG, INC	DBE	8313860513	8313869976	Success	09/29/2014 13:52
37	OLIVEIRA FENCE, INC.	DBE	4087273811	4087272690	Success	09/29/2014 13:51
38	PAPILLON BUILDERS	DBE	9165807019	8887177270	Success	09/29/2014 13:47
39	QUIMU CONTRACTING, INC.	DBE	7076930289	7076788384	Failed	09/29/2014 13:52
40	R. E. SERRANO INC.	DBE	9259578184	9259578121	Success	09/29/2014 13:44

No.	Company Name	Type	Ph. Number	Fax Number	Status	Date/Time
41	S KWOK ENGINEERS, INC.	DBE	5102209017	8887331360	Success	09/29/2014 13:42
42	S.T. RHOADES CONSTRUCTION INC	DBE	5302239322	5302239222	Success	09/29/2014 13:40
43	STONY CREEK GENERAL ENGINEERING	DBE	5305263191	5309885092	Success	09/29/2014 14:21
44	STORMWATER SPECIALISTS INC	DBE	9162300370	9164054180	Success	09/29/2014 14:20
45	SUULUTAAQ, INC - ALASKA NATIVE CORP	DBE	7074273209	7074194851	Success	09/29/2014 14:36
46	TRINITY VALLEY CONSULTING ENGINEERS, INC	DBE	5306293000	5306293011	Success	09/29/2014 13:08
47	TULLY CONSULTING GROUP	DBE	7076931926	7074710318	Success	09/29/2014 13:06
48	TYRRELL RESOURCES, INC.	DBE	5302438733	5302418975	Success	09/29/2014 13:04
49	VINTAGE PAVING COMPANY, INC.	DBE	5307950132	5307955734	Success	09/29/2014 13:38
50	WALLACE STRUCTURES	DBE	7078344992	7077683386	Success	09/29/2014 13:36

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TYRRELL RESOURCES, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5302438733
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302418975
	Redding, California, 96001	Date :09/29/2014 1:04PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TULLY CONSULTING GROUP
CONTACT NAME	Stacy Dutra	Phone Number :7076931926
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074710318
	Redding, California, 96001	Date :09/29/2014 1:06PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:TRINITY VALLEY CONSULTING ENGINEERS, INC
CONTACT NAME	Stacy Dutra	Phone Number :5306293000
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5306293011 Date :09/29/2014 1:08PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST DF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K & K CONSTRUCTION SUPPLY, INC
CONTACT NAME	Stacy Dutra	Phone Number :9168510965
ADDRESS	17400 Clear Creek Rd.	Fax Number :9168510999
	Redding, California, 96001	Date :09/29/2014 1:10PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:GREEN BUILDING PRODUCTS, INC
CONTACT NAME	Stacy Dutra	Phone Number :9163330557
ADDRESS	17400 Clear Creek Rd.	Fax Number :9163747998
	Redding, California, 96001	Date :09/29/2014 1:11PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:BC SCHMIDT CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5304735423
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5304732749 Date :09/29/2014 1:15PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AXNER EXCAVATING, INC
CONTACT NAME	Stacy Dutra	Phone Number :5302220539
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302228910
	Redding, California, 96001	Date :09/29/2014 1:16PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AUSTIN ENTERPRISE
CONTACT NAME	Stacy Dutra	Phone Number :6615891001
ADDRESS	17400 Clear Creek Rd.	Fax Number :6615899509
	Redding, California, 96001	Date :09/29/2014 1:19PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ARROW S COMPANY
CONTACT NAME	Stacy Dutra	Phone Number :7073960073
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074372555
	Redding, California, 96001	Date :09/29/2014 1:21PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ALFRED CIVIL ENGINEERING
CONTACT NAME	Stacy Dutra	Phone Number :9162353967
ADDRESS	17400 Clear Creek Rd.	Fax Number :0000000000
	Redding, California, 96001	Date :09/28/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ALL AMERICAN ASPHALT SEALING INC
CONTACT NAME	Stacy Dutra	Phone Number :7753293003
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :7758273006 Date :09/29/2014 1:24PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:AMLAND CORP
CONTACT NAME	Stacy Dutra	Phone Number :4089293949
ADDRESS	17400 Clear Creek Rd.	Fax Number :4082984344
	Redding, California, 96001	Date :09/29/2014 1:25PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A S CONTRACTORS, INC.
CONTACT NAME	Stacy Dutra	Phone Number :2097426684
ADDRESS	17400 Clear Creek Rd.	Fax Number :2099662643
	Redding, California, 96001	Date :09/29/2014 1:28PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A B S L CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5107270900
ADDRESS	17400 Clear Creek Rd.	Fax Number :5107270910
	Redding, California, 96001	Date :09/29/2014 1:32PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; ERDSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:6 RIVERS CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5305157563
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306255423
	Redding, California, 96001	Date :09/29/2014 1:34PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:WALLACE STRUCTURES
CONTACT NAME	Stacy Dutra	Phone Number :7078344992
ADDRESS	17400 Clear Creek Rd.	Fax Number :7077683386
	Redding, California, 96001	Date :09/29/2014 1:36PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:A C DIKE CO
CONTACT NAME	Stacy Dutra	Phone Number :9166457747
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166459618
	Redding, California, 96001	Date :09/29/2014 1:38PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:VINTAGE PAVING COMPANY, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5307950132
ADDRESS	17400 Clear Creek Rd.	Fax Number :5307955734
	Redding, California, 96001	Date :09/29/2014 1:38PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:S.T. RHOADES CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :5302239322
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5302239222 Date :09/29/2014 1:40PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, Insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. Intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:S KWOK ENGINEERS, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5102209017
ADDRESS	17400 Clear Creek Rd.	Fax Number :8887331360
	Redding, California, 96001	Date :09/29/2014 1:42PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:R. E. SERRANO INC.
CONTACT NAME	Stacy Dutra	Phone Number :9259578184
ADDRESS	17400 Clear Creek Rd.	Fax Number :9259578121
	Redding, California, 96001	Date :09/29/2014 1:44PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperativeiy with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:PAPILLON BUILDERS
CONTACT NAME	Stacy Dutra	Phone Number :9165807019
ADDRESS	17400 Clear Creek Rd.	Fax Number :8887177270
	Redding, California, 96001	Date :09/29/2014 1:47PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:OLIVEIRA FENCE, INC.
CONTACT NAME	Stacy Dutra	Phone Number :4087273811
ADDRESS	17400 Clear Creek Rd.	Fax Number :4087272690
	Redding, California, 96001	Date :09/29/2014 1:51PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:QUIMU CONTRACTING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :7076930289
ADDRESS	17400 Clear Creek Rd.	Fax Number :7076788384
	Redding, California, 96001	Date :09/29/2014 1:52PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NUNO IRON & MFG, INC
CONTACT NAME	Stacy Dutra	Phone Number :8313860513
ADDRESS	17400 Clear Creek Rd.	Fax Number :8313869976
	Redding, California, 96001	Date :09/29/2014 1:52PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DILLARD ENVIRONMENTAL SERVICES
CONTACT NAME	Stacy Dutra	Phone Number :9256346850
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9256346858 Date :09/29/2014 1:57PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 98001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DIRT & AGGREGATE INTERCHANGE, INC
CONTACT NAME	Stacy Dutra	Phone Number :5036615093
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5036691192 Date :09/29/2014 1:57PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CONTRACTOR SERVICES GROUP, INC.
CONTACT NAME	Stacy Dutra	Phone Number :9613717303
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :8663666646 Date :09/29/2014 2:01PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CONSTRUCTION AREA SIGNS, INCORPORATED
CONTACT NAME	Stacy Dutra	Phone Number :9166639097
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9166631858 Date :09/29/2014 2:02PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CMC TRAFFIC CONTROL SPECIALIST
CONTACT NAME	Stacy Dutra	Phone Number :4152061700
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :4152061711 Date :09/29/2014 2:04PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CLEAR CREEK CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5302241430
ADDRESS	17400 Clear Creek Rd.	Fax Number :5302241430
	Redding, California, 96001	Date :09/29/2014 2:06PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:DIAMOND D GENERAL ENGINEERING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5306622042
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5306626770 Date :09/29/2014 2:06PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CHARLIE'S CUSTOM EXCAVATING, INC
CONTACT NAME	Stacy Dutra	Phone Number :5302213626
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5302217563 Date :09/29/2014 2:08PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CAMACHO COMMUNICATIONS CORPORATIONS
CONTACT NAME	Stacy Dutra	Phone Number :9164449853
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9164479853 Date :09/29/2014 2:10PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:CAL-CON PUMPING, LLC
CONTACT NAME	Stacy Dutra	Phone Number :4154019838
ADDRESS	17400 Clear Creek Rd.	Fax Number :4154017664
	Redding, California, 96001	Date :09/29/2014 2:12PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:BURKE CONSTRUCTION
CONTACT NAME	Stacy Dutra	Phone Number :5306761009
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306722411
	Redding, California, 96001	Date :09/29/2014 2:14PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project Information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:BORG FENCE
CONTACT NAME	Stacy Dutra	Phone Number :9254559620
ADDRESS	17400 Clear Creek Rd.	Fax Number :9254559626
	Redding, California, 96001	Date :09/29/2014 2:17PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; RDCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRDN AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:ALLEN GILL CONSTRUCTION, INC.
CONTACT NAME	Stacy Dutra	Phone Number :5305474334
ADDRESS	17400 Clear Creek Rd.	Fax Number :5305473197
	Redding, California, 96001	Date :09/29/2014 2:18PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:STORMWATER SPECIALISTS INC
CONTACT NAME	Stacy Dutra	Phone Number :9162300370
ADDRESS	17400 Clear Creek Rd.	Fax Number :9164054180
	Redding, California, 96001	Date :09/29/2014 2:20PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. Is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:STONY CREEK GENERAL ENGINEERING
CONTACT NAME	Stacy Dutra	Phone Number :5305263191
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5309885092 Date :09/29/2014 2:21PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NITTA EROSION CONTROL
CONTACT NAME	Stacy Dutra	Phone Number :9166527459
ADDRESS	17400 Clear Creek Rd.	Fax Number :9166524376
	Redding, California, 96001	Date :09/29/2014 2:24PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:NATURAL INVESTIGATIONS COMPANY, LLC
CONTACT NAME	Stacy Dutra	Phone Number :9167659381
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :0000000000 Date :09/28/2014 5:00PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTIDN DN STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TD 0.1 MILE EAST DF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD CDMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMDPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:MC CULLOUGH CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :7078251014
ADDRESS	17400 Clear Creek Rd.	Fax Number :7078251769
	Redding, California, 96001	Date :09/29/2014 2:28PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KRS CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :9163816438
ADDRESS	17400 Clear Creek Rd.	Fax Number :9163816438
	Redding, California, 96001	Date :09/29/2014 2:31PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO PDST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:KA`PEL CONSTRUCTION INC
CONTACT NAME	Stacy Dutra	Phone Number :5306293300
ADDRESS	17400 Clear Creek Rd.	Fax Number :5306293300
	Redding, California, 96001	Date :09/29/2014 2:32PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:K. W. EMERSON, INC.
CONTACT NAME	Stacy Dutra	Phone Number :2097543839
ADDRESS	17400 Clear Creek Rd.	Fax Number :2097543830
	Redding, California, 96001	Date :09/29/2014 2:34PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:SUULUTAAQ, INC - ALASKA NATIVE CORP
CONTACT NAME	Stacy Dutra	Phone Number :7074273209
ADDRESS	17400 Clear Creek Rd.	Fax Number :7074194851
	Redding, California, 96001	Date :09/29/2014 2:36PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:FRANK MEDINA GENERAL ENGINEERING CONTRACTOR
CONTACT NAME	Stacy Dutra	Phone Number :5307430744
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :5307439352 Date :09/29/2014 2:38PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTRDL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

Frorn	J. F. Shea Construction, Inc.	TO:FCS STRIPING, SEALING AND PAVING, INC.
CONTACT NAME	Stacy Dutra	Phone Number :9253736205
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :9253736208 Date :09/29/2014 2:40PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional Information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Departrnent of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	Califomia

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estirnate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes frorn all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not lirnited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CONTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (OPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK COAT; (F) MINOR CONCRETE (MINOR STRUCTURE); DRILL AND BOND DOWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BOX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CORRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATOR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTROL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC COUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds rnay be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break iterns into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

INVITATION TO BID

Good Faith Solicitation Fax

From	J. F. Shea Construction, Inc.	TO:EAGLE ENGINEERING AND CONSTRUCTIDN, INC
CONTACT NAME	Stacy Dutra	Phone Number :6503678000
ADDRESS	17400 Clear Creek Rd. Redding, California, 96001	Fax Number :6503678282 Date :09/29/2014 2:42PM
Phone	530-246-4292	
Fax	530-246-9940	

This is a Fax solicitation for projects by DBE Goodfaith Inc. on behalf of our client J. F. Shea Construction, Inc.

For additional information about minority participation projects, visit http://www.dbegoodfaith.com

Focus Ad

J. F. Shea Construction, Inc. is Seeking Qualified DBE

BID DUE DATE :	10/22/2014 at 02:00 P.M
BID No :	02-4E4304
PROJECT NAME :	Rehabilitate Pavement
AGENCY NAME :	State of California Department of Transportation - CALTRANS
PROJECT CITY/COUNTY :	Near Palo Cedro
PROJECT STATE :	California

PROJECT DETAILS :

REQUEST FOR QUALIFIED UDBE/DBE SUBCONTRACTORS & SUPPLIERS FOR: State of California Department of Transportation - Caltrans - Rehabilitate Pavement - CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. Engineers Estimate: $5,200,000.00. Goal: 8 % DBE. J. F. Shea Construction, Inc. is requesting quotes from all qualified subcontractors and suppliers including certified UDBE/DBE firms for all items of work, including but not limited to: LEAD COMPLIANCE PLAN; TIME-RELATED OVERHEAD (WDAY); CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; PORTABLE CHANGEABLE MESSAGE SIGN (LS); JOB SITE MANAGEMENT; PREPARE WATER POLLUTION CONTROL PROGRAM; TEMPORARY FIBER ROLL; TEMPORARY CONCRETE WASHOUT; TREATED WOOD WASTE; REMOVE GUARDRAIL; REMOVE THERMOPLASTIC PAVEMENT MARKING; REMOVE ROADSIDE SIGN; REMOVE ROADSIDE SIGN PANEL; REMOVE ASPHALT CONCRETE DIKE; REMOVE CULVERT (LF); REMOVE INLET; REMOVE HEADWALL; RECONSTRUCT FENCE; RECONSTRUCT GUARDRAIL; RECONSTRUCT GUARDRAIL (7' POST); RECONSTRUCT TERMINAL SYSTEM; RECONSTRUCT TRANSITION RAILING (TYPE WB); RESET 24" REINFORCED CONCRETE PIPE; COLD PLANE ASPHALT CONCRETE PAVEMENT; CLEANING, INSPECTING, AND PREPARING CULVERT (LF); 24" CURED IN PLACE PIPELINER; 30" CURED IN PLACE PIPELINER; CLEARING AND GRUBBING (LS); DEVELOP WATER SUPPLY; SHOULDER BACKING; DITCH EXCAVATION; EROSION CDNTROL (DRY SEED) (SQFT); STRAW; CLASS 2 AGGREGATE BASE (CY); PREPAVING INERTIAL PROFILER; PREPAVING GRINDING DAY; REPLACE ASPHALT CONCRETE SURFACING; HOT MIX ASPHALT (TYPE A); RUBBERIZED HOT MIX ASPHALT (GAP GRADED); RUBBERIZED HOT MIX ASPHALT (DPEN GRADED); SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS); CENTERLINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS); DATA CORE; PLACE HOT MIX ASPHALT DIKE (TYPE F); TACK CDAT; (F) MINDR CONCRETE (MINDR STRUCTURE); DRILL AND BOND DDWEL (CHEMICAL ADHESIVE); (F) SHOTCRETE; FURNISH LAMINATED PANEL SIGN (2 1/2"-TYPE B); FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED); FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED); ROADSIDE SIGN - ONE POST; ROADSIDE SIGN - TWO POST; INSTALL ROADSIDE SIGN PANEL ON EXISTING POST; INSTALL ROADSIDE SIGN (LAMINATED WOOD BDX POST); 24" ALTERNATIVE PIPE CULVERT; CONCRETE BACKFILL (PIPE TRENCH); 18" CDRRUGATED STEEL PIPE (.138" THICK); 36" CORRUGATED STEEL PIPE INLET (.109" THICK); STEEL FLARED END SECTION; SMALL-ROCK SLOPE PROTECTION; ROCK SLOPE PROTECTION (1/4 T, METHDD B) (CY); ROCK SLOPE PROTECTION FABRIC (CLASS 8); MINOR CONCRETE (SIDEWALK); (F) MISCELLANEOUS IRON AND STEEL; DELINEATOR (CLASS 1); DELINEATDR (CLASS 2); MILEPOST MARKER; MARKER (CULVERT); OBJECT MARKER; VEGETATION CONTRDL (MINOR CONCRETE); SINGLE THRIE BEAM BARRIER; TRANSITION RAILING (TYPE WB); ALTERNATIVE FLARED TERMINAL SYSTEM; THERMOPLASTIC PAVEMENT MARKING; THERMOPLASTIC TRAFFIC STRIPE (SPRAYABLE); PAVEMENT MARKER (RETROREFLECTIVE); PAVEMENT MARKER (RETROREFLECTIVE-RECESSED); MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION; TRAFFIC CDUNT STATION; MOBILIZATION.

J. F. Shea Construction Inc. is a union signatory contractor. Subcontractors must possess a current contractor's license, insurance coverage and worker's compensation for the entire length of the contract. All subcontractors will be required to sign our standard Subcontract Agreement. 100% payment and performance bonds may be required. Please call if you need assistance in obtaining insurance, bonding, equipment, materials and/or supplies. Plans and specifications can be viewed at our office located at 17400 Clear Creek Road, Redding, Ca. 96001 or call for any additional needed project information. J. F. Shea Construction Inc. intends to work cooperatively with all qualified firms seeking work on this project. We are an equal opportunity employer and will work with any interested subcontractor to identify opportunities to break items into economically feasible packages. Women and Minority Employees are encouraged to apply. An Equal Opportunity Employer.

RETURN SECTION

You can use this page to fax back your response on whether you will bid on this project or not to the following fax number: 530-246-9940

[ ]Yes, we will send a fax quote by bid date.
[ ]No, we are not interested.
[ ]Interested. Would like more information. Please contact us at _____.

Good Faith Efforts

Documentation -

Listed Subcontractors

DRAGON
MATERIAL TRANSPORT, INC.

P.O. Box 27800, Fresno, CA 93729-7800
Office (559)351-8822 Fax (559) 276-0818
CA No. 0366649
dragonmaterial@yahoo.com

DBE

DBE/WBE/UDBE Firm No. 37444
SBE 52655

---QUOTE

DBE

J.F. Shea Construction, Co.
Attn: Juan Bernardino
Date: 10/22/14

Project: Caltrans 02-4E4304 - Rehabilitate Pavement in Shasta County

Material: 1,350 Ton - PG 64-16
Delivered Price: $626.00 Per U.S. Ton + Any applicable taxes

ORIGIN: Paramount, Elk Grove
DESTINATION: Fawndale Rock

***Indexed 5% Crude**
***Standby after 1 hour from scheduled delivery time at $100.00 per hour**
***Pricing based on full loads - 26.00 ton**
*Fuel surcharge - rate increase - add $1.00 for every $.10 increase if California On-Highway reaches $4.25 per gallon. www.eia.gov. $4.084 on bid day.

$626.00 + TAX x $1,350.00 = $908,482.50

60 %

= $545,089.50

4

DBE

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1416
Fax 241-9647
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

RECEIVED
J.F. SHEA CONST., INC.
OCT 21 2014
DIV. NO.
A/C NO.

10/20/14 Bids 10/22/14

Bid For - Shasta county Near Palo Cedro Route 44

Cal-trans Contract # 02-4E4304

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
33	Erosion Control (Dry Seed)	SQFT	24100	$ 0.155	$ 3,735.50
34	Temporary Tacked Straw Straw	SQFT	24100	$ 0.080	$ 1,928.00

100%

DBE

TOTAL $ 5,663.50

ADDITIONAL BID NOTES

* Prime Contractor to provide and pay for water source on site (i.e.-fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
* All traffic control to be provided by Prime contractor. Bid valid for 60 days.
* One move-in is inlcuded in total bid, unless otherwise stated. Additional move-in (if necessary) at the rate of $400.00 each.
* An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by time will be billed at $600.00 per hour.
* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

Northern Industrial Electric

DBE ~~DBE~~

2435 Radio Lane • Redding, California 96001 • Phone (530) 246-2366 • FAX (530) 246-2368 • Email: nie01@sbcglobal.net

Contractor License #291649 DBE/SWBE Certification #34396 SBE Certification #9083

REVISED QUOTE

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

October 22, 2014

To Bidding Contractors

Re: Caltrans Contract 02-4E4304 – Construction on State Highway in Shasta County in and ~~Near~~ Palo Cedro, 02-Sha-44-R4.2/R14.5

Bid Date: October 22, 2014 @ 2:00 p.m.

Northern Industrial Electric is pleased to quote the above referenced project per plans and specifications as follows:

~~Bid Item 65: Minor Concrete (Sidewalk) 1.1 c.y. @ $5,706 =~~			~~$6,276.60~~
Bid Item 80: Maintaining Existing TMS Elements During Construction • Includes pre and post job walk-through. Does not include labor and material for items damaged by contractor forces or traveling public.		L.S.	$ 500.00
Bid Item 81: Traffic Count Station		L.S.	$42,079.40

We acknowledge Addendum Nos. 1

Exclusions:

1. Traffic control
2. Portable changeable message signs;
3. Light towers;
4. Pull box paving;
5. SWPP/WPCP and implementation;
6. Fees, permits or bonds;
7. Worker's comp waivers of subrogation;
8. Excess (umbrella) liability insurance;
9. Weekend and holiday shift;
10. Staking;
11. This proposal must be attached and incorporated into our subcontract agreement.

NOT used on #65. Price Was Higher Then Wards Concret.

80, 81

100%

Our quote is firm for 30 days unless otherwise stated. If you have any questions, please do not hesitate to call.

Sincerely,

Dori Cramer for Harry Cramer

Harry P. Cramer
Project Manager / Estimator

STATE OF CALIFORNIA CERTIFICATIONS
DBE/SWBE Certification No. 34396
Small Business Certification No. 9083

CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE
NORTHERN INDUSTRIAL ELECTRIC

2435 RADIO LANE
REDDING, CA 96001 3810

Owner : DORI CRAMER
Business Structure : CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 238210 Electrical Contractors

Work Category Code(s)

C0686 ELECTRICAL & SIGNALS
E4910 ELECTRIC SERVICES
C9858 RESIDENTIAL ELECTRICAL

Licenses

A General Engineering Contractor
B General Building Contractor
C10 Electrical Contractor

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
ACC. NO.

CERTIFYING AGENCY:

DEPARTMENT OF TRANSPORTATION
1823 14TH STREET, MS 79
SACRAMENTO, CA 95814 0000
(916) 324-1700

UCP Firm Number : 34396

CUCP OFFICER

July 18, 2007

It is CUCP's policy and objective to promote and maintain a level playing field for DBEs in California on Federal-aid contracts. We ensure nondiscrimination in the award and administration of U.S. DOT assisted contracts based on the requirements of 49 CFR Parts 21 and 26.

BUSINESS ENTERPRISE CERTIFICATE

NORTHERN INDUSTRIAL ELECTRIC

2435 RADIO LANE
REDDING, CA 96001 3810
Owner: DORI CRAMER

Business Structure: CORPORATION

STATE WOMEN BUSINESS ENTERPRISE

This Certification Not Valid For Federal Aid Contracts

This certificate acknowledges that said firm is approved by the California Department of Transportation as a State Minority Business Enterprise or State Women Business Enterprise (or in some cases both) in accordance with Assembly Bill Number 486, Chapter 1329 and the California Public Code, Chapter 2.5 (commencing with Section 2050), for the following NAICS codes:

* 238210 Electrical Contractors

* Indicates primary NAICS code

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
AC NO.

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET, MS 79
SACRAMENTO, CA 95814 0000
(916) 324-1700

Firm Number : 34396
Renewal Date : March 1, 2015

Janice Salais

Janice Salais, CERTIFYING AGENCY REPRESENTATIVE

March 1, 2013

CA.GOV Department of General Services
BUILDING GREEN · BUYING GREEN · WORKING GREEN

NORTHERN INDUSTRIAL ELECTRIC - #9083

SUPPLIER PROFILE

Legal Business Name	NORTHERN INDUSTRIAL ELECTRIC		
Doing Business As	NORTHERN INDUSTRIAL ELECTRIC		
Address	2435 RADIO LN REDDING, CA 96001-3810	Phone FAX	(530) 246-2366 (530) 246-2368
Email	nie01@sbcglobal.net		
Business Types	Construction		
Service Areas	Butte, Colusa, Del Norte, El Dorado, Glenn, Humboldt, Lake, Lassen, Mendocino, Modoc, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Sutter, Tehama, Trinity, Yolo, Yuba,		
Keywords	electrical industrial and highway services		
Construction License Types	A - General Engineering B - General Building Contractor C-10 - Electrical (general)		
Classifications	721410 - Highway and road construction services 721515 - Electrical system services		

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

Active Certifications

TYPE	STATUS	FROM	TO
SB (Micro)	Approved	Oct 31, 2013	Nov 30, 2017

Certification History

TYPE	STATUS	FROM	TO
SB (Micro)	Expired	Nov 18, 2011	Nov 30, 2013
SB (Micro)	Expired	Nov 2, 2009	Nov 30, 2011
SB (Micro)	Expired	Mar 14, 2006	Aug 31, 2009
SB	Expired	Jan 23, 2004	Apr 30, 2006
SB	Expired	Dec 18, 2000	Nov 30, 2003
SB	Expired	Jan 9, 1998	Dec 31, 2000

4H

VERIDICO GROUP, INC.

DBE

1007.

PROGRAM MANAGEMENT | ENVIRONMENTAL SERVICES | WATER RESOURCES ENGINEERING

DBE Contractor – CUCP Certificate Number 39572

Date: 21 OCT 14

DBE

Contract #: 02-4E4304 – REHABILITATE PAVEMENT
Bid Date: 22 OCT 2014

Veridico Group, Inc. (Veridico) is pleased to provide the following contract pricing for the specified work scope items detailed in the subject contract solicitation:

Item No.	Item code	Item Description	Unit of Measure	Est Qty	Bid	Amount
~~1~~	~~070030~~	~~LEAD COMPLIANCE PLAN (SOIL)~~	~~LS~~	~~LS~~	~~$1,250.00~~	~~$1,250.00~~
1	070030	LEAD COMPLIANCE PLAN (GRINDING/COLD PLANING)	LS	LS	$1,250.00	$1,250.00
~~6~~	~~130100~~	~~JOB SITE MANAGEMENT~~	~~LS~~	~~LS~~	~~$6,325.00~~	~~$6,325.00~~
7	130200	PREPARE WATER POLLUTION CONTROL PROGRAM (PARTIAL – PLAN ONLY)	LS	LS	$595.00	$595.00

TERMS AND CONDITIONS:

1. This quote and attached terms and conditions must become a binding part of any sub-contract.
2. A contract and 10 working days notice must be given prior to start of work. This quote shall remain valid for 30 days from date of actual bid opening, unless otherwise agreed upon.
3. TERMS: Due and payable within 30 days from date of installation and/or as per Business and Professional code 7108.5 and Public contract code 10262.5 (for progress payments) and/or as per Public contract Code 7107 (for retention due).
4. All change orders must be approved by agency/owner prior to work being performed by Veridico.
5. Excludes any insurance requirements in excess of Caltrans Standard Specifications.
6. Splitting offered bid item quotes may be considered. Please call Tim Anenson at (707) 317-0002 to discuss splitting the bid item quotes prior to the Caltrans submittal deadline.

RECEIVED
J.F. SHEA CONST., INC.

OCT 21 2014

DIV. NO._____
A/C NO._____

P.O. Box 673, Roseville, California 95661
Phone: 707-317-0002, Fax: 707-620-7000
www.veridicogroup.com

D2:4E4304

4H

ASSUMPTIONS

1. **Field monitoring may be required** for the Lead Compliance Plan line item. Field monitoring (under the supervision of a CIH) can be provided at a rate of $2,495.00 per day including all labor, travel, perdiem, equipment, materials, supplies, and lab costs.
2. Training specified in the LCP can be conducted (by a CIH) at contractor location. The training can be conducted for a lump sum of $1,950.00.
3. Job Site Management assumes a project duration of 115 days (field work), or 23 weeks of on-site field work.

   23 weeks x $275.00/week = $6,325.00

   This is a weekly rate for Veridico to document required WPCP compliance by completing Caltrans forms 2030 and 2034 by a QSD/P. Veridico will work with your field staff to assess site conditions each week; no site visits are included. Pre-, during and post-rain event site inspections are not included but will be billed at the Job Site Management rate if required.
4. No other plans, reports, monitoring or permits are included.
5. The WPCP and the LCPs are **guaranteed** acceptance for the quoted bid.
6. Contractor to provide completed questionnaire (supplied by Veridico upon notice of award) prior to start of work.
7. Print-ready electronic draft and final copies of plans and/or reports will be provided so hard copies can be produced; no hard copies will be provided by Veridico.

Veridico is a certified DBE contractor (No. 39572) with a number of associates that have supported Caltrans projects for many years. We have the necessary certified personnel to support your efforts on this project and we look forward to providing you our highest level of project support. Please don't hesitate to contact me directly at (707) 317-0002 or at tim.anenson@veridicogroup.com if we can provide anything further.

My Very Best Regards,
VERIDICO GROUP, INC.

Tim Anenson, QSD, CPSWQ
Principal Consultant

RECEIVED
J.F. SHEA CONST., INC.

OCT 21 2014

DIV. NO.
A/C NO.

P.O. Box 673, Roseville, California 95661
Phone: 707-317-0002, Fax: 707-620-7000
www.veridicogroup.com

DBE

A. C. DIKE CO.

Specialty Paving Inc.

SPECIALTY PAVING CONTRACTOR

DBE

100 %

RECEIVED
J.F. SHEA CONST., INC.

OCT 20 2014

DIV. NO._____
A/C NO._____

QUOTATION: CDOT SHASTA CO. RT44 02-4E4304

BIDS : 10/22/14

Item #45

"PLACE ONLY"* 240 LF ASPHALT DIKE TYPE "F" @ $17.50 LF

PLACE IMPORTED SHOULDER BACKING @ $2380.00 8 HR SHIFT.**
** PRICE INCLUDES PLACING AND SCREEDING.
EXCLUDES WATERING AND COMPACTION.
MOBILIZATION FOR SHOULDER MACHINE $800.00**

**PRICE INCLUDES TACK AND ONE MOBILIZATION FOR DIKE CREW.
ASPHALT MATERIAL AND HAULING BY PRIME CONTRACTOR.
TRAFFIC CONTROL BY PRIME CONTRACTOR.**

* **PLACE ONLY ASPHALT DIKE. SPECIFICALLY EXCLUDES SURFACE PREPARATION, BACKFILL, OR FOGSEAL.**

QUALIFIED MINORITY CONTRACTOR, DBE/WBE/UDBE # CT 000219

CAL. LIC.# 407417 NEV. LIC.#24188
2788 VENTURE DR. LINCOLN, CA. 95648
(916) 652-0159 FAX (916) 645-9618
WWW.ACDIKE.COM

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING, CA 96002
P.O. BOX 494520, REDDING, CA., 96049
530-223-9322, Fax 530-223-9222, License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

RECEIVED
J.F. SHEA CONST., INC.

PROPOSAL

DBE

OCT 22 2014

To: General Contractors
Attn:
Project: 02-4E4304
Bid date: 10/22/2014

Date: 10/22/2014

DIV NO.
AG NO.

	Item	Description	Quantity	UM	Unit Price	Amount
SA	8	Temporary Fiber Roll	720	lf	$ 6.00	$ 4,320.00
SA	13	Remove Roadside Sign	12	ea	$ 150.00	$ 1,800.00
D	16	Remove Culvert	150	lf	$ 50.00	$ 7,500.00
D	17	Remove Inlet	1	ea	$ 1,200.00	$ 1,200.00
D	18	Remove Headwall	3	ea	$ 1,660.00	$ 4,980.00
D	24	Reset 24" Reinforced Concrete Pipe	3	ea	$ 3,210.00	$ 9,630.00
SA	31	Shoulder Backing	2220	ton	$ 45.00	$ 99,900.00
D	35	Class 2 Ag Base	7	cy	$ 55.00	$ 385.00
SA	38	Replace Asphalt Concret Surfacing **Excludes Asphalt**	3410	cy	$ 137.00	$ 467,170.00
D	47	Minor Concrete (minor structure)	11.9	cy	$ 3,100.00	$ 36,890.00
D	48	Drill and Bond Dowel (chem Adhesive)	48	ea	$ 75.00	$ 3,600.00
D	57	24" Alternative Pipe Culvert	160	lf	$ 249.00	$ 39,840.00
D	58	Concrete Backfill (pipe trench)	5	cy	$ 300.00	$ 1,500.00
D	59	18" Corrugated Steel Pipe (.138" thick)	24	lf	$ 99.00	$ 2,376.00
D	60	36" Corrugated Steel Pipe Inlet	7	lf	$ 400.00	$ 2,800.00
D	61	Steel Flared End Section	1	ea	$ 275.00	$ 275.00
D	66	Misc. Iron and Steel	942	lb	$ 4.00	$ 3,768.00
					Total:	$ 687,934.00

DBE

Notes:
- Proposal valid for 30 days, Allow 30 days for scheduling
- Payment to be made 15 days after work is completed
- Price includes furnishing and installation unless otherwise noted.
- Addendums 1 Acknowledged
- Proposal is based on 1 move in/move out
- SA= Stand Alone Pricing, can be seperated out
- D= Drainage Package- items are non seperable.
- Traffic Control is included in item 38 for STR work only

Excludes
- Bonds
- Permits
- Raising/Lowering Iron
- Traffic Control (unless noted otherwise)
- Striping
- Staking
- Engineering
- Referencing

24 100%
48 100%

Respectively Submitted,
Steve Rhoades
Estimator

S.T.RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY REDDING, CA 96002
P.O. BOX 494520, REDDING, CA.,96049
530-223-9322, FAX 530-223-9222 License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

TRAFFIC CONTROL PROPOSAL

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

To: GENERAL CONTRACTORS
Attn: ESTIMATORS
Project: CT 02-4E4304

Date: 10/22/14

Item	Description	Quantity	UM	Price
A	1 Man 1 Lane 1 Mile day or night	1	shift	$ 895.00
B	Additional lane same direction	1	ea	$ 135.00
C	Additional lane opposite direction	1	ea	$ 175.00
D	Additional mileage	1	ea	$ 85.00
E	Ramp closure with lane closure minor detour	1	ea	$ 75.00
F	Ramp closure w.o lane closure minor detour	1	ea	$ 925.00
G	1 man lane closure overtime rate	1	hr	$ 80.00
H	Additional man	1	shift	$ 525.00
I	Pilot car	1	shift	$ 725.00
J	2 flaggers 8 hr shift,signs,cones	1	shift	$ 1,175.00
K	2 flaggers overtime rate	1	hr	$ 170.00
L	2 flaggers 8 hr night/special shift	1	shift	$ 1,300.00
M	2 flaggers overtime night/special shift	1	hr	$ 180.00
N *	Attenuator truck	1	shift	$ 350.00
	Attenuator truck	1	wk	$ 1,200.00
	Attenuator truck	1	month	$ 3,500.00
	optional driver	1	shift	$ 525.00
O *	Portable changeable message sign	1	day	$ 200.00
		1	week	$ 425.00
		1	month	$ 975.00
P *	Portable radar trailer	1	day	$ 175.00
		1	week	$ 375.00
		1	month	$ 750.00
Q	Shoulder closure	1	shift	$ 825.00
R *	High dump sweeper unoperated	1	day	$ 360.00
*	High dump sweeper operated	1	hr	$ 140.00
*	Based on availibility at time of project start			
S	Pilot car overtime	1	hr	$ 90.00
T	Traffic control plans	1	ea	$ 750.00

Notes:
- Proposal valid for 30 days, Allow 10 days for scheduling
- 1 shift - up to and minimum of 8hrs, up to 1 mile
- Subsistance to be added as needed per union rates
- Sunday rates available upon request
- We also provide erosion, water pollution programs, storm water plans, and BMP placement.
- Multiple move ins and outs may require additional charges

Includes:
- Price includes furnishing and installation unless otherwise noted.

Excludes
- Bonds
- Permits
- Mobilization, call for rates

Respectively Submitted,
Steve Rhoades

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING CA 96002
P.O. BOX 494520, REDDING, CA., 96049
530-223-9322, Fax 530-223-9222, License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

Standard Asphalt Concrete Grinder/ Cold plane Quotation 10/21/2014

CT 02-4E4304

Wirtgen 1900DC 72" grinder/cold planer $ 3,500 daily rate minimum, O.T. @ $ 520 per hour
Saturday minimum rate $ 5000, Sunday/holiday rate $ 5750 minimum

NOTE: Daily rate based on 8 hour shift, all grinders/cold planers will have 2 operators min./max.

Excudes:

- Water for machines supplied by others and is not included in rental rate.The machine requires approx. 425 gallons per hr.
- Mobilization is not included in rental, additional @ $ 125 per hr (from Redding). Plus a pilot car when required.
- Under ground service alert, locating of any utilities, monuments, valve boxes, pipe, man hole lids, any obstacle above or below surface.
- Repair charges for damage to machine or property will be customers responsibility.
- Refrencing,layout marking.
- Areas machine will not reach.
- Clean up, sweeping, off hauling of materials.
- Permits, bonds,
- Portland cement grinding
- Responsibility for Safety hazards as a result of grinding/cold planing operations.
- Subsistance and night rates.

Includes:

- Rates include one set of teeth per shift. Additional boxes of teeth are $ 375 per box
- S.T. Rhoades Const. pursuant to this agreement, we will perform extra work (subject to our prior approval) at Cal Trans rental / force account rates.
- Cutting capability up to 8" depth in one pass.
- S.T. Rhoades Const. Inc. purposes within this proposal produces airborne & surface particulates, water runoff & mud. These machines have a decibel rating of 90 dba @ 25', and the customer acknowledges the scope S.T. Rhoades Const. Inc. work includes changing the elevation of the existing roadway. By accepting this proposal , the customer releases & agrees to hold S.T. Rhoades Const. Inc. harmless for claims or damages arising out of or related to these or other by-products of its normal use.

10 day notice to schedule.
Payment in full within 30 days from Invoice date

Respectively Submitted

Steve Rhoades, President

CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

S.T. RHOADES CONSTRUCTION, INC.

8585 Commercial Way
REDDING, CA 96002

Owner: STEVE TYLER RHOADES
Business Structure: CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 237310 Highway, Street, and Bridge Construction
238110 Poured Concrete Foundation and Structure Contractors
238910 Site Preparation Contractors
237110 Water and Sewer Line and Related Structures Construction
237990 Other Heavy and Civil Engineering Construction

Work Category Code(s)

C1201	TRAFFIC CONTROL SYSTEM	C1901	ROADWAY EXCAVATION
C1910	GRADING	C2066	TEMPORARY EROSION CONTROL
C2201	FINISHING ROADWAY	C3910	PAVING ASPHALT (ASPHALT CONCRETE)

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

Licenses

A General Engineering Contractor
C31 Construction Zone Traffic Control Contractor

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number : 37693

Janice Salais
CUCP OFFICER

January 12, 2012

BIDSYNC

Home | Search | Bids | Orders | Tools | CRM | Agency List | Support | Logout

CALIFORNIA PROFILE

BidSync Supplier Name	S.T.Rhoades Construction Inc.	Supplier Number	1247344
Legal Business Name	S.T.Rhoades Construction Inc.	DBA Business Name	S.T.Rhoades Construction Inc.
Address	P.O. Box 494520 REDDING, CA 96049	Phone FAX	(530) 223-9322 (530) 223-9222
Email	steve@strhoadesinc.com		
Number of Employees	20		
Business Types	Construction		
Service Areas	Alpine, Amador, Butte, Colusa, Del Norte, El Dorado, Glenn, Humboldt, Inyo, Lake, Lassen, Mendocino, Modoc, Mono, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Sutter, Tehama, Trinity, Yolo, Yuba,		
Keywords	paving grading excavating trenching drainage fence concrete sidewalks curb&gutter adaramps culverts retainingwalls valleygutters removereplaceAC removereplacePCC boxculverts drainageinlets sloperepair slideremoval remodelbuildings slabs footings siteprep		
Construction License Types	A - General Engineering C-31 - Construction Zone Traffic Control Contractor		
Classifications	721110 - Single family dwelling construction services 721210 - New industrial building and warehouse construction services 721211 - Commercial and office building construction services 721212 - Agricultural building construction services 721410 - Highway and road construction services 721411 - Infrastructure building and surfacing and paving services 721412 - Marine construction services 721413 - Athletic and recreational facility construction service 721414 - Detention facility construction and repair services 721415 - Land preparation services 721416 - Mass transit system construction services 721511 - Plumbing construction services 721523 - Carpentry services 721526 - Roofing and siding and sheet metal services 721527 - Concrete installation and repair services 721531 - Athletic and recreational facility construction services 721537 - Parking facility construction and equipment installation and maintenance and repair services 721539 - Building site preparation services		
View Options	View Application		
Edit Options	Amend Application | Register as Disabled Veteran Business Enterprise (DVBE)		

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO._____
A/C NO._____

Active Certifications

Register as Disabled Veteran Business Enterprise (DVBE)

TYPE	STATUS	STATUS DATE	FROM	TO	ACTIONS
SB	Approved	Feb 7, 2014	Feb 7, 2014	Feb 28, 2015	

Certification History

TYPE	STATUS	STATUS DATE	FROM	TO
SB (Micro)	Expired	Feb 7, 2014	Feb 2, 2012	Feb 28, 2014
SB (Micro)	Expired	Feb 2, 2012	Mar 19, 2010	Mar 31, 2012
SB (Micro)	Expired	Mar 19, 2010	Apr 4, 2009	Apr 29, 2010

Home Bid Search Bids Orders My account Privacy Terms Logout

Customer Support - vendorsupport@bidsync.com or 800-990-9339

Copyright © 1999-2014 - BidSync - All rights reserved.

LINEAR OPTIONS, INC.

CERTIFIED SMALL BUSINESS #0023178
Phone 530-896-1800
Fax 530-896-1814

792 Durham Dayton Highway
Durham, Ca 95938
Contractors Lic # 704182

QUOTATION

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014

Description: 02-Sha-44
Contract No: 02-4E4304

Bid Date: October 22, 2014
Owner: Caltrans
DIV. NO.
A/C NO.

We are pleased to confirm our quotation for work on the above project as follows:

Item No.	Description	Eng. Est	Unit	Unit Price	Item Total
~~1~~	~~Lead Plan (Partial)~~	~~Lump Sum~~		~~$2,500.00~~	~~$2,500.00~~
82	Mobilization (Partial)	Lump Sum		$4,000.00	$4,000.00
4	Traffic Control (Partial)	Lump Sum		$2,200.00	$2,200.00
12	Rem Therm Pvt Mrkg	570	SF	$3.00	$1,710.00
42	Shoulder Rumble Strip	320	STA	$8.00	$2,560.00
43	Center Rumble Strip	180	STA	$8.00	$1,440.00
76	Therm Pvt Mrkg	570	SF	$3.00	$1,710.00
77	Therm Stripe	177000	LF	$0.20	$35,400.00
78	Pvt Mrkr-Reflect	2030	EA	$3.00	$6,090.00
79	Pvt Mrkr-Reflect-Rec	1490	EA	$6.00	$8,940.00
				Total Bid	$66,550.00

** Mobilization & Traffic Control Items shall not be adjusted for decreases in the work. Mobilization & Traffic Control Items shall be adjusted for increases in the work.
** This quotation is all inclusive and must be accepted in writing within 30 calendar days of the bid date above or it becomes null and void.
** Any modifications and/or additions and deletions must be agreed upon in writing prior to bid opening.

SEE ATTACHED STIPULATIONS FOR THIS QUOTATION

100 %

82 =

LINEAR OPTIONS, INC.

CERTIFIED SMALL BUSINESS #0023178

Phone 530-896-1800
Fax 530-896-1814

792 Durham Dayton Highway
Durham, Ca. 95938
Contractors Lic # 704182

STIPULATIONS

The following stipulations are hereby incorporated into and made part of the quotation from Linear Options, Inc. dated **October 22, 2014** for the following project:

RECEIVED
J.F. SHEA CONST., INC.

02-Sha-44 ; 02-4E4304

OCT 22 2014

These stipulations shall be incorporated into any subcontract entered into between LOI and Contractor.

A/C NO.

- Linear Options, Inc. requires 10 Calendar Days written notice prior to proceeding with ~~any of the work.~~
- Scheduling for all work shall be by telephone with LOI project manager.
- **Linear Options, Inc. includes move-ins for its work as follows:**
  - **Removal One (1) Only.**
  - **Permanent Striping and Rumble Strip One (1) Only**
- **Linear Options, Inc. will perform required traffic control for its own work only except rumble strip and markings removal.**
- **Linear Options, Inc. will remove contractors floppies placed for lane lines and centerlines only (no edgelines or shoulders). No Tape removal. Floppies to be placed so that striping may be placed before removal of floppies.**
- **Linear Options, Inc. will furnish Lead Compliance Plan for Thermo Removal Only.**
- This quotation is based upon and the work shall be performed per project plans and specifications.
- **This quotation excludes Payment & Performance Bonds (Add 1.875%).**
- **This quotation excludes Waiver of Subrogation (Add $800)**
- This quotation excludes Primary Liability Insurance greater than $2,000,000.
- This quotation excludes Excess Liability Insurance.
- This quotation excludes Portable Changeable Message Boards.
- This quotation excludes a Fire Plan.
- This quotation excludes all work associated with the project SWPP and WPCP.
- This quotation excludes coordinating lane closures with the owner & using the required forms. Linear Options, Inc. will notify contractor of requested lane closures for our work only.
- **This quotation excludes traffic control, layout, sweeping, fog seal and removal and disposal of grindings for rumble strip work.**
- **This quotation excludes DRB and DRA costs except when DRA or DRB is requested LOI for LOI Claim.**
- **This quotation excludes Temporary Delineation.**
- **This quotation excludes performing its work while other operations are in progress on jobsite.**
- **This quotation excludes the removal & disposal of non-hazardous grindings & spoils from jobsite. Contractor to provide operated dump truck or stockpile adjacent to the work and within the limits of each traffic control setup for LOI to dump grindings.**
- **This quotation excludes area lighting for night work.**
- **Contractor to provide a water source on jobsite.**
- **Contractor to provide staging area on jobsite for all work performed by Linear Options, Inc.**

Independent Structures Inc.
Redding, Ca.

Estimating Dept.

Quote

Independent Structures Inc.
License #951126
8490 Hartmeyer lane
Redding, Ca. 96002
PH (530) 223-5238
Fax (530) 223-5432
CELL (530)941-9006

Bid Date: 10/22/2014
Contract Info:
02-4E4304
HWY 44 PALO CEDRO

Estimator:
Scott Langum

ITEM #	ITEM DESCRIPTION	QUANTITY	UNIT PRICE	TOTAL
3	CONSTRUCTION AREA SIGNS	1	LUMP SUM	$5,600.00
4	TRAFFIC CONTROL SYSTEM	SEE ATTACHMENT		
5	P.C.M.S.	SEE ATTACHMENT		
13	REMOVE ROADSIDE SIGN	12	$50.00	$600.00
14	REMOVE ROADSIDE SIGN PANEL	2	$17.00	$34.00
50	FURNISH LAMINATED PANEL SIGN 2 1/2" TYPE B	120 SF	$28.50	$3,420.00
51	FURNISH SINGLE SHEET ALUM SIGN (0.063-UNFRAMED)	110 SF	$10.65	$1,171.50
52	FURNISH SINGLE SHEET ALUM SIGN (0.080 FRAMED)	210 SF	$16.25	$3,412.50
53	ROADSIDE SIGNS-ONE POST	8	$225.00	$1,800.00
54	ROADSIDE SIGNS-TWO POST	6	$400.00	$2,400.00
55	INSTALL ROADSIDE SIGN PANEL ON EXISTING POST	4	$40.00	$160.00
56	INSTALL ROADSIDE SIGN LAMINATED WOOD BOX POST(EXCLUDES POST)	1	$850.00	$850.00
67	DELINEATOR (CLASS 1)	18	$35.00	$630.00
68	DELINEATOR (CLASS 2)	180	$45.00	$8,100.00
69	MILEPOST MARKER	15	$45.00	$675.00
70	MARKER (CULVERT)	55	$45.00	$2,475.00
71	OBJECT MARKER	14	$45.00	$630.00
			TOTAL	$31,958.00

100%

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

APEX FENCE CO., INC.

Since 1970

CA.LIC.269127/NV.LIC.0022365
19896 ALEXANDER AVE.
P.O. BOX 545
ANDERSON, CA 96007

SBE NO. 11760531

UNION CONTRACTOR

HUB ZONE CERTIFIED

TELEPHONE 530-365-3316
FAX 530-365-5478
BOND RATE 1%

QUOTATION: FOR CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY IN AND NEAR PALO CEDRO FROM 0.1 MILE EAST OF AIRPORT ROAD TO 0.1 MILE EAST OF BEAR CREEK BRIDGE. IN DISTRICT 02 ON ROUTE 44. CONTRACT NO. 02-4E4304

BID DATE: October 22, 2014

THE FOLLOWING QUOTATION ON THE ABOVE MENTIONED PROJECT IS HEREBY SUBMITTED ON THE ITEMS QUOTED. THE FOLLOWING QUOTATION INCLUDES TAX AND INSTALLATION. A MUTUALLY AGREEABLE SCHEDULE OF TIME WILL BE MADE PRIOR TO PERFORMING THE WORK. TRAFFIC CONTROL IS NOT INCLUDED. COST FOR ANY WATER POLLUTION CONTROL MEASURES OR SWPPP NOT INCLUDED. BONDABLE, BUT NO BONDS OR CONSTRUCTION STAKING INCLUDED IN THIS QUOTE. RETENTION BY THE CONTRACTOR SHALL NOT EXCEED THE AMOUNT WITHHELD BY THE OWNER. ALL RETENTION TO BE RELEASED WITHIN 30 DAYS AFTER COMPLETION AND ACCEPTANCE BY THE OWNER. THIS WOULD APPLY TO APEX FENCE'S ITEMS OF WORK. THIS QUOTE GOOD FOR ONLY 30 DAYS AFTER BID DATE. ATTORNEY FEES, IN THE EVENT LEGAL ACTION IS TAKEN TO ENFORCE ANY ITEM OF THIS AGREEMENT, WILL BE BORN BY THE OWNER AND ANY MONIES SPENT BY APEX FENCE CO. TO ENFORCE PAYMENT OF THIS AGREEMENT WILL BE BORE TO THE GENERAL CONTRACTOR

ITEM #	QTY	U/M	DESCRIPTION	UNIT PRICE	TOTAL
10	19000	LB	TREATED WOOD WASTE	$0.10	$1,900.00
11	38	LF	REMOVE GUARDRAIL	$5.00	$190.00
19	91	LF	RECONSTRUCT FENCE	$40.00	$3,640.00
20	980	LF	RECONSTRUCT GUARDRAIL	$16.50	$16,170.00
21	75	LF	RECONSTRUCT GUARDRAIL (7' POST)	$28.00	$2,100.00
22	4	EA	RECONSTRUCT TERMINAL SYSTEM	$975.00	$3,900.00
23	2	EA	RECONSTRUCT TRANSTION RAILING (TYPE- WB)	$2,000.00	$4,000.00
~~47~~	~~4.8~~	~~CY~~	~~MINOR CONCRETE (MINO STRUCTURE)~~	~~$3,000.00~~	~~$14,400.00~~
~~48~~	~~48~~	~~EA~~	~~DRILL AND BOND DOWEL (CHEMICAL ADHESIVE)~~	~~$30.00~~	~~$1,440.00~~
~~67~~	~~18~~	~~EA~~	~~DELINEATOR (CLASS 1)~~	~~$40.00~~	~~$720.00~~
~~68~~	~~180~~	~~EA~~	~~DELINEATOR (CLASS 2)~~	~~$40.00~~	~~$7,200.00~~
~~69~~	~~15~~	~~EA~~	~~MILEPOST MARKER~~	~~$50.00~~	~~$750.00~~
~~70~~	~~55~~	~~EA~~	~~MARKER (CULVERT)~~	~~$45.00~~	~~$2,475.00~~
~~71~~	~~14~~	~~EA~~	~~OBJECT MARKER~~	~~$45.00~~	~~$630.00~~
72	850	SQYD	VEGEATION CONTROL (MINOR CONCRETE)	$51.00	$43,350.00
73	120	LF	SINGLE THRIE BEAM BARRIER	$45.00	$5,400.00
74	4	EA	TRANSITION RAILING (TYPE WB)	$3,000.00	$12,000.00
75	5	EA	ALTERNATIVE FLARED TERMINAL SYSTEM	$2,000.00	$10,000.00
			ITEM 47 IS ONLY FOR THE CONCRETE ANCHOR BLOCKS, DOESN'T INCLUDE DRAINAGE ITEM WORK.		
			ESTIMATED WORKINGS DAYS (12)		
			100%		
			ITEMS DON'T INCLUDE CLEARING OR GRUBBING		
			ITEMS DON'T INCLUDE SLEEVES FOR CONNECTIONS TO CONCRETE BARRIER **IF ITEM 47 IS DELETED FROM OUR BID**		
			PRIME TO MARK ALL USA, APEX WILL CALL IN THE TAG.		
				TOTAL	**$130,265.00**

RECEIVED
OCT 22 2014
J.F. SHEA CONST., INC.
ADV. NO.
ADV. NO.

SINCERELY,
APEX FENCE CO., INC.

DAVID PARMER/VICE-PRESIDENT

WARD'S CONCRETE, INC.
PO Box 1276
ANDERSON, CA 96007
PHONE (530) 378-1023 FAX (530) 378-1123

PROPOSAL & CONTRACT

DATE: 10/22/14

TO: JF Shea Attn Logan

JOB: Cal Trans 02-4E4304 Prevailing Wage

Dear Sir,
We propose to furnish all materials and perform all labor necessary to complete the following:

Item 47	Minor Concrete, Minor Structure - End Blocks		
4	@	$2500.00 ea	$10,000.00
Item 65	Minor Concrete, Sidewalk		
1.1 CY	@	$675.00 CY	$ 742.50
~~Item 72~~	~~Minor Concrete, Veg Control~~		
~~850 SQ YD~~	~~@~~	~~$62.55 SQ YD~~	~~$53,167.50~~

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

Total Bid $63,910.00

All Grade +/- .10'
All traffic control by others

47 24.56%
65 100%

Amount of contract to be paid within 30 days after completion. Any alteration or deviations from the above specifications involving extra cost of material or labor will only be executed upon written order for same, and will become an extra charge over the sum mentioned in this contract, all agreements must be made in writing.

Contractor's State License Board
3132 Bradshaw Rd.
Sacramento, Ca 95826

Respectfully submitted
By Leland Ward Jr
LELAND WARD
Contractor's State License No. 348143

ACCEPTANCE

You are hereby authorized to furnish all materials and labor required to complete the work mentioned in the above proposal, for which _____ agrees to pay the amount mentioned in said proposal and according to the terms thereof.
ACCEPTED_____ DATE_____

License #231577

2305 Larkspur Lane, Redding, CA 96002-0611
Telephone: 530-221-6656 *Fax: 530-221-5323
guitonspools@guitons.com www.guitons.com

HIGHWAY 44
CONTRACT NO. 02-4E4304

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014
CIV NO.
NC NO

Price for job as follows:

Item #49	Shotcrete	$22,830.00
Item #82	Mobilization	$ 5,000.00
Total Bid Price:		$27,830.00

Notes:

1. No concrete included – shotcrete material to be supplied by the General Contractor
   a. If supplied by Guiton's Pool Center additional $2,000 for 7-12 yards
2. If test panels are required it will be additional at $4,000 each
3. No bond or bond cost included
4. No traffic control
5. No storm water control or plan
6. No weekend work
7. No light towers
8. No concrete washout
9. No permits or permit costs
10. No site prep/dirt work included
11. This quote will become part of the sub-contract
12. Payment net 30 days from completion of work

#49 56.09%
#82 1.5%

Dale Simpson
Guiton's Pool Center Inc.
Ph: 530-221-6656
Cell: 530-949-1843
Fax: 530-221-5323
Email: dsimpson@guitons.com

2305 LARKSPUR LANE
REDDING CA 96002
TELEPHONE 530-221-6656
FAX 530-221-5323

Guiton's POOL CENTER

Fax

To:	Logan Hanson	**From:**	Dale Simpson
Fax:	246-9940	**Pages:**	2
Phone:		**Date:**	10/22/2014
Re:	Hwy 44 contract		

RECEIVED
J.F. SHEA CONST., INC.

OCT 2 2 2014

DIV. NO._____
A/C NO._____

SAK™

Pipeline Infrastructure. Solved.™

100%

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014

916.644.1400 tel
916.644.1401 fax
4253 Duluth Avenue
Rocklin, CA 95765
www.sakcon.com

DIV. NO.
A/C NO.

PROPOSAL

TO: Estimator **COMPANY:** General Contractor **FAX:**

FROM: Jennifer Allen **COMPANY:** SAK Construction, LLC **PAGES:** 4

CC: **DATE:** 10/22/14

RE: CALTRANS – Contract No. 02-4E4304, 02-Sha-44-R4.2/R14.5, Rehabilitate pavement Construction on State Highway in Shasta County in and near Palo Cedro from 0.1 mile west of Stillwater Creek Bridge to 0.1 mile east of Bear Creek Bridge

Bids Due 10/22/14 @ 2:00 PM P.D.T.

The following is our unit price quotation for the CIPP portion of the above referenced project:

ITEM	DESCRIPTION	QTY	U/M	UNIT PRICE	EXTENSION
BASE BID					
27	24" cured-in-place pipeliner 100%	62	LF	$ 267.00	$ 16,554.00
28	30" cured-in-place pipeliner 100%	72	LF	$ 285.00	$ 20,520.00
82	Mobilization for installation of CIPP 3.01%	1	LS	$ 10,000.00	$ 10,000.00
				ESTIMATED TOTAL FOR CIPP BASE BID:	$ 47,074.00
ADD ALTERNATE					
26	Clean & CCTV inspect 24" & 30" CMP prior to CIPP 100%	1	LS	$ 6,700.00	$ 6,700.00
				ESTIMATED TOTAL FOR CIPP ADD ALTERNATE:	$ 6,700.00
				ESTIMATED TOTAL FOR CIPP WITH BASE BID AND ADD ALTERNATE:	$ 53,774.00

***** SAK CONSTRUCTION IS A UNION CONTRACTOR *****

PROPOSAL INCLUSIONS:

1. One mobilization / demobilization to the project site for the CIPP lining crew. If the Add Alternate is provided by SAK, one mobilization / demobilization to the project site for the pre-lining cleaning & CCTV inspection crew will also be provided. Any additional mobilizations will be negotiated as extra work.
2. IF THE ADD ALTERNATE IS PROVIDED BY SAK: Prior to lining operations, perform cleaning of the existing mainline pipe to remove debris that can be removed with standard pipe cleaning equipment and dispose of the collected debris at a site provided by the General Contractor. Subsequent to cleaning operations and prior to CIPP lining, perform CCTV inspection of the existing mainline pipe and provide required documentation of the inspection to the General Contractor. Pre-lining cleaning & CCTV inspection of the host pipe is offered as an Add Alternate for the General Contractor, and only pipes being lined with CIPP by SAK will be cleaned and CCTV inspected. If the General Contractor elects to self-perform the pre-lining cleaning and CCTV inspection, or have it performed by others, then the Add Alternate containing the pre-lining cleaning and CCTV inspection items may be deleted in its entirety from this proposal without affecting the remaining pricing, terms, and conditions contained herein.

CA STATE CONTRACTOR LICENSE NO.: 984560

3. Install approximately 134 LF of cured-in-place pipe (CIPP) in the designated 24" & 30" diameter pipelines. The CIPP will utilize a polyester resin system and be installed per the requirements of the Cured-in-place Pipeliner (CIPP) specification section 15-6.11.
4. If needed, provide reinstatement of any laterals or downdrains encountered in the CIPP-lined pipes on a negotiated basis. Currently, the project documents do not show any laterals or downdrains entering the pipelines designated for CIPP installation that would require reinstatement by SAK after lining.
5. Provide required testing of samples of the installed CIPP at an independent laboratory to confirm conformance with minimum specified physical properties. Sampling methods and frequency will conform to specified parameters.
6. Perform CCTV inspection of the CIPP-lined mainline pipe immediately subsequent to CIPP lining and provide required documentation of the inspection to the General Contractor. Only mainline pipes that have been lined with CIPP by SAK will be inspected.
7. Payment of California State Sales Tax as applicable for the scope of work covered under this proposal.
8. Provide standard 1-year construction warranty on CIPP materials and workmanship.
9. Provide certificate of insurance and endorsements evidencing typical coverage and limits for General Liability ($1 million / $2 million), Automobile Liability ($1 million), Workers' Compensation & Employer's Liability ($1 million), and if required, Excess Liability ($5 million). If insurance coverage above and beyond this is required, the General Contractor will be responsible for securing any additional insurance coverage or reimbursing SAK for the costs associated with obtaining the additional insurance.
10. When payment of prevailing wages is applicable, provide the required documentation showing workers on this project have been paid in accordance with the relevant prevailing wage determination for the appropriate laborer classification.

RECEIVED
J.F. SHEA CONST., INC.
OCT 22 2014

PROPOSAL EXCLUSIONS:

The following items are not included in this proposal, and when required, will be provided by the General Contractor at no cost to SAK. If SAK is required to provide any of these items, the costs will be charged to the General Contractor as extra work.

1. IF THE ADD ALTERNATE IS PROVIDED BY THE GENERAL CONTRACTOR OR OTHERS: If the Add Alternate containing the items for pre-lining cleaning & CCTV inspection of the host pipe is deleted from this proposal and SAK's scope of work, then the General Contractor shall perform the complete cleaning of the existing mainline pipe required prior to lining and dispose of the collected debris. The General Contractor shall also perform the CCTV inspection of the existing mainline pipe required subsequent to cleaning and prior to CIPP lining to confirm the adequacy of the cleaning operations and to confirm that no obstacle remains in the pipe that would impede lining. This shall also include taking measurements of the actual diameters, circumferences (for non-circular pipe), and lengths of the pipelines to be lined. The General Contractor shall provide records & documentation of the completed cleaning, CCTV inspection, and pipe measurements to SAK sufficiently in advance of the start of lining so that SAK may confirm that the pipe is ready to be lined and arrange for the necessary CIPP materials in a timely manner. The General Contractor shall also provide any required records & documentation of the completed CCTV inspection to the Owner.
2. Provide any necessary traffic, parking, &/or pedestrian control. Traffic, parking, &/or pedestrian control systems shall be coordinated to accommodate SAK's operations and placed in a timely manner such that SAK's operations are not impeded or delayed.
3. Provide legal and physical access to the pipeline, manholes, structures, inlets, outlets, catch basins and other access points sufficient to allow CIPP lining operations to be conducted, and to allow large trucks and equipment to access the inlets, outlets, catch basins, structures, and manholes directly when in streets, or as near as possible for easement locations. This shall include locating, exposing, and making accessible any manholes, structures, inlets, outlets, catch basins, or other access points associated with the lining work, including any necessary alterations to fencing, trees, and vegetation; snow &/or ice removal; excavation, clearing, or regrading of existing flowlines or channels; clearing of brush, trees, and debris outside of the pipe or obstructing the ends of the pipe; and providing any final restoration once lining operations are complete. When necessary, this shall also include providing expanded access by either staging construction of new storm drain structures or temporarily altering existing storm drain structures where the existing or new structure configuration will impede lining operations.

4. Provide any point repairs or other repairs necessary or required to repair or prepare the existing pipeline for CIPP lining. This shall include providing any grouting or cement slurry backfill of holes in the pipe or voids outside the pipe required prior to or after lining
5. Provide any final repair, testing &/or inspection of CIPP-lined pipes when additional work has been performed in or on those pipes by others subsequent to the completion of SAK's work.
6. Provide access to a high-volume water supply at the project site either from fire hydrants, or other high-volume on-demand sources, as designated by and coordinated with SAK. Access to the water source must be within 500 feet of the installation site.
7. Provide access to appropriate dump sites at the project site for disposal of liquids and material collected from the pipelines during pipeline cleaning and lining operations and other waste materials from the project.
8. Provide access to a secure yard at or near site for staging and storage of equipment and materials, when available.
9. Provide all required notifications of agencies and other parties affected by the work. This shall include providing any necessary public relations work.
10. Obtain and pay for all special licenses, permits, variances, or other fees required to perform the work. The only exception to this is that SAK will obtain and pay for its own city &/or county business license(s), when required.
11. Subcontract bonds are not included. If subcontract bonds will be required, they can be provided for an additional fee of 1.5% of the bonded amount. Period of coverage for the bonds shall not exceed 1 year.

RECEIVED
J.H. SHEA CONST., INC.
OCT 22 2014
DIV. NO.
A/C NO.

OTHER CONDITIONS:

1. Work covered by this proposal will be performed under a mutually agreed upon subcontract agreement which incorporates the terms and conditions contained in this proposal either by direct attachment, by insertion, or by reference. In case of conflict, the terms and conditions of this proposal shall prevail. The subcontract agreement shall not require either party to be liable to the other for consequential damages arising out of or relating to the subcontract or contract.
2. Work covered by this proposal will be performed under a mutually agreed upon project schedule. No material acquisition or mobilization will commence prior to the execution of a mutually agreed upon subcontract agreement. Once crews have been mobilized to site, work covered under this proposal must be able to proceed at an unrestricted pace without impediment or delay. If CIPP operations are delayed by the General Contractor or others, then standby costs &/or additional mobilization costs will be charged to the General Contractor accordingly.
3. This proposal is based on performing the CIPP lining work after an extended period of dry weather, so that flows in the storm drains are eliminated and a diversion or bypass is not required. If this is not the case, and work must be scheduled prior to the storm drains being in a dry condition, of if the storm drains never achieve a dry condition, then the General Contractor shall provide any necessary plugging, damming, diversion, and/or bypass pumping of existing pipeline flows, including providing any necessary dewatering of the pipelines, structures, and liner termination points once the plugs, dams, diversion, &/or bypass systems are in place and operating. Bypass or diversions systems shall be coordinated to accommodate SAK's lining operations and placed in a timely manner such that SAK's equipment and personnel are not obstructed by suction & discharge locations, and CIPP lining operations are not impeded or delayed.
4. Normal working hours for installing CIPP are 24-hours a day due to the nature of the product, which requires that once an install is started, it cannot be suspended until it is completed. To the extent that SAK will incur overtime expenses due to this schedule, those costs have been anticipated and are covered in this proposal. However, SAK will not be liable for any penalties, liquidated damages, overtime inspection costs, or other fees that may result from these required working hours.
5. Progress and final payments are due within 30 days of invoice, or when applicable regulations require, whichever is soonest. Release of any withheld retention shall be no later than 30 days from the completion and acceptance of the work covered under this proposal, excluding any subsequent work required in the warranty period, and regardless of whether the General Contractor's retention has been released by the Owner. If retention is not withheld from the General Contractor's payments, then retention shall not be withheld from SAK's payments. Overdue amounts will be subject to interest at a rate of 1.5% monthly, 18% annually.

6. This proposal covers only the scope of work specifically included above. It does not cover performing any cleaning or inspection of pipe or structures not specifically included above; warranty inspections or testing; verification of active/inactive status of laterals; alteration, repair, installation, or rehabilitation of manholes or other structures; abandonment of any pipe or structures; bypassing, plugging, damming, diversion, or dewatering of existing pipe flows or structures; pedestrian control, parking control, or traffic control; sampling or testing of the installed CIPP liner not specifically included above; sampling or testing of any substances or materials on the project not specifically included above; alteration, testing, sealing, repair, replacement, or rehabilitation of any lateral pipes or lateral connections, aside from any internal reinstatement specifically included above; grouting or repair of obstructions, voids, or defects in the host pipe prior to or after lining; mandrel testing or other similar testing of the pipe; or any work requiring excavation. This proposal also does not cover providing any field yards, meeting facilities, or office facilities for the project; phones, cameras, computer software, or computer equipment for the use of the General Contractor or Owner; photos or other documentation for record of pre- or post-construction site conditions; tree or vegetation clearing, trimming, removal, protection or restoration; snow &/or ice removal; handling, transportation, or disposal of hazardous materials; surveying or staking; engineered plans, designs, or drawings; preparation or implementation of any pollution control or environmental protection programs or plans; street sweeping; security; fire control truck and operator; fencing of any kind; erosion or sedimentation control; public relations work; project signs or advance notification signs; and any necessary archaeological, biological, or ground settlement / movement monitoring and mitigation. If any of this type of work is required to be performed by SAK, it will be considered to be extra work and charged accordingly.
7. For the purposes of this proposal, the General Contractor shall be defined to be the entity contracting with SAK to perform the work covered under this proposal.
8. This proposal is valid for 90 days from the date of submission as indicated above.

SAK acknowledges receipt of ONE (1) addendum for this project

SAK has also checked Bidder Inquiries through the date of this proposal: NO (0) Inquiries

RECEIVED
J.F. SHEA CONST., INC.

OCT 22 2014

DIV. NO._____
A/C NO._____