

Low Bidder

09-04-15P03:23 RCVD

CONTRACT NO: **03-2F3304**

BID AMOUNT: \$ **\$9,115,818.90**

BID OPENING DATE: **9/1/15**

BIDDER'S NAME: **KNIFE RIVER CONSTRUCTION**

DBE GOAL FROM CONTRACT %: **12%**

DBE PRIME CONTRACTOR CERTIFICATION ¹ :	TOTAL NUMBER OF ALL SUBCONTRACTS (DBE & NON-DBE)	TOTAL VALUE OF ALL SUBCONTRACTS (DBE & NON-DBE)
N/A	12	\$2,999,722.00

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED ²	WORK CATEGORY CODES ³	NAME OF DBEs (Must be certified on the data bids are opened. Include Caltrans' certification no., DBE address, and phone number. Show 2nd and lower tier subcontractors)	AMOUNT (\$)
2,4,5,14,69-75,83,84	CONSTRUCTION AREA SIGNS, MESSAGE BOARDS, CHANNELIZER, SIGNS, DELINEATORS & MARKERS	C1000, C1200, C1201, C1522, C5110, C5620,	CONSTRUCTION AREA SIGNS, INC. 215 TAYLOR Rd., NEWCASTLE, CA 95658 916-663-9097 CERT. # 500	\$76,684.00
49	EROSION CONTROL (BONDED FIBER MATRIX)	C0620, C2000, C2020, C2021, C2030, C2065, C2066	M&S ENVIRONMENTAL LANDSCAPES, INC. 12192 MAC'S Rd., REDDING, CA 96003 530-241-1418 CERT. # 30736	\$19,800.00
23(P), 53,54(P)	COLD PLANE (PARTIAL), PRE-PAVE PROFILE, PRE-PAVE GRINDING (PARTIAL)	C1531, C4201	ABSL CONSTRUCTION 29393 PACIFIC St., HAYWARD, CA 94544 510-727-0900 CERT. # 5270	\$98,200.00
102-104	MAINTAIN EXISTING TMS, MODIFY TMS, HIGH SPEED WIM	C0686, C8602, C8603, C8604, C8605, C8608, C8610, C8611	NORTHERN INDUSTRIAL ELECTRIC 2435 RADIO LANE, REDDING, CA 96001 530-246-2366 CERT. # 34396	\$286,458.00
60-63	PLACE HMA DIKE AND MISCELLANEOUS AREA	C1910, C1920, C1930, C1940, C2602, C3901, C3940	A. C. DIKE CO. 2788 VENTURE Dr., LINCOLN, CA 95648 916-652-0159 CERT. # 219	\$42,111.00

Show all DBE firms being claimed for credit, regardless of tier. Attach written confirmation from each DBE shown stating that it will be participating in the contract to perform the specific work shown for the specific amount agreed to.

The names of the 1st tier DBE subcontractors and items of work must be consistent with the Subcontractor List (Pub Cont Code § 4100 et seq.).

¹Each DBE prime contractor must enter its certification number and show all work to be performed by DBEs, including work performed by its own forces.

²If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.

³Use Work Category Codes from the California Unified Certification Program database.

Total Claimed Participation **\$ SEE PAGE 2**

The bidder acknowledges that it is committed to use the DBEs shown on this form to meet the contract goal (49 CFR 26.53).

Signature of Bidder _____

Date **2 OF 2** _____ (Area Code) Tel. No. _____

Person to Contact _____ (Please Type or Print)

ADA Notice

For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

09-04-15P03:24 RCVD

CONTRACT NO: 03-2F3304

BID AMOUNT: \$ 9,115,818.90

BID OPENING DATE: 9/1/15

BIDDER'S NAME: KNIFE RIVER CONSTRUCTION

DBE GOAL FROM CONTRACT %: 12%

DBE PRIME CONTRACTOR CERTIFICATION ¹ :	TOTAL NUMBER OF ALL SUBCONTRACTS (DBE & NON-DBE)	TOTAL VALUE OF ALL SUBCONTRACTS (DBE & NON-DBE)
N/A	12	\$2,999,722.00

BID ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED ²	WORK CATEGORY CODES ³	NAME OF DBEs (Must be certified on the date bids are opened. Include Caltrans' certification no., DBE address, and phone number. Show 2nd and lower tier subcontractors)	AMOUNT (\$)
55(P),57(P)	SUPPLY AND DELIVER ASPHALT OIL (PARITAL)	C0624,C0625,C0625,C0639,C0651	CHAVEZ TRUCKING 955A VAUGHN Rd., DIXON, CA 95620 707-678-0514 CERT. # 7974	\$609,195.00

Show all DBE firms being claimed for credit, regardless of tier. Attach written confirmation from each DBE shown stating that it will be participating in the contract to perform the specific work shown for the specific amount agreed to.

The names of the 1st tier DBE subcontractors and items of work must be consistent with the Subcontractor List (Pub Cont Code § 4100 et seq.).

¹Each DBE prime contractor must enter its certification number and show all work to be performed by DBEs, including work performed by its own forces.

²If 100% of an item is not to be performed or furnished by the DBE, describe the exact portion of the item to be performed or furnished.


³Use Work Category Codes from the California Unified Certification Program database.

\$ 1,132,448.00

Total Claimed Participation

12.4% %

The bidder acknowledges that it is committed to use the DBEs shown on this form to meet the contract goal (49 CFR 26.53).



Signature of Bidder

9/3/15 Date

530-891-6555 (Area Code) Tel. No.

JARED SPRINGER Person to Contact (Please Type or Print)

Mike@CAS-TC.com



IN

Caltrans Project
 Contract no. 03-2F3304
 Location: 03-But-99-30.1/T37.5
 September 1, 2015

Item no. 02 Construction Area Signs – Stationary Mounted
 As shown on plan sheets CS-1 and TH-1 for Traffic Handling
 (Includes 2 each Project Information Signs)
 Furnish, Install, & Remove
 Lump Sum \$10,700.00

Item no. 03 Traffic Control System – PARTIAL

~~T10 Lane Closure ~ Nighttime (excludes Holidays)~~

	<u>Mon. – Thurs.</u>	<u>Fri./Sat.</u>	<u>Sat./Sun.</u>
2 Men, 1 Lane, 1 Direction			
Rate per 8 hour shift	\$1,800.00	\$2,050.00	\$2,150.00
OT Rate per hour	190.00	190.00	-----
DT Rate per hour	210.00	210.00	210.00
Impact Attenuator Vehicle w/ Operator			
Rate per 8 hour shift	\$1,125.00	\$1,250.00	\$1,300.00
OT Rate per hour	95.00	95.00	-----
DT Rate per hour	105.00	105.00	105.00

Item no. 04 Channelizer (Surface Mounted)
 36 each @ \$60.00 each \$2,160.00

- Furnish & Install in conjunction with other work.
- Excludes Maintenance

Item no. 05 Portable Changeable Message Sign – Monthly Rental
 \$1150.00 per unit per month
 > F.O.B. Newcastle.
 > Sales tax included.
 > Item no. 05 must be in conjunction with other work.

1150 x 6x5ea
 = 34,500

Item no. 14 Remove Roadside Sign
 31 each @ \$75.00 each \$2,325.00

Item no. 19 Relocate Roadside Sign
 06 each @ \$225.00 each \$1,350.00

Item no. 69 Furnish Single Sheet Aluminum Sign (0.063" – Unframed)
 12 SQFT @ \$14.50 SQFT \$ 174.00

500x CLSB



Caltrans Project
 Contract no. 03-2F3304
 Location: 03-But-99-30.1/T37.5
 September 1, 2015

Item no. 70	Furnish Single Sheet Aluminum Sign (0.080" –Unframed) 20 SQFT @ \$15.50 SQFT	\$ 310.00
Item no. 71	Roadside Sign – One Post 27 each @ \$275.00 each	\$7,425.00
Item no. 72	Roadside Sign – Two Post 4 each @ \$485.00 each	\$1,940.00
Item no. 73	Furnish Single Sheet Aluminum Sign (0.080" –Unframed) For Retroreflective Sheeting (Type XI) 450 SQFT @ \$10.00 SQFT	\$4,500.00
Item no. 74	Furnish Single Sheet Aluminum Sign (0.080" –Framed) For Retroreflective Sheeting (Type XI) 150 SQFT @ \$16.00 SQFT	\$2,400.00
Item no. 75	Retroreflective Sheeting (Type XI) 590 SQFT @ \$5.00 SQFT	\$2,950.00
Item no. 83	Delineator (Class 1) 140 each @ \$38.00 each	\$5,320.00
Item no. 84	Object Marker (Type L-1) 14 each @ \$45.00 each	\$ 630.00

Excludes: Portable Changeable Message Sign, Impact Attenuator Vehicle, Rumble Strip System, Traffic Control other than Typical Shoulder Closure, Flagger Illumination, and Hardware for Mast Arm Signs.

Please contact Mike Smith for additional information at the number noted below.

~~47,184~~
42,184
~~40,624~~

BUSINESS ENTERPRISE CERTIFICATE

CONSTRUCTION AREA SIGNS, INCORPORATED

215 TAYLOR ROAD
NEWCASTLE, CA 95658

Owner: ELISA ROBINSON

Business Structure: CORPORATION

STATE MINORITY BUSINESS ENTERPRISE

STATE WOMEN BUSINESS ENTERPRISE

This Certification Not Valid For Federal Aid Contracts


This certificate acknowledges that said firm is approved by the California Department of Transportation as a State Minority Business Enterprise or State Women Business Enterprise (or in some cases both) in accordance with Assembly Bill Number 486, Chapter 1329 and the California Public Code, Chapter 2.5 (commencing with Section 2050), for the following NAICS codes:

* 423990 Other Miscellaneous Durable Goods Merchant Wholesalers

* Indicates primary NAICS code

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET, MS 79
SACRAMENTO, CA 95814 0000
(916) 324-1700

Firm Number : 500
Renewal Date : April 1, 2017



Janice Salais, CERTIFYING AGENCY REPRESENTATIVE

March 20, 2015

[Back To Query Form](#)

Search Returned 1 Records

Wed Sep 02 09:49:17 PDT 2015

Query Criteria

Firm ID: 500

Firm Type: DBE

Firm ID	500
Firm/DBA Name	CONSTRUCTION AREA SIGNS, INCORPORATED
Address Line1	215 TAYLOR ROAD
Address Line2	
City	NEWCASTLE
State	CA
Zip Code1	95658
Zip Code2	
Mailing Address Line1	215 TAYLOR ROAD
Mailing Address Line2	
Mailing City	NEWCASTLE
Mailing State	CA
Mailing Zip Code1	95658
Mailing Zip Code2	
Certification Type	DBE
EMail	elisa@cas-tc.com
Contact Name	ELISA ROBINSON
Area Code	(916)
Phone Number	663-9097
Alt Area Code	()
Alt Phone Number	
Fax Area Code	(916)
Fax Phone Number	663-1858
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 02; 03; 04; 05; 06; 07; 08; 09; 11; 12; 17; 18; 21; 22; 23; 24; 25; 28; 29; 31; 32; 34; 38; 39; 41; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 55; 57; 58;
Districts	01; 02; 03; 04; 05; 10;
DBE NAICS	423990;
ACDBE NAICS	
Work Codes	C1000 WHOLESALE BROKER OF CONSTRUCTION MATERIALS; C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1522 RESET, ADJUST ROADWAY ITEMS; C5110 CONCRETE SURFACE FINISH; C5620 ROADSIDE SIGN; F5990 RETAIL STORES SUPPLIER; G1004 CONSTRUCTION MATERIAL WHOLESALE & DISTRIBUTOR; I7380 MISC BUSINESS SERVICES;
Licenses	A General Engineering Contractor; C31 Construction Zone Traffic Control Contractor;
Trucks	
Gender	F
Ethnicity	HISPANIC
Firm Type	DBE

[Back To Query Form](#)

M

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418 FAX 530-241-9647
DIR Registration No. 1000010084
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

9/1/12

Bid For - Butte County In And Near Chico Route 99

Cal-trans # 03 - 2F3304

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
49	Erosion Control (BFM)	SQFT	132000	0.145 0.15	\$ 19,140.00 19,800

ADDITIONAL BID NOTES

TOTAL

\$ ~~19,140.00~~
19,800

- * Prime Contractor to provide and pay for water source on site (i.e. fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
- * All traffic control to be provided by Prime contractor. Bid valid for 60 days.
- * One move-in is included in total bid, unless otherwise stated. Additional move-in (if necessary) at the rate of \$500 each.
- * An estimated acres of Hydroseeding can be done in one working day. Stand-by time will be billed at \$600.00 per hour.
- * Performance and Payment bonds are not included. Insurance beyond a \$5 mil umbrella will result in additional charge.
- * Additional insurance requirements including "Waiver of Subrogation" will be charged to Prime Contractor.
- * Signatory to Local 185 Laborers Union.
- * If you have any questions please call our office.

Michael Smith

Mand S

**CALIFORNIA UNIFIED CERTIFICATION PROGRAM
DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE**

M & S ENVIRONMENTAL LANDSCAPES, INC

12192 MACS ROAD
REDDING, CA 96003

Owner: **MICHAEL SMITH**
Business Structure: **CORPORATION**

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 561730 Landscaping Services

238910 Site Preparation Contractors

Work Category Code(s)

C0620 LANDSCAPING & NURSERY
C2020 SOIL AMENDMENTS
C2030 EROSION CONTROL

C2000 HIGHWAY PLANTING
C2021 HYDROSEEDING
C2065 IRRIGATION SYSTEM

Licenses

C27 Landscaping Contractor

CERTIFYING AGENCY:

DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number : 30736

Janice Salas
CUCP OFFICER

April 24, 2012

[Back To Query Form](#)

Search Returned 1 Records

Wed Jan 20 10:22:42 PST 2010

Query Criteria

Firm ID: 30736

Firm ID	30736
Firm/DBA Name	M & S ENVIRONMENTAL LANDSCAPES, INC
Address Line1	12182 MAC'S ROAD
Address Line2	
City	REDDING
State	CA
Zip Code1	96003
Zip Code2	
Mailing Address Line1	
Mailing Address Line2	
Mailing City	
Mailing State	
Mailing Zip Code1	
Mailing Zip Code2	
Certification Type	SMBE
E-Mail	mandserviro@aol.com
Area Code	(530)
Phone Number	241-1418
Fax Area Code	(530)
Fax Phone Number	241-9647
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 03; 04; 05; 06; 07; 08; 09; 11; 12; 17; 18; 21; 23; 25; 27; 28; 29; 31; 32; 34; 38; 45; 46; 47; 48; 49; 51; 52; 53; 57; 58;
Districts	01; 02; 03; 04; 05; 10;
DBE NAICS	238910; 561730;
ACDBE NAICS	
Work Codes	C0820 LANDSCAPING & NURSERY; C1801 CLEARING & GRUBBING; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C2000 HIGHWAY PLANTING; C2020 SOIL AMENDMENTS; C2021 HYDROSEEDING; C2030 EROSION CONTROL; C2065 IRRIGATION SYSTEM; C27 Landscaping Contractor;
Licenses	
Gender	M
Ethnicity	HISPANIC
Firm Type	SMBE

[Back To Query Form](#)

Back To Query Form

Search Returned 1 Records

Wed Sep 02 09:22:02 PDT 2015

Query Criteria

Firm ID: 30736

Firm Type: DBE

Firm ID	30736
Firm/DBA Name	M & S ENVIRONMENTAL LANDSCAPES, INC
Address Line1	12192 MACS ROAD
Address Line2	
City	REDDING
State	CA
Zip Code1	96003
Zip Code2	
Mailing Address Line1	
Mailing Address Line2	
Mailing City	
Mailing State	
Mailing Zip Code1	
Mailing Zip Code2	
Certification Type	DBE
EMail	shelley@mandsenviron.com; michael@mandsenviron.com
Contact Name	MICHAEL A. SMITH
Area Code	(530)
Phone Number	241-1418
Alt Area Code	(530)
Alt Phone Number	941-1631
Fax Area Code	(530)
Fax Phone Number	241-9647
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 03; 04; 05; 06; 07; 08; 09; 11; 12; 17; 18; 21; 23; 25; 27; 28; 29; 31; 32; 34; 38; 45; 46; 47; 48; 49; 51; 52; 53; 57; 58;
Districts	01; 02; 03; 04; 05; 10;
DBE NAICS	238910; 561730;
 ACDBE NAICS	
 Work Codes	C0620 LANDSCAPING & NURSERY SUPPLIER; C2000 HIGHWAY PLANTING; C2020 SOIL AMENDMENTS; C2021 HYDROSEEDING; C2030 EROSION CONTROL; C2065 IRRIGATION SYSTEM; C2066 TEMPORARY EROSION CONTROL;
Licenses	C27 Landscaping Contractor;
Trucks	
Gender	M
Ethnicity	HISPANIC
Firm Type	DBE

Back To Query Form

ABSL Construction

DIR Registration No. 100002818

29393 Pacific Street, Hayward, CA 94544
TE: (510) 727-0900 Fax: (510) 727-0912

Contractors License A 621781
SMBE & DBE Certification CT-005270

**Bid Quotation
AC Grinding**

23
53
54

Project Name: CA/DOT RHMA-O (OGFC) and HMA-A Overlay
Project Number: 03-2F3304
Bid Date: 09/01/2015
Location: Chico, Butte County, CA

BID – Inertial Profiling and Diamond Grinding – Bump Grinding

Item 53: Pre-Paving Inertial Profiler

Quantity: Lump Sum **Unit Price:** \$2,000/mobilization **Total:** \$ TBD

Mobilization **Included**

This price includes one mobilizations and one survey of the work area. ABSL will mark out any must-grinds at an additional cost of \$400.00 per grinding day if you use ABSL for items 53 and 54.

Item: Pre-Paving Grinding Day

Quantity: 10 days **Unit Price:** \$5,500/Day **Total:** \$55,000

Mobilization **\$ 500.00** **(each way)**

Price includes grinder, one tanker and slurry disposal. Contractor to provide water within 10 miles of the job site.

This price is for a 2013 Diamond Products PC-150 Bump Grinder. \$200.00 surcharge for night work. \$600.00 per hour overtime for the grinder. \$240.00 per hour overtime for the tanker. \$500.00 surcharge for Saturday work. \$1000.00 surcharge for Sunday work.

3,000 Profile

Daryl@ABSL
Construction.com

55,000 Grinding
1,000 mob

Estimator

56,000

ABSL Construction

DIR Registration No. 1000002818

29393 Pacific Street, Hayward, CA 94544
TE: (510) 727-0900 Fax: (510) 727-0912

Contractors License A 621781
SMBE & DBE Certification CT-005270

**Bid Quotation
AC Grinding**

Project Name: CA/DOT RHMA-O (OGFC) and HMA-A Overlay
Project Number: 03-2F3304
Bid Date: 09/01/2015
Location: Chico, Butte County, CA

BID

Daily Minimum Charge \$3200.00

This price is for a 48" inch cold planer machine, **Wirtgen W 1200 F**. Up to 10 inches depth. \$100.00 additional for night work. \$450.00 per hour overtime. \$400.00 additional for Saturday work. \$800.00 additional for Sunday work.

Daily Minimum Charge \$4200.00

This price is for an 80" inch cold planer machine, **Wirtgen W 2000**. Up to 12 inches depth. \$200.00 additional for night work. \$550.00 per hour overtime. \$500.00 additional for Saturday work. \$1000.00 additional for Sunday work.

Daily Minimum Charge \$4700.00

This price is for a high horsepower 80" inch cold planer machine, **Wirtgen W 210**. Up to 12 inches depth. \$200.00 additional for night work. \$600.00 per hour overtime. \$500.00 additional for Saturday work. \$1000.00 additional for Sunday work.

Mobilization Included

$$\begin{array}{r}
 7 \text{ sh} \times 3,200 = 22,400 \\
 4 \text{ sh} \times 4,200 = 16,800 \\
 \hline
 \underline{\underline{39,200}}
 \end{array}$$

ABSL Construction

29393 Pacific Street, Hayward, CA 94544
TE: (510) 727-0900 Fax: (510) 727-0912

Contractors License A 621781
MBE & DBE Certification CT-005270

Portland cement concrete grinding is excluded from this quotation unless specifically quoted.

Removal of Asphalt Concrete over gutter damages can't be guaranteed by ABSL.

ABSL Construction will cold plane as close as possible to existing manholes, water valves, and other obstructions in cutting plane. Handwork and placing temporary asphalt tapers around these objects or at pavement edge for safety requirements are excluded.

Contractor to post streets with "No Parking" signs prior to subcontractor's phase of work, provide water or water meter and provide traffic control during cold planing operation.

All areas to be ground shall be clearly marked by the general or the job inspector.

A minimum of two weeks notice is requested prior to move in.

Anything not specifically included in this price should be considered excluded.

ABSL Construction does not accept backcharges due to machine breakdown during operation above the machine's daily rental fee.

Back charges will only be based on the time the machine is broken and will reflect the cost of the equipment for that time. All others costs due to the equipment breakdown will not be charged to ABSL Construction.

All teeth over one complete set will be charge to the contractor.

ABSL does not accept force account rates or retention.

This quotation will be part of our contract or purchase order agreement and is valid till a new change of the rates.

If you have any questions regarding the above quote please call me at (510) 727-0900 or fax at (510) 727-0912.

Sincerely,

Daryl Vorne

ABSL Construction

29393 Pacific Street, Hayward, CA 94544
TE: (510) 727-0900 Fax: (510) 727-0912

Contractors License A 621781
SMBE & DBE Certification CT-005270

GRINDING JOB AGREEMENT

The prices set forth above are based on the following assumptions and are subject to change under conditions set forth below.

- 1) A minimum daily rate is any part of an 8 hour day and overtime will be charged for work done other than a regular weekday shift.
- 2) Modification to the work may require a change in the quote.
- 3) Unless otherwise indicated the unit prices are based on ABSL performing all the work included on the proposal. If ABSL does not receive a contract for all the work, the unit prices are subject to adjustment.
- 4) The unit prices are based on the estimated quantities in the bid proposal. If the quantity of the item changes by 25% or more the unit price is subject to equitable adjustment.
- 5) All teeth over one complete set will be charge to the contractor.
- 6) Prices are good for 30 days from the date of this proposal, after that date the prices are subject to adjustment.
- 7) In the event there is an increase in the cost of fuel of more than \$0.50 per gallon during the performance of this contract, ABSL will be entitled to a \$75.00 per day fuel surcharge. The base cost of fuel shall be established on the bid date of the contract by reference to the Weekly Retail On-Highway Diesel Prices for California, as published by the U.S. Department of Energy on its web site at www.tonto.eia.doe.gov/oog/info/wohdp/diesel.asp.
- 8) If ABSL cannot proceed with its work as scheduled due to others, standby time will be charged at the following rate: \$425.00 per hour.
- 9) Downtime for equipment becoming stuck in wet or muddy sub-grade conditions will be charged at a stand-by time rate until removed. Additional equipment required for removal will be charged at a time and materials basis.
- 10) This proposal to be attached and made part of any and all resulting contracts.
- 11) The above price does not include permits, fees, bonding, state or local taxes.
- 12) This is a proposal only for the purpose of establishing a price for work as outlined. In the event ABSL is the low bidder a formal contract or PO suitable to both parties shall be prepared and fully executed.
- 13) Repairs of damage to ABSL equipment due to unmarked or buried obstructions; i.e. valve boxes, manholes covers, concrete, steel fence posts, steel pipe or excessive depth asphalt will be billed at time and material for repairs.
- 14) Backcharges to ABSL must be communicated by contractor in a written notice within 72 hours from the time of occurrence for backcharges.
- 15) Unless otherwise agreed to in writing prior to start of work, payment is due and payable within 30 days of billing, and no retention to be withheld on payments.
- 16) All utilities within mill grade are to be located and marked by customer. It is the sole responsibility of the lessee or renter (customer) to follow the requirements of the regional notification center law pursuant to Article 2 (Commencing with Section 4216) of Chapter 3.1 of Division 5 of Title 1 of the California Government Code. Customer assumes sole responsibility for, and all subsequent liabilities coincident with following the requirements of the regional notification center law. Furthermore, customer agrees to be responsible for all damage to both utilities themselves and to our company's equipment by reason of ABSL equipment encountering unmarked utilities.
- 17) Items not specifically included are considered to be excluded. If you have any questions please call.

Thank You,

Daryl Vorne

CALIFORNIA UNIFIED CERTIFICATION PROGRAM DISADVANTAGED BUSINESS ENTERPRISE CERTIFICATE

ABS L CONSTRUCTION

29334 PACIFIC STREET
HAYWARD, CA 94544

Owner: LUIS ALLENDE
Business Structure: CORPORATION

This certificate acknowledges that said firm is approved by the California Unified Certification Program (CUCP) as a Disadvantaged Business Enterprise (DBE) as defined by the U.S. Department of Transportation (DOT) CFR 49 Part 26, as may be amended, for the following NAICS codes:

NAICS Code(s) * Indicates primary NAICS code

* 237310 Highway, Street, and Bridge Construction
238910 Site Preparation Contractors
238120 Structural Steel and Precast Concrete Contractors

238210 Electrical Contractors
238110 Poured Concrete Foundation and Structure Contractors

Work Category Code(s)

C1201 TRAFFIC CONTROL SYSTEM
C1901 ROADWAY EXCAVATION
C1920 STRUCTURE EXCAVATION

C1601 CLEARING & GRUBBING
C1910 GRADING
C1930 STRUCTURE BACKFILL

Licenses

A General Engineering Contractor

CERTIFYING AGENCY:

DEPARTMENT OF TRANSPORTATION
1823 14TH STREET
SACRAMENTO, CA 95811 0000
(916) 324-1700

UCP Firm Number : 5270

James Salais
CUCP OFFICER

August 26, 2011

Exp 01-01-16

[Back To Query Form](#)

Search Returned 1 Records

Wed Sep 02 10:23:16 PDT 2015

Query Criteria

Firm ID: 5270

Firm Type: DBE

Firm ID	5270
Firm/DBA Name	A B S L CONSTRUCTION
Address Line1	29393 PACIFIC ST
Address Line2	
City	HAYWARD
State	CA
Zip Code1	94544
Zip Code2	
Mailing Address Line1	
Mailing Address Line2	
Mailing City	
Mailing State	
Mailing Zip Code1	
Mailing Zip Code2	
Certification Type	DBE
EMail	daryl@abslconstruction.com
Contact Name	LUIS M. ALLENDE
Area Code	(510)
Phone Number	727-0900
Alt Area Code	()
Alt Phone Number	
Fax Area Code	(510)
Fax Phone Number	727-0910
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12; 13; 14; 15; 16; 17; 18; 19; 20; 21; 22; 23; 24; 25; 26; 27; 28; 29; 30; 31; 32; 33; 34; 35; 36; 37; 38; 39; 40; 41; 42; 43; 44; 45; 46; 47; 48; 49; 50; 51; 52; 53; 54; 55; 56; 57; 58;
Districts	01; 02; 03; 04; 05; 06; 07; 08; 09; 10; 11; 12;
DBE NAICS	237310; 238110; 238120; 238910;

ACDBE NAICS

Work Codes

C1201 TRAFFIC CONTROL SYSTEM; C1522 RESET, ADJUST ROADWAY ITEMS; C1531 PLANE ASPHALT CONCRETE; C1601 CLEARING & GRUBBING; C1901 ROADWAY EXCAVATION; C1910 GRADING; C1920 STRUCTURE EXCAVATION; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C4201 GROOVE & GRIND PAVEMENT; C5105 MINOR CONCRETE STRUCTURE; C5124 ERECT PRECAST CONCRETE; C5135 CONCRETE BLOCK & MASONRY RETAINING WALL; C5501 STEEL STRUCTURES; C5570 STEEL CRIB WALL; C9980 DEMOLITION;
 A General Engineering Contractor; B General Building Contractor;

Licenses

Trucks

Gender

Ethnicity

Firm Type

M
 HISPANIC
 DBE

[Back To Query Form](#)

Northern Industrial Electric

2435 Radio Lane • Redding, California 96001 • Phone (530) 246-2366 • FAX (530) 246-2368 • Email: nie01@sbcglobal.net

Contractor License #291649

DBE/SWBE Certification #34396

SBE Certification #9083

September 1, 2015

REVISED

To Bidding Contractors

Re: Caltrans Contract 03-2F3304 – Construction on State Highway in Butte County in and near Chico from 0.5 Mile South of Skyway Overcrossing to 0.2 Mile South of Garner Lane 03-But-99-30.1/T37.5

Bid Date: September 1, 2015 @ 2:00 p.m.

Northern Industrial Electric is pleased to quote the above referenced project per plans and specifications as follows:

Bid Item 102: Maintaining Existing TMS Elements During Construction	L.S.	\$ 4,000.00
• Includes pre and post job walk-through. Does not include labor and material for items damaged by contractor forces or traveling public.		
Bid Item 103: Modify Traffic Monitoring System	L.S.	\$ 81,292.00
Bid Item 104: High Speed Weigh-In-Motion System	L.S.	\$201,166.00
	TOTAL	\$286,458.00

We acknowledge Addendum Nos. 1

Exclusions:

1. Concrete slab;
2. Concrete grinding;
3. Trench and backfill;
- ★ 4. Light towers;
5. Traffic control and portable changeable message signs, 9 days traffic control needed; ★
6. Pull box paving; any paving;
7. Removal of existing foundations;
8. SWPP/WPCP and implementation;
9. Fees, permits or bonds;
10. Worker's comp waivers of subrogation;
11. Excess (umbrella) liability insurance;
12. Weekend and holiday shift;
13. Staking.

Our quote is firm for 30 days unless otherwise stated. This proposal must be attached and incorporated into our subcontract agreement. If you have any questions, please do not hesitate to call.

Sincerely,

Harry P. Cramer
Project Manager / Estimator

NIE01@SBCGLOBAL.NET

Back To Query Form

Tue May 05 09:21:38 PDT 2015

Search Returned 1 Records

Query Criteria

Firm ID: 34396

Firm Type: DBE

Firm ID	34396
Firm/DBA Name	NORTHERN INDUSTRIAL ELECTRIC
Address Line1	2435 RADIO LANE
Address Line2	
City	REDDING
State	CA
Zip Code1	96001
Zip Code2	3810
Mailing Address Line1	2435 RADIO LANE
Mailing Address Line2	
Mailing City	REDDING
Mailing State	CA
Mailing Zip Code1	96001
Mailing Zip Code2	3810
Certification Type	DBE
Email	nie01@sbcglobal.net
Contact Name	DORI CRAMER
Area Code	(530)
Phone Number	246-2366
Fax Area Code	(530)
Fax Phone Number	246-2368
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	04; 06; 08; 11; 12; 18; 23; 25; 32; 45; 46; 47; 52; 53;
Districts	01; 02; 03;
DBE NAICS	238210;

ACDBE NAICS

Work Codes

C0686 ELECTRICAL & SIGNALS SUPPLIER; C8602 SIGNAL & LIGHTING; C8603 SIGNAL; C8604 LIGHTING; C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; C8608 DETECTOR; C8609 TRAFFIC COUNT STATION; C8610 SPEED MONITORING STATION; C8611 RAMP METERING SYSTEM; A General Engineering Contractor; B General Building Contractor; C10 Electrical Contractor;

Licenses

Trucks

Gender

Ethnicity

Firm Type

F
CAUCASIAN
DBE

Back To Query Form

BUSINESS ENTERPRISE CERTIFICATE

NORTHERN INDUSTRIAL ELECTRIC

2435 RADIO LANE
REDDING, CA 96001 3810
Owner: DORI CRAMER

Business Structure: CORPORATION

STATE WOMEN BUSINESS ENTERPRISE

This Certification Not Valid For Federal Aid Contracts

This certificate acknowledges that said firm is approved by the California Department of Transportation as a State Minority Business Enterprise or State Women Business Enterprise (or in some cases both) in accordance with Assembly Bill Number 486, Chapter 1329 and the California Public Code, Chapter 2.5 (commencing with Section 2050), for the following NAICS codes:

- 238210 Electrical Contractors and Other Wiring Installation Contractors

* Indicates primary NAICS code

CERTIFYING AGENCY:
DEPARTMENT OF TRANSPORTATION
1823 14TH STREET, MS 79
SACRAMENTO, CA 95814 0000
(916) 324-1700

Firm Number :

24396

Renewal Date:

February 1, 2017

Janice Salais
Janice Salais, CERTIFYING AGENCY REPRESENTATIVE

January 30, 2015



Department of
General Services

BUILDING GREEN BUILDING SPECIAL SERVICES DIVISION

NORTHERN INDUSTRIAL ELECTRIC - #9083

SUPPLIER PROFILE

Legal Business Name	NORTHERN INDUSTRIAL ELECTRIC		
Doing Business As	NORTHERN INDUSTRIAL ELECTRIC		
Address	2435 RADIO LN REDDING, CA 96001-3810	Phone	(530) 246-2366
		FAX	(530) 246-2368
Email	nie01@sbcglobal.net		
Business Types	Construction		
Service Areas	Butte, Colusa, Del Norte, El Dorado, Glenn, Humboldt, Lake, Lassen, Mendocino, Modoc, Nevada, Placer, Plumas, Sacramento, Shasta, Sierra, Siskiyou, Sutter, Tehama, Trinity, Yolo, Yuba,		
Keywords	electrical industrial and highway services		
Construction License Types	A - General Engineering B - General Building Contractor C-10 - Electrical (general)		
Classifications	721410 - Highway and road construction services 721515 - Electrical system services		

Active Certifications

TYPE	STATUS	FROM	TO
SB (Micro)	Approved	Oct 31, 2013	Nov 30, 2017

Certification History

TYPE	STATUS	FROM	TO
SB (Micro)	Expired	Nov 18, 2011	Nov 30, 2013
SB (Micro)	Expired	Nov 2, 2009	Nov 30, 2011
SB (Micro)	Expired	Mar 14, 2006	Aug 31, 2009
SB (Micro)	Expired	Jan 23, 2004	Apr 30, 2006
SB	Expired	Dec 18, 2000	Nov 30, 2003
SB	Expired	Jan 9, 1998	Dec 31, 2000
SB	Expired		

[Back To Query Form](#)

Search Returned 1 Records

Wed Sep 02 10:06:56 PDT 2015

Query Criteria

Firm ID: 34396

Firm Type: DBE

Firm ID	34396
Firm/DBA Name	NORTHERN INDUSTRIAL ELECTRIC
Address Line1	2435 RADIO LANE
Address Line2	
City	REDDING
State	CA
Zip Code1	96001
Zip Code2	3810
Mailing Address Line1	2435 RADIO LANE
Mailing Address Line2	
Mailing City	REDDING
Mailing State	CA
Mailing Zip Code1	96001
Mailing Zip Code2	3810
Certification Type	DBE
EMail	nie01@sbcglobal.net
Contact Name	DORI CRAMER
Area Code	(530)
Phone Number	246-2366
Alt Area Code	()
Alt Phone Number	
Fax Area Code	(530)
Fax Phone Number	246-2368
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	04; 06; 08; 11; 12; 18; 23; 25; 32; 45; 46; 47; 52; 53;
Districts	01; 02; 03;
DBE NAICS	238210;

ACDBE NAICS

Work Codes

C0686 ELECTRICAL & SIGNALS SUPPLIER; C8602 SIGNAL & LIGHTING; C8603 SIGNAL; C8604 LIGHTING; C8605 MESSAGE SIGNS, LIGHTING & SIGN ILLUMINATION; C8608 DETECTOR; C8609 TRAFFIC COUNT STATION; C8610 SPEED MONITORING STATION; C8611 RAMP METERING SYSTEM;

Licenses

A General Engineering Contractor; B General Building Contractor; C10 Electrical Contractor;

Trucks

Gender

F

Ethnicity

CAUCASIAN

Firm Type

DBE

[Back To Query Form](#)

IN

A. C. DIKE CO.
Specialty Paving Inc.
SPECIALTY PAVING CONTRACTOR

QUOTATION: CDOT RT 99 BUTTE CO. 03-2F3304

BIDS : 9/1/15

60-62
63

**"PLACE ONLY"* 21660 LF ASPHALT DIKE TYPES (C,E,F)@ \$1.35 LF
330 SQYD MISC AREA @ \$39.00 SQYD
DIKE WILL REQUIRE 4 SHIFTS**

\$42,111.00

PLACE IMPORTED SHOULDER BACKING @ \$2480.00 8 HR SHIFT.
** PRICE INCLUDES PLACING AND SCREEDING.
EXCLUDES WATERING AND COMPACTION.
MOBILIZATION FOR SHOULDER MACHINE \$600.00**

**PRICE INCLUDES TACK AND ONE MOBILIZATION FOR DIKE CREW.
ASPHALT MATERIAL AND HAULING BY PRIME CONTRACTOR.
TRAFFIC CONTROL BY PRIME CONTRACTOR.**

*** PLACE ONLY ASPHALT DIKE. SPECIFICALLY EXCLUDES SURFACE
PREPARATION, BACKFILL, OR FOGSEAL.**

**QUALIFIED MINORITY CONTRACTOR, DBE/WBE/UDBE # CT 000219
CAL. LIC.# 407417 NEV. LIC.#24188
2788 VENTURE DR. LINCOLN, CA. 95648
(916) 652-0159 FAX (916) 645-9618
WWW.ACDIKE.COM
DIR# 1000005929**

[Back To Query Form](#)

Search Returned 1 Records

Wed Sep 02 09:39:44 PDT 2015

Query Criteria

Firm ID: 219

Firm Type: DBE

Firm ID	219
Firm/DBA Name	A C DIKE CO
Address Line1	2788 VENTURE DR.
Address Line2	
City	LINCOLN
State	CA
Zip Code1	95648
Zip Code2	
Mailing Address Line1	
Mailing Address Line2	
Mailing City	
Mailing State	
Mailing Zip Code1	
Mailing Zip Code2	
Certification Type	DBE
EMAIL	email@acdike.com
Contact Name	GEORGETTE MC CLAIN
Area Code	(916)
Phone Number	645-7747
Alt Area Code	()
Alt Phone Number	
Fax Area Code	(916)
Fax Phone Number	645-9618
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	00;
Districts	00;
DBE NAICS	237990; 238110; 238120; 238910;

ACDBE NAICS

Work Codes

C1910 GRADING; C1920 STRUCTURE EXCAVATION; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C2602 AGGREGATE BASE; C3901 ASPHALT CONCRETE; C3910 PAVING ASPHALT (ASPHALT CONCRETE); C3940 PLACE ASPHALT CONCRETE DIKE & MISC;

Licenses

A General Engineering Contractor;

Trucks

Gender

F

Ethnicity

CAUCASIAN

Firm Type

DBE

[Back To Query Form](#)

IN

CHAVEZ



TRUCKING

955 Vaughn Road, Dixon, CA 95620
Phone (707) 678-0514, Fax (707) 678-5154

Project Bid

Date: Monday, August 31, 2015

Project Name: Highway 99, Contract 03-2F3304

Location: Hwy 99 in Chico

Destination	Product	Tons			Per Ton Delivered Rate
KRC Orland	PG 64-16	+/-2850			\$477.80

Notes:

- Quantities above are approximate, actual quantities will be based on delivery
- Quote does NOT include applicable sales tax
- Quote is subject to manufacturer credit terms of a joint check with contractor being required or advance pay of each load
- Quote is subject to any refinery price escalations
- Chavez Trucking is a certified Small Business (No. 1028603) and UDBE Supplier (No. 7974)
- Bridge toll fee is included where applicable
- Quote is based on CA oil price index of 5%
- Anticipated start 2016

$$2125 \text{ Tn's} \times 477.80 \times 0.60$$

$$= \underline{\underline{609,195.00}}$$

[Back To Query Form](#)

Search Returned 1 Records

Wed Sep 02 13:23:27 PDT 2015

Query Criteria

Firm ID: 7974

Firm Type: DBE

Firm ID	7974
Firm/DBA Name	CHAVEZ TRUCKING
Address Line1	955A VAUGHN RD
Address Line2	
City	DIXON
State	CA
Zip Code1	95620
Zip Code2	0365
Mailing Address Line1	PO BOX 365
Mailing Address Line2	
Mailing City	DIXON
Mailing State	CA
Mailing Zip Code1	95620
Mailing Zip Code2	0365
Certification Type	DBE
EMail	teresa@chaveztrucking.com
Contact Name	TERESA CHAVEZ
Area Code	(707)
Phone Number	678-0514
Alt Area Code	()
Alt Phone Number	
Fax Area Code	(707)
Fax Phone Number	678-5154
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	07; 21; 28; 34; 39; 48; 49; 57;
Districts	03; 04; 10;
DBE NAICS	484110;

ACDBE NAICS

Work Codes

C0624 PETROLEUM, OIL, LUBRICANTS SUPPLIER; C0625 SAND & GRAVEL SUPPLIER; C0639 ASPHALT SUPPLIER; C0651 CONCRETE & CEMENT SUPPLIER; C9602 BOTTOM DUMP TRUCKING; C9605 FLAT BED TRUCKING; C9774 TRUCKER;

Licenses


Trucks FOR HIRE - 110;

Gender F

Ethnicity HISPANIC

Firm Type DBE

[Back To Query Form](#)



DBE Opportunities per Bid Items Report
Attachment "A"

Contract Number: 03-2F3304
Contract Amount: 9,115,818.90

Item No.	Bidder Normally Performs Item Y / N	Item Broken Down to Facilitate Participation Y / N	Established Flexible Timeframes for Performance and Deliver Schedules Y / N	Amount (\$)	Percentage of Contract (%)
1(P),3(P),13,58,95-101	N	Y	N	\$145,474.00	1.60
2,4,5,14,19,69-75,83,84	N	Y	N	\$76,684.00	0.84
3(P),9-11,15-17,20,21,23(P),24,26-29,47,48,50,51,54(P),55-57,58(P),59,76-81,89(P),105(P)	Y	Y	N	\$6,033,881.00	66.19
12,18,85,86(P),87-93	N	Y	N	\$454,865.00	4.99
23(P),53,54(P)	Y	Y	N	\$98,200.00	1.08
30-46	N	Y	N	\$58,245.00	0.64
49	N	Y	N	\$19,800.00	0.22
52	N	Y	N	\$204,960.00	2.25
60-63	N	Y	N	\$42,111.00	0.46
64	N	Y	N	\$69,600.00	0.76
65,66,68,94,105(P)	N	Y	N	\$1,380,885.00	15.15
82	N	Y	N	\$162,440.00	1.78
102-104	N	Y	N	\$286,458.00	3.14
					0.00
					0.00

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION
DBE GOOD FAITH EFFORTS DOCUMENTATION
 DES-OE-0102.11A (REV 12/2014)

Bidder's Name: KNIFE RIVER CONSTRUCTION
 Contract No.: 03-2F3304

2. List the names of certified DBEs and all the dates on which they were solicited to bid on this project. Include the items of work offered and the dates and methods used for following up initial and follow-up solicitations to determine with certainty whether the DBEs were interested. Attach copies of solicitations: e-mail messages, telephone records, fax confirmations, etc.

Name of DBE Solicited	Date of Initial Solicitation	Items of Work Offered	Follow Up Methods and Dates
SEE ATTACHED	7/22/15	ALL ITEMS MADE AVAILABLE	SEE ATTACHED

3. For each item of work made available, indicate whether the Bidder provided plans and specifications specific to the items of work being offered, list the selected firm and its status as a DBE, the DBEs that provided quotes, the price quote for each firm, and the price difference for each DBE if the selected firm is not a DBE. Provide copies of each DBE and Non-DBE quote submitted to the Bidder whenever a Non-DBE firm was selected over a DBE for work on the Contract.

SEE ATTACHMENT "B"

Items of Work	Provided Plans/ Specifications for Work Offered Yes/No	Name of Selected Firm	DBE or Non-DBE	Name of Rejected Firm	Quote (\$)	Price Difference (\$)
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					
	<input type="checkbox"/> YES <input type="checkbox"/> NO					

If the firm selected for the item is not a DBE, provide the reasons for the selection on a separate sheet and attach names, addresses, and phone numbers for the firms listed above. Provide evidence as to why additional agreements could not be reached for DBEs to perform work.

T AND S DVBE Inc.

General Contractor CA. Lic # 983087 A-C31
Email - tandsdvbe@yahoo.com
DVBE Supplier #1753009
DBE Firm#38721
DIR REG# 1000007688

Phone 530-864-8105
Fax 530-466-2613
P.o. Box 270936
Susanville Ca, 96127

Yes We Are Union

JOB # - 03-2F3304

Bid Date 09/1/2015

Job Name- RHMA-O (OGFC) and HMA-A Overlay

1. Typical lane Closure Rates T-10/T-14/T-11 (Truck and Traffic Control Supervisor) Item # 3

- 8 Hour straight time shift \$900.00 (Traffic control supervisor, traffic truck)
- 8 Hour straight time shift \$1450.00 (Traffic control supervisor, Traffic control tech. and traffic truck.)
- Overtime Rate \$125.00 (Traffic control supervisor, traffic truck)
- Overtime Rate \$200.00 (Traffic control supervisor, Traffic control tech. and traffic truck.)
- Sundays/Holidays time rate \$135.00 (Traffic control supervisor, traffic truck)
- Sundays/Holidays time rate \$235.00 (Traffic control supervisor, Traffic control tech. and traffic truck.)

$$\begin{array}{r} \$2,250/SH \\ \times 95 \\ \hline \$213,750 \end{array}$$

Traffic control cone truck will include all needed cones, temp signs and stands, and fully trained and very experienced traffic control supervisor. If cones are to be placed in multi-lane road or at high speed traffic a traffic control technician must be include in price. Rates include typical 3 advance signs, 3 Lance closed signs, and enough cones for a 2 mile closure. If additional delineation is needed, please see rates below and/or call with additional needs and discuss pricing. For multi-line closures or closures in 2 directions please call for additional pricing.

Prices and items below only apply if T AND S DVBE Inc. is contracted to provide traffic control.

2. Traffic control technician labor (Includes truck) Item 3

- \$790.00 per 8 hour straight-time; 1
- \$105.00 per hour overtime & Saturdays;
- \$125.00 per hour Sundays/Holidays;

While available on a full-time basis at these same rates, this work is generally performed pre- or post-shift, and resetting of safety delineations, relocations of CMS boards and auxiliary signs, and any additional assistance requested by the Prime Contractor. Traffic control technician hours are billed when placing additional cones, signs/stands, CMS boards, when directed by Prime Contractor. This rate does not include the original sign, CMS board, & cone placement included in #1.

3. Flagging T 13 Reversible. Signs/stands, Cones, Radios (Item #3)

- 8 Hour straight time shift \$1200.00 (Two Flaggers)
- 8 Hour straight time shift 2 flaggers and rumble strips included \$1300.00
- Extra Flaggers other than the first 2 (Each) per 8 hr. straight time rate \$600.00
- **TOTAL EXTRA COST FOR SET UP AND TEAR DOWN WILL HAVE A FLAT CHARGE OF \$350.00 TOTAL.**
(Extra charge is based on setting up and tearing down 1 complete rumble strip T-13 closure. Pre and post flagging shift. Extra cost for non-rumble strip T-13 will be \$125.00)
- Overtime, each flagger \$85.00 per hr.
- Sunday/Holidays time each flagger \$100.00 per hr.

All typical signs (10) stands (10) flagging equipment, cones (30) included. When and if additional equipment is needed; see rates below. T AND S DVBE Inc. has already set rumble strips on several jobs.

Exclusions - The prime contractor will provide all light towers (Unless rented from T AND S DVBE Inc.) and placement of light towers if needed. If prime would like T AND S DVBE Inc. to provide light towers, additional cost will apply. (See rates below)

4. Pilot car (Item #3)

- Pilot car and driver @ 752.00 per 8 hr. straight time shift
- Overtime @ \$105.00 per hr.
- Sundays/Holidays @ \$115.00 per hr.

KRC \$1,895 / 8 hr. + x 95 = \$180,025

$$\begin{array}{r} 213,750 \\ - 180,025 \\ \hline 33,725 \text{ Higher} \end{array}$$



Mike@CAS-TC.com

IN

Caltrans Project
Contract no. 03-2F3304
Location: 03-But-99-30.1/T37.5
September 1, 2015

Item no. 02 Construction Area Signs – Stationary Mounted
As shown on plan sheets CS-1 and TH-1 for Traffic Handling
(Includes 2 each Project Information Signs)
Furnish, Install, & Remove
Lump Sum \$10,700.00

Item no. 03 Traffic Control System – PARTIAL
T10 Lane Closure ~ Nighttime (excludes Holidays)

Handwritten calculations:
2,560/sh
x 95 SL

243,200
(180,025)

63,175
Higher

	Mon. – Thurs.	Fri./Sat.	Sat./Sun.
2 Men, 1 Lane, 1 Direction			
Rate per 8 hour shift	\$1,800.00	\$2,050.00	\$2,150.00
OT Rate per hour	190.00	190.00	-----
DT Rate per hour	210.00	210.00	210.00

	Mon. – Thurs.	Fri./Sat.	Sat./Sun.
Impact Attenuator Vehicle w/ Operator			
Rate per 8 hour shift	\$1,125.00	\$1,250.00	\$1,300.00
OT Rate per hour	95.00	95.00	-----
DT Rate per hour	105.00	105.00	105.00

Item no. 04 Channelizer (Surface Mounted)
36 each @ \$60.00 each \$2,160.00

- Furnish & Install in conjunction with other work.
- Excludes Maintenance

Item no. 05 Portable Changeable Message Sign – Monthly Rental
\$1150.00 per unit per month
➤ F.O.B. Newcastle.
➤ Sales tax included.
➤ Item no. 05 must be in conjunction with other work.
Handwritten: 1150 x 6x5ea = 34,500

Item no. 14 Remove Roadside Sign
31 each @ \$75.00 each \$2,325.00

Item no. 19 Relocate Roadside Sign
06 each @ \$225.00 each \$1,350.00

Item no. 69 Furnish Single Sheet Aluminum Sign (0.063" – Unframed)
12 SQFT @ \$14.50 SQFT \$ 174.00

500x CLSB

APEX FENCE CO., INC.

Since 1970

CA.LIC.269127/NV.LIC.0022365
 19896 ALEXANDER AVE.
 P.O. BOX 545
 ANDERSON, CA 96007

SBE NO. 1760531

UNION CONTRACTOR

HUB ZONE CERTIFIED

TELEPHONE 530-365-3316
 FAX 530-365-5478
 BOND RATE 1%

DIR # 1000007379


QUOTATION: FOR CONSTRUCTION ON STATE HIGHWAY IN BUTTE COUNTY IN AND NEAR CHICO FROM 0.5 MILE SOUTH OF SKYWAY OVERCROSSING TO 0.2 MILE SOUTH OF GARNER LANE. IN DISTRICT 03 ON ROUTE 99. CONTRACT NO. 03-2F3304

BID DATE: September 1, 2015

THE FOLLOWING QUOTATION ON THE ABOVE MENTIONED PROJECT IS HEREBY SUBMITTED ON THE ITEMS QUOTED. THE FOLLOWING QUOTATION INCLUDES TAX AND INSTALLATION. A MUTUALLY AGREEABLE SCHEDULE OF TIME WILL BE MADE PRIOR TO PERFORMING THE WORK. TRAFFIC CONTROL IS NOT INCLUDED. COST FOR ANY WATER POLLUTION CONTROL MEASURES OR SWPPP NOT INCLUDED. BONDABLE, BUT NO BONDS OR CONSTRUCTION STAKING INCLUDED IN THIS QUOTE. RETENTION BY THE CONTRACTOR SHALL NOT EXCEED THE AMOUNT WITHHELD BY THE OWNER. ALL RETENTION TO BE RELEASED WITHIN 30 DAYS AFTER COMPLETION AND ACCEPTANCE BY THE OWNER. THIS WOULD APPLY TO APEX FENCE'S ITEMS OF WORK. THIS QUOTE GOOD FOR ONLY 30 DAYS AFTER BID DATE. ATTORNEY FEES, IN THE EVENT LEGAL ACTION IS TAKEN TO ENFORCE ANY ITEM OF THIS AGREEMENT, WILL BE BORN BY THE OWNER AND ANY MONIES SPENT BY APEX FENCE CO. TO ENFORCE PAYMENT OF THIS AGREEMENT WILL BE BORE TO THE GENERAL CONTRACTOR.

ITEM #	QTY	U/M	DESCRIPTION	UNIT PRICE	TOTAL
12	28300	LB	TREATED WOOD WASTE	\$0.10	\$2,830.00
18	3580	LF	SALVAGE GUARDRAIL	\$5.00	\$17,900.00
88	46	CY	MINOR CONCRETE (MINOR STRUCTURE)	\$4,200.00	\$193,200.00
83	140	EA	DELINEATOR (CLASS 1)	\$50.00	\$7,000.00
84	14	EA	OBJECT MARKER (TYPE L-1)	\$50.00	\$700.00
85	1290	LF	MIDWEST GUARDRAIL SYSTEM (WOOD POST)	\$22.50	\$29,025.00
86	2340	SQYD	VEGETATION CONTROL (MINOR CONCRETE)	\$55.00	\$128,700.00
87	380	LF	DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST)	\$37.00	\$14,060.00
88	28	EA	TRANSITION RAILING (TYPE WB-31)	\$3,300.00	\$92,400.00
89	5	EA	RAIL TENSIONING ASSEMBLY	\$450.00	\$2,250.00
90	13	EA	ALTERNATIVE IN-LINE TERMINAL SYSTEM	\$2,700.00	\$35,100.00
91	8	EA	ALTERNATIVE FLARED TERMINAL SYSTEM	\$2,200.00	\$17,600.00
92	5	EA	ESTIMATED TRAFFIC DAYS (1)	\$5,000.00	\$25,000.00
93	3	EA	ALTERNATIVE CRASH CUSHION	\$30,000.00	\$90,000.00
CONCRETE TRAFFIC DAYS (35) GUARDRAIL TRAFFIC DAYS (20) INCLUDES (2) MOVE INS, ADDITIONAL MOVE INS \$500.00 EACH. DOESN'T INCLUDE GRADE UNDER GUARDRAIL FOR WEEDMAT ITEMS DON'T INCLUDE CLEARING OR GRUBBING ITEMS DON'T INCLUDE GRADE UNDER MBGR ITEMS ITEMS DON'T INCLUDE SLEEVES FOR CONNECTIONS TO CONCRETE BARRIER PRIME TO MARK ALL USA, APEX WILL CALL IN THE TAG.					
TOTAL					\$655,765.00

SINCERELY,
 APEX FENCE CO., INC.



DAVID PARMER/VICE-PRESIDENT
 GENERAL SUPERINTENDENT

454,865



DIRT & AGGREGATE
INTERCHANGE, INC.

QUOTATION

DATE: 8/31/2015

TO: KNIFE RIVER

Attn: ESTIMATOR

FAX: _____

Project Name: **03-2F3304 RHMA-O (OGFC) & HMA-A OVERLAY**
 Owner: CALTRANS
 Bid Date & Time: 9/1/15 2:00PM

<u>Item</u>	<u>Description</u>	<u>Qty</u>	<u>U/M</u>	<u>Unit Price</u>	<u>Extended</u>
12	Treated Wood Waste	28300	LBS	\$0.25	\$7,075.00
18	Salvage Guardrail	3580	LF	\$5.00	\$17,900.00
22	Adjusting Guardrail	450	LF	\$10.00	\$4,500.00
85	Midwest Guardrail System (Wood Post)	1290	LF	\$22.00	\$28,380.00
87	Double Midwest Guardrail System (Wood Post)	380	LF	\$51.00	\$19,380.00
88	Transition Railing (Type WB-31)	28	EA	\$3,500.00	\$98,000.00
89	Rail Tensioning Assembly	5	EA	\$750.00	\$3,750.00
90	Alternative In-Line Terminal System	13	EA	\$2,500.00	\$32,500.00
91	Alternative Flared Terminal System	8	EA	\$2,250.00	\$18,000.00
92	Crash Cushion (Type CAT)	5	EA	\$5,400.00	\$27,000.00
93	Alternative Crash Cushion	3	EA	\$29,000.00	\$87,000.00
105	Mobilization	1	LS	\$5,000.00	\$5,000.00
				TOTAL:	\$348,485.00

- Stipulations:**
- Bond not included.
 - No traffic control. No Survey Work.
 - Excludes all dirt work and concrete work on guardrail items.
 - Excludes erosion control.
 - Price based on 1 mobilization.
 - Extra mobilization = \$5,000.00 per mobilization.
 - 28 Working days.
 - CA Contractor # 507828
 - CA DBE # CT-000020
 - CA DIR# 1000010905

Due to continued and unpredictable increases in material costs and resulting delays in delivery of such materials, the prices and delivery dates quoted herein will automatically expire thirty (30) days from the above date, unless accepted in writing prior to that date.

Thank you for your consideration.

DIRT and AGGREGATE INTERCHANGE, INC.

Signed: Nichole Stern

We are a Minority Business Enterprise

OR DBE #493, OR CCB# 26599, WA CCB# DIRTAL192NP, WA DBE# D4 M0700 781
 20905 NE Sandy Blvd, Fairview, OR 97024 Phone: 503-661-5093 Fax: 503-669-1192

FRANK MEDINA GENERAL ENGINEERING
 10096 AHART ROAD
 OROVILLE, CA 95966
 OFFICE - 530-743-0744; FAX - 530-743-9352

PROPOSAL

State Lic # 644373 Class A C13 C31 roxanne.medina@att.net

Certified DBE: CT014717 7/1/16 expires
 Certified SBE: 8270
 Certified ESBE: FRM5425230P

Laborers Local 185
 Operators Local 3
 Air Quality Compliant
 Public Work Registration
 #1000005534

FAXED ON 09/01/15
 Bid Date: 09/01/15

PROJECT: 03-2F3304

Addendums: #1 Freight Included: Yes Sales Tax Included: Yes
 Quote Valid: 30 Days Permits: No Construction Staking: No USA: No
 Traffic Control: 64 DAYS Back Charges: No Retention Withheld: No Bond Premium: 2 1/2 %
 Prevail Wage: YES Union: YES HazMat/Lead Compliance: NO

EMAIL ROXANNE TO BREAKUP PACKAGE					
IF QUOTE IS USED, NOTIFY WITHIN 24 HOURS					
Item No.	Item	Item Price	Unit	Qty	Total
12	TREATED WOOD WASTE	0.30	LB	28300	\$8,490.00
14	REMOVE ROADSIDE SIGN	125.00	EA	31	\$3,875.00
18	SALVAGE GUARDRAIL	10.00	LF	3580	\$35,800.00
19	REL ROADSIDE SIGN	150.00	EA	6	\$900.00
22	ADJUST GUARDRAIL	12.00	LF	450	\$5,400.00
25	SALV CRASH CUSHION	2500.00	EA	2	\$5,000.00
68	MINOR CONCRETE 12 TC	2800.00	CY	46	\$128,800.00
69	FURN SNG SHEET ALUM SIGN	15.29	SQFT	12	\$183.48
70	FURN SNG SHEET ALUM SIGN	16.42	SQFT	20	\$328.40
71	ROADSIDE SIGN ONE POST	400.00	EA	27	\$10,800.00
72	ROADSIDE SIGN TWO POST	850.00	EA	4	\$3,400.00
73	FURN SNG SHEET RETRO	10.24	SQFT	450	\$4,608.00
74	FURN SNG SHEET RETRO XI	17.09	SQFT	150	\$2,563.50
75	RETROFLECTIVE SHEETING	5.38	SQFT	590	\$3,174.20
83	DELINEATOR CLASS 1	40.00	EA	140	\$5,600.00
84	OBJECT MARKER TYPE L-1	40.00	EA	14	\$560.00
85	MIDWEST GRDRAIL SYS WOOD 2 TC	25.00	LF	1290	\$32,250.00
86	VEGETATION CNTRL 4 TC	55.00	SQYD	2340	\$128,700.00
87	DBL MIDWEST GRDRAIL WOOD 1 TC	55.00	LF	380	\$20,900.00
88	TRANSITION RAIL WB-31 7 TC	3500.00	EA	28	\$98,000.00
89	RAIL TENSION ASSEM	700.00	EA	5	\$3,500.00
90	ALT IN LINE TERM SYS 4 TC	3200.00	EA	13	\$41,600.00
91	ALT FLARED TERM SYS 2 TC	3200.00	EA	8	\$25,600.00
92	CRASH CUSHION TYPE CAT	5500.00	EA	5	\$27,500.00
93	ALTERNATIVE CRASH CUSHION	32500.00	EA	3	\$97,500.00
	INCLUDES PAD				
94	CONCRETE BARRIER 60 G 32 TC	900.00	LF	390	\$351,000.00
NA	VEHICLE MAINTENCE PULLOUT	10500.00	EA	5	\$52,500.00
	PER C-2, INCLUDES EXCAVATION, AB,				
	AC, 2' AB SHOULDER BACKING				
			TOTAL		\$1,098,532.58

- ***Quote is based on all items. If you would like to break up packages please email for approval. *695 03258*
- ***Excluding any painting or Electrical work on any items.
- *** Quote INCLUDES 12 mobilization. Additional mobilizations to be charged at \$1000.00 ea.
- ***Quote is based on Regular shift hours M-F. Weekends, Holidays, and Night Work subject to wage
- ***Stand By Time: \$250 per Hour Excluding Weekend or Holiday Hours
- ***Shop Drawings: Contractor to supply drawings where applicable. General to verify and return same: approved, signed, and dated. Material fabrication will not be initiated prior to the receipt of the approved and signed shop drawings.
- ***Backcharges: General acknowledges that Contractor will not accept any backcharges unless prior mutual agreement is made in writing. Contractor reserves the right to repair and or replace any defective material at their discretion without liability from any circumstance.

GRAHAM CONTRACTORS INC.

SINCE 1976

Post Office Box 26770
San Jose, CA 95159 Phone (408) 293-9516 Fax (408) 293-3633

Crack Seal Division Pb/Fax: (916) 772-9342

QUOTATION

To: _____	ESTIMATOR	Quote Date: _____	August 31, 2015
Firm: _____		Bid Date/Time _____	Tuesday, September 01, 2015
Phone: _____		City _____	Butte County
Fax: _____		Contr. NO _____	CA-DOT 03-2F3304
Email: _____			
Job: _____	CA-DOT 03-2F3304 Route 99 In Butte County In and Near Chico		

ITEM NO.	DESCRIPTION	UOM	QUANTITY	UNIT PRICE	TOTAL
52	Rout & Seal Cracks 1/4" to 1" with hot spec material D36/5329 Type 3	LNMI	48	\$4,270.00	\$ 204,960.00
	Consider 20 shifts for traffic control purpose				
	Consider 20 shifts for sweeping purposes				

Includes: Routing Random Cracks in Asphalt Concrete surface only.	TOTAL	\$ 204,960.00
Price Good Thru December 1, 2015	NO. of Move Ins: 1 DAY	Each Add'l: \$5,000.00

Exclusions: Traffic Control, Fees, Bonds, Removal of Parked Cars, A/C Patching, Heavy Cleaning / Pressure Washing, Rolling, Joint Sealing, Sawcutting of cracks, Herbicide, Clearing/Grubbing, Vegetation / Tree Trimming, Job-Site Scales, CMS Boards, Traffic Police, Tack/Prime Coats, Flood Testing, Leveling Courses, Rut Filling, Railroad Traffic Control, Security Classes/Badging, Stripe/Marker Removal, Stripe/Marker Replacement, Stripe/Marker Protection, Temporary Delineation of any type, Job-Specific Calibration, Installation of Posts/Signs, Curb Painting, Bollard Painting, Wheel Stops, Sandblasting or Grinding of any type, Informational Signage Saturday & Sunday Work, Night Work, Any and all Union Agreements / Letters of Assent / Fees / Contributions / PLAs, Repair of power steering marks (inherent to materials being used), QA/QC/TESTING, SWPPP/WPCP, Any and ALL OCIP/CCIP/WRAP Participation OR Fees OR Contractual Share Payments, Builder's Risk Insurance, Grading/Base Prep/Watering, Formal OR Certified Traffic Control Plans, Attenuator Vehicles, Posting, Notifying, Sweepers

Terms of Quote: Payment Within 30 Days of substantial completion of our work

THIS QUOTATION AND CONDITIONS MUST BECOME PART OF ANY CONTRACT OR PURCHASE ORDER, AND CANNOT BE SUPERSEDED BY ANY OTHER TERMS OF THE AGREEMENT

IF CONTRACTOR OR OWNER DIRECTS GRAHAM CONTRACTORS TO PROCEED WITH THE WORK SET FORTH ABOVE, EVEN IF SAID DIRECTION IS ONLY MADE VERBALLY OR ELECTRONICALLY, THEN CONTRACTOR AGREES TO THE TERMS AND CONDITIONS OF THIS QUOTE, UNLESS AND UNTIL THE PARTIES THEREAFTER SIGN A MUTUALLY ACCEPTABLE WRITTEN AGREEMENT

Accepted By: _____ Date: _____

Title: _____

Graham Contractors, Inc. reserves the right to withdraw proposal if written acceptance is not received within 10 days of bid date.

Graham Contractors, Inc. is a Non Union Organization. Tax is included in the above quote.

Graham Contractors, Inc. is NOT an MB/WB/DB/DVBE/UDBE Contractor.

Contractors License No. 315789 A, C-12

DIR Reg. # 1000006175

Quote Submitted By:

Ed Aguero

Excess Liability Good.

916-257-7158

AUSTIN ENTERPRISE

License #764893

P. O. Box 81926

Bakersfield, CA, 93380

661-589-1001 FAX 589-9509

Certified DBE/MBE/WBE CT-13602

Certified UDBE CT-13602

DIR # 1000001896

BID PROPOSAL

Contract: CDOT # 03-2F3304
Hwy 99, Chico

Bid Date: September 1, 2015

BID ITEM # 52 / Crack Treatment (portion):

48 lnmI Prep, furnish and install crack sealant.....\$9,827.00 / lnmI.....\$471,696.00
50 days traffic control required. One closure one direction.

Option

48 lnmI Prep, furnish and install crack sealant.....\$10,352.00 / lnmI.....\$496,896.00
30 days traffic control required. One closure each direction.

Conditions for above items:

1. Contractor to supply traffic control as required. **As stated**
2. Contractor to provide layout and unrestricted access to work area
3. Contractor to provide access to water and approved slurry disposal site.
4. One move in included. Additional moves at \$1,800.00 each

Note *- Union Signatory,
Insurance \$5,000,000.00 liability,
No Bonding

4. Describe the Bidder's outreach efforts to identify and solicit the interest of all certified DBEs that have the capability to perform the work of the Contract. Provide copies of supporting documents.

Description of Outreach	Dates	Location (if applicable)	Results
COMPLIANCE NEWS MONTHLY TRADE JOURNAL	7/22/15	N/A	SEE ATTACHED
COMPLIANCE NEWS DAILY FOCUS JOURNAL	7/22/15	N/A	SEE ATTACHED
ADVERTISED ON THE CALTRANS WEBSITE	7/21/15	N/A	SEE ATTACHED

5. Describe the Bidder's efforts made to provide interested DBEs with adequate information about the plans, specifications, and requirements of the Contract to assist them in responding to a solicitation. Identify the DBEs assisted, the type of information provided, and the date of the contracts. Provide copies of supporting documents.
 NO ASSISTANCE REQUESTED.

6. Describe the Bidder's efforts made to assist interested DBEs in obtaining bonding, lines of credit, or insurance. Identify the DBEs assisted, the type of assistance offered, and the dates. Provide copies of supporting documents.
 NO ASSISTANCE REQUESTED.

7. Describe the Bidder's efforts made to assist interested DBEs in obtaining necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE purchases or leases from the prime contractor or its affiliate. Identify the DBEs assisted, the type of assistance offered, and the dates. Provide copies of supporting documents. List efforts made to assist interested DBEs in obtaining bonding, lines of credit, insurance, necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate. Identify the DBE assisted, the assistance offered, and the date. Provide copies of supporting documents.
 NO ASSISTANCE REQUESTED.

8. List the names of agencies and the dates on which they were contacted to provide assistance in contacting, recruiting, and using DBE firms. If the agencies were contacted in writing, provide copies of supporting documents.
 SEE ATTACHED.

9. Include additional data to support a demonstration of good faith efforts.
 SEE ATTACHED.

NOTE: USE ADDITIONAL SHEETS OF PAPER IF NECESSARY.

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information, call (916) 445-1233, TTY 711, or write to Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

From: Compliance News Publishing Company 4/.

<http://www.compliancencenews.com>

info@compliancencenews.com

Tel: 562-439-2788 Fax: 562-439-1398

11 S. Termino, Suite 214, Long Beach, CA 90803

TO: Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA, 95928

Phone: (530) 891-6555

Fax: (530) 894-6220

RECEIPT for Ad: 55299

Published on 07/22/2015

For Project:

Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5
Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Total Amount PAID: \$90.00

Compliance News Monthly Trade Journal
Publication Affidavit-Declaration of Publication -- State of California

Baldwin Contracting Company, Inc. dba Knife River Construction

is seeking certified and qualified DBE subs and/or suppliers to provide

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC),

Contact: Jared Springer

1764 Skyway

Chico,CA,95928

Phone:(530) 891-6555

Fax:(530) 894-6220

Email:jared.springer@kniferiver.com

Bid Due on:09/01/2015 at 02:00 PM

Solicitation Number: 03-2F3304

GRIND EXISTING CONCRETE PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply.

for Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane in Chico,CA

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.	
---	--

The Baldwin Contracting Company, Inc. dba Knife River Construction Good Faith Effort ad has been published in both the Compliance News Internet and Hard-Copy publications.
Located Online at: http://www.compliancencenews.com/classified_monthly

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and the State of California. The notice, a true copy of which is attached was published on Wed Jul 22 18:30:17 +0000 2015

I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California

Henry Sprague III

Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved

Compliance News Daily Focus Journal
Publication Affidavit-Declaration of Publication -- State of California

Baldwin Contracting Company, Inc. dba Knife River Construction is seeking certified and qualified DBE subs and/or suppliers to provide LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC),

Contact: Jared Springer
1764 Skyway
Chico,CA,95928
Phone:(530) 891-6555
Fax:(530) 894-6220
Email:jared.springer@kniferiver.com

Bid Due on:09/01/2015 at 02:00 PM
Solicitation Number: 03-2F3304

GRIND EXISTING CONCRETE PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply.

for Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane in Chico,CA

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.	
---	--

The Baldwin Contracting Company, Inc. dba Knife River Construction Good Faith Effort ad has been published in both the Compliance News Internet and Hard-Copy publications.
Located Online at: http://www.compliancencenews.com/classified_daily

The undersigned declares:

I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and the State of California. The notice, a true copy of which is attached was published on Wed Jul 22 18:30:17 +0000 2015

I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California

Henry Sprague III

Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved

See Next Page for Firms

4.

Home → Contract Awards and Services → **Advertised Projects This Week**

Listing for all primes seeking assistance with project 03-2F3304. 1 results found.

Contractor: Knife River Construction **Contact:** Jared Springer**Address:** 1764 Skyway Chico, Ca 95928**Phone:** 530-891-6555 **Fax:** 530-894-6220 **Email:** jared.springer@kniferiver.com

Services needed: Knife River Construction is requesting quotes from all qualified subcontractors and suppliers including certified DBE firms for the following items of work, including but not limited to: LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE

(ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, and all trucking and supply of materials.

Requirements: Knife River Construction is an Equal Opportunity Employer and is signatory to Operating Engineers, Laborers and Teamsters. 100% payment and performance bonds may be required for full amount of subcontractor price. All subcontractors must be licensed and have liability insurance and workers compensation insurance meeting Knife River Construction's requirements. Knife River Construction is willing to assist with obtaining bonding, insurance, equipment and materials and is willing to break down items into economically feasible packages to encourage participation.

Date posted: 07/21/2015

C. Summary of Firms Sent Bid Invitations

35 total firms were sent invitations.

Company Name: A S CONTRACTORS, INC.

Address: 5347 COLE ROAD

MARIPOSA, CA, 95338

Phone: (209) 742-6684, **Fax:** (209) 966-2643

Work Categories:

Rock Slope Protection, Highway, Street, And Bridge Construction, Embankment Construction, 237310, Structure Backfill, Grading, Building Construction, Subsurface Drain, Structure Excavation, Roadway Excavation, Permeable Material, Filter Fabric, Cast Iron

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/11/15 2:18 PM / 8/28/15 2:55 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/11/15 - LEFT A MESSAGE.

8/28/15 - LEFT A MESSAGE.

Company Name: K & K CONSTRUCTION SUPPLY, INC

Address: 11280 SUNRISE PARK DR., STE B

RANCHO CORDOVA, CA, 95742

Phone: (916) 851-0965, **Fax:** (916) 851-0999

Work Categories:

SAFETY SUPPLIER; LANDSCAPING MATERIAL SUPPLIER; CONCRETE & CEMENT SUPPLIER; PAVEMENT MARKERS SUPPLIER; WHOLESALE BROKER OF CONSTRUCTION MATERIALS; LUMBER AND CONSTRUCTION MATERIAL

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/11/15 2:21 PM / 8/28/15 2:56 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/11/15 - SPOKE WITH JAKE. HE HAVN'T DECIDED YET IF THEY'RE GOING TO SUBMIT A QUOTE.

8/28/15 - LEFT A MESSAGE.

Company Name: BAY LINE CUTTING & CORING INC

Address: 1635 4TH STREET

BERKELEY, CA, 94710

Phone: (510) 527-1000, **Fax:** (510) 527-0500

Work Categories:

MODIFY BRIDGE ITEM; CLEAN & SEAL PAVEMENT JOINTS - ROUT & SEAL CRACKS; CONCRETE STRUCTURE; MINOR CONCRETE STRUCTURE; CONCRETE SURFACE FINISH; CONCRETE OVERLAY, DRILL & BOND; CORE CONCRETE - REPAIR BRIDGE DECK; JOINT SEAL - WATER STOP; SAW CUTTING;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/11/15 2:40 PM / 8/28/15 3:00 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/11/15 - SPOKE WITH JUAN. HE'S INTERESTED IN PROJECT. ONCE HE'S REVIEWED THE PROJECT

DETAILS, HE'LL LET US KNOW.

8/28/15 - LEFT A MESSAGE

Send Result Report



MFP

TASKalfa 5551ci

Firmware Version 2N4_2000.003.032 2014.01.16

07/21/2015 13:38
[2N4_1000.002.001] [2N4_1100.001.002] [2N4_7000.003.032]

Job No.: 015540

Total Time: 0°00'20"

Page: 002

Complete

"2.5."

Document: doc01554020150721133746



compliance news

www.compliancenes.com
info@compliancenes.com
(800) 599-6996
f. (562) 439-1398

Good-Faith Effort Fax Form 4.0

Please print clearly in black ink with accurate information.

Company Info

Company Name Baldwin Contracting Company, Inc. dba Knife River Construction

Your Name (for questions about this form) Jared Springer

Address 1764 Skyway

City Chico State CA Zip 95928

Phone (530) 891-6555 Fax (530) 894-6220

Email jared.springer@kniferiver.com Web Site _____

Contact Name to appear in Ads and/or Letters Jared Springer

Project Info

Project Awarding Dept/Agency/Owner Caltrans

Project Name 03-2F-3304

Circle Category/s: DVBE SBE DBE MBE WBE OBE OTHER _____

No.	Date and Time	Destination	Times	Type	Result	Resolution/ECM
001	07/21/15 13:38	Compliance News	0°00'20"	FAX	OK	200x100 Normal/On



**compliance
news**



www.compliancenes.com
info@compliancenes.com
(800) 599-6996
f. (562) 439-1398

Good-Faith Effort Fax Form 4.0

Please print clearly in black ink with accurate information.

Company Info

Company Name Baldwin Contracting Company, Inc. dba Knife River Construction
 Your Name (for questions about this form) Jared Springer
 Address 1764 Skyway
 City Chico State CA Zip 95928
 Phone (530) 891-6555 Fax (530) 894-6220
 Email jared.springer@kniferiver.com Web Site _____
 Contact Name to appear in Ads and/or Letters Jared Springer

Project Info

Project Awarding Dept/Agency/Owner Caltrans
 Project Name 03-2F3304

Circle Category/s: DVBE SBE DBE MBE WBE OBE OTHER _____
 Subs and Suppliers to provide: see attached word document

Project Location (city) Chico (state) CA (zip) 95928
 Bid Due Date 9/11/15 Bid Due Time 2 pm
 Bid Solicitation Contract Number 03-2F3304

Billing Info

Check one of the following:

- 1. The Works (Entire Good Faith Effort Process): \$90
 Publish Ads + Log + Fed/State/Local Contact + Fax Solicitation Letters & Copies (limit 30)
- 2. The Works *Plus+* ("The Works" with Additional Letters): \$90 + \$1 per extra firm beyond 30
 **Please specify total number of firms:
- 3. Publish Ads & Return Proofs: \$35 Total Both Ads (Trade & Focus)
- 4. Publish Ads & Print Log (No Letters): \$55
- 5. Letters & Log (No Ads): \$55

Circle Card Type:	Visa	MasterCard	AMEX	Discover
Name On Card:	Billing Zipcode:			
Credit Card Number:	Expiration Date:			

** Please attach any additional wording you would like to include in your ads and letters. **
 Fax this form to (562) 439-1398 or log in and complete at www.compliancenes.com 24/7!

Verbiage to be Included in Minority Solicitation Letters

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Caltrans Contract No.: 03-2F3304

In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL

TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply.

Company Name: SAFE2CORE INC
Address: 3851 CHARTER PARK DR STE M
SAN JOSE, CA, 95136
Phone: (408) 266-7000, **Fax:** (408) 266-7050

Work Categories:

Ground Penetrating Radar Concrete Scanning Cutting Coring Above Below Ground Utility Location 711212 - Coring Services 721540 - Specialty Building And Trades Services, Research & Testing Services, 541360, Geophysical Surveying And Mapping Services, Geophy

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/11/15 2:49 PM / 8/28/15 3:03 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

*8/11/15 - TRANSFERRED TO VOICEMAIL FOR CHRIS (X103) WHO IS IN THE FIELD. LEFT A MESSAGE.
8/28/15 - TRANSFERRED TO VOICEMAIL FOR CHRIS AND LEFT A MESSAGE.*

Company Name: Gallaway Enterprises, Inc
Address: 117 Meyers St., Suite 120
Chico, CA, 95928
Phone: (530) 332-9909, **Fax:** (530) 343-8312

Work Categories:

Safety Studies, Environmental Consulting Fisheries Permitting Wildlife Biology Compliance Monitoring Project Management Ceqa/nepa Caltrans 771015 - Environmental Impact Assessment 771016 - Environmental Planning, Environmental - Air Quality, 541990, All O

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/19/15 3:02 PM / 8/28/15 3:06 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

*8/19/15 - SPOKE WITH JANA. THEY ARE REVIEWING PAPERWORK AND WILL LET US KNOW.
8/28/15 - SPOKE WITH CHRISTINE. THEY WON'T BE BIDDING.*

Company Name: ARROW S COMPANY
Address: 177 CALIFORNIA AVENUE
ARBUCKLE, CA, 95912
Phone: (707) 396-0073, **Fax:** (707) 437-2555

Work Categories:

Paving Asphalt (asphalt Concrete), Highway, Street, And Bridge Construction, 237310

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/11/15 3:20 PM / 8/28/15 3:08 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

*8/11/15 - LEFT A MESSAGE.
8/28/15 - LEFT A MESSAGE.*

Company Name: Yolanda's Construction Management And Tr
Address: 3450 Third Street, Bldg. 4, Suite A

San Francisco, CA, 94124

Phone: (415) 647-2682, Fax: (415) 647-2683

Work Categories:

Accounting, Auditing, & Bookkeeping, Traffic Control Administrative Support Community Outreach 461615 - Traffic Control 801015 - Business And Corporate Management Consultation Services 801615 - Management Support Services, Transportation Equipment & Suppl

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/17/15 2:48 pm / 8/29/15 3:15 pm / 8/31/15 11:33 am

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/17/15 - THEY MIGHT BE BIDDING. STILL DECIDING (PER EVIE).

8/29/15 - SPOKE WITH EVIE. THEY MIGHT BE BIDDING. CALL BACK ON MON. 8/31/15 AT 10:00 AM AND SPEAK WITH THABITI.

8/31/15 - SPOKE TO THABITI. THEY WILL BE FAXING IN A QUOTE TODAY. YES ON BIDDING.

Company Name: ABRASIVE BLASTING SERVICE

Address: 5465 24TH. STREET

RIVERSIDE, CA, 92509

Phone: (951) 683-4692, Fax: (951) 786-9081

Work Categories:

GROOVE & GRIND PAVEMENT; REMOVE PAVEMENT MARKING & TRAFFIC STRIPES; SANDBLASTING;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/19/15 3:07 pm / 8/31/15 11:35 am

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/19/15 - SPOKE WITH DIANA. THEY AREN'T SURE IF THEY'RE BIDDING YET. WON'T KNOW UNTIL DAY BEFORE PROJECT BID DATE.

8/31/15 - SPOKE WITH DIANA. THEY MAY BE BIDDING. STILL HAVEN'T DECIDED.

Company Name: Chavez Trucking

Address: P.o. Box 365

Dixon, CA, 95620

Phone: (707) 678-0514, Fax: (707) 678-5154

Work Categories:

Flat Bed Trucking, Asphalt Supplier, 484110, General Freight Trucking, Local, Sand & Gravel Supplier, Petroleum, Oil, Lubricants Supplier, Trucker, Concrete & Cement Supplier, Bottom Dump Trucking

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/11/15 3:30 pm

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/11/15 - SPOKE TO TERESA. THEY WON'T BE BIDDING ON THIS PROJECT (BUT ARE BIDDING ON 2 OTHERS).

Company Name: Alert-o-lite, Inc

Address: P.o. Box 12224

Fresno, CA, 93777

Phone: (559) 453-2474, Fax: (559) 453-3250

Work Categories:

Roadside Sign, Sign Installation, Emergency Equipment, Supplies And Services, Traffic Control, Construction

Equipment Rental, Construction Equipment Sales, Construction Equipment Service, Vehicle Graphics, Safety Supplies, Safety Equipment, Work Zone Safe

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/11/15 7:40 PM / 8/28/15 3:21 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/11/15 - TRANSFERRED TO NEAL RODRIGUEZ' VOICEMAIL. LEFT A MESSAGE.

8/28/15 - SPOKE WITH LEO, THEY WON'T BE BIDDING.

Company Name: AMLAND

Address: 3168 KNIGHTS BRIDGE RD

SAN JOSE, CA, 95132

Phone: (408) 929-3949, **Fax:** (408) 298-4344

Work Categories:

Soil Preparation Services, Landscape Counseling & Planning, Lawn & Garden Service, Ornamental Shrub & Tree Services, General Engineering, General Building Contractor, Landscaping, Painted Traffic Striping & Marking, 236210, Industrial Building Constructio

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/11/15 7:46 PM / 8/28/15 3:47 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/11/15 - LEFT A MESSAGE.

8/28/15 - LEFT A MESSAGE.

Company Name: Boles Trucking, Inc.

Address: 9030 Holland Avenue

Durham, CA, 95938

Phone: (530) 345-6282, **Fax:** (530) 343-0837

Work Categories:

Trucker, 484110, General Freight Trucking, Local

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/17/15 2:53 PM / 8/28/15 3:48 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/17/15 - LEFT A MESSAGE.

8/28/15 - LEFT A MESSAGE.

Company Name: Vsc Inc

Address: 827 Broadway Avenue, Suite 340

Oakland, CA, 94607

Phone: (510) 835-5001, **Fax:** (510) 899-0799

Work Categories:

Feasibility Studies, Construction Management Engineering Services Management Consulting Public Relations 801015 - Business And Corporate Management Consultation Services 801016 - Project Management 811015 - Civil Engineering 811022 - Transportation Engine

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/17/15 2:55 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/17/15 - SPOKE WITH ANNA. THEY WON'T BE BIDDING.

Company Name: Vintage Paving Company, Inc.

Address: 119 Main Street

Winters, CA, 95694

Phone: (530) 795-0132, **Fax:** (530) 795-5734

Work Categories:

PLANE ASPHALT CONCRETE; CLEARING & GRUBBING; ROADWAY EXCAVATION; GRADING; STRUCTURE EXCAVATION; STRUCTURE BACKFILL; DITCHES EXCAVATION; PAVING ASPHALT (ASPHALT CONCRETE); AIR-BLOWN MORTAR (SLOPE PAVING); DEMOLITION;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/17/15 3:00 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/17/15 - SPOKE WITH TORI. THEY WON'T BE BIDDING.

Company Name: P H Associates Transportation Consultant

Address: 2711 Stuart Street

Berkeley, CA, 94705

Phone: (510) 848-9233, **Fax:** (510) 848-9233

Work Categories:

Safety, Transportation Planning Traffic Engineering 811022 - Transportation Engineering, 541618, Other Management Consulting Services, Consultant, Non Engineering, Research & Testing Services, Traffic Count

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/19/15 3:13 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/19/15 - SPOKE WITH PANGHO. THEY DO DESIGN WORK; NOT CONSTRUCTION. WON'T BE BIDDING.

Company Name: M J AVILA COMPANY, INC.

Address: 7258 W. RIALTO

FRESNO, CA, 93723

Phone: (559) 846-7601, **Fax:** (559) 846-7610

Work Categories:

C0625 SAND & GRAVEL SUPPLIER; C0639 ASPHALT SUPPLIER; C0651 CONCRETE & CEMENT SUPPLIER; C0670 PIPE SUPPLIER; C0671 Draining Systems Supplier; C0672 Storm Water Systems Supplier; C0698 BUILDING MATERIAL SUPPLIER; C2501 AGGREGATE SUBBASE; C2602 AGGREGATE BA

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/19/15 3:16 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/19/15 - SPOKE WITH CONNIE. THEY WON'T BE BIDDING.

Company Name: VERIDICO GROUP INC
Address: 1305 MEADOW VISTA WAY, SUITE A
ROSEVILLE, CA, 95661
Phone: (916) 865-4170, **Fax:** (916) 865-4174

Work Categories:

CIVIL ENGINEERING; ENVIRONMENTAL ENGINEER; Environmental - Biological Studies; Lead Compliance; SWPPP Planning;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/11/15 4:04 PM / 8/28/15 3:54 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/11/15 - LEFT A MESSAGE.

8/28/15 - LEFT A MESSAGE.

Company Name: A C Dike Co
Address: 2788 Venture Dr.
Lincoln, CA, 95648
Phone: (916) 645-7747, **Fax:** (916) 645-9618

Work Categories:

Paving Asphalt (asphalt Concrete), Place Asphalt Concrete Dike & Misc, 238110, Poured Concrete Foundation And Structure Contractors, Ditches Excavation, Structure Excavation, Structure Backfill, Aggregate Base, Grading

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/11/15 4:08 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/11/15 - SPOKE WITH JOEL. THEY WILL BE BIDDING ON THIS PROJECT.

Company Name: Frank Medina General Engineering Contrac
Address: 10096 Ahart Road
Oroville, CA, 95966
Phone: (530) 743-0744, **Fax:** (530) 743-9352

Work Categories:

Irrigation Systems, General Engineering Contractor, Fencing Contractor, Minor Concrete, Patch Paving, Signage, Metal Beam Guard Railing, Markers And Delineator Installation 721410 - Highway And Road Construction Services 721527 - Concrete Installation And

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/11/15 4:20 PM / 8/28/15 3:58 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/11/15 - SPOKE TO TONI. THEY MIGHT BE BIDDING ON THIS PROJECT (STILL CONSIDERING).

8/28/15 - SPOKE WITH TONI. THEY WILL BE BIDDING.

Company Name: UNITED TRUCK LINES INC

Address: 1736 TRIFF WAY

YUBA CITY, CA, 95993

Phone: (530) 301-7569, **Fax:** (530) 790-6871

Work Categories:

Bottom Dump Trucking, Specialized Freight (except Used Goods) Trucking, Local, 484220

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/11/15 4:38 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/11/15 - SPOKE TO HARPREET (OWNER). THEY WON'T BE BIDDING ON THIS PROJECT.

Company Name: Mc Cullough Construction Inc

Address: 66 Campbell Ridge Road

Salyer, CA, 95663

Phone: (707) 825-1014, **Fax:** (707) 825-1769

Work Categories:

Heavy Equipment Rental, Road Restoration And Excavation 721015 - Building Maintenance And Repair Services 721410 - Highway And Road Construction Services, Remove Bridge Item, 237310, Highway, Street, And Bridge Construction, Demolition, Clearing & Grubbin

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/11/15 4:47 PM / 8/28/15 3:59 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/11/15 - LEFT A MESSAGE.

8/28/15 - SPOKE WITH TOMMY. THEY WON'T BE BIDDING. TOO FAR AWAY.

Company Name: S.t. Rhoades Construction, Inc.

Address: 3468 Bechelli Lane, Suite E

Redding, CA, 96049

Phone: (530) 223-9322, **Fax:** (530) 223-9222

Work Categories:

Traffic Control System, Paving Grading Excavating Trenching Drainage Fence Concrete Sidewalks Curb&gutter Adaramps Culverts Retainingwalls Valleygutters Removereplaceac Removereplacecc Boxculverts Drainageinlets Sloperrepair Slideremoval Remodelbuildings

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/19/15 3:18 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/19/15 - SPOKE WITH NILA. THEY WON'T BE BIDDING.

Company Name: Camacho Communications Corporation

Address: 517 8th Street

Sacramento, CA, 95814

Phone: (916) 444-9853, Fax: (916) 447-9853

Work Categories:

Communications Services, Nec, General Engineering, Electrical, Telecommunications, Network Maintenance, Cabling, Fiber, Copper, Controllers, Cctv, Cms, Inductive Loops, Traffic Management, Maintain Traffic Management, Traffic Signals 251739 - Electrical

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/17/15 3:07 PM / 8/17/15 3:10 PM / 8/28/15 4:01 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/17/15 - REACHED VOICEMAIL. MEMORY FULL SO I COULDN'T LEAVE A MESSAGE.

8/17/15 - REACHED VOICEMAIL WITH NO SPACE LEFT FOR MESSAGES.

8/28/15 - REACHED VOICEMAIL WITH NO MEMORY TO LEAVE A MESSAGE.

Company Name: Rupert Construction Supply, Llc

Address: 12405 GOLD FLAKE CT.

Rancho Cordova, CA, 95762

Phone: (925) 229-5577, Fax: (916) 673-9737

Work Categories:

STEEL SOLDIER PILES; TIMBER LAGGING; PIPE SUPPLIER; BUILDING MATERIAL SUPPLIER; BRIDGE DECK MATERIALS SUPPLIERS; JOINT SEAL - WATER STOP;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/19/15 3:21 PM / 8/28/15 4:03 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/19/15 - LEFT A MESSAGE.

8/28/15 - LEFT A MESSAGE.

Company Name: AMCON CONSTRUCTION

Address: 6055 TOSCANA LOOP

El Dorado Hills, CA, 95762

Phone: (916) 204-8715, Fax: (916) 204-8715

Work Categories:

A0780 LANDSCAPE & HORTICULTURAL SERVICES; A0781 Landscaping, Tree Services; C1531 PLANE ASPHALT CONCRETE; C1925 SHAPED BEDDING; C2000 HIGHWAY PLANTING; C2020 SOIL AMENDMENTS; C2030 EROSION CONTROL; C2065 IRRIGATION SYSTEM; C2066 TEMPORARY EROSION CONTROL;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/12/15 8:35 AM / 8/28/15 4:05 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/12/15 - LEFT A MESSAGE.

8/28/15 - LEFT A MESSAGE.

Company Name: Adanta, Inc

Address: 828 School Street

Napa, CA, 94559

Phone: (707) 709-8894, Fax: (707) 736-8368

Work Categories:

C8713 CONSULTANT, ENVIRONMENTAL; C8792 Environmental - Biological Studies; C8793 Environmental - Environmental Impact Assessment; C8795 Environmental-Regulatory; C8851 Lead Compliance; C8852 SWPPP Planning;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/19/15 3:25 PM / 8/28/15 4:07 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/19/15 - LEFT A MESSAGE.

8/28/15 - LEFT A MESSAGE.

Company Name: Rodgers Const. & Engineering Co., Inc

Address: Po Box 6885

Stockton, CA, 95206

Phone: (209) 464-5780, **Fax:** (209) 464-5782

Work Categories:

Building Mover, Grading, 237990, Other Heavy And Civil Engineering Construction, Paving Asphalt (asphalt Concrete), Clean & Seal Pavement Joints - Rout & Seal Cracks, Groove & Grind Pavement, Finishing Roadway, Place Asphalt Concrete Dike & Misc, Roadway

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/12/15 8:39 AM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/12/15 - SPOKE WITH PATTY. THEY WON'T BE BIDDING ON PROJECT.

Company Name: Don Garcia Excavating & Paving, Inc.

Address: 2020 E Street

South Lake Tahoe, CA, 96150

Phone: (530) 577-0558, **Fax:** (530) 577-0221

Work Categories:

C1531 PLANE ASPHALT CONCRETE; C1601 CLEARING & GRUBBING; C1901 ROADWAY EXCAVATION; C1910 GRADING; C1920 STRUCTURE EXCAVATION; C1930 STRUCTURE BACKFILL; C1940 DITCHES EXCAVATION; C1970 EMBANKMENT CONSTRUCTION; C1980 IMPORTED BORROW; C2030 EROSION CONTROL;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/12/15 8:42 AM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/12/15 - SPOKE WITH DANA. THEY WON'T BE BIDDING. TOO FAR AWAY.

Company Name: Mge Engineering Inc

Address: 7415 Greenhaven Drive, Suite 100

Sacramento, CA, 95831

Phone: (916) 421-1000, **Fax:** (916) 421-1002

Work Categories:

Construction Management, Engineering Services Construction Management 811015 - Civil Engineering
811022 - Transportation Engineering 811115 - Software Or Hardware Engineering, Building Construction,
237310, Highway, Street, And Bridge Construction, Constr

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/17/15 3:20 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And
Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/17/15 - SPOKE WITH DENISE. THEY WON'T BE BIDDING.

Company Name: Dillard Environmental Services

Address: 3120 Camino Diablo Rd

Byron, CA, 94514

Phone: (925) 634-6850, **Fax:** (925) 634-0874

Work Categories:

Demolition, Haz And Non-haz Remediation, Management, Collection, Packaging, Transportation, Disposal,
Spill Response; Trucking; Equipment Includes Semi End Dumps, Semi Bottom Dumps, Super Dumps,
Vacuum Trucks, Rolloffs, Vans, Loaders, Trucking 111115 - D

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/17/15 3:15 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And
Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/17/15 - SPOKE WITH JANE. THEY WON'T BE BIDDING.

Company Name: M & S ENVIRONMENTAL LANDSCAPES, INC

Address: 12192 MACS ROAD

REDDING, CA, 96003

Phone: (530) 241-1418, **Fax:** (530) 241-9647

Work Categories:

C0620 LANDSCAPING & NURSERY SUPPLIER; C2000 HIGHWAY PLANTING; C2020 SOIL
AMENDMENTS; C2021 HYDROSEEDING; C2030 EROSION CONTROL; C2065 IRRIGATION
SYSTEM; C2066 TEMPORARY EROSION CONTROL; C27 Landscaping Contractor;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/19/15 3:27 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And
Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/19/15 - SPOKE WITH MICHAEL. THEY WILL BE BIDDING ON THE PROJECT.

Company Name: ALL AMERICAN ASPHALT SEALING INC

Address: 1565 TRAINER WAY

RENO, NV, 89512

Phone: (775) 329-3003, **Fax:** (775) 827-3006

Work Categories:

Paving Asphalt (asphalt Concrete), Highway, Street, And Bridge Construction, Pavement Reinforcing Fabric,
237310, Grading, Pavement Marking, Finishing Roadway, Asphalt Supplier, Painted Traffic Striping &

Marking

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/12/15 8:48 AM / 8/28/15 4:09 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/12/15 - LEFT A MESSAGE.

8/28/15 - LEFT A MESSAGE.

Company Name: Construction Area Signs, Incorporated

Address: 9093 Old State Hwy

Newcastle, CA, 95658

Phone: (916) 663-9097, **Fax:** (916) 663-1858

Work Categories:

WHOLESALE BROKER OF CONSTRUCTION MATERIALS; CONSTRUCTION AREA SIGNS; TRAFFIC CONTROL SYSTEM; RESET, ADJUST ROADWAY ITEMS; CONCRETE SURFACE FINISH; ROADSIDE SIGN; RETAIL STORES SUPPLIER; MISC BUSINESS SERVICES;

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/12/15 8:56 AM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/12/15 - SPOKE TO MIKE. THEY WILL BE BIDDING.

Company Name: All Phase Construction & Engineering, In

Address: P.o. Box 876

Roseville, CA, 95661

Phone: (916) 771-4602, **Fax:** (916) 771-4603

Work Categories:

Seal Coat, Paving, Seal Coating, Striping, Crack Filling, Underground Utilities, Grading, Concrete, Trucking 211020 - Agricultural Machinery For Cleaning And Sorting And Grading 221016 - Paving Equipment 251016 - Product And Material Transport Vehicles 27

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/19/15 3:30 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/19/15 - SPOKE WITH HEIDI. THEY WON'T BE BIDDING.

Company Name: Pc&n Construction, Inc

Address: 5301-f Byron Hot Springs Road

Byron, CA, 94514

Phone: (925) 634-4567, **Fax:** (925) 634-4339

Work Categories:

Guard Railings & Barriers, Metal Beam Guard Rail, Terminal System, Cable Railing, Bridge Railing 721410 - Highway And Road Construction Services, Guard Railings & Barriers Supplier, 237310, Highway, Street, And Bridge Construction, Metal Beam Barrier, Met

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 8/17/15 - 3:25 PM / 8/28/15 4:11 PM

Person Contacted and Comments for Solicitation: 03-2F3304 Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

8/17/15 - SPOKE WITH CHRISTY. THEY MIGHT BE BIDDING. WON'T KNOW UNTIL THEY GET CLOSER TO BID DATE.

8/28/15 - LEFT A MESSAGE.

Affidavit of Fax Solicitation

The undersigned employee of Compliance News Publishing, located in the City of Long Beach, County of Los Angeles, and the State of California, declares that bid solicitation letters have been faxed to the following 35 firms listed below at 06:30PM on 07/22/2015. I am over the age of 18 years and a citizen of the United States. I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California.

Henry Sprague III

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

A S CONTRACTORS, INC.

5347 COLE ROAD

MARIPOSA, CA, 95338

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

K & K CONSTRUCTION SUPPLY, INC

11280 SUNRISE PARK DR., STE B

RANCHO CORDOVA, CA, 95742

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

BAY LINE CUTTING & CORING INC

1635 4TH STREET

BERKELEY, CA, 94710

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

SAFE2CORE INC

3851 CHARTER PARK DR STE M

SAN JOSE, CA, 95136

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Gallaway Enterprises, Inc

117 Meyers St., Suite 120

Chico, CA, 95928

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

ARROW S COMPANY

177 CALIFORNIA AVENUE

ARBUCKLE, CA, 95912

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Yolanda's Construction Management And Tr

3450 Third Street, Bldg. 4, Suite A

San Francisco, CA, 94124

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

ABRASIVE BLASTING SERVICE

5465 24TH. STREET

RIVERSIDE, CA, 92509

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Chavez Trucking

P.o. Box 365

Dixon, CA, 95620

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015
Alert-o-lite, Inc
P.o. Box 12224
Fresno, CA, 93777

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

AMLAND

3168 KNIGHTS BRIDGE RD

SAN JOSE, CA, 95132

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Boles Trucking, Inc.

9030 Holland Avenue

Durham, CA, 95938

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015
Vsce Inc
827 Broadway Avenue, Suite 340
Oakland, CA, 94607

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Vintage Paving Company, Inc.

119 Main Street

Winters, CA, 95694

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

P H Associates Transportation Consultant

2711 Stuart Street

Berkeley, CA, 94705

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

M J AVILA COMPANY, INC.

7258 W. RIALTO

FRESNO, CA, 93723

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

VERIDICO GROUP INC

1305 MEADOW VISTA WAY, SUITE A

ROSEVILLE, CA, 95661

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

A C Dike Co

2788 Venture Dr.

Lincoln, CA, 95648

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Frank Medina General Engineering Contrac

10096 Ahart Road

Oroville, CA, 95966

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

UNITED TRUCK LINES INC

1736 TRIFF WAY

YUBA CITY, CA, 95993

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico,CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Mc Cullough Construction Inc

66 Campbell Ridge Road

Salyer,CA,95663

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico,CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
 TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

 Print Name of Business Owner

 Signature

Date: _____

Please fax return this form by Sep 01, 2015
 with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

S.t. Rhoades Construction, Inc.

3468 Bechelli Lane, Suite E

Redding, CA, 96049

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Camacho Communications Corporation

517 8th Street

Sacramento, CA, 95814

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Rupert Construction Supply, Llc

12405 GOLD FLAKE CT.

Rancho Cordova, CA, 95762

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

AMCON CONSTRUCTION

6055 TOSCANA LOOP

El Dorado Hills, CA, 95762

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Adanta, Inc

828 School Street

Napa, CA, 94559

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Rodgers Const. & Engineering Co., Inc

Po Box 6885

Stockton, CA, 95206

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Don Garcia Excavating & Paving, Inc.

2020 E Street

South Lake Tahoe, CA, 96150

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Mge Engineering Inc

7415 Greenhaven Drive, Suite 100

Sacramento, CA, 95831

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Dillard Environmental Services

3120 Camino Diablo Rd

Byron, CA, 94514

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

M & S ENVIRONMENTAL LANDSCAPES, INC

12192 MACS ROAD

REDDING, CA, 96003

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

ALL AMERICAN ASPHALT SEALING INC

1565 TRAINER WAY

RENO, NV, 89512

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Construction Area Signs, Incorporated

9093 Old State Hwy

Newcastle, CA, 95658

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico,CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

All Phase Construction & Engineering, In

P.o. Box 876

Roseville,CA,95661

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico,CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA,GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Pc&n Construction, Inc

5301-f Byron Hot Springs Road

Byron, CA, 94514

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

- We can participate in this contract
TYPE OF SERVICE OR SUPPLIES: _____
- We cannot participate in the contract

Print Name of Business Owner

Signature

Date: _____

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

NOT
BIDDING.

July 22, 2015
Dillard Environmental Services
3120 Camino Diablo Rd
Byron, CA 94514

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Chavez Trucking

P.o. Box 365

Dixon, CA, 95620

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane**Location:** Chico, CA**Bid Due Date:** 09/01/15 at 02:00 PM PST**Solicitation Number:** 03-2F3304**Contact:** Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

() We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: _____

We cannot participate in the contract

Chavez Trucking _____
 Print Name of Business Owner Signature

Date: _____

Please fax return this form by Sep 01, 2015
 with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Yolanda's Construction Management And Tr

3450 Third Street, Bldg. 4, Suite A

San Francisco, CA, 94124

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: See Attached

We cannot participate in the contract

Yalanda Lane
Print Name of Business Owner

[Signature]
Signature

Date: 7/22/15

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway
Chico, CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015
A C Dike Co
2788 Venture Dr.
Lincoln, CA, 95648

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

Project: Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Location: Chico, CA

Bid Due Date: 09/01/15 at 02:00 PM PST

Solicitation Number: 03-2F3304

Contact: Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

PAVEMENT, MINOR CONCRETE (MINOR STRUCTURE), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI), RETROREFLECTIVE SHEETING (TYPE XI), 12" CORRUGATED STEEL PIPE DOWNDRAIN (.064" THICK), 12" ENTRANCE TAPER, 12" DOWNDRAIN SLIP JOINT, 12" ANCHOR ASSEMBLY, ROCK SLOPE PROTECTION (NO. 1, METHOD B) (TON), ROCK SLOPE PROTECTION FABRIC (CLASS 8), TEXTURED AND COLORED HOT MIX ASPHALT, DELINEATOR (CLASS 1), OBJECT MARKER (TYPE L-1), MIDWEST GUARDRAIL SYSTEM (WOOD POST), VEGETATION CONTROL (MINOR CONCRETE), DOUBLE MIDWEST GUARDRAIL SYSTEM (WOOD POST), TRANSITION RAILING (TYPE WB-31), RAIL TENSIONING ASSEMBLY, ALTERNATIVE IN-LINE TERMINAL SYSTEM, ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), ALTERNATIVE CRASH CUSHION, CONCRETE BARRIER (TYPE 60G MODIFIED), THERMOPLASTIC PAVEMENT MARKING (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 17-7), 4" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 36-12), 8" THERMOPLASTIC TRAFFIC STRIPE (ENHANCED WET NIGHT VISIBILITY) (BROKEN 12-3), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, MODIFY TRAFFIC MONITORING STATION (COUNT), HIGH SPEED WEIGH-IN-MOTION SYSTEM, MOBILIZATION, Trucking and Materials Supply..

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE businesses for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: HMA DIKE & WISC AREA
Shoulder BACKING

We cannot participate in the contract

Georgett McClain
Print Name of Business Owner

[Signature]
Signature

Date: 7-22-15

Please fax return this form by Sep 01, 2015
with a copy of your certification to Jared Springer at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction

1764 Skyway

Chico, CA 95928

Telephone: (530) 891-6555

Fax: (530) 894-6220

INVITATION TO BID

July 22, 2015

Frank Medina General Engineering Contract

10096 Ahart Road

Oroville, CA, 95966

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:**Project:** Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane**Location:** Chico, CA**Bid Due Date:** 09/01/15 at 02:00 PM PST**Solicitation Number:** 03-2F3304**Contact:** Jared Springer

Quotes are needed for:

LEAD COMPLIANCE PLAN, CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, CHANNELIZER (SURFACE MOUNTED), PORTABLE CHANGEABLE MESSAGE SIGN, TEMPORARY RAILING (TYPE K), ALTERNATIVE TEMPORARY CRASH CUSHION, JOB SITE MANAGEMENT, PREPARE WATER POLLUTION CONTROL PROGRAM, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY CONCRETE WASHOUT, TREATED WOOD WASTE, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE DOWNDRAIN, REMOVE ASPHALT CONCRETE OVERSIDE DRAIN, SALVAGE GUARDRAIL, RELOCATE ROADSIDE SIGN, ADJUST DOWNDRAIN, ADJUST OVERSIDE DRAIN, ADJUST GUARDRAIL, COLD PLANE ASPHALT CONCRETE PAVEMENT, REMOVE CONCRETE (CURB AND GUTTER), SALVAGE CRASH CUSHION, DEVELOP WATER SUPPLY, ROADWAY EXCAVATION, SHOULDER BACKING, IMPORTED BORROW, CHECK AND TEST EXISTING IRRIGATION FACILITIES, CONTROL AND NEUTRAL CONDUCTORS, 1 1/4" REMOTE CONTROL VALVE, 1 1/2" REMOTE CONTROL VALVE, POP-UP SPRINKLER ASSEMBLY (GEAR DRIVEN), RISER SPRINKLER ASSEMBLY, 2" GATE VALVE, 3" GATE VALVE, 3/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/4" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 1 1/2" PLASTIC PIPE (SCHEDULE 40) (SUPPLY LINE), 2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 2 1/2" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 3" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), 4" PLASTIC PIPE (CLASS 315) (SUPPLY LINE), BALL VALVE, 6" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), 8" CORRUGATED STEEL PIPE CONDUIT (.064" THICK), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), DECOMPACT SOIL SURFACE, CLASS 2 AGGREGATE BASE (TON), CRACK TREATMENT, PREPAVING INERTIAL PROFILER, PREPAVING GRINDING DAY, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE), SHOULDER RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS), DATA CORE, PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, SPALL REPAIR (FAST-SETTING CONCRETE), INDIVIDUAL SLAB REPLACEMENT (RSC), GRIND EXISTING CONCRETE

Fax Confirmations for Caltrans - 03-2F3304 - In Butte County In And Near Chico From 0.5 Mile South Of Skyway Overcrossing To 0.2 Mile South Of Garner Lane

Company Name	Fax	Status	Attempts	Time Sent
A S CONTRACTORS, INC.	(209) 966-2643	Success	1	07/22/2015 at 06:39 PM
K & K CONSTRUCTION SUPPLY, INC	(916) 851-0999	Success	1	07/22/2015 at 06:39 PM
BAY LINE CUTTING & CORING INC	(510) 527-0500	Success	1	07/22/2015 at 06:39 PM
SAFE2CORE INC	(408) 266-7050	Success	1	07/22/2015 at 06:39 PM
Gallaway Enterprises, Inc	(530) 343-8312	Failure	1	
ARROW S COMPANY	(707) 437-2555	Success	1	07/22/2015 at 06:40 PM
Yolanda's Construction Management And Tr	(415) 647-2683	Success	1	07/22/2015 at 06:40 PM
ABRASIVE BLASTING SERVICE	(951) 786-9081	Success	1	07/22/2015 at 06:40 PM
Chavez Trucking	(707) 678-5154	Success	1	07/22/2015 at 06:40 PM
Alert-o-lite, Inc	(559) 453-3250	Success	1	07/22/2015 at 06:40 PM
AMLAND	(408) 298-4344	Success	1	07/22/2015 at 06:40 PM
Boles Trucking, Inc.	(530) 343-0837	Failure	1	
Vsce Inc	(510) 899-0799	Success	1	07/22/2015 at 06:40 PM
Vintage Paving Company, Inc.	(530) 795-5734	Success	1	07/22/2015 at 06:40 PM
P H Associates Transportation Consultant	(510) 848-9233	Failure	1	
M J AVILA COMPANY, INC.	(559) 846-7610	Success	1	07/22/2015 at 06:40 PM
VERIDICO GROUP INC	(916) 865-4174	Success	1	07/22/2015 at 06:40 PM
A C Dike Co	(916) 645-9618	Success	1	07/22/2015 at 06:54 PM
Frank Medina General Engineering Contrac	(530) 743-9352	Success	1	07/22/2015 at 06:40 PM
UNITED TRUCK LINES INC	(530) 790-6871	Success	1	07/22/2015 at 06:40 PM
Mc Cullough Construction Inc	(707) 825-1769	Success	1	07/22/2015 at 06:47 PM

S.t. Rhoades Construction, Inc.	(530) 223-9222	Success 1	07/22/2015 at 06:40 PM
Camacho Communications Corporation	(916) 447-9853	Success 1	07/22/2015 at 06:40 PM
Rupert Construction Supply, Llc	(916) 673-9737	Success 1	07/22/2015 at 06:40 PM
AMCON CONSTRUCTION	(916) 204-8715	Failure 1	
Adanta, Inc	(707) 736-8368	Success 1	07/22/2015 at 06:40 PM
Rodgers Const. & Engineering Co., Inc	(209) 464-5782	Success 1	07/22/2015 at 06:40 PM
Don Garcia Excavating & Paving, Inc.	(530) 577-0221	Success 1	07/22/2015 at 06:40 PM
Mge Engineering Inc	(916) 421-1002	Success 1	07/22/2015 at 06:40 PM
Dillard Environmental Services	(925) 634-0874	Success 1	07/22/2015 at 06:40 PM
M & S ENVIRONMENTAL LANDSCAPES, INC	(530) 241-9647	Success 1	07/22/2015 at 06:47 PM
ALL AMERICAN ASPHALT SEALING INC	(775) 827-3006	Success 1	07/22/2015 at 06:47 PM
Construction Area Signs, Incorporated	(916) 663-1858	Success 1	07/22/2015 at 06:40 PM
All Phase Construction & Engineering, In	(916) 771-4603	Success 1	07/22/2015 at 06:47 PM
Pc&n Construction, Inc	(925) 634-4339	Success 1	07/22/2015 at 06:47 PM

Low Bidder

03



09-04-15P03:23 RCVD

Caltrans[®]

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION

FORMS FOR BID

FOR CONSTRUCTION ON STATE HIGHWAY IN BUTTE COUNTY IN AND NEAR CHICO
FROM 0.5 MILE SOUTH OF SKYWAY OVERCROSSING TO 0.2 MILE SOUTH OF GARNER
LANE

In District 03 On Route 99

Under

Notice to Bidders and Special Provisions dated July 20, 2015

Standard Specifications dated 2010

Project plans approved April 27, 2015

Standard Plans dated 2010

To be submitted conjointly with
Electronic *Bid* book dated July 20, 2015

Identified by

Contract No. 03-2F3304

03-But-99-30.1/T37.5

Project ID 0300020612

Federal-Aid Project
ACNHP-P099(586)

Bids open Tuesday, September 1, 2015

Dated July 20, 2015
AADD



**KNIFE RIVER
CONSTRUCTION**
AN MDU RESOURCES COMPANY

Low Bidder

www.kniferiver.com

NORTHERN CALIFORNIA DIVISION - CHICO

1764 Skyway
Chico, CA 95928
(530) 891-6555
(530) 894-6220 FAX

September 3, 2015

09-04-15P03:22 RCVD

Department of Transportation, MSC 43
Attn: Office Engineer
1727 30th Street
Sacramento, CA 95816-7005

RE: Good Faith Efforts Documentation
State Contract No.: 03-2F3304
Bid Date: September 1, 2015


To whom it may concern:

Please find enclosed our DBE Commitment Documentation and Good Faith Effort on the above referenced project.

If you have any questions please give me a call at (530)891-6555.

Sincerely,

Baldwin Contracting Company, Inc. dba Knife River Construction



Jared Springer

Enclosures