STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

CALTRANS BIDDER - DBE - COMMITMENT

DES-OE-0102.10B (NEW 06/2012)

Low Bidder

This information may be submitted with your bid proposal. If it is not, and you are the apparent low bidder or the second or third low bidder, it must be submitted and received as specified in Section 2 of the Special Provisions. Failure to submit the required DBE information will be grounds for finding the proposal nonresponsive.

CONTRACT NO: 03-3E6204

BID AMOUNT: $ 7,371,737.20

BID OPENING DATE: 2/26/13

BIDDER'S NAME: KNIFE RIVER CONSTRUCTION

DBE GOAL FROM CONTRACT, %: 10% = 737,173.72

DBE PRIME CONTRACTOR CERTIFICATION[1]: N/A

CONTRACT ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED[2]	FOR CALTRANS USE ONLY	NAME OF DBEs (Must be certified on the date bids are opened - include Caltrans certification #, DBE address and phone number) (Indicate 2nd and lower tier subcontractors)	DOLLAR AMOUNT DBE[3]
SEE ATTACHED PAGE 14 Supplement				

IMPORTANT: identify all DBE firms being claimed for credit, regardless of tier. Names of the First Tier DBE Subcontractors and their respective items(s) of work listed above must be consistent, where applicable, with the names and items of work in the "Subcontractor List" submitted with your bid. Copies of the DBE quotes are required.

Total Claimed Participation: $ 753,415.17

10.22%

1. DBE prime contractors must enter their certification number and indicate all work to be performed by DBEs including work performed by its own forces.
2. If 100% of item is not to be performed or furnished by DBE, describe exact portion of item to be performed or furnished.
3. See Section titled "Disadvantaged Business Enterprises" in Section 2 "Bidding" of the special provisions to determine the credit allowed for DBE firms.

Signature of Bidder

2-28-13 (530) 891-6555

Date (Area Code) Tel. No.

STEVE SILVA

Person to Contact (Please Type or Print)

Submit to:

MSC 43
OFFICE ENGINEER
DEPARTMENT OF TRANSPORTATION
1727 30TH STREET
SACRAMENTO, CA 95816-7005

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

03-04-13P02:33 RCVD

CONTRACT ITEM NO.	ITEM OF WORK AND DESCRIPTION OF SERVICES TO BE SUBCONTRACTED OR MATERIALS TO BE PROVIDED (2)	FOR CALTRANS USE ONLY	NAME OF DBEs (Must be certified on date bids are opened - include Caltrans certification #, DBE addres and phone number) Indicate 2nd and lower tier subcontractors)	ITEM DOLLAR AMOUNT	TOTAL DOLLAR AMOUNT DBE (3)
16	SWPPP		S.T. Rhoades Construction Inc.	$2,500.00	
17	Rain Event Action Plan		#37693	$26,400.00	
18	SW Sampling & Analysis Day		8585 Commercial Way, Redding, CA, 96049	$18,200.00	
19	SW Annual Report		530-223-9322	$1,800.00	
20	Temp Erosion Control (TEC) Blanket			$10,000.00	
21	Move-in/Move-out (TEC)			$15,000.00	
26	Temp Fiber Roll			$38,500.00	
27	Temp Gravel Bag Berm			$2,200.00	
28	Temp Large Dediment Barrier			$50,400.00	
29	Temp Silt Fence			$2,500.00	
33	Temp Fence (ESA)			$8,000.00	
					$175,500.00
22	Temp Hydraulic Mulch (Bonded Fiber Matrix)		M&S Environmental Landscapes Inc.	$8,700.00	
23	Temp Soil Binder		#30736	$4,300.00	
61	Erosion Control (Compost Blanket)		12192 Mac's Road, Redding, CA, 96003	$90,090.00	
62	Compost (Incorporate) - (Partial: Spreading only. No Incorporation)		530-241-1418	$30,310.00	
63	Move-in/Move-out (Erosion Control)			$4,200.00	
64	Erosion Control (Bonded Fiber Matrix)			$61,600.00	
65	Fiber Rolls			$1,692.00	
					$200,892.00
			Uma Hinman Consulting		
36	Contractor Supplied Biologist		#40714	$3,500.00	
37	Natural Resource Protection Plan		PO Box 1251, Cedar Ridge, CA, 95924	$29,750.00	
			916-813-0818		$33,250.00
75	Place Hot Mix Asphalt Dike - C		A.C. Dike Co.	$262.80	
76	Place Hot Mix Asphalt Dike - E		#219	$2,336.00	
77	Place Hot Mix Asphalt Dike - F		2788 Venture Dr, Lincoln, CA, 95648	$620.50	
78	Place Hot Mix Asphalt - Misc Area		916-652-0159	$3,496.00	
					$6,715.30
			Tyrrell Resources Inc.		
56	Clearing & Grubbing		#38525		
			PO Box 493460, Redding, CA 96049		
			530-249-3800		$81,500.00

Pg 1 of 2

39	Remove Fence	Oliveira Fence Inc.	$3,045.00	
111	Fence (WM & BW)	#1583	$3,326.40	
112	Chain Link Fence (CL-6)	400 Reed St, Ste 213, Santa Clara, CA, 95050	$4,103.40	
		408-727-3811		$10,474.80
131	Maintain Ex. TMSE During Construction - Partial	Cal Electro Inc		
132	Temp Video Image Vehicle Detection System - Partial	5199 Airport Rd, Redding, CA		
133	Lighting (Temorary) - Partial	530-223-5937		
134	Lighting Conduit (Bridge) - Partial			
135	Modify Signal & Lighting - Partial			
	Materials supplied @ 60% DBE supplier Credit	REDCO	$33,283.94	
		#27039		
		1713 Academy, Sanger, CA 93657		
		559-875-3449		
	Traffic Control for own work	Charlie's Custom Excavating Inc.	$14,800.00	
		#37820		
		PO Box 1160, Palo Cedro, CA 96073		
		530-221-3626		
				$48,083.94
67	Asphalt Treated Permeable 8ase - Partial asphalt supply	Knife River Construction		
71	Replace Asphalt Concrete Surfacing - Partial asphalt supply	1764 Skyway, Chico, CA 95928		
72	Hot Mix Asphalt (Type A) - Partial asphalt supply	530-891-6555		
73	Minor Hot Mix Asphalt - Partial asphalt supply			
74	Rubberized Hot Mix Asphalt (Open Graded) - Partial asphalt supply			
	Furnish and deliver PG 64-10 liquid asphalt to Knife River	Black Diamond Asphalt Inc.		
	Construction's Orland hot plant on Road 7, Orland CA	#22999		
	475 tons @ $691.22S/ton @ 60% DBE supplier credit	118 Main St, Vacaville, CA, 95688		$196,999.13
		707-448-9402		
	GRAND TOTAL			$753,415.17

Pg 2 of 2

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING CA 96002
P.O. BOX 494520, REDDING, CA., 96049
530-223-9322, Fax 530-223-9222, License # 930684
MBE/SBE- 1247344,U/DBE-37693, UNIONS-OPERATORS, LABORERS

PROPOSAL

To : Bidding Contractors
Phone:
Fax:

DATE 2/26/13

CONTRACT NO.03-3E6204
PROJECT: 300000509
DESCRIPTION: 03-But-99-28.1/29.6

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	ESTIMATED QUANTITY	UNIT PRICE	ITEM TOTAL
~~5~~	~~Construction Area Signs~~	~~LS~~	~~1~~	~~$4,200.00~~	~~$4,200.00~~
~~6~~	~~Traffic Control System~~	~~LS~~	~~1~~	~~SEE Attached~~	
~~7~~	~~Type III Barricade~~	~~EA~~	~~20~~	~~$100.00~~	~~$2,000.00~~
~~12~~	~~PCMS~~	~~LS~~	~~1~~	~~SEE Attached~~	
16	SWPPP	LS	1	$2,500.00	$2,500.00
17	Rain Event Action Plan	EA	88	$300.00	$26,400.00
18	Storm Water Sampling & Analysis day	EA	52	$350.00	$18,200.00
19	Storm Water Annual Report	EA	3	$600.00	$1,800.00
20	Temporary Erosion Control Blanket	SY	2000	$5.00	$10,000.00
21	Move-in Move-out (TEC)	EA	10	$1,500.00	$15,000.00
~~24~~	~~Temporary Cover (Supply Only)~~	~~SY~~	~~2000~~	~~$1.00~~	~~$2,000.00~~
~~25~~	~~Temporary DI Protection~~	~~EA~~	~~2~~	~~$500.00~~	~~$1,000.00~~
26	Temporary Fiber Roll	LF	7700	$5.00	$38,500.00
27	Temporary Gravel Bag Berm	LF	220	$10.00	$2,200.00
28	Temporary Large Sediment Barrier	LF	4200	$12.00	$50,400.00
29	Temporary Silt Fence	LF	500	$5.00	$2,500.00
33	Temporary Fence (ESA)	LF	1600	$5.00	$8,000.00
				~~Total~~	~~$184,700.00~~

43400

Union: Operators
Labors
Cement Masons

note: Additional site inspections @ $500 ea if needed

Σ * = 175,500

INCLUDE Furnishing & installation unless otherwise noted

SCHEDULE: 14 days notice required to schedule
Proposal Valid 10 days

EXCLUDE Weekend and Holiday shifts
Testing,Staking,Bonds,Fee's,K-Rail,CMS,
Permanent or Temp. pavement mark/tape,
Submittals,Referencing & Protection of existing
Facilities,Preparation or Compliance w/water pollution control plan
Traffic control

Respectfully submitted

Jacob Hale

Companies Name

Acceptance: _____
Signature Date

Print name Title

Phone: _____

4 EC
44024

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418
Fax 241-9647
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

2/19/13 Bids 2/20/13

Bid For - Rte 99 Near Chico at Butte Creek Bridge

Cal-trans Contract # 03-3E6204

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
~~21~~	~~Temporary (Move-in/out)~~	~~EA~~	~~10~~	~~$ 700.00~~	~~$ 7,000.00~~
22 X	Temporary (Hydraulic Mulch)	SQYD	10000	$ 0.87	$ 8,700.00
23 X	Temporary (Soil Binder)	SQYD	10000	$ 0.430	$ 4,300.00

TOTAL $ ~~20,000.00~~ 13000

ADDITIONAL BID NOTES

* Prime Contractor to provide and pay for water source on site (i.e.-fire hydrant. water truck, or other approved source) at a minimum rate of 200 g.p.m.
* All traffic control to be provided by Prime contractor. Bid valid for 60 days.

* An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by time will be billed at $600.00 per hour.
* Performance and Payment bonds are not included. Insurence beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418
Fax 241-9647
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

2/19/13 Bids 2/20/13

Bid For - Rte 99 Near Chico at Butte Creek Bridge

Cal-trans Contract # 03-3E6204

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
61 X	Erosion Control (Compost)	CY	2310	$ 39.00	$ 90,090.00
62 X	Compost (Incorporate) + Partial +	SQYD	7000	$ 4.33	$ 30,310.00
	* Compost applied 4" in depth on area. Incorparated into soil and compacted not in bid.				
	TOTAL				$ 120,400.00

ADDITIONAL BID NOTES

* Prime Contractor to provide and pay for water source on site (i.e.-fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
* All traffic control to be provided by Prime contractor. Bid valid for 60 days.

* An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by time will be billed at $600.00 per hour.
* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418
Fax 241-9647
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

2/19/13 Bids 2/20/13

Bid For - Rte 99 Near Chico at Butte Creek Bridge

Cal-trans Contract # 03-3E6204

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
63 X	Erosion Control Move-in/out	EA	6	$ 700.00	$ 4,200.00
64 X	Erosion Control (BFM) Hydroseed	SQFT	440000	$ 0.14	$ 61,600.00
56 65	Fiber Rolls	LF	180	$ 9.400	$ 1,692.00
	TOTAL				$ 67,492.00

ADDITIONAL BID NOTES

* Prime Contractor to provide and pay for water source on site (i.e.-fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
* All traffic control to be provided by Prime contractor. Bid valid for 60 days.

* An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by time will be billed at $600.00 per hour.
* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

UMA HINMAN CONSULTING
Environmental Planning
PO Box 1251 | Cedar Ridge, CA 95924 | Cell (916) 813-0818
uhinman@comcast.net | http://umahinman.com

NorthStar
ENVIRONMENTAL

Scope of Work

This Proposal contributes to required DBE contract goal of 10%
Uma Hinman Consulting DBE No. 40714

Date:

February 26, 2013

Project:

Butte Creek Bridge Replacement on State Route 99 in Butte County near Chico Contract No. 03-3E6204

Project Understanding:

Caltrans proposes to replace the northbound (NB) Butte Creek Bridge (Br. No 12-0126R) on State Route 99 in Butte County with a new bridge constructed on the existing NB alignment. The proposed project involves roadway cut/fill, grinding of the existing deck surface, creating access roads, and equipment staging areas, drainage and culvert work, work within the 100 year floodplain, temporary stream crossing, water diversion, temporary construction easements, ground disturbance, vegetation removal, pile driving, seasonal construction windows, night work, work within the stream channel and possibly placement of rock slope protection. Based on the special provisions and the permits and opinions for the Project, Uma Hinman Consulting has prepared this scope with the assumption that construction will take place over four (4) breeding seasons for native wildlife.

Uma Hinman Consulting a California Certified SDBE/SWBE is teaming with ***NorthStar Engineering's Environmental Division*** (formerly Gallaway Consulting, Inc.) to provide environmental monitoring for the SR 99 Bridge Replacement Project over Butte Creek. The project team has widespread experience in this area and has conducted environmental compliance monitoring on several bridge replacement projects in the vicinity as well as extensive fish monitoring in Butte Creek. The project team is available for weekly monitoring as well as daily monitor if needed.

According to the Special Provisions, the regulated species with the potential to occur within or adjacent to the project site are:

Central Valley steelhead trout (Oncorhynchus mykiss)
Central Valley spring-run Chinook salmon (Oncorhynchus tshawytcha)
Birds
Valley elderberry longhorn beetle (Desmocerus californicus dimorphus)
Bats

Scope of Services:

Task 1: Natural Resource Protection Plan

Uma Hinman Consulting and NorthStar (project team) will prepare a Natural Resource Protection Plan (NRPP) to define the measures to be implemented to maintain project compliance with all environmental laws, regulations, and PLAC requirements as stated in the Special Provisions. At a minimum, the NRPP will include:

- List of species and habitats addressed in the plan
- Protection measures for species listed in "Species Protection"
- Protective radii for regulated species encounters
- Implementation plan for protection measures, including monitoring schedules
- Monitoring duties
- Justification for each instance where protection measures and an implementation plan are not necessary for a regulated species
- Schedule for inspecting protection measures, including exclusion devices
- Schedule for maintaining protection measures
- Schedule for submittal of monitoring reports
- Response plan for instances where regulated species are encountered
- Content and schedule for a Biological Resource Information Program
- Include resumes of Contactor Supplied Biologist
- Plan for bat exclusion
- Plan for bird exclusion
- Schedule for implementing bird and bat exclusion

Upon execution of this contract, the project team will conduct a thorough site assessment of the Project and will begin preparation of the NRPP as it must be submitted to the Engineer within 7 days of contract approval. The project team anticipates the need for one revision of the NRPP following Caltrans review and comment period (15 days).

Deliverables: The project team will prepare a Draft NRPP and supply one (1) hardcopy and one (1) electronic copy to the Contractor for submittal to Caltrans. Upon approval/edits one (1) hardcopy and one (1) electronic copy will be provided to the Contractor.

Task 2: Contractor Supplied Biologist

Compliance with Biological Resource Information Program

The contents of the Biological Resource Information Program (BRIP) will be defined during the preparation of the NRPP and will be approved by Caltrans prior to implementation of the training. Approved biologists from the project team will prepare and distribute attendance lists and training materials as required by the NRPP and Special Provisions Biological Resource Information Program (BRIP). **Worker Environmental Awareness Trainings conducted outside of regularly scheduled monitoring visits will be billed at the daily rate and included in the 70 site visits.** The program will provide workers with information on their responsibilities with regard to:

- Elderberry longhorn beetle
- Nesting birds
- Bats
- Listed fish species
- Overview of the life history of regulated species
- Information on take prohibitions
- Explanation of the relevant terms and conditions of the environmental permits and biological opinions

Deliverables: The project team will prepare a handout detailing all of the regulated species, applicable laws, and avoidance measures to be distributed to all personnel working on the Project for each year construction occurs. A letter report with the signatures of all personnel will be provided to the Contractor following each training. The Contractor is responsible for all reporting to Caltrans.

Pre-construction Survey and Report
Prior to the start of construction, the project team will provide qualified biologists to conduct a pre-construction survey as specified in the NRPP. The report will detail observations and locations where regulated species were observed and/or a statement that no regulated species were observed. Species targeted in the survey include various migratory birds, bats, Swainson's hawk, cliff swallows and valley elderberry longhorn beetle. The project team assumes all vegetation removal was completed and bird and bat exclusions were installed prior to February 15, per the Special Provisions. Project team staff will coordinate with the Contractor to develop a monitoring survey schedule that includes the initial monitoring inspection visit(s).

Initial Monitoring and Report
A project team qualified biologist will be present during initial ground disturbing activities and will prepare an initial monitoring report for the Contractor. This initial monitoring activity and report will be submitted to Caltrans via the contractor within 48 hours after commencement of ground-disturbing activities.

Regular Monitoring and Report
The project team will conduct inspections for the aforementioned regulated species and will prepare written regular monitoring reports documenting the inspection efforts, findings and observations. The monitoring schedule for this project will be defined in the Special Provisions. With project team offices located in the City of Chico, response by the project team and scheduling times for monitoring activities and trainings will be easily coordinated.

Following each year of construction, the project team will prepare an *annual monitoring report* summarizing all environmental activities conducted, reported incidences, and all compliance issues. These reports will be submitted to Caltrans via the contractor no later than January 15th during each year of construction.

At the completion of the project, the project team will prepare a *final monitoring report* discussing all years of construction as it relates to the species and habitats addressed in the NRPP. The final report will be submitted to Caltrans via the contractor within 20 days after completion of the project.

Additionally, any incidents that result in the accidental take of regulated species must be reported to the project team immediately so that we can prepare and submit an *incident report* within 24 hours of said incident. An incident report will include: (1) description of take, (2) species name and number taken, (3) details of required notifications with contact information, (4) corrective actions proposed or taken, and (5) disposition of taken species.

All reports will include: the name(s) of the biologist(s) conducting biological activity, dates and times of monitoring, locations and activities monitored, representative photos, findings, observation of regulated species and recommended actions to protect those species, name of biologist that prepared the report, and signature of the biologist certifying the accuracy of the report.

Attendance at project related meetings outside of the weekly monitoring visits will be invoiced as an additional weekly inspection. This scope of work does not include daily Swainson's hawk, fish monitoring or exclusion of birds/bats. This would be considered Extra Work.

The project team assumes all vegetation removal and bird and bat exclusions were installed prior to February 15, per the Special Provisions. In the event additional exclusion materials are necessary, they will be purchased and installed by Contractor under the approved biologist's supervision.

Deliverables: All reports corresponding to the survey/inspection conducted will be provided to the Contractor by the times listed above. All reports will be sent to the Contractor's email for quick submittal to Caltrans. We will not send any reports directly to Caltrans, all reports will be sent to the Contractor.

SCHEDULE:

Upon execution of this contract, the project team will be available to meet with the Contractor to review the project. Once a tentative construction schedule is set, the project team will coordinate the required pre-construction surveys.

STAFF AND TEAM MEMBERS:

Contract, staff, and sub-contractor management will be the responsibility of Uma Hinman, senior planner and owner of Uma Hinman Consulting. ***Uma Hinman Consulting is a certified State Disadvantaged Business Enterprise (SDBE) and State Women's Business Enterprise (SWBE) Certification No. 40714.*** Qualifications and certifications are attached. Ms. Hinman can be reached at (916) 813-0818 or at uhinman@comcast.net.

Uma Hinman Consulting SDBE/SWBE will team with ***NorthStar Engineering's Environmental Division*** for biological monitoring specialists. Christy Dawson, Senior Biologist will serve as lead biologist for bird and bat work and will be the primary point of contact. Andrew Anderson and Brian Huber, biologists will assist Ms. Dawson in the field. Map & Associates dBA NorthStar Engineering is a Certified Small Business No. 27605.

COST ESTIMATE:

We will bill on a unit based cost upon completion of each task. The cost estimate above includes all estimated overtime, standard labor rates, report production, and mileage. For each task the unit costs were calculated based on the amount of time necessary to complete all portions of the task, estimated inspection days, and anticipated 3 years of construction. Invoices will be submitted monthly and are due and payable upon receipt. A service charge of 1.8% will be billed on unpaid balances 30 days after billing. We will not exceed **$ 33,250** without prior written authorization.

Task	Description	Anticipated Site Visits Required	Monitoring Activity	Task	Daily/Lump Rate	Total[1]	Bid Item Number
1	NRPP	1 Site Visit		Prepare Draft and Final NRPP for American Peregrine Falcon and Bats	3,500	**$3,500**	**37**
2	Construction Monitoring	70 Visits	Monitoring	Includes all monitoring and reporting[2]	425	**29,750**	**36**

[1] Total based on estimated number of site visits required for one biologist. If additional biologists are required, work will be billed based on the daily/lump sum rates provided per biologist.
[2] It is assumed the Worker Environmental Awareness Trainings are included in the 70 site visits. Any additional training will be billed at the daily rate.

33,250

OTHER WORK AND REQUIREMENTS:

No tasks outside the agreed scope of work will be performed without additional payment. Outside tasks include, but are not limited to: additional report modifications after final submission, production of additional reports, and more than once a week inspections. During the course of this work the project team may need to correspond with various agencies that have regulatory obligations and permitting requirements for these projects to keep the project on schedule and the regulated species protected. While the project team will not represent the project proponent or other consultants in any manner nor any of the contractors, the project team may need to discuss all known details of the project with various regulatory agencies as needed to achieve our objective. The contractor will be notified of all such discussions with regulatory agencies.

LIABILITY LIMITS:

Contractor and Consultant have discussed the risks and rewards associated with this project, as well as Consultant's fee for services. Contractor and Consultant agree to allocate certain of the risks so that, to the fullest extent permitted by law, Consultant's total aggregate liability to Contractor and all contractors and subcontractors is limited to $100,000 for any and all injuries, damages, claims, losses, expenses or claim expenses (including attorneys' fees) arising out of this Agreement from any cause or causes. Such causes include, but are not limited to, Consultant's negligence, errors, omissions, strict liability, breach of contract, or breach of warranty. Contractor further agrees to notify all contractors and sub-contractors of this limitation of Consultant's liability to them and require them to abide by this limitation of damages suffered by any contractor or subcontractor arising from Consultant's actions or inactions. Neither the contractor nor any subcontractor assumes any liability for damages to others which may arise on account of Consultant's actions or inactions.

ASSUMPTIONS AND TERMS:

1) All applicable permits for the proposed project are current and will be in the possession of the contractor prior to commencement of construction activities. Uma Hinman Consulting assumes the project owner and/or contractor will fulfill all permit/authorization notices and maintain expiration dates of the permits. The contractor will provide Uma Hinman Consulting with a copy of all applicable permits for the project initially and upon request, thereafter. The contractor will provide a construction schedule for structure and general construction activities associated with construction and painting of bridge work.

2) The contractor will be responsible for the prevention and exclusion of nesting swallows on structures. The contractor will also be responsible for the purchase and installation of exclusion materials. Uma Hinman Consulting assumes the contractor will conduct at least twice a week nest removals.

3) Contractor will grant or obtain free access to the site for all equipment and personnel necessary for Uma Hinman Consulting and their subconsultants to perform any fieldwork. Uma Hinman Consulting will notify any and all possessors for the project sites that contractor has granted Uma Hinman Consulting free access to the site. Uma Hinman Consulting will take reasonable precautions to minimize damage to the site. Contractor will notify Uma Hinman Consulting of any site conditions that may be hazardous and present a health and safety threat to Uma Hinman Consulting employees, or subcontractors.

4) The project engineer, contractor, or Contractor will be responsible for the preparation of a Storm Water Pollution and Prevention Plan, submission of a notice of Intent, obtain a National Pollutant Discharge Elimination System and construction storm water permit. The project engineer, contractor, and/or Contractor are also responsible for being in compliance with all conditions set forth in these permits. Uma Hinman Consulting is not responsible for compliance monitoring related to water quality standards.

5) Uma Hinman Consulting recognizes the inherent risks connected with construction, field surveying, exploration, etc. In performing professional services, Uma Hinman Consulting will use that degree of care and skill ordinarily exercised, under similar circumstances, by reputable members of the profession practicing in the same or similar locality. Uma Hinman Consulting does not guarantee the completion or quality performance of contract(s) by other consultants, contractors, or other third parties, nor is he/she responsible for their acts or omissions. If the Contractor requests additional services not specified pursuant to the Scope of Work attached as an Exhibit to this agreement, Contractor agrees to pay for all such additional services as extra work in accordance with the "Schedule of Fees" in effect at that time. In the event all or any portion of the work prepared or partially prepared by Uma Hinman Consulting is suspended, abandoned, or terminated, Contractor shall pay Uma Hinman Consulting for all fees, charges, etc. until notified of such termination at which time Uma Hinman Consulting will provide originals or copies of all work performed up to date of termination.

6) Any changes to this scope must be made in writing and agreed to by the Contractor and Uma Hinman Consulting.

7) Uma Hinman Consulting will report all sightings of California's special status species to CNDDB.

9) Uma Hinman Consulting assumes that all compensatory mitigation as outlined in federal and state permits has been satisfied prior to commencement of construction.

10) Contractor will provide Uma Hinman Consulting with a complete construction schedule for the duration of the entire project.

11) The terms and conditions of this proposal are valid for 30 days from the before mentioned date.

12) This scope does not include any fish related work, monitoring, or salvage efforts.

12) **This scope of work will be included in the contract documents.**

13) Either Contractor or Uma Hinman Consulting may terminate this Contract by giving a 15-calendar day written notice to the other party. In such an event, Contractor shall, within 10 calendar days, pay Uma Hinman Consulting in full for all work previously authorized and performed prior to effective date of termination. If no notice of termination is given, relationships and obligations created by this contract shall be terminated upon completion of all applicable requirements of this Contract. Uma Hinman Consulting reserves the right to stop work without 15-calendar days notice written notice if payment schedules are not met.

My signature below indicates that I have read and agree to all terms and conditions presented in this proposal. My signature below also indicates that Consultant is authorized to proceed with the work outlined in this proposal on the date stated below. When signed by both parties, this proposal becomes the Scope of Work for this project.

_____	_____
Contractor Signature	**Consultant Signature**
Title : _____	**Title :** _____
Date: _____	**Date:** _____

A. C. DIKE CO.

Specialty Paving Inc.

SPECIALTY PAVING CONTRACTOR

QUOTATION: CDOT BUTTE CO. RT 99 03-3E6204

BIDS : 2/26/13

"PLACE ONLY"* 882 LF ASPHALT DIKE (TYPES C,E,F) @ $3.65 LF. x 882' = 3219.30
PLACE 92 SQ YDS ASPHALT MISC. AREAS @ $38.00 SQ YD. x 92 sy = 3496.00

$ 6,715.30

PRICE INCLUDES TACK AND ONE MOBILIZATION .
ASPHALT MATERIAL AND HAULING BY PRIME CONTRACTOR.
TRAFFIC CONTROL BY PRIME CONTRACTOR.

* **PLACE ONLY ASPHALT DIKE. SPECIFICALLY EXCLUDES SURFACE PREPARATION, BACKFILL, OR FOGSEAL.**

QUALIFIED MINORITY CONTRACTOR, DBE/WBE/UDBE # CT 000219
CAL. LIC.# 407417 NEV. LIC.#24188
2788 VENTURE DR. LINCOLN, CA. 95648
(916) 652-0159 FAX (916) 645-9618
WWW.ACDIKE.COM

Tyrrell Resources, Inc.

February 25, 2013

Contractors License No. 938998
Licensed Timber Operator A10405
DBE #38525
CPUC WBE 9EN00089

TO: Knife River Construction
ATTN: Steve Silva

RE: Caltrans Project 03-3E6204
Bidding 2/26/13
Scope of Work: Tree Removal
Clear and Grub

56)

The following quotes for services include three separate quotes:

1.Clearing along highway:
Cut and grub designated trees, stumps, and woody material along Hwy. 99.
Pile grubbed material at on-site locations suitable for grinding/chipping.
Grind/chip piled material; remove grindings/chips from project site.
Quote: $45,400.00
Note:
Price includes one round trip mobilization. Additional mobilizations subject to charge.
Prime Contractor to provide shoulder closure. Estimated : 5 days
Tyrrell not responsible for dust control, dust abatement, fugitive dust or SWPPP.

2. Clearing along banks of creek:
Cut trees, brush and woody material along banks of creek.
Pile material grubbed by Knife River at on-site locations suitable for grinding/chipping.
Grind/chip piled material; removed grindings/chips from project site.
Quote: $30,900.00
36,100
Note:
Price includes one round trip mobilization. Additional mobilizations subject to charge.
Tyrrell not responsible for dust control, dust abatement, fugitive dust or SWPPP.

3. Additional cost if Tyrrell grubs stumps along creek:
Quote: $5,200.00

81,500
45400

For Prime Bid
For Sub Bid

Please call 530.355.9200 or 530.249.3800 for questions.

Thank you.

Brent Tyrrell

Tyrrell Resources, Inc. is signatory to the Operating Engineers and the Laborers Unions

P.O. Box 493460 • Redding, CA 96049
Email: tyrrellresources@sbcglobal.net
Phone: 530-249-3800 • Fax: 530-241-8975

OLIVEIRA FENCE, INC.

34 Years in Business **Lic. No. 404243 C13**

400 Reed Street, Suite 213, Santa Clara, California 95050 *(408) 727-3811 * Fax (408) 727-2690 *email oliveirafence2@yahoo.com

men Owned Business Enterprise
Bond Rate-1.5%- cost is not included in price
Liability insurance limits-$10 Mil each occurrence
Caltrans Certification No. CT-001583 SDBE/SWBE/UDBE
Oliveira Fence is part of the Laborers Union
DUNS No. 088832910

State of California Certification No.REF-0023017 SBE
City of Sacramento Certification No. 19905
Federal ID No. 94-2753230
Clearinghouse Supplier No. 8AN00032 WBE Certification

BID PROPOSAL

Company:
Attn: Estimating Department
Project: Caltrans Contract No. 03-3E6204
Location: Butte County, CA
Estimator: Debbie Garcia

Bid Date: 2/26/2012
Addenda Noted: 3
Move-Ins Included: 1 move-in
Additional Move-ins: $500.00 each
Manufactures' Lead Time: 4 weeks notice

Bid Item	Description	Number of	Type	Unit Price	Total Price
39	To Remove Fence.	580	LF	$ 5.25	$ 3,045.00
111	To Furnish and Install Fence (Type WM & BW)	240	LF	$ 13.86	$ 3,326.40
112	To Furnish and Install Chain Link Fence. (Type CL-6)	210	LF	$ 19.54	$ 4,103.40
	Note: Our liquidated damages maximum is $5,000.00 per day anything over that the general contractor will have to pick up the additional costs per day over $5,000.00 We have never had a liquidated damage cost. **PLEASE SEE BELOW FOR EXCLUSION.**			Total Bid:	$ 10,474.80

IMPORTANT NOTES - Due to the volatility of the Steel Market, prices quoted above are good for only 30 days from the date of Proposal. After 30 days price is subject to Re-Negotiation, if terms cannot be reached Oliveira Fence Inc. reserves the right to nullify this proposal. Once we receive approved submittals we will be ordering materials due to the steel cost increase. If for any reason the project is cancelled the owner will be responsible for payment for all purchased materials. Damaged Temporary Fence Panels will be charged to the general contractor.

EXCLUSIONS: **Bond premium, building permits, railroad protective liability policy, special coverage insurance premiums, penalties for delays beyond Oliveira Fence control, clearing/grubbing, grading, hand digging, concrete & asphalt patching, electrical and grounding, landscape restoration, traffic control painting, flange plates or saddle brackets, demo/removal of fence unless requested in the above quote, engineering or t[illegible]g, embeds/post pockets or sleeves or clean out, core drilling and saw cutting, removal or disposal of dirt spoils (dirt spoils will be left near the fe[illegible] post holes), backfilling post holes, removal of disposal of hazardous substances, padlock, concrete mow strip and flat work, liability for locating underground utilities, liability for damages to un-located underground utilities, maintenance of temporary fences, no night work, surveys and layout, staking, signs on fences and gates, welding of any fence materials or rebar cages for fence post.**

REDCO. Traffic Div.

1713 Academy Avenue
CA 93657

Quote

Date	Quote #
2/26/2013	CE-022613

Name / Address	Ship To
CAL ELECTRO 5199 AIRPORT RD REDDING, CA 96002	CAL ELECTRO 5199 AIRPORT RD REDDING, CA 96002

P.O. No.	Terms	Rep	Project
		KH	

Description	Qty	U/M	Total
SUBJECT: County of Butte: CT#03-3E6204 BID DATE: 2-26-13			0.00T
Bid Item #132 - Temporary VIVDS (1) VDS Camera w/Mount	1		3,965.50T
Bid Item #133 – Lighting (Temporary) Pole package to include: (18) 12' Wood Pole Arm (18) 310W HPS Luminaire	1		14,368.50T
(1) Type III-AF Service Enclosure	1		1,864.30T
Bid Item #135 – Modify Signal and Lighting LOCATION – Rte 99 Flashing Beacons Traffic signal display to include: vehicle signal, framework, and thru bolts. All yellow signal sections shall be LED. Includes (10) FBCA.	1		7,364.50T
(2) W3-3	1		339.90T
(1) Type III-AF Service Enclosure	1		1,864.30T
Pole package to include: (8) Galvanized type 15FBS	1		21,836.00T
PRICES INCLUDE DELIVERY BUT ARE NET OF APPLICABLE SALES TAX.			0.00T
Sales tax item created for empty group			0.00

We appreciate your business.

Total $51,603.00

plus tax = 55,473.23

Supplier @ 60% DBE CREDIT = 33,283.94

Back To Query Form

Search Returned 1 Records

Thu Feb 28 13:00:37 PST 2013

Query Criteria

Firm/DBA Name: raper elect

Firm Type: DBE

Firm ID	27039
Firm/DBA Name	RAPER ELECTRICAL DISTRIBUTORS CORP
Address Line1	1713 ACADEMY
Address Line2	
City	SANGER
State	CA
Zip Code1	93657
Zip Code2	
Mailing Address Line1	1713 ACADEMY
Mailing Address Line2	
Mailing City	SANGER
Mailing State	CA
Mailing Zip Code1	93657
Mailing Zip Code2	
Certification Type	DBE
EMail	keith_hawkyard@raperelectric.com
Contact Name	CHARLES RAPER
Area Code	(559)
Phone Number	875-3449
Fax Area Code	(559)
Fax Phone Number	875-5974
Agency Name	CITY OF FRESNO
Counties	00;
Districts	00;
DBE NAICS	423610; 423620; 423690; 423710; 423730; 423830; 423840; 532412;
ACDBE NAICS	
Work Codes	C0686 ELECTRICAL & SIGNALS SUPPLIER; F5060 ELECTRICAL GOODS;
Licenses	
Trucks	
Gender	M
Ethnicity	NATIVE AMERICAN
Firm Type	DBE

Back To Query Form

Sub Bid Quote from: CA LIC. 892338
Charlie's Custom Excavating, Inc.

TRAFFIC CONTROL DIVISION Ph: 530-221-3626

P.O. Box 1160 FAX: 530-221-3626

Palo Cedro, CA. 96073 CELL: 530-949-6852

UDBE Cert # 37820 SBE Cert #1288320

1288320

Caltrans 03-3E6204

BID ITEM #	DESCRIPTION	TOTAL
Xx	**2 man lane closure - 8 hr shift** (ref. std. plan T10) All cones, all advanced portable warning signs and 1 arrow board and closure truck as needed (two miles one direction at a time)	$1355.00
	2 man flagging crew - 8 hr shift (ref. std. plan T13) All cones and advanced portable warning signs as needed (two miles one direction at a time)	$1275.00
	1 man lane closure - 8 hr shift (ref. std. plan T10) All cones, all advanced portable warning signs, and 1 arrow board and closure truck as needed (two miles one direction at a time) (additional cones and signs if needed for rent)	$955.00
	All night work is billed an additional	$3.50 per man hr
	Additional lane or Ramp closed with same crew same shift - Includes all additional cones, advanced portable warning signs, night beacons if needed, ramp closure barricades as needed and additional arrow boards as needed	$145.00 each
	Additional Flaggers- 8 hr shift	$585.00
	Over time billed per man hr	$90.00
	Pilot car with Operator - 8 hour shift - no mileage charge Overtime billed at $106.00 per hr	$645.00
Xx	**PORTABLE CHANGEABLE MESSAGE BOARD** with traffic ONLY. NO Board rentals without our Traffic control. Delivery charge may apply.	$1250.00 a month
	Light Plant for night time lane closure	$85.00 per shift
	Prices are good for 30 days from the date of this proposal, after that, prices are subject to adjustment. Special Shifts and Subsistence areas will require changes to manpower rates. Traffic control bid based on a minimum of 5 consecutive days. 10 Days notice required prior to job start date or major changes in operations. Items not specifically included are considered to be excluded. All bid items are subject to a formal contract or PO suitable to both parties prior to any work starting. This bid is in good faith however; all bid items are subject to staff and equipment availability at the time of project start date. We hold both a C-31 and A license with the state of California and belong to both Labors local 185 and Operators local 3 Redding CA.	

10 days 2 man lane closure @ $1,355.00 = $13,550.00

1 CMS = $1,250.00

TOTAL $14,800.00

Back To Query Form

Search Returned 1 Records

Thu Feb 28 12:57:20 PST 2013

Query Criteria

Firm/DBA Name: charlie"s

Firm Type: DBE

Firm ID	37820
Firm/DBA Name	CHARLIE'S CUSTOM EXCAVATING, INC
Address Line1	21113 GILBERT DRIVE
Address Line2	
City	REDOING
State	CA
Zip Code1	96002
Zip Code2	
Mailing Address Line1	PO BOX 1160
Mailing Address Line2	
Mailing City	PALO CEDRO
Mailing State	CA
Mailing Zip Code1	96073
Mailing Zip Code2	
Certification Type	OBE
EMail	office@ccexcavatinginc.com
Contact Name	CHARLES JURIN
Area Code	(530)
Phone Number	221-3626
Fax Area Code	(530)
Fax Phone Number	221-7563
Agency Name	DEPARTMENT OF TRANSPORTATION
Counties	04; 12; 18; 31; 34; 45; 47; 51; 52; 53; 54; 55; 57; 58;
Districts	01; 02; 03; 08; 10;
DBE NAICS	113310; 237110; 237310; 237990; 238910;
ACDBE NAICS	
Work Codes	C1200 CONSTRUCTION AREA SIGNS; C1201 TRAFFIC CONTROL SYSTEM; C1901 ROADWAY EXCAVATION; C1940 DITCHES EXCAVATION;
Licenses	A General Engineering Contractor; C31 Construction Zone Traffic Control Contractor;
Trucks	
Gender	M
Ethnicity	NATIVE AMERICAN
Firm Type	DBE

Back To Query Form

414,735

February 26, 2013
Baldwin/Knife River Construction
Attn: Andy Lanier

***EMAIL QUOTE: andy.lanier@kniferiver**

Project: Butte County near Chico
Caltrans Project #: 03-3E6204
Bid Date: February 26, 2013

Bid Item	Product		Delivered To Orland
	PG 64-10	+/-500	$ 643.00/ton

7.5% $ + tax = 691,225

Supply 475 tons @ $691,225/ton @ 60% = $196,999.13 credit

Black Diamond Asphalt, Inc is a Caltrans certified UDBE supplier.
Certification number: 22999 @ 60%
Expiration Date: June 2014
Small Business Certification # 1579960 – Department of General Services
Expiration Date: April 30, 2013

- **Above price for freight is based on full loads**
- **It is our understanding that this project is subject to Index COPI (5%).**
- **This quote does NOT include sales/use tax of federal spill funds.**
- **Credit Terms are determined by the manufacturer and may be subject to Joint Check Agreement.**
- **DFSC (Diesel Fuel Surcharge) is included**
- **Terms: Net 30 Days; subject to credit approval.**

- THESE PRICES ARE VALID FOR 15 DAYS FROM THE DATE OF THIS QUOTE
- **THIS QUOTE DOES NOT GUARANTEE SUPPLY OR TRANSPORTATION UNTIL WE RECEIVE A SIGNED ACCEPTANCE TO CONFIRM THIS QUOTE.**

SIGNED ACCEPTANCE _____ **DATE** _____

118 Main Street Vacaville, CA 95688 Phone (707) 448-9402 FAX (707) 448-9407
PO Box 1643 Modesto, CA 95353-1643

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

GOOD FAITH EFFORTS DOCUMENTATION - DBE

DES-OE-0102.11A (NEW 06/2012)

1. List items of work the Bidder made available to DBE firms. Identify those items of work the Bidder might otherwise perform with its own forces and those items that have been broken down into economically feasible units to facilitate DBE participation. For each item listed, show the dollar value and percentage of the total contract. The Bidder must demonstrate that sufficient work to meet the goal was made available to DBE firms.

Item of Work Offered	Bidder Normally Performs Item (Y/N)		Item Broken Down to Facilitate Participation (Y/N)		Amount ($)	Percentage of Contract
5, 47, 92-97, 113-115 Signs + Markers	☐ Yes	☒ No	☒ Yes	☐ No	28,875	0.39
1, 8-11, 34, 43-46, 127-130, 136(P) Striping + Markings + markers	☐ Yes	☒ No	☒ Yes	☐ No	63,630.50	0.86
56. Clear & Grub	☒ Yes	☒ No	☒ Yes	☐ No	81,500	1.11
89(P) MiscConc-Min Str. (2) DIs, Headwall, Block	☐ Yes	☒ No	☒ Yes	☐ No	8,675	0.12
117 Vegetation Control	☐ Yes	☒ No	☒ Yes	☐ No	28,391	0.39
68, 79 Fog Seal, Tack Coat	☒ Yes	☒ No	☒ Yes	☐ No	33,460	0.45
53 Cold Plane AC	☒ Yes	☒ No	☒ Yes	☐ No	29,440	0.40
57(P) Rdwy Exc, Mill	☒ Yes	☒ No	☒ Yes	☐ No	63,656	0.86
75-78, AC Dikes & Misc Areas	☒ Yes	☒ No	☒ Yes	☐ No	6,715	0.09
39, 111, 112 Fencing	☐ Yes	☒ No	☒ Yes	☐ No	10,475	0.14
69 Crack Treat	☒ Yes	☒ No	☒ Yes	☐ No	5,400	0.07
35, 41, 113-116, 118-124 MB Guard Rail	☐ Yes	☒ No	☒ Yes	☐ No	40,094	0.54
70 Microsurfacing	☐ Yes	☒ No	☒ Yes	☐ No	79,730	1.08
80 Grind Concrete Pavement	☐ Yes	☒ No	☒ Yes	☐ No	49,450	0.67
131-135 Signal, Lighting Electrical	☐ Yes	☒ No	☒ Yes	☐ No	285,200	3.87
6P, 55, 58-60, 81-88, 89P, 90, 91, 101, 110, 125, 126, 136P	☐ Yes	☒ No	☒ Yes	☐ No	3,292,428	44.66
61, 62P, 63, 64, 65 Erosion Control	☐ Yes	☒ No	☒ Yes	☐ No	187,892	2.55
20-29, Temp Erosion Control BMPs	☒ Yes	☒ No	☒ Yes	☐ No	141,900	1.92
16-19 SWPPP, REAP, SWS&AD SWAP	☐ Yes	☒ No	☒ Yes	☐ No	70,700	0.96
31 Sweeping	☒ Yes	☒ No	☒ Yes	☐ No	11,000	0.15

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

GOOD FAITH EFFORTS DOCUMENTATION - DBE

DES-OE-0102.11A (NEW 06/2012)

1. List items of work the Bidder made available to DBE firms. Identify those items of work the Bidder might otherwise perform with its own forces and those items that have been broken down into economically feasible units to facilitate DBE participation. For each item listed, show the dollar value and percentage of the total contract. The Bidder must demonstrate that sufficient work to meet the goal was made available to DBE firms.

Item of Work Offered	Bidder Normally Performs Item (Y/N)	Item Broken Down to Facilitate Participation (Y/N)	Amount ($)	Percentage of Contract
36 Biologist	☐ Yes ☒ No	☒ Yes ☐ No	29,750	0.40
37 Natural Resource Protection	☐ Yes ☒ No	☒ Yes ☐ No	3500	0.05
1 Lead Plans (2)	☐ Yes ☒ No	☒ Yes ☐ No	4200	0.06
6 Traffic Control (P)	☒ Yes ☒ No	☒ Yes ☐ No	106,000	1.44
12 PCMS signs	☒ Yes ☒ No	☒ Yes ☐ No	72,000	0.98
13,14,15 KPAIL, CS Mods, Screen	☒ Yes ☒ No	☒ Yes ☐ No	221,200	3.00
38,42,[illegible],52,54,98-100 102,103,109,89(p),107 Drainage package	☒ Yes ☒ No	☒ Yes ☐ No	104,261	1.41
72,73,74,71,68 Furnish liquid asphalt	☐ Yes ☒ No	☒ Yes ☐ No	362,893	4.92
57,66,71-74 (all partial) Trucking	☐ Yes ☒ No	☒ Yes ☐ No	225,522	3.06
	☐ Yes ☐ No	☐ Yes ☐ No		
	☐ Yes ☐ No	☐ Yes ☐ No		
	☐ Yes ☐ No	☐ Yes ☐ No		
	☐ Yes ☐ No	☐ Yes ☐ No		
	☐ Yes ☐ No	☐ Yes ☐ No		
	☐ Yes ☐ No	☐ Yes ☐ No		
	☐ Yes ☐ No	☐ Yes ☐ No		
	☐ Yes ☐ No	☐ Yes ☐ No		
	☐ Yes ☐ No	☐ Yes ☐ No		
	☐ Yes ☐ No	☐ Yes ☐ No		
	☐ Yes ☐ No	☐ Yes ☐ No		

GOOD FAITH EFFORTS DOCUMENTATION - DBE

DES-OE-0102.11A (NEW 06/2012)

2. List the names of certified DBEs and the dates on which they were solicited to bid on this project. Include the items of work offered and the dates and methods used for following up initial solicitations to determine with certainty whether the DBEs were interested. Attach copies of solicitations, telephone records, fax confirmations, etc.

Name of DBEs Solicited	Date of Initial Solicitation	Item(s) of Work	Follow Up Methods and Dates
SEE Attached listing of Subs & Supplier Solicited	1/30/13 & 2/1/13	All Items	See Attached Phone Log 9/26/13

3. For each item of work made available, list the selected firm and its status as a DBE, the DBEs that provided quotes, the price quote for each firm, and the price difference for each DBE if the selected firm is not a DBE.

Item(s) of Work	Name of Selected Firm	DBE or non-DBE	Name of Rejected Firm	Quote ($)	Price Difference ($)
SEE ATTACHED PAGE 16, SECTION 3 SUPPLEMENT					

If the firm selected for the item is not a DBE, provide the reasons for the selection on a separate sheet and attach names, addresses, and phone numbers for the firms listed above.

KNIFE RIVER CONSTRUCTION
AN MDU RESOURCES COMPANY

Page 16, Section 3 Supplement

Page 16, Section 3 Supplement

Contract Number: 03-3E6204
Bid Total: $7,371,737.20

Items of Work	Name of Selected Firm	DBE or Non	Name of Rejected DBE Firm	Rejected DBE Quote	Price Difference
5,47,92-97,113-115 Signs/ Markers	Farwest Safety	Non	none		
1,8-11,34,43-46,127-130,136p Striping/ Markings/ Markers	Apply-A-Line	Non	none		
56 Clear & Grub	Tyrrell Resources	DBE	none		
89 (P) Min Conc-Min Str 2 Dis, Headwall, Anchor Block	Ward's Concrete	Non	none		
117 (P) Vegetation Control	Ward's Concrete	Non	none		
68,79 Fog Seal, Tack Coat	Pacific Northwest Oil	Non	none		
53 Cold Plane AC	Anrak Corp	Non	none		
57 (P) Rdwy Exc Milling	Anrak Corp	Non	none		
75-78 AC dikes/ Misc area	A.C. Dike Co.	DBE	na		
39,111,112 Fencing	Oliveira Fence	DBE	na		
69 Crack Treat	Contractor's Chemical	Non	Austin Enterprise	$8,903.00	$3,503.00
35,41,113-116,118-124 MB Guard Rail	Apex Fence	Non	Dirt & Aggregate Interchange	$50,990.00	$10,896.00
70 Micro-Surfacing	Valley Slurry Seal	Non	none		
80 Grind Concrete Pavement	Harber Companies	Non	none		
131-135 Signal/ Lighting/ Electrical	Cal Electro Inc	Non	M&M Electric	$499,814.00	$214,614.00
6(P), 55,58-60, 81-88, 89(P),90,91,101,110,125,126,136(P) Bridge	Myers & Sons	Non	none		
22,23,61,62(P),63-6S Erosion Control	M&S Environmental Landscapes	DBE	Nitta Erosion Control	$456,307.00	$255,415.00
20,21,27-29,33 Temp Erosion Control BMPs	S.T. Rhoades Construction	D8E	Nitta Erosion Control	$184,886.00	$9,386.00

16-19 5WPPP, REAP, 5W5AD, 5WAR	5.T. Rhoades Construction	DBE	none		
31 5weeping	Knife River	Non	none		
36 Biologist	Uma Hinman Consulting	DBE	Gallaway Enterprises	$45,400.00	$15,750.00
37 Natural Resource Protection Plan	Uma Hinman Consulting	DBE	Gallaway Enterprises	$6,400.00	$2,900.00
1 Lead Plans	Global Environmental Network	Non	none		
6 Traffic Control	Knife River	Non	none		
12 PCM5s	Knife River	Non	none		
13,14,15 Krail, Crash Cushion, 5creen	Knife River	Non	none		
38,42,51,52,54,98-100,102,103,109,107,89(P) 5torm Drainage	Knife River	non	none		
72,73,74,71,68 (all partial) Furnish liquid asphalt	Black Diamond Asphalt (partial)	DBE	na		
57,66,71-74 (all partial) Trucking	Butte 5and Trucking	Non	none		

CONTRACTORS CHEMICAL INC

February 26, 2012

To: Estimator

Re: CalTrans Project 03-3E6204
03-But-99-28.1/29.6

Gentlemen;

Below please find our quote for the above referenced project for the following item of work.

Item 69 Crack Treatment 0.9 LNMI @ $6,000.00 = $ 5,400.00

~~Item 90 Joint Seal Assembly (MR 2-1/2") 79 LF @ $ 347.00 = $27,413.00~~

Above prices are installed.

Above prices do not include traffic control.

General Contractor to provide a water source, concrete washout, slurry dump, site storage site for materials and test area.
General Contractor to provide Structural Concrete Item to CCI for placement in provided blockout, CCI will place these item with item 90 installation.
Above price is based on 1 move-in for Crack Treatment. Additional move-ins add $3,800.00
Above prices is based on 2 move-ins for Item 90 Joint Seal Assembly. Additional move-ins add $3,800.00

Allow 4 – 6 weeks notice for scheduling and material procurement. Allow 16 weeks for working drawings

SBE # 23215

Contractors Chemical Inc.

Neil E Ward
President

3130 Depot Road, Hayward, California 94545 Tel: 510 783-5631 Fax: 510 783-3468
Contractor's License # 465453

AUSTIN ENTERPRISE

License #764893
P O B ox 81926
Bakersfield, CA, 93380
661-589-1001 FAX 589-9509
Certified DBE/MBE/WBE CT-013602
Certified UDBE CT-013602

4 CRACKF
44029

BID PROPOSAL

Contract: CDOT # 03-3E6204
Rt 99 near Chico

Bid Date: February 20, 2013

BID ITEM # 69 / Crack Treatment (portion):

.9 lnmi. Rout, prep and seal cracks.....$9,892.00 / lnmi $8,902.80

Conditions:

1. Contractor to provide traffic control as required. **1 shift required** Add TC 1 shift
2. Contractor to provide layout and clear access to work area
3. Contractor to sweep cold plane area prior to crack treatment. Add Sweep 1 shift
4. Includes routing, blowing joints clean and seal cracks ¼" wide. Not to exceed 1" wide.
5. One move in included. Additional moves at $3,500.00 each

Note*Union signatory
Insurance: $5,000,000.00 Liability
No Bonding

APEX FENCE CO., INC.

Since 1970

CA.LIC.269127/NV.LIC.0022365
19896 ALEXANDER AVE.
P.O. BOX 545
ANDERSON, CA 96007

SBE NO. 1002799
UNION CONTRACTOR

TELEPHONE 530-365-3316
FAX 530-365-5478
BOND RATE 1%

QUOTATION: CONTRACT# 03-3E6204 FOR CONSTRUCTION ON STATE HIGHWAY IN BUTTE COUNTY NEAR CHICO AT VARIOUS LOCATIONS FROM 0.6 MILE SOUTH OF BUTTE CREEK BRIDGE TO 0.8 MILE NORTH OF BUTTE CREEK BRIDGE

BID DATE: December 11, 2012 Revised C 2:45

THE FOLLOWING QUOTATION ON THE ABOVE MENTIONED PROJECT IS HEREBY SUBMITTED ON THE ITEMS QUOTED. THE FOLLOWING QUOTATION INCLUDES TAX AND INSTALLATION. A MUTUALLY AGREEABLE SCHEDULE OF TIME WILL BE MADE PRIOR TO PERFORMING THE WORK. TRAFFIC CONTROL IS NOT INCLUDED. COST FOR ANY WATER POLLUTION CONTROL MEASURES OR SWPPP NOT INCLUDED. BONDABLE. BUT NO BONDS OR CONSTRUCTION STAKING INCLUDED IN THIS QUOTE. RETENTION BY THE CONTRACTOR SHALL NOT EXCEED THE AMOUNT WITHHELD BY THE OWNER. ALL RETENTION TO BE RELEASED WITHIN 30 DAYS AFTER COMPLETION AND ACCEPTANCE BY THE OWNER. THIS WOULD APPLY TO APEX FENCE'S ITEMS OF WORK. THIS QUOTE GOOD FOR ONLY 30 DAYS AFTER BID DATE. ATTORNEY FEES. IN THE EVENT LEGAL ACTION IS TAKEN TO ENFORCE ANY ITEM OF THIS AGREEMENT, WILL BE BORN BY THE OWNER AND ANY MONIES SPENT BY APEX FENCE CO. TO ENFORCE PAYMENT OF THIS AGREEMENT WILL BE BORE TO THE GENERAL CONTRACTOR

ITEM #	QTY	U/M	DESCRIPTION	UNIT PRICE	TOTAL
35	5710	lb	TREATED WOOD WASTE	$0.20	$1.144.00
41	500	LF	REMOVE METAL BEAM GUARD RAILING	$5.00	$2,500.00
113	2	EA	HIGHWAY POST MARKER	$55.00	$110.00
114	14	EA	MARKER (CULVERT)	10 $50.00	$700.00
115	4	EA	OBJECT MARKER (TYPE L-1)	$55.00	$220.00
116	200	LF	METAL BEAM GUARD RAILING	$24.00	$4,800.00
~~117~~	~~580~~	~~SQYD~~	~~VEGETATION CONTROL (MINOR CONCRETE)~~	~~$55.00~~	~~$31,900.00~~
118	150	LF	DOUBLE METAL BEAM GUARD RAILING (WOOD POST)	$35.00	$5,250.00
119	4	EA	TRANSITION RAILING (TYPE WB)	$2,700.00	$10,800.00
120	2	EA	RAIL TENSIONING ASSEMBLY	$300.00	$600.00
121	4	EA	END CAP (TYPE TC)	$200.00	$800.00
122	2	EA	ALTERNATIVE FLARED TERMINAL SYSTEM	$2,100.00	$4,200.00
123	2	EA	CRASH CUSHION (TYPE CAT)	$4,500.00	$9,000.00
124	2	EA	CRASH CUSHION (TYPE CAT) BACK UP	~~$5,000.00~~	~~$10,000.00~~
				500.00	1,000 –

ESTIMATED TRAFFIC DAYS (10)

INCLUDES (1) MOVE IN, ADDITIONAL MOVE INS, $ 1500.00 EACH

DOESN'T INCULDE GRADE UNDER MBGR FOR VEGETATION CONTROL

PRIME TO MARK ALL USA APEX WILL CALL IT IN

TOTAL ~~$82,028.00~~ 40,094 –

SINCERELY,
APEX FENCE CO., INC.

DAVID PARMER/VICE-PRESIDENT
GENERAL SUPERINTENDENT

QUOTATION

DIRT & AGGREGATE INTERCHANGE, INC.

REVISED

This is a FAX Transmittal consisting 2 page including this cover sheet. Please advise if you do not receive this transmittal complete.

DATE: 2/25/2013

TO: KNIFE RIVER Attn: ESTIMATOR FAX: 530-894-6220

Project Name: 03-3E6294 PAVE, INSTALL ELECTRICAL BEACONS
Owner: CALTRANS
Bid Date & Time: 2/26/13 2:00PM

Item	Description	Qty	U/M	Unit Price	Extended
35	Treated Wood Waste	5720	LB	$1.00	$5,720.00
41	Remove Metal Beam Guardrail	500	LF	$3.00	$1,500.00
116	Metal Beam Guardrailing (Wood Post)	200	LF	$20.00	$4,000.00
118	Double Metal Beam Guardrail (Wood Post)	150	LF	$30.00	$4,500.00
119	Transition Railing Type WB	4	EA	$3,000.00	$12,000.00
120	Rail Tensioning Assembly	2	EA	$1,000.00	$2,000.00
121	End Cap (Type TC)	4	EA	$250.00	$1,000.00
122	Alternative Flared Terminal System	2	EA	$2,000.00	$4,000.00
123	Crash Cushion (Type CAT)	2	EA	$5,000.00	$10,000.00
124	Crash Cushion (Type CAT) Backup	2	EA	$635.00	$1,270.00
136	Mobilization	1	LS	$5,000.00	$5,000.00
				TOTAL:	$50,990.00

Stipulations:
- Bond not included.
- No traffic control. No Survey Work.
- Excludes all dirt, asphalt and concrete installation, removal and/or disposal on guardrail items.
- Excludes erosion control.
- Price based on 1 mobilization.
- Extra mobilization = $5,000.00 per mobilization.
- 5 Working days.
- California UDBE Certified #CT-000620.

Due to continued and unpredictable increases in material costs and resulting delays in delivery of such materials, the prices and delivery dates quoted herein will automatically expire thirty (30) days from the above date, unless accepted in writing prior to that date.

Thank you for your consideration.

DIRT and AGGREGATE INTERCHANGE, INC.

Signed: William Smith

We are a Minority Business Enterprise
OR DBE #493, OR CCB# 28598, WA CCB# DIRTAI192NP, WA DBE# D4 M0700 781
20905 NE Sandy Blvd, Fairview, OR 97024 Phone: 503-661-5093 Fax: 503-669-1192

CE
CAL ELECTRO INC
www.calelectroinc.com

"Over 40 years of service"
CA Contractors License
390480 – A, B, C-10

Clint Meissner

5199 Airport Road
Redding . CA . 96002
Phone (530) 223-5937
Fax (530) 221-7038
Email: calelectro@gmail.com
Web: calelectroinc.com

PROPOSAL No. 169
DATE: February 26, 2013 *****REVISION #1*****

Cal Electro, Inc. is pleased to provide you with the following proposal for your review.

JOB TITLE AND LOCATION:	PROPOSAL FOR:
Caltrans 03-3E6204	**GENERAL CONTRACTOR**

Bid Item	Description	Quantity	Unit Price	Total Price
131	**MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONST.**	**LS**	**2,000**	**$2,000.00**
132	**TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM**	**LS**	**48,200**	**$48,200.00**
133	**LIGHTING (TEMPORARY)**	**LS**	**120,000**	**$120,000.00**
134	**LIGHTING CONDUIT (BRIDGE) (LS)**	**LS**	**28,000**	**$28,000.00**
135	**MODIFY SIGNAL AND LIGHTING**	**LS**	**87,000**	**$87,000.00**
			Total	$285,200.00

Clarifications

This proposal is based on Plans titled "_____" dated _____. If these plans are altered in any way, Cal Electro, Inc. reserves the right to adjust our price.
ADDENDUM 1, 2, & 3.

Proposal Valid for 30 days from Date Above

MAY-HAN ELECTRIC INC. DBA M&M ELECTRIC
1600 Auburn Blvd
Sacramento, CA 95815
UDBE #38278 SBE #32247

CalTrans - Contract No. 03-3E6204

CONSTRUCTION ON STATE HIGHWAY IN BUTTE COUNTY NEAR CHICO
AT VARIOUS LOCATIONS FROM 0.6 MILE SOUTH OF BUTTE CREEK BRIDGE
TO 0.8 MILE NORTH OF BUTTE CREEK BRIDGE

BID DATE: **2/26/2013**

Addendum: **1 - 3 noted**

Item	Description	Unit	Qty	Unit Cost	Item Cost
131	Maintain Existing Traffic Management System	LS	1	3,500.00	3,500.00
132	Temporary Video Image Detection System	LS	1	15,747.00	15,747.00
133	Lighting (Temporary)	LS	1	314,171.00	314,171.00
134	Lighting Conduit (Bridge) (LS)	LS	1	15,000.00	15,000.00
135	Modify Signals and Lighting	LS	1	151,396.00	151,396.00
	Total Electrical Items				**499,814.00**

DOES NOT INCLUDE CALTRANS TRAVEL FEES

Our quotation is complete (except the exclusions listed below) including all applicable taxes and is in strict accordance with the Specifications provided by the Owner. Our quotation includes traffic control for our work.

Exclusions:

This quotation does not include bond costs, engineering, staking, permits, striping, generator, PG&E Electric hook up fees or energy costs.

California State License Number 260864
Bond Rate 8/10%

Please call Randy with any questions pertaining to this quote 916-929-0150

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418
Fax 241-9647
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

2/19/13 Bids 2/20/13

Bid For - Rte 99 Near Chico at Butte Creek Bridge

Cal-trans Contract # 03-3E6204

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
61 X	Erosion Control (Compost)	CY	2310	$ 39.00	$ 90,090.00
62 X	Compost (Incorporate) * Partial *	SQYD	7000	$ 4.33	$ 30,310.00
	* Compost applied 4" in depth on area. Incorparated into soil and compacted not in bid.				
	TOTAL				$ 120,400.00

ADDITIONAL BID NOTES

* Prime Contractor to provide and pay for water source on site (i.e.-fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
* All traffic control to be provided by Prime contractor. Bid valid for 60 days.

* An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by time will be billed at $600.00 per hour.
* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418
Fax 241-9647
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

2/19/13 Bids 2/20/13

Bid For - Rte 99 Near Chico at Butte Creek Bridge

Cal-trans Contract # 03-3E6204

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
~~20~~	~~Temporary Erosion Control Blanket~~	~~SQYD~~	~~2000~~	~~$ 10.09~~	~~$ 20,180.00~~
~~26~~	~~Temporary Fiber Rolls~~	~~LF~~	~~7700~~	~~$ 8.50~~	~~$ 65,450.00~~

TOTAL $ ~~85,630.00~~

ADDITIONAL BID NOTES

* Prime Contractor to provide and pay for water source on site (i.e.-fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
* All traffic control to be provided by Prime contractor. Bid valid for 60 days.

* An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by time will be billed at $600.00 per hour.
* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

4 pgs Σ ~~293,722~~
200,892

4 EC
44024

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418
Fax 241-9647
CA Lic. 751931 [redacted]SMBE, and MBE Certified CT No. 030736

2/19/13 Bids 2/20/13

Bid For - Rte 99 Near Chico at Butte Creek Bridge

Cal-trans Contract # 03-3E6204

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
~~21~~	~~Temporary (Move-in/out)~~	~~EA~~	~~10~~	~~$ 700.00~~	~~$ 7,000.00~~
22 X	Temporary (Hydraulic Mulch)	SQYD	10000	$ 0.87	$ 8,700.00
23 X	Temporary (Soil Binder)	SQYD	10000	$ 0.430	$ 4,300.00

TOTAL $ ~~20,000.00~~ 13000

ADDITIONAL BID NOTES

* Prime Contractor to provide and pay for water source on site (i.e.-fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
* All traffic control to be provided by Prime contractor. Bid valid for 60 days.

* An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by time will be billed at $600.00 per hour.
* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbralla will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

M&S Environmental Landscapes, Inc.
12192 Mac's Road
Redding, CA 96003
530-241-1418
Fax 241-9647
CA Lic. 751931 DBE,SMBE, and MBE Certified CT No. 030736

2/19/13 Bids 2/20/13

Bid For - Rte 99 Near Chico at Butte Creek Bridge

Cal-trans Contract # 03-3E6204

M&S Environmental Landscapes, Inc. would like to propose a bid for the following items:

Item No.	Description	Units	Quantity	Cost per Unit	Est. Cost
63 X	Erosion Control Move-in/out	EA	6	$ 700.00	$ 4,200.00
64 X	Erosion Control (BFM) Hydroseed	SQFT	440000	$ 0.14	$ 61,600.00
~~56~~ 65	Fiber Rolls	LF	180	$ 9.400	$ 1,692.00
	TOTAL				$ 67,492.00

ADDITIONAL BID NOTES

* Prime Contractor to provide and pay for water source on site (i.e.-fire hydrant, water truck, or other approved source) at a minimum rate of 200 g.p.m.
* All traffic control to be provided by Prime contractor. Bid valid for 60 days.

* An estimated 3 acres of Hydroseeding can be done in one working day. Stand-by time will be billed at $600.00 per hour.
* Performance and Payment bonds are not included. Insurance beyond a $5 mil umbrella will result in additional charge.
* Additional insurance requirements including "Waiver of Subragation" will be charged to Prime Contractor.
* Signatory to Local 185 Laborers Union.
* If you have any questions please call our office.

Michael Smith

S.T. RHOADES CONSTRUCTION INC.

8585 COMMERCIAL WAY, REDDING CA 96002
P.O. BOX 494520, REDDING, CA., 96049
530-223-9322, Fax 530-2[redacted]222, License # 930684
MBE/SBE- 1247344, U[redacted]E-37693, UNIONS-OPERATORS, LABORERS

PROPOSAL

To : Bidding Contractors
Phone:
Fax:

DATE 2/26/13

CONTRACT NO.03-3E6204
PROJECT: 300000509
DESCRIPTION: 03-But-99-28.1/29.6

ITEM NO.	DESCRIPTION	UNIT OF MEASURE	ESTIMATED QUANTITY	UNIT PRICE	ITEM TOTAL	
5	Construction Area Signs	LS	1	$4,200.00	$4,200.00	
6	Traffic Control System	LS	1	SEE Attached		
7	Type III Barricade	EA	20	$100.00	$2,000.00	
12	PCMS	LS	1	SEE Attached		
16	SWPPP	LS	1	$2,500.00	$2,500.00	
17	Rain Event Action Plan	EA	88	$300.00	$26,400.00	48900
18	Storm Water Sampling & Analysis day	EA	52	$350.00	$18,200.00	
19	Storm Water Annual Report	EA	3	$600.00	$1,800.00	
20	X Temporary Erosion Control Blanket	SY	2000	[redacted]	[redacted]	*
21	X Move-in Move-out (TEC)	EA	10	$1,500.00	$15,000.00	*
24	Temporary Cover (Supply Only)	SY	2000	$1.00	$2,000.00	
25	Temporary DI Protection	EA	2	$500.00	$1,000.00	
26	X Temporary Fiber Roll	LF	7700	[redacted]	[redacted]	*
27	Temporary Gravel Bag Berm	LF	220	[redacted]	[redacted]	*
28	Temporary Large Sediment Barrier	LF	4200	[redacted]	[redacted]	*
29	Temporary Silt Fence	LF	500	[redacted]	[redacted]	*
30	X Temporary Fence (ESA)	LF	1600	[redacted]	[redacted]	*
				Total	$184,700.00	

Union: Operators
Labors
Cement Masons

note: Additional site inspections @ $500 ea if needed

Σ * = 175,500

INCLUDE Furnishing & installation unless otherwise noted

SCHEDULE: 14 days notice required to schedule
Proposal Valid 10 days

EXCLUDE Weekend and Holiday shifts
Testing,Staking,Bonds,Fee's,K-Rail,CMS,
Permanent or Temp. pavement mark/tape,
Submittals,Referencing & Protection of existing
Facilities,Preparation or Compliance w/water pollution control plan
Traffic control

Respectfully submitted

Companies Name

Jacob Hale

Acceptance: _____
Signature Date

Print name Title

Phone: _____

Nitta Erosion Control

a division of Nitta, Inc.

- HYDROSEEDING
- EROSION CONTROL
- STRAW MULCHING
- PNEUMATIC MULCH SPREADING
- BONDED FIBER MATRIX
- SILT FENCE
- DRILL SEEDING
- FIBER ROLLS / WATTLES
- BLANKETS

STATE LICENSE #401640 • C-27, C-61/D-59

3778 DEL MAR AVENUE • LOOMIS, CA 95650-9051 • PH (916) 652-7459 • FAX (916) 652-4376

nittaec@gmail.com • www.nittainc.net

Revised Bid - Proposal

February 21, 2013 To All General Contractors Requesting Sub-Bids.

Re: Caltrans Project 03-But-99-28.1/29.6, Caltrans Contract No. 03-3E6204, Addendum Nos. 1-2, Pave, install electrical beacons and replace bridge (scour) in Butte County near Chico at various locations from 0.6 mile south of Butte Creek Bridge to 0.8 mile north of Butte Creek Bridge. Bid Date: February 26, 2013 (2:00 p.m.).

Certified as UDBE #217 (exp. 02/01/14), as WMBE VON #10120139 (exp. 12/28/13) per CPUC Supplier Clearinghouse, and as SBE (Micro) #0011303 (exp. 05/31/14). CCL #401640 C-27, C-61/D-59 (exp. 03/31/15). Revised quotation supersedes one dated February 15, 2013 and is valid for (60) calendar days from bid date and unless quantities, scope of work and/or date of installation change(s). BID ITEMS MAY BE SEPARATED.

Item No.	Item	Unit of Measure	Estimated Quantity	Item Price	Total
20	Temporary Erosion Control Blanket	SQYD	2,000	$ 6.47	$ 12,940.00 *
21	Move-In/Move-Out (Temporary Erosion Control)	EA	10	$1,900.00	$ 19,000.00 *
22	Temporary Hydraulic Mulch (Bonded Fiber Matrix)	SQYD	10,000	$ 1.09	$ 10,900.00
23	Temporary Soil Binder	SQYD	10,000	$ 0.31	$ 3,100.00
26	Temporary Fiber Roll	LF	7,700	$ 6.29	$ 48,433.00 *
27	Temporary Gravel Bag Berm	LF	220	$ 12.50	$ 2,750.00 *
28	Temporary Large Sediment Barrier	LF	4,200	$ 20.94	$ 87,948.00 *
29	Temporary Silt Fence	LF	500	$ 7.95	$ 3,975.00 *
33	Temporary Fence (Type ESA)	LF	1,600	$ 6.15	$ 9,840.00 *

Σ * = 184,864

03-But-99-28.1/29.6, 03-3E6204, Addendum Nos. 1-2, in Butte County near Chico at various locations from 0.6 mile south of Butte Creek Bridge to 0.8 mile north of Butte Creek Bridge.
Nitta Erosion Control Revised Bid-Proposal dated February 21, 2013.
Page 2 of 4.

CONTINUED FROM PAGE 1

Item No.	Item	Unit of Measure	Estimated Quantity	Item Price	Total
61	Erosion Control (Compost Blanket)	CY	2,310	$ 114.00	$ 263,340.00
62	Compost (Incorporate) - partial	SQYD	7,000	$ 11.50	$ 80,500.00
63	Move-In/Move-Out (Erosion Control)	EA	6	$1,500.00	$ 9,000.00
64	Erosion Control (Bonded Fiber Matrix)	SQFT	440,000	$ 0.20	$ 88,000.00
65	Fiber Rolls	LF	180	$ 8.15	$ 1,467.00
	Totals				$ 641,193.00

Notes:

1) Total price includes submittals, certified payrolls, standard certificates of iasurance, waiver of subrogation (if required), night work (if required), materials, labor, equipment (**air pollution control (CARB PERP-compliant)**), taxes on materials, incidentals and installation as per specifications (unless as otherwise noted).

2) Total price excludes delivery of materials only in lieu of installation, clearing bedding area of obstructions (debris greater than 1 inch in diameter prior to installation) for Temporary Erosion Control Blanket, for Temporary Fiber Roll, for Temporary Gravel Bag Berm, for Temporary Large Sediment Barrier and for Temporary Silt Fence, re-installatioa of Temporary Erosion Control Blanket, maintenance of Temporary Erosion Control Blanket, repair of ground disturbances caused by the removal and disposal of Temporary Erosion Control Blanket, maintenance and removal of Temporary Hydraulic Mulch (Bonded Fiber Matrix), re-installation of Temporary Hydraulic Mulch (Bonded Fiber Matrix), maintenance and removal of Temporary Soil Binder, re-installatioa of Temporary Soil Binder, re-installation of Temporary Fiber Roll, repair of ground disturbances, maintenance (repair and replacement of Temporary Fiber Roll, replacement of broken or split stakes, correct rills and evidence where concentrated runoff has occurred), re-installation of Temporary Gravel Bag Berm, repair of ground disturbances caused by the removal and disposal of Temporary Gravel Bag Berm, maintenance (sediment removal and disposal, repair and replacement of Temporary Gravel Bag Berm, replacement of damaged or torn bags, correct rills and evidence where concentrated runoff has occurred), re-installation of Temporary Large Sedimeat Barrier, repair of ground disturbances caused by the removal of Temporary Large Sedimeat Barrier, maintenance (sediment removal and disposal, repair and replacement of Temporary Large Sediment Barrier, replacement of broken or split stakes, correct rills and evidence where concentrated runoff has occurred), re-installation of Temporary Silt Fence, pre-fabricated silt fence with sewn pockets, steel posts, tie wire, locking plastic fasteners, maintenance (repair and replacement of Temporary Silt Fence, sediment removal and disposal, repair or replacement of damage), wood posts, commercial quality nails or staples for Temporary Fence (Type ESA), backfilliag of holes caused by the removal of Temporary Fence (Type ESA), maintenance (repair or replacement of damaged Temporary Fence (Type ESA)), re-installation of Temporary Fence (Type ESA), re-installation of Erosion Control (Compost Blanket), site preparation (trash, debris and weed removal and weed disposal), placement of stakes or other suitable markers at the locations designated by the Engineer, re-application of Compost (Incorporate), compost compaction, compost incorporation, reseeding, coloring agent (already included in the wood fiber mulch for Erosion Control (Bonded Fiber Matrix)), re-application of Erosion Control (Bonded Fiber Matrix), re-iastallation of Fiber Rolls, maintenance (repair and replacement of Fiber Rolls,

UMA HINMAN CONSULTING
Environmental Planning
PO Box 1251 | Cedar Ridge, CA 95924 | Cell: (916) 813-0818
uhinman@comcast.net | http://umahinman.com

NorthStar
ENVIRONMENTAL

Scope of Work

This Proposal contributes to required DBE contract goal of 10%
Uma Hinman Consulting DBE No. 40714

Date:

February 26, 2013

Project:

Butte Creek Bridge Replacement on State Route 99 in Butte County near Chico Contract No. 03-3E6204

Project Understanding:

Caltrans proposes to replace the northbound (NB) Butte Creek Bridge (Br. No 12-0126R) on State Route 99 in Butte County with a new bridge constructed on the existing NB alignment. The proposed project involves roadway cut/fill, grinding of the existing deck surface, creating access roads, and equipment staging areas, drainage and culvert work, work within the 100 year floodplain, temporary stream crossing, water diversion, temporary construction easements, ground disturbance, vegetation removal, pile driving, seasonal construction windows, night work, work within the stream channel and possibly placement of rock slope protection. Based on the special provisions and the permits and opinions for the Project, Uma Hinman Consulting has prepared this scope with the assumption that construction will take place over four (4) breeding seasons for native wildlife.

Uma Hinman Consulting a California Certified SDBE/SWBE is teaming with ***NorthStar Engineering's Environmental Division*** (formerly Gallaway Consulting, Inc.) to provide environmental monitoring for the SR 99 Bridge Replacement Project over Butte Creek. The project team has widespread experience in this area and has conducted environmental compliance monitoring on several bridge replacement projects in the vicinity as well as extensive fish monitoring in Butte Creek. The project team is available for weekly monitoring as well as daily monitor if needed.

According to the Special Provisions, the regulated species with the potential to occur within or adjacent to the project site are:

Central Valley steelhead trout (Oncorhynchus mykiss)
Central Valley spring-run Chinook salmon (Oncorhynchus tshawytcha)
Birds
Valley elderberry longhorn beetle (Desmocerus californicus dimorphus)
Bats

Scope of Services:

Task 1: Natural Resource Protection Plan

Uma Hinman Consulting and NorthStar (project team) will prepare a Natural Resource Protection Plan (NRPP) to define the measures to be implemented to maintain project compliance with all environmental laws, regulations, and PLAC requirements as stated in the Special Provisions. At a minimum, the NRPP will include:

- List of species and habitats addressed in the plan
- Protection measures for species listed in "Species Protection"
- Protective radii for regulated species encounters
- Implementation plan for protection measures, including monitoring schedules
- Monitoring duties
- Justification for each instance where protection measures and an implementation plan are not necessary for a regulated species
- Schedule for inspecting protection measures, including exclusion devices
- Schedule for maintaining protection measures
- Schedule for submittal of monitoring reports
- Response plan for instances where regulated species are encountered
- Content and schedule for a Biological Resource Information Program
- Include resumes of Contactor Supplied Biologist
- Plan for bat exclusion
- Plan for bird exclusion
- Schedule for implementing bird and bat exclusion

Upon execution of this contract, the project team will conduct a thorough site assessment of the Project and will begin preparation of the NRPP as it must be submitted to the Engineer within 7 days of contract approval. The project team anticipates the need for one revision of the NRPP following Caltrans review and comment period (15 days).

Deliverables: The project team will prepare a Draft NRPP and supply one (1) hardcopy and one (1) electronic copy to the Contractor for submittal to Caltrans. Upon approval/edits one (1) hardcopy and one (1) electronic copy will be provided to the Contractor.

Task 2: Contractor Supplied Biologist

Compliance with Biological Resource Information Program

The contents of the Biological Resource Information Program (BRIP) will be defined during the preparation of the NRPP and will be approved by Caltrans prior to implementation of the training. Approved biologists from the project team will prepare and distribute attendance lists and training materials as required by the NRPP and Special Provisions Biological Resource Information Program (BRIP). **Worker Environmental Awareness Trainings conducted outside of regularly scheduled monitoring visits will be billed at the daily rate and included in the 70 site visits.** The program will provide workers with information on their responsibilities with regard to:

- Elderberry longhorn beetle
- Nesting birds
- Bats
- Listed fish species
- Overview of the life history of regulated species
- Information on take prohibitions
- Explanation of the relevant terms and conditions of the environmental permits and biological opinions

Deliverables: The project team will prepare a handout detailing all of the regulated species, applicable laws, and avoidance measures to be distributed to all personnel working on the Project for each year construction occurs. A letter report with the signatures of all personnel will be provided to the Contractor following each training. The Contractor is responsible for all reporting to Caltrans.

Pre-construction Survey and Report
Prior to the start of construction, the project team will provide qualified biologists to conduct a pre-construction survey as specified in the NRPP. The report will detail observations and locations where regulated species were observed and/or a statement that no regulated species were observed. Species targeted in the survey include various migratory birds, bats, Swainson's hawk, cliff swallows and valley elderberry longhorn beetle. The project team assumes all vegetation removal was completed and bird and bat exclusions were installed prior to February 15, per the Special Provisions. Project team staff will coordinate with the Contractor to develop a monitoring survey schedule that includes the initial monitoring inspection visit(s).

Initial Monitoring and Report
A project team qualified biologist will be present during initial ground disturbing activities and will prepare an initial monitoring report for the Contractor. This initial monitoring activity and report will be submitted to Caltrans via the contractor within 48 hours after commencement of ground-disturbing activities.

Regular Monitoring and Report
The project team will conduct inspections for the aforementioned regulated species and will prepare written regular monitoring reports documenting the inspection efforts, findings and observations. The monitoring schedule for this project will be defined in the Special Provisions. With project team offices located in the City of Chico, response by the project team and scheduling times for monitoring activities and trainings will be easily coordinated.

Following each year of construction, the project team will prepare an *annual monitoring report* summarizing all environmental activities conducted, reported incidences, and all compliance issues. These reports will be submitted to Caltrans via the contractor no later than January 15th during each year of construction.

At the completion of the project, the project team will prepare a *final monitoring report* discussing all years of construction as it relates to the species and habitats addressed in the NRPP. The final report will be submitted to Caltrans via the contractor within 20 days after completion of the project.

Additionally, any incidents that result in the accidental take of regulated species must be reported to the project team immediately so that we can prepare and submit an *incident report* within 24 hours of said incident. An incident report will include: (1) description of take, (2) species name and number taken, (3) details of required notifications with contact information, (4) corrective actions proposed or taken, and (5) disposition of taken species.

All reports will include: the name(s) of the biologist(s) conducting biological activity, dates and times of monitoring, locations and activities monitored, representative photos, findings, observation of regulated species and recommended actions to protect those species, name of biologist that prepared the report, and signature of the biologist certifying the accuracy of the report.

Attendance at project related meetings outside of the weekly monitoring visits will be invoiced as an additional weekly inspection. This scope of work does not include daily Swainson's hawk, fish monitoring or exclusion of birds/bats. This would be considered Extra Work.

The project team assumes all vegetation removal and bird and bat exclusions were installed prior to February 15, per the Special Provisions. In the event additional exclusion materials are necessary, they will be purchased and installed by Contractor under the approved biologist's supervision.

Deliverables: All reports corresponding to the survey/inspection conducted will be provided to the Contractor by the times listed above. All reports will be sent to the Contractor's email for quick submittal to Caltrans. We will not send any reports directly to Caltrans, all reports will be sent to the Contractor.

SCHEDULE:

Upon execution of this contract, the project team will be available to meet with the Contractor to review the project. Once a tentative construction schedule is set, the project team will coordinate the required pre-construction surveys.

STAFF AND TEAM MEMBERS:

Contract, staff, and sub-contractor management will be the responsibility of Uma Hinman, senior planner and owner of Uma Hinman Consulting. ***Uma Hinman Consulting is a certified State Disadvantaged Business Enterprise (SDBE) and State Women's Business Enterprise (SWBE) Certification No. 40714.*** Qualifications and certifications are attached. Ms. Hinman can be reached at (916) 813-0818 or at uhinman@comcast.net.

Uma Hinman Consulting SDBE/SWBE will team with ***NorthStar Engineering's Environmental Division*** for biological monitoring specialists. Christy Dawson, Senior Biologist will serve as lead biologist for bird and bat work and will be the primary point of contact. Andrew Anderson and Brian Huber, biologists will assist Ms. Dawson in the field. Map & Associates dBA NorthStar Engineering is a Certified Small Business No. 27605.

COST ESTIMATE:

We will bill on a unit based cost upon completion of each task. The cost estimate above includes all estimated overtime, standard labor rates, report production, and mileage. For each task the unit costs were calculated based on the amount of time necessary to complete all portions of the task, estimated inspection days, and anticipated 3 years of construction. Invoices will be submitted monthly and are due and payable upon receipt. A service charge of 1.8% will be billed on unpaid balances 30 days after billing. We will not exceed **$ 33,250** without prior written authorization.

Task	Description	Anticipated Site Visits Required	Monitoring Activity	Task	Daily/Lump Rate	Total[1]	Bid Item Number
1	NRPP	1 Site Visit		Prepare Draft and Final NRPP for American Peregrine Falcon and Bats	3,500	**$3,500**	**37**
2	Construction Monitoring	70 Visits	Monitoring	Includes all monitoring and reporting[2]	425	**29,750**	**36**

[1] Total based on estimated number of site visits required for one biologist. If additional biologists are required, work will be billed based on the daily/lump sum rates provided per biologist.
[2] It is assumed the Worker Environmental Awareness Trainings are included in the 70 site visits. Any additional training will be billed at the daily rate.

33,250

OTHER WORK AND REQUIREMENTS:

No tasks outside the agreed scope of work will be performed without additional payment. Outside tasks include, but are not limited to: additional report modifications after final submission, production of additional reports, and more than once a week inspections. During the course of this work the project team may need to correspond with various agencies that have regulatory obligations and permitting requirements for these projects to keep the project on schedule and the regulated species protected. While the project team will not represent the project proponent or other consultants in any manner nor any of the contractors, the project team may need to discuss all known details of the project with various regulatory agencies as needed to achieve our objective. The contractor will be notified of all such discussions with regulatory agencies.

LIABILITY LIMITS:

Contractor and Consultant have discussed the risks and rewards associated with this project, as well as Consultant's fee for services. Contractor and Consultant agree to allocate certain of the risks so that, to the fullest extent permitted by law, Consultant's total aggregate liability to Contractor and all contractors and subcontractors is limited to $100,000 for any and all injuries, damages, claims, losses, expenses or claim expenses (including attorneys' fees) arising out of this Agreement from any cause or causes. Such causes include, but are not limited to, Consultant's negligence, errors, omissions, strict liability, breach of contract, or breach of warranty. Contractor further agrees to notify all contractors and sub-contractors of this limitation of Consultant's liability to them and require them to abide by this limitation of damages suffered by any contractor or subcontractor arising from Consultant's actions or inactions. Neither the contractor nor any subcontractor assumes any liability for damages to others which may arise on account of Consultant's actions or inactions.

ASSUMPTIONS AND TERMS:

1) All applicable permits for the proposed project are current and will be in the possession of the contractor prior to commencement of construction activities. Uma Hinman Consulting assumes the project owner and/or contractor will fulfill all permit/authorization notices and maintain expiration dates of the permits. The contractor will provide Uma Hinman Consulting with a copy of all applicable permits for the project initially and upon request, thereafter. The contractor will provide a construction schedule for structure and general construction activities associated with construction and painting of bridge work.

2) The contractor will be responsible for the prevention and exclusion of nesting swallows on structures. The contractor will also be responsible for the purchase and installation of exclusion materials. Uma Hinman Consulting assumes the contractor will conduct at least twice a week nest removals.

3) Contractor will grant or obtain free access to the site for all equipment and personnel necessary for Uma Hinman Consulting and their subconsultants to perform any fieldwork. Uma Hinman Consulting will notify any and all possessors for the project sites that contractor has granted Uma Hinman Consulting free access to the site. Uma Hinman Consulting will take reasonable precautions to minimize damage to the site. Contractor will notify Uma Hinman Consulting of any site conditions that may be hazardous and present a health and safety threat to Uma Hinman Consulting employees, or subcontractors.

4) The project engineer, contractor, or Contractor will be responsible for the preparation of a Storm Water Pollution and Prevention Plan, submission of a notice of Intent, obtain a National Pollutant Discharge Elimination System and construction storm water permit. The project engineer, contractor, and/or Contractor are also responsible for being in compliance with all conditions set forth in these permits. Uma Hinman Consulting is not responsible for compliance monitoring related to water quality standards.

5) Uma Hinman Consulting recognizes the inherent risks connected with construction, field surveying, exploration, etc. In performing professional services, Uma Hinman Consulting will use that degree of care and skill ordinarily exercised, under similar circumstances, by reputable members of the profession practicing in the same or similar locality. Uma Hinman Consulting does not guarantee the completion or quality performance of contract(s) by other consultants, contractors, or other third parties, nor is he/she responsible for their acts or omissions. If the Contractor requests additional services not specified pursuant to the Scope of Work attached as an Exhibit to this agreement, Contractor agrees to pay for all such additional services as extra work in accordance with the "Schedule of Fees" in effect at that time. In the event all or any portion of the work prepared or partially prepared by Uma Hinman Consulting is suspended, abandoned, or terminated, Contractor shall pay Uma Hinman Consulting for all fees, charges, etc. until notified of such termination at which time Uma Hinman Consulting will provide originals or copies of all work performed up to date of termination.

6) Any changes to this scope must be made in writing and agreed to by the Contractor and Uma Hinman Consulting.

7) Uma Hinman Consulting will report all sightings of California's special status species to CNDDB.

9) Uma Hinman Consulting assumes that all compensatory mitigation as outlined in federal and state permits has been satisfied prior to commencement of construction.

10) Contractor will provide Uma Hinman Consulting with a complete construction schedule for the duration of the entire project.

11) The terms and conditions of this proposal are valid for 30 days from the before mentioned date.

12) This scope does not include any fish related work, monitoring, or salvage efforts.

12) **This scope of work will be included in the contract documents.**

13) Either Contractor or Uma Hinman Consulting may terminate this Contract by giving a 15-calendar day written notice to the other party. In such an event, Contractor shall, within 10 calendar days, pay Uma Hinman Consulting in full for all work previously authorized and performed prior to effective date of termination. If no notice of termination is given, relationships and obligations created by this contract shall be terminated upon completion of all applicable requirements of this Contract. Uma Hinman Consulting reserves the right to stop work without 15-calendar days notice written notice if payment schedules are not met.

My signature below indicates that I have read and agree to all terms and conditions presented in this proposal. My signature below also indicates that Consultant is authorized to proceed with the work outlined in this proposal on the date stated below. When signed by both parties, this proposal becomes the Scope of Work for this project.

_____	_____
Contractor Signature	**Consultant Signature**
Title : _____	**Title :** _____
Date: _____	**Date:** _____

gallaway
ENTERPRISES
117 MEYERS STREET SUITE 120
CHICO, CA 95928 530 332 9909

Quotation and Scope

February 19, 2013 Quote P13-002

Gallaway Enterprises is pleased to provide the following quote for Caltrans No. 03-3E6204; Construction on state highway 99 in Butte County, near Chico, at various locations from 0.6 miles south of the Butte Creek Bridge to 0.8 miles north of the Butte Creek Bridge.

If you have any questions, please do not hesitate to contact Krishnan Nelson, Senior Ecologist at (530) 332-9909 office, (530) 332-9905 fax, (530) 519-1796 cell, or krishnan@gallawayenterprises.com. Gallaway Enterprises, Inc is a DBE, WBE, UDBE (#31237), and small business (#1732158) certified firm. This quote is supplied with the understanding that we are exempt from the requirement of providing certified payroll.

Scope of Work:

Gallaway Enterprises will provide a qualified Contractor Supplied Biologist for the term of the project, which will include:

- Worker Environmental Awareness Training Program
- Pre-Construction Survey & Report
- Initial Monitoring Report
- Monitoring Report
- Incident Report
- Annual Monitoring Report
- Final Monitoring Report
- Exclude birds and bats from bridge prior to beginning demolition
- Listed Species Protection for the following:
  - Central Valley steelhead trout (*Oncorhynchus mykiss*)
  - Central Valley spring-run Chinook salmon (*Oncorhynchus tshawytscha*)
  - Valley elderberry longhorn beetle (*Desmocerus californicus dimorphus*)
  - Bats
  - Birds

Gallaway Enterprises will prepare a project-specific Natural Resources Protection Plan, which will include:

- List of species and habitats addressed in the plan
- Protection measures for species listed in "Species Protection"
- Protective radii for regulated species encounters
- Implementation plan for protection measures, including monitoring schedule
- Monitoring duties
- Justification for each instance where protection measures and an implementation plan are not necessary for a regulated species
- Schedule for inspecting protection measures, including exclusion devices
- Schedule for maintaining protection measures
- Schedule for submittal of monitoring reports
- Response plan for instances where regulated species are encountered
- Content and schedule for a Biological Resource Information Program
- Plan for bat exclusion

- Plan for bird exclusion
- Schedule for implementing bird and bat exclusion

Qualifications:

Our senior regulatory biologist Jody Gallaway will serve as Project Manager, and oversee the QA/QC's for the items included in this quotation of costs. Our senior ecologist and former Caltrans Associate Environmental Planner, Krishnan Nelson, meets the PLAC survey requirements*. We have over 20 years of experience providing on-site environmental compliance monitoring throughout Northern California. For more information please contact us at (530) 332-9909 or visit: www.gallawayenterprises.com.The resumes of our monitoring staff are supplied at your request.

Cost estimate per day:

Item No.	Description	Quantity	Unit	Rate	Total
36	Contractor Supplied Biologist	daily	WD*	$650	$650
37	Natural Resource Protection Plan		LS		$6,400

**working day*

Cost estimate for length of project:

Item No.	Description	Quantity	Unit	Rate	Total
36	Contractor Supplied Biologist	70[1]	WD	$650	$45,500
37	Natural Resource Protection Plan		LS		$6,400
				Total:	$51,900

[1] based on the 70 working day estimate provided in the project specs.

Gallaway Enterprises will invoice monthly and according to prime contract documents. Payments shall be disbursed within 45 days net of billing. Gallaway Enterprises, Inc. carries commercial auto, general liability, workers compensation, and professional liability and will provide a certificate upon request.

PLAC and Contract Certifications and Expiration Dates:

License, Certification	Conferrer of Title or Issuing Agency	Expiration Date	Individual Holding Title
Women Business Enterprise VON: 4BN00007	California Public Utilities Commission	7/24/2013	Gallaway Enterprises, Jody Gallaway
Women Business Enterprise (31237)	California Department of Transportation	8/1/2012	Gallaway Enterprises, Jody Gallaway
Disadvantaged Business Enterprises (31237)	California Department of Transportation	8/14/2014	Gallaway Enterprises, Jody Gallaway
Small Business (1732158)	California Department of General Services	1/31/2014	Gallaway Enterprises, Jody Gallaway
Federal Recovery Permit TE-049693	United States Fish and Wildlife Service	5/2016	Jody Gallaway
Scientific Collecting Permit	California Department of Fish and Game	*pending	Krishnan Nelson

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

GOOD FAITH EFFORTS DOCUMENTATION - DBE

DES-OE-0102.11A (NEW 06/2012)

4. List the names and dates of each publication in which a request for DBE participation for this project was placed by the bidder. Attach copies of published advertisements or proofs of publication:

Publications	Dates of Advertisement
Compliance News Monthly Trade Journal	1/30/13 & 2/1/13
Compliance News Daily Focus Journal	1/30/13 & 2/1/13

5. List the names of agencies and the dates on which they were contacted to provide assistance in contacting, recruiting and using DBE firms. If the agencies were contacted in writing, provide copies of supporting documents.

Name of Agency	Date of Contact	Method of Contact	Results
See Attached	1/30/13 & 2/1/13	See	Attached

6. List efforts made to provide interested DBEs with adequate information about the plans, specifications, and requirements of the contract to assist them in responding to a solicitation. Identify the DBE assisted, the information provided, and the date of contact. Provide copies of supporting documents.

1. Tyrrell Resources - reviewed job specs, scope with Brent, multiple occasions, in detail 2/22/13 at Chico office
2. Cal Electro - contacted in DBE supplier, REDCO & Traffic Control performer, Charles Excavating.
3. Dovetailed M+S & S.T. Rhodes scopes.

7. List efforts made to assist interested DBEs in obtaining bonding, lines of credit, insurance, necessary equipment, supplies, materials, or related assistance or services, excluding supplies and equipment the DBE subcontractor purchases or leases from the prime contractor or its affiliate. Identify the DBE assisted, the assistance offered, and the date. Provide copies of supporting documents.

None requested

8. Include additional data to support a demonstration of good faith efforts.

Request for quotes via Caltrans Website.

NOTE: USE ADDITIONAL SHEETS OF PAPER IF NECESSARY.

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 654-6410 or TDD (916) 654-3880 or write Records and Forms Management, 1120 N Street, MS-89, Sacramento, CA 95814.

"4."

Compliance News Monthly Trade Journal

Publication Affidavit-Declaration of Publication -- State of California

Baldwin Contracting Company, Inc. dba Knife River Construction is seeking certified and qualified DBE subs and/or suppliers to provide LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER, PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2 AGGREGATE BASE (CY),	Contact: Steve Silva 1764 Skyway Chico,CA,95928 Phone:(530) 891-6555 Fax:(530) 894-6220 Email:jared.springer@kniferiver.com Bid Due on:02/20/2013 at 02:00 PM Solicitation Number: 03-3E6204

ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM,	

LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING for CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge in Chico,CA Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work. Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.	

The Baldwin Contracting Company, Inc. dba Knife River Construction Good Faith Effort ad has been published in both the Compliance News Internet and Hard-Copy publications.
Located Online at: http://www.compliancenews.com/classified_monthly

The undersigned declares:
I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and the State of California. The notice, a true copy of which is attached was published on Wed Jan 30 16:10:12 -0800 2013
I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California
Henry Sprague III
Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved

Compliance News Daily Focus Journal

Publication Affidavit-Declaration of Publication -- State of California

Baldwin Contracting Company, Inc. dba Knife River Construction is seeking certified and qualified DBE subs and/or suppliers to provide LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER, PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2 AGGREGATE BASE (CY),	Contact: Steve Silva 1764 Skyway Chico,CA,95928 Phone:(530) 891-6555 Fax:(530) 894-6220 Email:jared.springer@kniferiver.com Bid Due on:02/20/2013 at 02:00 PM Solicitation Number: 03-3E6204

ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM,	

LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING for CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge in Chico,CA Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work. Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.	

The Baldwin Contracting Company, Inc. dba Knife River Construction Good Faith Effort ad has been published in both the Compliance News Internet and Hard-Copy publications.
Located Online at: http://www.compliancenews.com/classified_daily

The undersigned declares:
I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and the State of California. The notice, a true copy of which is attached was published on Wed Jan 30 16:10:12 -0800 2013
I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California
Henry Sprague III
Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved

4. Local referral organization: DBE/DVBE Resource Center (www.dvbe.net) at 04:10PM on 01/30/2013

See Next Page for Firms

Send Result Report

KYOCERA

MFP

TASKalfa 520i

Firmware Version 2KS_2F00.009.006 2012.02.15

01/30/2013 11:21
[2KS_1000.006.001] [2KS_1100.001.002] [2KS_7000.009.004]

Job No.: 117616 Total Time: 0°03'01" Page: 006 "2.,5.,8."

Complete

Document: **doc11761620130130111732**

compliance news

Fax this Form to (562) 439-1398
Call (800) 599-6996 with questions

Have an Internet Connection?
Complete your GFE online at
http://www.complliancenews.com

Good-Faith Effort Fax Form 3.0

Please print clearly in black ink -- IMPERATIVE ACCURATE INFORMATION

Company Info

Company Name Baldwin Contracting Company,Inc. dba Knife River Construction

Your Name (for questions about this form) Jared Springer

Address 1764 Skyway

City Chico State CA Zip 95928

Phone (530) 891-6555 Fax (530) 894-6220

Email jared.springer@kniferiver.com Web Site

Contact Name to appear in Ads and/or Letters Steve Silva

Project Info

Project Awarding Dept/Agency/Owner Caltran's

Project Name Caltrans Co Rte 03 [illegible] see attached

No.	Date and Time	Destination	Times	Type	Result	Resolution/ECM
001	01/30/13 11:18	**Compliance News FAX**	0°03'01"	FAX	OK	200x100 Normal/Off

[QWC9Y01600]

compliance news

Fax this Form to (562) 439-1398
call (800) 599-6996 with questions

Have an Internet Connection?
Complete your GFE online at
http://www.compliancenews.com

FAXED

Good-Faith Effort Fax Form 3.0

Please print clearly in black ink -- IMPERATIVE ACCURATE INFORMATION

—Company Info—

Company Name Baldwin Contracting Company,Inc. dba Knife River Construction

Your Name (for questions about this form) Jared Springer

Address 1764 Skyway

City Chico State CA Zip 95928

Phone (530) 891-6555 Fax (530) 894-6220

Email jared.springer@kniferiver.com Web Site

Contact Name to appear in Ads and/or Letters Steve Spluc

—Project Info—

Project Awarding Dept/Agency/Owner Caltran's

Project Name ~~Caltrans Contract 03-3E6204~~ see attached

Circle Engineer's Estimate: 0-350k 350k-500k 500k-750k 750k-1M 1M-3M 3M-6M 6M-10M 10M+

Circle Category/s: DVBE UDBE DBE MBE WBE OBE OTHER

Subs and Suppliers to provide: see attached word document

Project Location (city) Chico (state) CA (zip) 95928

Bid Due Date 2-20-13 Bid Due Time 2 PM

Bid Solicitation Contract Number 03-3E6204

see attached minority wording

Check one of the following:

X 1. The Works (Entire Good Faith Effort Process): $90
Publish Ads + Log + Fed/State/Local Contact + Fax Solicitation Letters & Copies

___ 2. Publish Ads & Return Proofs: $35 Total Both Ads (Trade & Focus)

___ 3. Publish Ads & Print Log (No Letters): $55

___ 4. Letters & Log (No Ads): $55

copy of card on file

Circle Card Type: Visa MasterCard AMEX Discover	
Name On Card:	Zipcode of Billing Address:
Credit Card Number:	Expiration Date:

Verbiage to be Included in Minority Solicitation Letters

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Contract Number 03-3E6204

FOR CONSTRUCTION ON STATE HICHWAY IN BUTTE COUNTY NEAR CHICO AT VARIOUS LOCATION FORM 0.6 MILE SOUTH OF BUTTE CREEK BRIDGE TO 0.8 MILE NORTH OF BUTTE CREEK BRIDGE

LEAD COMPLIANCE PLAN
CONSTRUCTION SITE MANAGEMENT
PROGRESS SCHEDULE (CRITICAL PATH METHOD)
TIME-RELATED OVERHEAD (WDAY)
CONSTRUCTION AREA SIGNS
TRAFFIC CONTROL SYSTEM
TYPE III BARRICADE
TEMPORARY PAVEMENT MARKING (PAINT)
TEMPORARY TRAFFIC STRIPE (PAINT)
CHANNELIZER (SURFACE MOUNTED)
TEMPORARY PAVEMENT MARKER
PORTABLE CHANGEABLE MESSAGE SIGN (LS)
TEMPORARY RAILING (TYPE K)
TEMPORARY CRASH CUSHION MODULE
TEMPORARY TRAFFIC SCREEN
PREPARE STORM WATER POLLUTION PREVENTIONPLAN
RAIN EVENT ACTION PLAN
STORM WATER SAMPLING AND ANALYSIS DAY
STORM WATER ANNUAL REPORT
TEMPORARY EROSION CONTROL BLANKET
MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL)
TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX)
TEMPORARY SOIL BINDER
TEMPORARY COVER
TEMPORARY DRAINAGE INLET PROTECTION
TEMPORARY FIBER ROLL
TEMPORARY GRAVEL BAG BERM
TEMPORARY LARGE SEDIMENT BARRIER
TEMPORARY SILT FENCE
TEMPORARY CONSTRUCTION ENTRANCE
STREET SWEEPING
TEMPORARY CONCRETE WASHOUT
TEMPORARY FENCE (TYPE ESA)
REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE)
TREATED WOOD WASTE
CONTRACTOR SUPPLIED BIOLOGIST (DAY)
NATURAL RESOURCE PROTECTION PLAN
ABANDON CULVERT (LF)

REMOVE FENCE
REMOVE ENTRANCE TAPER
REMOVE METAL BEAM GUARD RAILING
REMOVE FLARED END SECTION
REMOVE PAINTED TRAFFIC STRIPE
REMOVE PAINTED PAVEMENT MARKING
REMOVE THERMOPLASTIC TRAFFIC STRIPE
REMOVE THERMOPLASTIC PAVEMENT MARKING
REMOVE ROADSIDE SIGN
REMOVE ASPHALT CONCRETE DIKE
REMOVE OVERSIDE DRAIN
REMOVE DOWNDRAIN (EA)
REMOVE INLET
REMOVE HEADWALL
COLD PLANE ASPHALT CONCRETE PAVEMENT
SAND BACKFILL
BRIDGE REMOVAL
CLEARING AND GRUBBING (LS)
ROADWAY EXCAVATION
STRUCTURE EXCAVATION (BRIDGE)
STRUCTURE EXCAVATION (TYPE A)
STRUCTURE BACKFILL (BRIDGE)
EROSION CONTROL (COMPOST BLANKET)
COMPOST (INCORPORATE)
MOVE-IN/MOVE-OUT (EROSION CONTROL)
EROSION CONTROL (BONDED FIBER MATRIX) (SQFT)
FIBER ROLLS
CLASS 2 AGGREGATE BASE (CY)
ASPHALT TREATED PERMEABLE BASE
ASPHALTIC EMULSION (FOG SEAL COAT)
CRACK TREATMENT
MICRO-SURFACING
REPLACE ASPHALT CONCRETE SURFACING
HOT MIX ASPHALT (TYPE A)
MINOR HOT MIX ASPHALT
RUBBERIZED HOT MIX ASPHALT (OPEN GRADED)
PLACE HOT MIX ASPHALT DIKE (TYPE C)
PLACE HOT MIX ASPHALT DIKE (TYPE E)
PLACE HOT MIX ASPHALT DIKE (TYPE F)
PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)
TACK COAT
GRIND EXISTING CONCRETE PAVEMENT
FURNISH STEEL PILING (HP 14 X 117)

DRIVE STEEL PILE (HP 14 X 117)
PRESTRESSING CAST-IN-PLACE CONCRETE
SEAL COURSE CONCRETE
BAT HABITAT
STRUCTURAL CONCRETE, BRIDGE FOOTING
STRUCTURAL CONCRETE, BRIDGE
STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N)
MINOR CONCRETE (MINOR STRUCTURE)
JOINT SEAL ASSEMBLY (MR 2 1/2")
BAR REINFORCING STEEL (BRIDGE)
FURNISH LAMINATED PANEL SIGN (1"-TYPE B)
FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)
FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED)
FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED)
ROADSIDE SIGN - ONE POST
ROADSIDE SIGN - TWO POST
18" ALTERNATIVE PIPE CULVERT
24" REINFORCED CONCRETE PIPE
3" PLASTIC PIPE (OUTLET)
24" WELDED STEEL PIPE CASING (BRIDGE)
24" CONCRETE FLARED END SECTION
18" ALTERNATIVE FLARED END SECTION
STREAMBED GRAVEL BLANKET
ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY)
ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY)
ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY)
ROCK SLOPE PROTECTION FABRIC (CLASS 8)
MISCELLANEOUS IRON AND STEEL
MISCELLANEOUS METAL (BRIDGE)
FENCE (TYPE WM AND BW)
CHAIN LINK FENCE (TYPE CL-6)
HIGHWAY POST MARKER
MARKER (CULVERT)
OBJECT MARKER (TYPE L-1)
METAL BEAM GUARD RAILING
VEGETATION CONTROL (MINOR CONCRETE)
DOUBLE METAL BEAM GUARD RAILING (WOOD POST)
TRANSITION RAILING (TYPE WB)
RAIL TENSIONING ASSEMBLY
END CAP (TYPE TC)
ALTERNATIVE FLARED TERMINAL SYSTEM
CRASH CUSHION (TYPE CAT)
CRASH CUSHION (TYPE CAT) BACKUP

CONCRETE BARRIER (TYPE 732 MODIFIED)
CONCRETE BARRIER (TYPE 732)
4" THERMOPLASTIC TRAFFIC STRIPE
THERMOPLASTIC PAVEMENT MARKING
4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)
PAVEMENT MARKER (RETROREFLECTIVE)
MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION
TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM
LIGHTING (TEMPORARY)
LIGHTING CONDUIT (BRIDGE) (LS)
MODIFY SIGNAL AND LIGHTING
MOBILIZATION

TRUCKING

Baldwin Contracting Company, Inc. dba Knife River Construction
LOG

Good Faith Effort for Bid Solicitation 03-3E6204

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Important Instructions

NOTE: If your bid-package includes form STD-840, you MUST write "See attached Log sections A, B, & C" on STD-840 and include STD-840 with your GFE documents.

1.) Read and complete Section A.

2.) We have completed Section B for you.

3.) Complete Section C by making follow-up phone calls to the firms listed below.

->For DVBE firms, call at least 3 firms. ->For DBE, MBE, & WBE firms, call all of them.

As of June 1, 2010 Caltrans now requires primes that do not meet their UDBE & DBE goal to do the following:

1.

A. Go to the CalTrans project calendar webpage at http://dap1.dot.ca.gov/hq/esc/oe/calendar and log-in using your bid package registration and password.

B. Hit on the project number your bidding.

C. Hit "See Opt-in records".

D. Print this page. You must now contact these Opt-in DBE's as part of your search for participation.

2. Now hit your browser back-button and hit "Primes: Advertise for help" Be sure your listed in the CalTrans "Primes Seeking Assistance".

As of Sept. 2010, Caltrans suggests the following further steps to support Good Faith Effort (GFE).

1. Attend networking opportunity events at mandatory Caltrans pre-bids & district meetings. Include with your GFE, information that you attended the meeting along with the event brochure.

2. As you reach the bid opening date, ask yourself how likely you are to meeting the goal. If its apparent you may not, then do another GFE. This should be done 5 days of bid opening.

A. Awarding Department Contact Instructions

Many Califomia Good-Faith Efforts may require the bidding contractor to CALL the awarding department or owner and talk with their Good-Faith representative. SEE YOUR CONTRACT DOCUMENTS FOR THIS TELEPHONE NO. Call it and record the result below.

Awarding Department Contact Action

Baldwin Contracting Company, Inc. dba Knife River Construction contacted the awarding department issuing this contract at (tel number) _____ at (time) _____ on (date) _____ and discussed Good-Faith Effort with (Awarding Department Contact)

_____.

Remarks:(left message, etc.) _____.

Phone call was made by (Prime Rep's do_signature) _____.

B. Federal, State, & Local Agencies Contacted

On 01/30/13, Baldwin Contracting Company, Inc. dba Knife River Construction contacted:

1. Federal Agency: Central Contractor Registration (CCR) / PRO-Net at http://www.bpn.gov/CCRSearch/Search.aspx at 04:10PM on 01/30/2013

2. State Agency: Office of Small Business & DVBE Certification (OSDC) http://www.pd.dgs.ca.gov/smbus at 04:10PM on 01/30/2013

3. California Unified Certification Program (CUCP) at http://www.dot.ca.gov/ucp/GetLicenseForm.do at 04:10PM on 01/30/2013

C. Summary of Firms Sent Bid Invitations
36 total firms were sent invitations.

Company Name: Professional Construction Services
Address: P. O. Box 23697
Pleasant Hill,CA, 94523
Phone: (925) 288-1566, **Fax:** (925) 288-1355
Work Categories:
Concrete Base

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 8:47
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Disconnected

Company Name: Sm Sales
Address: 17524 W. Sierra Highway
Santa Clarita,CA, 91351
Phone: (661) 252-4735, **Fax:** (661) 299-1547
Work Categories:
Pilings

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: _____
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Not Quoting Per Fax. J.S.

Company Name: Esky Benavidez Corporation
Address: 173 Holiday Mine Rd.
Douglas Flat,CA, 95229
Phone: (209) 728-2073, **Fax:** (209) 728-9003
Work Categories:
Modify Bridge Item

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 8:47
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Disconnected

Company Name: Sierra Communications & Construction, In
Address: 3006 Trower Rd

Catheys Valley,CA, 95306
Phone: (209) 742-4948, **Fax:** (209) 742-4948
Work Categories:
Sewerage Systems

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 8:48

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

left a message

Company Name: Specialty Traffic Systems
Address: 2431 Broadway
Eureka,CA, 95501
Phone: (707) 441-8420, **Fax:** (707) 445-1856
Work Categories:
Pavement Markers

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 8:49

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Jennifer - Not bidding because she didn't have any of the plans

---

Company Name: S.t. Rhoades Construction, Inc.
Address: 3468 Bechelli Lane, Suite E
Redding,CA, 96049
Phone: (530) 223-9322, **Fax:** (530) 223-9222
Work Categories:
Traffic Control System

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: _____

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Will Be Quoting Per Fax - J.S.

Company Name: Hard Hat Sweeping Inc
Address: 13328 Hadley Street
Whittier,CA, 90601
Phone: (562) 298-7956, **Fax:** (562) 945-8399
Work Categories:
Misc Business Services

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 8:59
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

left a message

Company Name: A C Dike Co
Address: 2788 Venture Dr.
Lincoln,CA, 95648
Phone: (916) 652-0159, **Fax:** (916) 645-9618
Work Categories:
Paving Asphalt (asphalt Concrete)

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: _____
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Will Be Quoting Per Fax. J.S.

Company Name: Northern Industrial Electric
Address: 2435 Radio Lane
Redding,CA, 96001
Phone: (530) 246-2366, **Fax:** (530) 246-2368
Work Categories:
Residential Electrical

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 9:11
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Calling - Not bidding and didn't know why they weren't

Company Name: Robert's Backhoe Service, Inc.
Address: 32987 Turtle Dove Drive
Lake Elsinore,CA, 92530
Phone: (909) 678-0813, **Fax:** (909) 678-5957
Work Categories:
Alternative Pipe Culvert

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 9:12
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Disconnected

Company Name: Haskell & Haskell Engineering & Construc
Address: 17510 Ellen St
Knights Ferry,CA, 95361
Phone: (209) 881-3500, **Fax:** (209) 881-0211
Work Categories:
Building Construction

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 9:14
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Dolly - Not bidding because it's too far

Company Name: Construction Area Signs, Incorporated
Address: 9093 Old State Hwy
Newcastle,CA, 95658
Phone: (916) 663-9097, **Fax:** (916) 663-1858
Work Categories:
Misc Business Services

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 9:15
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Will be bidding

Company Name: S Kwok Engineers, Inc.
Address: 1815 Cornell Drive
Alameda,CA, 94501
Phone: (510) 220-9017, **Fax:** (888) 733-1360
Work Categories:
Environmental - Water Quality

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 9:19
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Not bidding because it's too far

Company Name: Alert-o-lite, Inc

Address: P.o. Box 12224
Fresno,CA, 93777
Phone: (559) 486-4570, **Fax:** (559) 453-3250
Work Categories:
Roadside Sign

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 9:36
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

sub - will be bidding but only for product

Company Name: B.a. Retro, Inc
Address: 2270 Dale Ave
Sacramento,CA, 95815
Phone: (916) 564-9523, **Fax:** (916) 564-9526
Work Categories:
Reinforcing Steel

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 9:57
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

left a message

Company Name: Basilio Leal Trucking
Address: 13550 Lynda Lynn Way
Redding,CA, 96003
Phone: (530) 243-5382, **Fax:** (530) 243-0914
Work Categories:
Flat Bed Trucking

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 9:59
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

unsure of what they will bid.

Company Name: Thomas Trucking
Address: 1020 W. 12th Avenue
Chico,CA, 95926
Phone: (530) 893-8735, **Fax:** (530) 893-8735
Work Categories:
Bottom Dump Trucking

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:02

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

left a message

Company Name: Lindy's Cold Planing
Address: 625 S. Mountain View
La Habra,CA, 90631
Phone: (562) 697-2286, **Fax:** (562) 697-2039
Work Categories:
Groove & Grind Pavement

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:02

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Bianca - Not bidding, it's not on their bid list

Company Name: Sequoia Traffic Service
Address: 716-450 Binkley Lane
Susanville,CA, 96130
Phone: (530) 254-6129, **Fax:** (530) 254-6121
Work Categories:
Traffic Control System

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:05

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Disconnected

Company Name: Mag-con Engineering And Construction, In
Address: 2164 Tiber River Dr.
Rancho Cordova,CA, 95670
Phone: (916) 638-1175, **Fax:** (916) 638-1178
Work Categories:
Roadway Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:06

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

left a message

Company Name: All Phase Construction & Engineering, In
Address: P.o. Box 876
Roseville,CA, 95661
Phone: (916) 771-4602, **Fax:** (916) 771-4603
Work Categories:
Seal Coat

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:08
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Heidi - Not bidding & didn't give me a reason

Company Name: Wireman Fence Products
Address: 3644 Recycle Rd
Rancho Cordova,CA, 95742
Phone: (916) 635-1700, **Fax:** (916) 635-5397
Work Categories:
Fencing

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: _____
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Will Be Quoting Fence Sub's. J.S

Company Name: David Engineering Construction
Address: 6344 Nugget Drive
Foresthill,CA, 95631
Phone: (530) 367-3508, **Fax:** (530) 820-9120
Work Categories:
Roadway Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:09
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
The call wouldn't connect, busy signal on three attempts

Company Name: K R C Safety Co. Inc.
Address: 6084 West Hurley
Visalia,CA, 93291
Phone: (559) 732-0393, **Fax:** (559) 732-2684
Work Categories:
Construction Equipment Rental

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:13
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Claudia - Not bidding. Didn't have a reason why they not bidding

---

Company Name: Eswppp Consultants
Address: 902 Cortina Court
Walnut Creek,CA, 94598
Phone: (925) 451-1337, **Fax:** (925) 956-7191
Work Categories:
Civil Engineering

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:14
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
If we haven't received a bid, that means they are not bidding. No reason was given nor a name

---

Company Name: Dirt & Aggregate Interchange, Inc
Address: 20905 N.e. Sandy Boulevard
Fairview,OR, 97024
Phone: (503) 661-5093, **Fax:** (503) 669-1192
Work Categories:
Metal Beam Barrier

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:16
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
They are bidding and will be sending quote via fax

Company Name: Freeman Rock, Inc.
Address: 99031 South Bank Chetco River Road
Brookings,OR, 97415
Phone: (541) 469-2444, **Fax:** (541) 469-0247
Work Categories:

Crushed & Broken Stone

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:18

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

michelle - Not bidding because it's too far

Company Name: Nitta Erosion Control
Address: 3778 Del Mar Avenue
Loomis,CA, 95650
Phone: (916) 652-7459, **Fax:** (916) 652-4376
Work Categories:
Erosion Control

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: _____

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Will Be Quoting Per Fax. JS.

Company Name: Pc&n Construction, Inc
Address: 5301-f Byron Hot Springs Road
Byron,CA, 94514
Phone: (925) 634-4567, **Fax:** (925) 634-4339
Work Categories:
Guard Railings & Barriers

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:18

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

already faxed a quote

Company Name: Derrickson Pike Construction
Address: 861 Lorenzo Street
Hickman,CA, 95323
Phone: (209) 874-4400, **Fax:** (209) 874-4404
Work Categories:
Construction Scheduling

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:24

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek

Bridge To 0.8 Mile North Of Butte Creek Bridge

Disconnected

Company Name: White Cap Ready Mix, Inc.
Address: 73880 Highway 70
Portola,CA, 96122
Phone: (530) 832-4225, **Fax:** (530) 832-5847
Work Categories:
Metals & Minerals, Except Petroleum

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:25
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Dixie - Not bidding because it's too far

Company Name: Bj Williams Company, Inc
Address: 3664 Trefethen Way
Sacramento,CA, 95834
Phone: (916) 359-5055, **Fax:** (916) 359-5640
Work Categories:
Paving Asphalt (asphalt Concrete)

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:26
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

left a message

Company Name: Paradigm Construction
Address: 5321 Tersk Way
Elk Grove,CA, 95758
Phone: (916) 271-2623, **Fax:** (916) 714-6520
Work Categories:
Clearing & Grubbing

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:27
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

left a message

Company Name: Valley Illuminators
Address: 2201 West Valley Hwy Nw Unit C
Auburn,WA, 98001
Phone: (253) 833-3016, **Fax:** (253) 735-5414
Work Categories:
Lighting

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:28
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Polly - Not bidding because it's not an airport project

Company Name: Nielson Construction
Address: 147 Camino Oruga
Napa,CA, 94558
Phone: (707) 253-8774, **Fax:** (707) 253-0131
Work Categories:
Structure Backfill

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:29
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Alexis - Not bidding did didn't give a reason

Company Name: Swaim Biological Consulting, Inc.
Address: 4435 First Street Pmb #312
Livermore,CA, 94551
Phone: (925) 455-8770, **Fax:** (925) 455-6106
Work Categories:
Environmental Quality

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:32
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Left a message

Affidavit of Fax Solicitation
The undersigned employee of Compliance News Publishing, located in the City of Long Beach, County of Los Angeles, and the State of California, declares that bid solicitation letters have been faxed to the following 36

firms listed below at 04:10PM on 01/30/2013. I am over the age of 18 years and a citizen of the United States. I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California.
Henry Sprague III

C. Summary of Firms Sent Bid Invitations
30 total firms were sent invitations.

Company Name: Raper Electrical Distributors Corp
Address: 1713 Academy
Sanger,CA, 93657
Phone: (559) 875-3449, **Fax:** (559) 875-5974
Work Categories:
Electrical & Signals

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:39
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Kathi - Cal electro will be bidding using them as suppliers.

Company Name: Skillie Constructors
Address: 6073 California Pacific Road
Elmira,CA, 95625
Phone: (707) 447-3493, **Fax:** (707) 446-7490
Work Categories:
Welded Steel Pipe

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10 40
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Disconnected

Company Name: Turner Manufacturing Co Inc
Address: 4565 E. Floradora Ave
Fresno,CA, 93703
Phone: (559) 251-1918, **Fax:** (559) 251-6860
Work Categories:
Fencing

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10.43
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Karen - Not bidding because they don't work on Caltran jobs

Company Name: Force Traffic Control, Inc.
Address: Po Box 1107

Exeter,CA, 93221
Phone: (559) 594-1062, **Fax:** (559) 594-1056
Work Categories:
Traffic Control System

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:45
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

left a message

Company Name: Vintage Paving Company, Inc.
Address: 119 Main Street
Winters,CA, 95694
Phone: (530) 795-0132, **Fax:** (530) 795-5734
Work Categories:
Structure Backfill

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:47
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

John - Not bidding & didn't have a reason for not bidding

Company Name: Astro Construction
Address: 3833 Ohio Avenue
Richmond,CA, 94804
Phone: (510) 685-4161, **Fax:** (510) 578-1305
Work Categories:
Clearing & Grubbing

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:48
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

left a message

Company Name: Valley Hoe, Inc.
Address: 500 Ryland Street, Suite 140
Reno,NV, 89502
Phone: (775) 329-2110, **Fax:** (775) 329-9151
Work Categories:
Structure Backfill

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:50
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

call wouldn't be completed message

Company Name: Santos Excavating, Inc.
Address: 643 W. 4th Avenue
Chico,CA, 95926
Phone: (530) 894-2274, **Fax:** (530) 894-7767
Work Categories:
Structure Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:51
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Annie - Not bidding & didn't have reason for not bidding it.

Company Name: R N R Construction, Inc
Address: 8 Light Sky Court
Sacramento,CA, 95828
Phone: (916) 379-0957, **Fax:** (916) 379-0960
Work Categories:
Minor Concrete Structure

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:52
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Brooke - Not bidding because they didn't want to bid it.

Company Name: Cem Builders, Inc
Address: 37 West 4th Street
Campbell,CA, 95008
Phone: (408) 395-0802, **Fax:** (408) 395-0808
Work Categories:
Structure Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:53
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Justine - Not bidding, not on their bid list

Company Name: A.j. Vasconi Gereal Engineering
Address: 1820 Galindo Street, Suite 275
Concord,CA, 94520
Phone: (925) 691-9400, **Fax:** (925) 691-9919
Work Categories:
Structure Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:54
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Jessica- Not bidding because it's not on their bid list.

Company Name: V A P Construction Inc
Address: 16425 Illusion Way
La Mirada,CA, 90638
Phone: (714) 253-3270, **Fax:** (714) 253-3391
Work Categories:
Concrete Barrier

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 10:56
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Continued to ring w/ no answer nor voicemail

Company Name: General Supply Company
Address: 971 87th Avenue
Oakland,CA, 94621
Phone: (510) 632-5229, **Fax:** (510) 632-2315
Work Categories:
Lumber And Construction Material

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:00
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

left a message

Company Name: Csh Planning/stormwater Specialists, Llc

Address: 3253 Lowther Way
Antelope,CA, 95843
Phone: (916) 570-3853, **Fax:** (916) 405-4180
Work Categories:
Consultant

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:01
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Disconnected

Company Name: Azco
Address: 2250 Stewart Street, #9
Stockton,CA, 95205
Phone: (209) 943-2452, **Fax:** (209) 943-0437
Work Categories:
Electrical & Signals

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:02
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

mane- only bids as a distributor

Company Name: Mcafee Transportation
Address: 551 Lilac Ct.
Brentwood,CA, 94513
Phone: (925) 308-7700, **Fax:** (925) 752-0573
Work Categories:
Trucker

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:04
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

left a message

Company Name: Sudden Sam's Trucking
Address: Sudden Sam's Trucking
Oakland,CA, 94610
Phone: (510) 385-8594, **Fax:** (510) 272-9575
Work Categories:
Truck Broker

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:05

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Sam - Not bidding because it's out of their area.

Company Name: Mad Steel Inc.
Address: 277 West Allen Avenue
San Dimas,CA, 91773
Phone: (909) 592-3443, **Fax:** (909) 394-0724
Work Categories:
Retainer Walls

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:06

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Diana - Not bidding because they have a lot of projects going on.

Company Name: Sam's Equipment & Supplies
Address: 5656 Columbia Dr S.
Fresno,CA, 93727
Phone: (559) 252-0354, **Fax:** (559) 251-1119
Work Categories:
Guard Railings & Barriers

Phone Solicitation Information

Date/s-Time/s Solicited by Phone:

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Will Be Sending Materials Quote Per Fax Ja S.

Company Name: Schotka Construction Inc
Address: 5555 Napa Vallejo Hwy
American Canyon,CA, 94503
Phone: (707) 265-6977, **Fax:** (707) 265-6856
Work Categories:
Steel Crib Wall

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:10

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Left a message

Company Name: Kwan Wo Ironworks Inc.
Address: 1383 Armstrong Ave.
San Francisco,CA, 94124
Phone: (415) 822-9628, **Fax:** (415) 822-9068
Work Categories:
Building Construction

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:11
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

steven - Not bidding because it's out of their area

Company Name: Allen Gill Construction, Inc.
Address: 3307 Twin View Blvd.
Shasta Lake,CA, 96019
Phone: (530) 547-4334, **Fax:** (530) 547-3197
Work Categories:
Structure Backfill

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:12
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

left a message

Company Name: American Steel Placers, Inc.
Address: 603 S. Arrowhead Avenue
San Bernardino,CA, 92408
Phone: (909) 884-6031, **Fax:** (909) 884-6032
Work Categories:
Reinforcing Steel

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:13
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Will let us know if they are bidding

Company Name: Labat's Tree Care
Address: 1351 Veale Avenue
Martinez,CA, 94553
Phone: (925) 285-7741, **Fax:** (925) 335-9116
Work Categories:
Fencing

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: _____
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Will Be Quoting Per Fax Response. J.S.

Company Name: Sjd Construction Inc.
Address: 775 Wakefield Ct, Ste B
Oakdale,CA, 95361
Phone: (209) 847-8939, **Fax:** (209) 847-0169
Work Categories:
Ditches Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:15
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

sandra- Not bidding & didn't have a reason for not bidding it.

Company Name: Nor-cal Pump & Well Drilling, Inc.
Address: 1325 Barry Road
Yuba City,CA, 95993
Phone: (530) 674-5861, **Fax:** (530) 674-1525
Work Categories:
Structure Excavation

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:18
Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Not bidding because they had no information on it. No name was given

---

Company Name: Tyrrell Resources, Inc.
Address: 275 Hilltop Drive
Redding,CA, 96003
Phone: (530) 243-8733, **Fax:** (530) 241-8975
Work Categories:

Will Not Be Quoting Per Fax. J.S.

Clearing & Grubbing

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 N/A

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

(see prev pg)

Company Name: Rodgers Const. & Engineering Co., Inc
Address: Po Box 6885
Stockton,CA, 95206
Phone: (209) 464-5780, **Fax:** (209) 464-5782
Work Categories:
Building Mover

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:21

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Don - Not bidding because he didn't have any information about it

---

Company Name: Eagle Engineering And Construction, Inc
Address: 1175 Palomar Drive
Redwood City,CA, 94062
Phone: (650) 367-8000, **Fax:** (650) 367-8282
Work Categories:
Electric Services

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:22

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Ben - Not bidding, not on their bid list

Company Name: Rossi Construction Company, Inc.
Address: 15061 Springdale St., #109
Huntington Beach,CA, 92649
Phone: (714) 903-0401, **Fax:** (714) 903-4411
Work Categories:
Reinforced Concrete Sewer Pipe

Phone Solicitation Information

Date/s-Time/s Solicited by Phone: 02/26/13 11:24

Person Contacted and Commments for Solicitation: 03-3E6204 CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek

left a message

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

(✓) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: LANDSCAPE, FENCING IRRIGATION, TREE REMOVAL

( ) We cannot participate in the contract

CHERYL COLE
Print Name of Business Owner

Signature

Date: 2/1/13

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Sam's Equipment & Supplies
5656 Columbia Dr S.
Fresno,CA,93727

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

(X) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

Sam Callison

Print Name of Business Owner

Signature

Date: 2-4-2013

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Nitta Erosion Control
3778 Del Mar Avenue
Loomis,CA,95650

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

(X) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: Erosion Control

( ) We cannot participate in the contract

Scott Nitta

Print Name of Business Owner

Signature

Date: 2/15/13

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Tyrrell Resources, Inc.
275 Hilltop Drive
Redding,CA,96003

We are seeking certified and qualified DBE subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORA Y EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTRO), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BIND R, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE V), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

(✓) We cannot participate in the contract

Tyrrell Resources, Inc.
P.O. Box 493460
Redding, CA 96049-3460

Print Name of Business Owner

Signature

Date: 2/19/13

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
A C Dike Co
2788 Venture Dr.
Lincoln,CA,95648

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

(✓) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: Place AC Dike + misc.

( ) We cannot participate in the contract

Dave McClam

Print Name of Business Owner

Signature

Date: 1/31/13

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Sm Sales
17524 W. Sierra Highway
Santa Clarita,CA,91351

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

(X) We cannot participate in the contract

Janis Pucic

Print Name of Business Owner

Signature

Date: 01/30/2013

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Wireman Fence Products
3644 Recycle Rd
Rancho Cordova,CA,95742

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES: Chain Link Fencing

(X) We cannot participate in the contract

Ron Clanin

Print Name of Business Owner

Signature

Date: 1-31-2013

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Wireman Fence Products
3644 Recycle Road
Rancho Cordova, Ca. 95742
800-545-1700 Fax 916-635-5397
www.wiremanfence.com

1/14/13

To whom it may concern,

Thank you for your interest in Wireman Fence Products to meet your DBE requirements for this particular project.
Wireman Fence Products is a Cal Trans certified DBE (#37969) chain link fencing manufacture & wholesaler, not a licensed contractor. However, being that most fence projects are required to be installed by a licensed C-13 fence contractor for state & government projects, Wireman Fence can help fill your DBE requirements if the fencing contractor buys their material through Wireman Fence Products.
Please feel free to pass on our information to any C-13 fencing contractors that may help them & you meet your requirements.

Thank you,

Ron Clanin

Wireman Fence Products.

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
S.t. Rhoades Construction, Inc.
3468 Bechelli Lane, Suite E
Redding,CA,96049

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE'a for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

(X) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

ST RHOADES CONST — Steve Rhoades

Print Name of Business Owner — Signature

Date: 1-31-13

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

Al Dominguez

Print Name of Business Owner

D. Dc

Signature

Date: 1/4/2013

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Professional Construction Services
P. O. Box 23697
Pleasant Hill,CA,94523

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Sm Sales
17524 W. Sierra Highway
Santa Clarita,CA,91351

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Esky Benavidez Corporation
173 Holiday Mine Rd.
Douglas Flat,CA,95229

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Sierra Communications & Construction, In
3006 Trower Rd
Catheys Valley,CA,95306

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Specialty Traffic Systems
2431 Broadway
Eureka,CA,95501

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
S.t. Rhoades Construction, Inc.
3468 Bechelli Lane, Suite E
Redding,CA,96049

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Hard Hat Sweeping Inc
13328 Hadley Street
Whittier,CA,90601

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
A C Dike Co
2788 Venture Dr.
Lincoln,CA,95648

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Northern Industrial Electric
2435 Radio Lane
Redding,CA,96001

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Robert's Backhoe Service, Inc.
32987 Turtle Dove Drive
Lake Elsinore,CA,92530

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Haskell & Haskell Engineering & Construc
17510 Ellen St
Knights Ferry,CA,95361

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Construction Area Signs, Incorporated
9093 Old State Hwy
Newcastle,CA,95658

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
S Kwok Engineers, Inc.
1815 Cornell Drive
Alameda,CA,94501

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Alert-o-lite, Inc
P.o. Box 12224
Fresno,CA,93777

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
B.a. Retro, Inc
2270 Dale Ave
Sacramento,CA,95815

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Basilio Leal Trucking
13550 Lynda Lynn Way
Redding,CA,96003

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Thomas Trucking
1020 W. 12th Avenue
Chico,CA,95926

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Lindy's Cold Planing
625 S. Mountain View
La Habra,CA,90631

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Sequoia Traffic Service
716-450 Binkley Lane
Susanville,CA,96130

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Mag-con Engineering And Construction, In
2164 Tiber River Dr.
Rancho Cordova,CA,95670

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
All Phase Construction & Engineering, In
P.o. Box 876
Roseville,CA,95661

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Wireman Fence Products
3644 Recycle Rd
Rancho Cordova,CA,95742

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
David Engineering Construction
6344 Nugget Drive
Foresthill,CA,95631

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
K R C Safety Co. Inc.
6084 West Hurley
Visalia,CA,93291

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Eswppp Consultants
902 Cortina Court
Walnut Creek,CA,94598

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Dirt & Aggregate Interchange, Inc
20905 N.e. Sandy Boulevard
Fairview,OR,97024

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Freeman Rock, Inc.
99031 South Bank Chetco River Road
Brookings,OR,97415

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Nitta Erosion Control
3778 Del Mar Avenue
Loomis,CA,95650

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Pc&n Construction, Inc
5301-f Byron Hot Springs Road
Byron,CA,94514

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Derrickson Pike Construction
861 Lorenzo Street
Hickman,CA,95323

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
White Cap Ready Mix, Inc.
73880 Highway 70
Portola,CA,96122

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Bj Williams Company, Inc
3664 Trefethen Way
Sacramento,CA,95834

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Paradigm Construction
5321 Tersk Way
Elk Grove,CA,95758

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Valley Illuminators
2201 West Valley Hwy Nw Unit C
Auburn,WA,98001

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Nielson Construction
147 Camino Oruga
Napa,CA,94558

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

January 30, 2013
Swaim Biological Consulting, Inc.
4435 First Street Pmb #312
Livermore,CA,94551

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 PM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

114."

Compliance News Monthly Trade Journal

Publication Affidavit-Declaration of Publication -- State of California

Baldwin Contracting Company, Inc. dba Knife River Construction is seeking certified and qualified DBE subs and/or suppliers to provide LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER, PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2 AGGREGATE BASE (CY),	Contact: Steve Silva 1764 Skyway Chico,CA,95928 Phone:(530) 891-6555 Fax:(530) 894-6220 Email:jared.springer@kniferiver.com Bid Due on:02/20/2013 at 02:00 AM Solicitation Number: 03-3E6204

ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM,	

LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING for CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge in Chico,CA Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work. Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.	

The Baldwin Contracting Company, Inc. dba Knife River Construction Good Faith Effort ad has been published in both the Compliance News Internet and Hard-Copy publications.
Located Online at: http://www.compliancenews.com/classified_monthly

The undersigned declares:
I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and the State of California. The notice, a true copy of which is attached was published on Fri Feb 01 12:57:25 -0800 2013
I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California
Henry Sprague III
Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved

Compliance News Daily Focus Journal

Publication Affidavit-Declaration of Publication -- State of California

Baldwin Contracting Company, Inc. dba Knife River Construction is seeking certified and qualified DBE subs and/or suppliers to provide LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER, PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2 AGGREGATE BASE (CY),	Contact: Steve Silva 1764 Skyway Chico,CA,95928 Phone:(530) 891-6555 Fax:(530) 894-6220 Email:jared.springer@kniferiver.com Bid Due on:02/20/2013 at 02:00 AM Solicitation Number: 03-3E6204

ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM,	

LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING for CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge in Chico,CA Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work. Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.	

The Baldwin Contracting Company, Inc. dba Knife River Construction Good Faith Effort ad has been published in both the Compliance News Internet and Hard-Copy publications.
Located Online at: http://www.compliancenews.com/classified_daily

The undersigned declares:
I am over the age of 18 years and a citizen of the United States. I am the principal publisher of the Compliance News Monthly Trade Journal in the City of Long Beach, County of Los Angeles, and the State of California. The notice, a true copy of which is attached was published on Fri Feb 01 12:57:25 -0800 2013
I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California
Henry Sprague III
Copyright 2005 Compliance News DVBE #0018455 All Rights Reserved

Baldwin Contracting Company, Inc. dba Knife River Construction
LOG

Good Faith Effort for Bid Solicitation 03-3E6204

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge

Important Instructions

NOTE: If your bid-package includes form STD-840, you MUST write "See attached Log sections A, B, & C" on STD-840 and include STD-840 with your GFE documents.

1.) Read and complete Section A.

2.) We have completed Section B for you.

3.) Complete Section C by making follow-up phone calls to the firms listed below.

->For DVBE firms, call at least 3 firms. ->For DBE, MBE, & WBE firms, call all of them.

As of June 1, 2010 Caltrans now requires primes that do not meet their UDBE & DBE goal to do the following:

1.

A. Go to the CalTrans project calendar webpage at http://dap1.dot.ca.gov/hq/esc/oe/calendar and log-in using your bid package registration and password.

B. Hit on the project number your bidding.

C. Hit "See Opt-in records".

D. Print this page. You must now contact these Opt-in DBE's as part of your search for participation.

2. Now hit your browser back-button and hit "Primes: Advertise for help" Be sure your listed in the CalTrans "Primes Seeking Assistance".

As of Sept. 2010, Caltrans suggests the following further steps to support Good Faith Effort (GFE).

1. Attend networking opportunity events at mandatory Caltrans pre-bids & district meetings. Include with your GFE, information that you attended the meeting along with the event brochure.

2. As you reach the bid opening date, ask yourself how likely you are to meeting the goal. If its apparent you may not, then do another GFE. This should be done 5 days of bid opening.

A. Awarding Department Contact Instructions

Many California Good-Faith Efforts may require the bidding contractor to CALL the awarding department or owner and talk with their Good-Faith representative. SEE YOUR CONTRACT DOCUMENTS FOR THIS TELEPHONE NO. Call it and record the result below.

Awarding Department Contact Action

Baldwin Contracting Company, Inc. dba Knife River Construction contacted the awarding department issuing this contract at (tel number) _____ at (time) _____ on (date) _____ and discussed Good-Faith Effort with (Awarding Department Contact) _____.

Remarks:(left message, etc.) _____.

Phone call was made by (Prime Rep's do_signature) _____.

B. Federal, State, & Local Agencies Contacted

On 02/01/13, Baldwin Contracting Company, Inc. dba Knife River Construction contacted:

1. Federal Agency: Central Contractor Registration (CCR) / PRO-Net at http://www.bpn.gov/CCRSearch/Search.aspx at 12:57PM on 02/01/2013

2. State Agency: Office of Small Business & DVBE Certification (OSDC) http://www.pd.dgs.ca.gov/smbus at 12:57PM on 02/01/2013

3. California Unified Certification Program (CUCP) at http://www.dot.ca.gov/ucp/GetLicenseForm.do at 12:57PM on 02/01/2013

4. Local referral organization: DBE/DVBE Resource Center (www.dvbe.net) at 12:57PM on 02/01/2013

See Next Page for Firms

Bridge To 0.8 Mile North Of Butte Creek Bridge

Affidavit of Fax Solicitation

The undersigned employee of Compliance News Publishing, located in the City of Long Beach, County of Los Angeles, and the State of California, declares that bid solicitation letters have been faxed to the following 30 firms listed below at 12:57PM on 02/01/2013. I am over the age of 18 years and a citizen of the United States. I declare under penalty of perjury that the foregoing is true and correct. Executed at Long Beach, California.

Henry Sprague III

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Raper Electrical Distributors Corp
1713 Academy
Sanger,CA,93657

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Skillie Constructors
6073 California Pacific Road
Elmira,CA,95625

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Turner Manufacturing Co Inc
4565 E. Floradora Ave
Fresno,CA,93703

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Force Traffic Control, Inc.
Po Box 1107
Exeter,CA,93221

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Vintage Paving Company, Inc.
119 Main Street
Winters,CA,95694

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Astro Construction
3833 Ohio Avenue
Richmond,CA,94804

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Valley Hoe, Inc.
500 Ryland Street, Suite 140
Reno,NV,89502

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Santos Excavating, Inc.
643 W. 4th Avenue
Chico,CA,95926

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
R N R Construction, Inc
8 Light Sky Court
Sacramento,CA,95828

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Cem Builders, Inc
37 West 4th Street
Campbell,CA,95008

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
A.j. Vasconi Gereal Engineering
1820 Galindo Street, Suite 275
Concord,CA,94520

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
V A P Construction Inc
16425 Illusion Way
La Mirada,CA,90638

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
General Supply Company
971 87th Avenue
Oakland,CA,94621

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Csh Planning/stormwater Specialists, Llc
3253 Lowther Way
Antelope,CA,95843

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Azco
2250 Stewart Street, #9
Stockton,CA,95205

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Mcafee Transportation
551 Lilac Ct.
Brentwood,CA,94513

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Sudden Sam's Trucking
Sudden Sam's Trucking
Oakland,CA,94610

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Mad Steel Inc.
277 West Allen Avenue
San Dimas,CA,91773

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Sam's Equipment & Supplies
5656 Columbia Dr S.
Fresno,CA,93727

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Schotka Construction Inc
5555 Napa Vallejo Hwy
American Canyon,CA,94503

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Kwan Wo Ironworks Inc.
1383 Armstrong Ave.
San Francisco,CA,94124

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Allen Gill Construction, Inc.
3307 Twin View Blvd.
Shasta Lake,CA,96019

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
American Steel Placers, Inc.
603 S. Arrowhead Avenue
San Bernardino,CA,92408

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Labat's Tree Care
1351 Veale Avenue
Martinez,CA,94553

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Sjd Construction Inc.
775 Wakefield Ct, Ste B
Oakdale,CA,95361

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Nor-cal Pump & Well Drilling, Inc.
1325 Barry Road
Yuba City,CA,95993

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Tyrrell Resources, Inc.
275 Hilltop Drive
Redding,CA,96003

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Rodgers Const. & Engineering Co., Inc
Po Box 6885
Stockton,CA,95206

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Eagle Engineering And Construction, Inc
1175 Palomar Drive
Redwood City,CA,94062

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

Baldwin Contracting Company, Inc. dba Knife River Construction
1764 Skyway
Chico,CA 95928
Telephone: (530) 891-6555
Fax: (530) 894-6220

INVITATION TO BID

February 01, 2013
Rossi Construction Company, Inc.
15061 Springdale St., #109
Huntington Beach,CA,92649

We are seeking certified and qualified **DBE** subcontractors and/or suppliers for:

Project: CALTRANS - Pave; Install Electrical Beacons; Replace Bridge (scour) In Butte County Near Chico At Various Locations From 0.6 Mile South Of Butte Creek Bridge To 0.8 Mile North Of Butte Creek Bridge
Location: Chico,CA
Bid Due Date: 02/20/13 at 02:00 AM PST
Solicitation Number: 03-3E6204
Contact: Steve Silva

Quotes are needed for:
LEAD COMPLIANCE PLAN, CONSTRUCTION SITE MANAGEMENT, PROGRESS SCHEDULE (CRITICAL PATH METHOD), TIME-RELATED OVERHEAD (WDAY), CONSTRUCTION AREA SIGNS, TRAFFIC CONTROL SYSTEM, TYPE III BARRICADE, TEMPORARY PAVEMENT MARKING (PAINT), TEMPORARY TRAFFIC STRIPE (PAINT), CHANNELIZER (SURFACE MOUNTED), TEMPORARY PAVEMENT MARKER,
PORTABLE CHANGEABLE MESSAGE SIGN (LS), TEMPORARY RAILING (TYPE K), TEMPORARY CRASH CUSHION MODULE, TEMPORARY TRAFFIC SCREEN, PREPARE STORM WATER POLLUTION PREVENTION PLAN, RAIN EVENT ACTION PLAN,STORM WATER SAMPLING AND ANALYSIS DAY, STORM WATER ANNUAL REPORT, TEMPORARY EROSION CONTROL BLANKET, MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL), TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX), TEMPORARY SOIL BINDER, TEMPORARY COVER, TEMPORARY DRAINAGE INLET PROTECTION, TEMPORARY FIBER ROLL, TEMPORARY GRAVEL BAG BERM, TEMPORARY LARGE SEDIMENT BARRIER, TEMPORARY SILT FENCE, TEMPORARY CONSTRUCTION ENTRANCE, STREET SWEEPING, TEMPORARY CONCRETE WASHOUT, TEMPORARY FENCE (TYPE ESA), REMOVE YELLOW THERMOPLASTIC TRAFFIC STRIPE (HAZARDOUS WASTE), TREATED WOOD WASTE, CONTRACTOR SUPPLIED BIOLOGIST (DAY), NATURAL RESOURCE PROTECTION PLAN, ABANDON CULVERT (LF), REMOVE FENCE, REMOVE ENTRANCE TAPER, REMOVE METAL BEAM GUARD RAILING, REMOVE FLARED END SECTION, REMOVE PAINTED TRAFFIC STRIPE, REMOVE PAINTED PAVEMENT MARKING, REMOVE THERMOPLASTIC TRAFFIC STRIPE, REMOVE THERMOPLASTIC PAVEMENT MARKING, REMOVE ROADSIDE SIGN, REMOVE ASPHALT CONCRETE DIKE, REMOVE OVERSIDE DRAIN, REMOVE DOWNDRAIN (EA), REMOVE INLET, REMOVE HEADWALL, COLD PLANE ASPHALT CONCRETE PAVEMENT, SAND BACKFILL, BRIDGE REMOVAL, CLEARING AND GRUBBING (LS), ROADWAY EXCAVATION, STRUCTURE EXCAVATION (BRIDGE), STRUCTURE EXCAVATION (TYPE A), STRUCTURE BACKFILL (BRIDGE), EROSION CONTROL (COMPOST BLANKET), COMPOST (INCORPORATE), MOVE-IN/MOVE-OUT (EROSION CONTROL), EROSION CONTROL (BONDED FIBER MATRIX) (SQFT), FIBER ROLLS, CLASS 2

AGGREGATE BASE (CY), ASPHALT TREATED PERMEABLE BASE, ASPHALTIC EMULSION (FOG SEAL COAT), CRACK TREATMENT, MICRO-SURFACING, REPLACE ASPHALT CONCRETE SURFACING, HOT MIX ASPHALT (TYPE A), MINOR HOT MIX ASPHALT, RUBBERIZED HOT MIX ASPHALT (OPEN GRADED), PLACE HOT MIX ASPHALT DIKE (TYPE C), PLACE HOT MIX ASPHALT DIKE (TYPE E), PLACE HOT MIX ASPHALT DIKE (TYPE F), PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA), TACK COAT, GRIND EXISTING CONCRETE PAVEMENT, FURNISH STEEL PILING (HP 14 X 117), DRIVE STEEL PILE (HP 14 X 117), PRESTRESSING CAST-IN-PLACE CONCRETE, SEAL COURSE CONCRETE, BAT HABITAT, STRUCTURAL CONCRETE, BRIDGE FOOTING, STRUCTURAL CONCRETE, BRIDGE, STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N), MINOR CONCRETE (MINOR STRUCTURE), JOINT SEAL ASSEMBLY (MR 2 1/2"), BAR REINFORCING STEEL (BRIDGE), FURNISH LAMINATED PANEL SIGN (1"-TYPE B), FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-UNFRAMED), FURNISH SINGLE SHEET ALUMINUM SIGN (0.080"-FRAMED), ROADSIDE SIGN - ONE POST, ROADSIDE SIGN - TWO POST, 18" ALTERNATIVE PIPE CULVERT, 24" REINFORCED CONCRETE PIPE, 3" PLASTIC PIPE (OUTLET), 24" WELDED STEEL PIPE CASING (BRIDGE), 24" CONCRETE FLARED END SECTION, 18" ALTERNATIVE FLARED END SECTION, STREAMBED GRAVEL BLANKET, ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY), ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY), ROCK SLOPE PROTECTION FABRIC (CLASS 8), MISCELLANEOUS IRON AND STEEL, MISCELLANEOUS METAL (BRIDGE), FENCE (TYPE WM AND BW), CHAIN LINK FENCE (TYPE CL-6), HIGHWAY POST MARKER, MARKER (CULVERT), OBJECT MARKER (TYPE L-1), METAL BEAM GUARD RAILING, VEGETATION CONTROL (MINOR CONCRETE), DOUBLE METAL BEAM GUARD RAILING (WOOD POST), TRANSITION RAILING (TYPE WB), RAIL TENSIONING ASSEMBLY, END CAP (TYPE TC), ALTERNATIVE FLARED TERMINAL SYSTEM, CRASH CUSHION (TYPE CAT), CRASH CUSHION (TYPE CAT) BACKUP, CONCRETE BARRIER (TYPE 732 MODIFIED), CONCRETE BARRIER (TYPE 732), 4" THERMOPLASTIC TRAFFIC STRIPE, THERMOPLASTIC PAVEMENT MARKING, 4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12), PAVEMENT MARKER (RETROREFLECTIVE), MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION, TEMPORARY VIDEO IMAGE VEHICLE DETECTION SYSTEM, LIGHTING (TEMPORARY), LIGHTING CONDUIT (BRIDGE) (LS), MODIFY SIGNAL AND LIGHTING, MOBILIZATION, TRUCKING.

Baldwin Contracting Company, Inc. dba Knife River Construction is bound by the Master Labor Agreement with the Laborers, Operating Engineers and Teamsters. If your company enters into a subcontract with Baldwin, portions of those Labor Agreements may be applicable to your scope of work.

Assistance is available to DBE's for obtaining bonding, lines of credit or insurance and any technical assistance related to the Plans and Specifications. In addition, assistance is available to obtain necessary equipment, supplies, materials or services. For your convenience, a set of Plans is available for review at our office.

Participation Response Form

( ) We can participate in this contract

TYPE OF SERVICE OR SUPPLIES:_____

( ) We cannot participate in the contract

_____ _____

Print Name of Business Owner Signature

Date:_____

Please fax return this form by Feb 19, 2013
with a copy of your certification to Steve Silva at (530) 894-6220

KNIFE RIVER
CONSTRUCTION
AN MDU RESOURCES COMPANY

www.kniferiver.com

NORTHERN CALIFORNIA DIVISION - CHICO
1764 Skyway
Chico, CA 95928
(530) 891-6555
(530) 894-6220 FAX

March 4, 2013

Department of Transportation, MSC 43
Attn: Office Engineer
1727 30th Street
Sacramento, CA 95816-7005

RE: Good Faith Efforts Documentation
State Contract No. 03-3E6204
Bid Date: February 26, 2013

To whom it may concern:

Please find enclosed our DBE Commitment Documentation and Good Faith Effort on the above referenced project.

If you have any questions please give me a call at (530)891-6555.

Sincerely,

Baldwin Contracting Company, Inc. dba Knife River Construction

Jared Springer

Enclosures