

DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

TTY 711

*Flex your power!
Be energy efficient!*

September 7, 2012

02-Sha-299-4.3/5.5

02-2E5104

Project ID 0200000216

ACHSNH-P299(171)E

Addendum No. 3

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN SHASTA COUNTY ABOUT 17.3 MILES WEST OF REDDING FROM 4.3 TO 5.5 MILES EAST OF TRINITY COUNTY LINE.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Tuesday, September 25, 2012.

This addendum is being issued to revise the Project Plans, the Notice to Bidders and Special Provisions, the Bid book, the Federal Minimum Wages with Modification Number 9 dated 09/07/2012, and provide a revised copy of the Cross Section.

Project Plan Sheets 2, 3, 4, 5, 6, 7, 8, 10, 11, 12, 13, 14, 19, 20, 21, 28, 29, 30, 32, 33, 34, 35, 37, 41, 42, 44, 47, 48, 49, 52, 54, 58, 60, 70, 74, 79, 80, 81, 82, 83, 84, 85, 86, 87, 90, 91, 114, 116, and 130 are revised. Copies of the revised sheets are attached for substitution for the like-numbered sheets.

In the Special Provisions, Section 5-1.13, "BIRD PROTECTION," the first paragraph is revised as follows:

"The Department anticipates nesting or attempted nesting by migratory and nongame birds from March 15 to September 1."

In the Special Provisions, Section 10-1.01, "ORDER OF WORK," the third paragraph is revised as follows:

"Tree greater than 12 inches in diameter at breast height shall only be removed between September 1 and March 15, due to nesting birds."

In the Special Provisions, Section 10-1.12, "COOPERATION," the first Contract No in the table is revised as follows:

"02-1E10U4."

In the Special Provisions, Section 10-1.17, "MAINTAINING TRAFFIC," the fifth paragraph is revised as follows:

"Designated legal holidays are: January 1st, the third Monday in February, the last Monday in May, July 4th, the first Monday in September, November 11th, Thanksgiving Day, and December 25th. Under one-way reversing traffic control, the Contractor shall conduct traffic control operations so that the delay to public traffic does not exceed 25 minutes."

02-Sha-299-4.3/5.5
02-2E5104
Project ID 0200000216
ACHSNH-P299(171)E

In the Special Provisions, Section 10-1.24, "TRAFFIC MANAGEMENT SUPERVISOR," subsection "CONSTRUCTION," item 6 in the first paragraph is revised as follows:

"6. Immediately report delays exceeding the 25 minute maximum delay or traffic queue stoppage to the Engineer and take corrective action."

In the Special Provisions, Section 10-1.52, "ANIMAL PASSAGE MIX," subsection "MATERIALS," the third paragraph is revised as follows:

"Animal passage mix must conform with the following gradation or as directed by the Engineer:

SIEVE SIZES	PERCENTAGE PASSING
6"	100
3"	90-100
1"	75-90
No. 4	65-80

In the Bid book, in the "Bid Item List," Items 12, 13, 48, 71, 75, 77, 78, 81, 83, 88, 95, 96, 97 and 99 are revised.

To Bid book holders:

Replace pages 3, 5, 6 and 7 of the "Bid Item List" in the Bid book with the attached revised pages 3, 5, 6 and 7 of the Bid Item List. The revised Bid Item List is to be used in the bid.

Attached is a copy of the Information Handout of revised cross section.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

Addendum No. 3
Page 3
September 7, 2012

02-Sha-299-4.3/5.5
02-2E5104
Project ID 0200000216
ACHSNH-P299(171)E

This addendum, attachments and the modified federal wages are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/02/02-2E5104

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



for REBECCA D. HARNAGEL
Chief, Office of Plans, Specifications & Estimates
Office Engineer
Division of Engineering Services

Attachments

BID ITEM LIST
02-2E5104

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
1	070012	PROGRESS SCHEDULE (CRITICAL PATH METHOD)	LS	LUMP SUM	LUMP SUM	
2	071325	TEMPORARY FENCE (TYPE ESA)	LF	1,950		
3	074016	CONSTRUCTION SITE MANAGEMENT	LS	LUMP SUM	LUMP SUM	
4	074019	PREPARE STORM WATER POLLUTION PREVENTION PLAN	LS	LUMP SUM	LUMP SUM	
5	074028	TEMPORARY FIBER ROLL	LF	2,600		
6	074031	TEMPORARY GRAVEL BAG BERM	LF	1,500		
7	074035	TEMPORARY CHECK DAM	LF	380		
8	074037	MOVE-IN/MOVE-OUT (TEMPORARY EROSION CONTROL)	EA	12		
9	074038	TEMPORARY DRAINAGE INLET PROTECTION	EA	25		
10	074040	TEMPORARY HYDRAULIC MULCH (BONDED FIBER MATRIX)	SQYD	156,300		
11	074042	TEMPORARY CONCRETE WASHOUT (PORTABLE)	LS	LUMP SUM	LUMP SUM	
12	074056	RAIN EVENT ACTION PLAN	EA	81	500.00	40,500.00
13	074057	STORM WATER ANNUAL REPORT	EA	3	2,000.00	6,000.00
14	074058	STORM WATER SAMPLING AND ANALYSIS DAY	EA	44		
15	090100	TIME-RELATED OVERHEAD (WDAY)	WDAY	290		
16	120090	CONSTRUCTION AREA SIGNS	LS	LUMP SUM	LUMP SUM	
17	120100	TRAFFIC CONTROL SYSTEM	LS	LUMP SUM	LUMP SUM	
18	120159	TEMPORARY TRAFFIC STRIPE (PAINT)	LF	18,500		
19	120165	CHANNELIZER (SURFACE MOUNTED)	EA	91		
20	128650	PORTABLE CHANGEABLE MESSAGE SIGN	LS	LUMP SUM	LUMP SUM	

BID ITEM LIST**02-2E5104**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
41	023057	RECONSTRUCT TURNABLE ROADSIDE SIGN	EA	6		
42	152320	RESET ROADSIDE SIGN	EA	3		
43	152430	ADJUST INLET	EA	1		
44	153103	COLD PLANE ASPHALT CONCRETE PAVEMENT	SQYD	540		
45	156535	REMOVE BOX CULVERT	LF	48		
46	160102	CLEARING AND GRUBBING (LS)	LS	LUMP SUM	LUMP SUM	
47	170101	DEVELOP WATER SUPPLY	LS	LUMP SUM	LUMP SUM	
48	190101	ROADWAY EXCAVATION	CY	502,500		
49	190110	LEAD COMPLIANCE PLAN	LS	LUMP SUM	LUMP SUM	
50	190185	SHOULDER BACKING	TON	590		
51	193114	SAND BACKFILL	CY	14		
52	193118	CONCRETE BACKFILL	CY	30		
53	194001	DITCH EXCAVATION	CY	580		
54	023058	EARTH RETAINING STRUCTURE (GUARD RAILING)	SQFT	150		
55	203027	EROSION CONTROL (BONDED FIBER MATRIX) (SQFT)	SQFT	380,000		
56	203032	EROSION CONTROL (HYDROSEED) (ACRE)	ACRE	19		
57	260203	CLASS 2 AGGREGATE BASE (CY)	CY	8,000		
58	390131	HOT MIX ASPHALT	TON	13,000		
59	394060	DATA CORE	LS	LUMP SUM	LUMP SUM	
60	394074	PLACE HOT MIX ASPHALT DIKE (TYPE C)	LF	230		

BID ITEM LIST

02-2E5104

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
61	394076	PLACE HOT MIX ASPHALT DIKE (TYPE E)	LF	750		
62	394077	PLACE HOT MIX ASPHALT DIKE (TYPE F)	LF	2,360		
63	394090	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)	SQYD	42		
64	397005	TACK COAT	TON	10		
65 (F)	043718	STRUCTURAL CONCRETE, CULVERT	CY	346		
66	510502	MINOR CONCRETE (MINOR STRUCTURE)	CY	60		
67 (F)	043719	BAR REINFORCING STEEL (CULVERT)	LB	25,800		
68	560248	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)	SQFT	100		
69	566011	ROADSIDE SIGN - ONE POST	EA	10		
70	620100	18" ALTERNATIVE PIPE CULVERT	LF	590		
71	641107	18" PLASTIC PIPE	LF	240		
72	641113	24" PLASTIC PIPE	LF	260		
73	641125	36" PLASTIC PIPE	LF	56		
74	650524	36" REINFORCED CONCRETE PIPE (CLASS V)	LF	190		
75	665018	18" CORRUGATED STEEL PIPE (.109" THICK)	LF	270		
76	023059	36" POLYMERIC COATED CORRUGATED STEEL PIPE (.168" THICK)	LF	6		
77	023060	72" CORRUGATED STEEL PIPE (.109" THICK)	LF	170		
78	023061	96" CORRUGATED STEEL PIPE (.109" THICK)	LF	160		
79	023062	12" CORRUGATED STEEL PIPE (109" THICK)	LF	8		
80	043720	STRUCTURAL PLATE CORRUGATED STEEL PIPE	LF	1,041		

BID ITEM LIST

02-2E5104

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
81	023063	GEOMEMBRANE	SQYD	3,620		
82	023064	12" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK)	LF	3		
83	690118	18" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK)	LF	210		
84	023065	36" POLYMERIC COATED T-ENERGY DISSIPATOR (.168" THICK)	LF	6		
85	023066	36" POLYMERIC COATED CORRUGATED STEEL PIPE DOWNDRAIN (.168" THICK)	LF	20		
86	692307	18" ANCHOR ASSEMBLY	EA	12		
87	692313	36" ANCHOR ASSEMBLY	EA	4		
88	700638	36" CORRUGATED STEEL PIPE INLET (.079" THICK)	LF	56		
89	705210	36" CONCRETE FLARED END SECTION	EA	1		
90	705311	18" ALTERNATIVE FLARED END SECTION	EA	1		
91	720118	ROCK SLOPE PROTECTION (2T, METHOD A)	CY	630		
92	721013	ROCK SLOPE PROTECTION (1/4 T, METHOD B) (CY)	CY	400		
93	721015	ROCK SLOPE PROTECTION (LIGHT, METHOD B) (CY)	CY	670		
94	721017	ROCK SLOPE PROTECTION (FACING, METHOD B) (CY)	CY	4		
95	023067	ANIMAL PASSAGE MIX	CY	41		
96	721028	ROCK SLOPE PROTECTION (NO. 2, METHOD B) (CY)	CY	400		
97	722020	GABION	CY	930		
98	023068	SACKED CONCRETE SLOPE PROTECTION	SQFT	71		
99	729011	ROCK SLOPE PROTECTION FABRIC (CLASS 8)	SQYD	7,310		
100	750001	MISCELLANEOUS IRON AND STEEL	LB	7,860		