

DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

TTY 711

*Flex your power!
Be energy efficient!*

May 1, 2012

02-Plu-70-0.6/35.2

02-3C3004

Project ID 0200000317

ACHSSTP-P070(102)E

OTS

Addendum No. 3

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN PLUMAS COUNTY AT VARIOUS LOCATIONS FROM GRIZZLY CREEK BRIDGE TO 0.1 MILE WEST OF SPANISH CREEK BRIDGE.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Tuesday, May 8, 2012.

This addendum is being issued to revise the Project Plans, the Notice to Bidders and Special Provisions and the Bid book.

Project Plan Sheets 57, 69 and 83 are revised. Copies of the revised sheets are attached for substitution for the like-numbered sheets.

In the Special Provisions, Section 10-1.07, "TEMPORARY STRAW BALE BARRIER," subsection "CONSTRUCTION," the third paragraph is revised as follows:

"Install temporary straw bale barrier by:

1. Placing single row of straw bales end-to-end approximately parallel to the slope contour.
2. Placing straw bales in a trench or keyed into the slope. Place bales so that binding wire or string does not come in contact with soil.
3. Securing with 2 stakes for each straw bale. First stake in each bale must be driven toward previously laid bale to force bales together.
4. Driving stakes into soil so top stake is less than 2 inches above top of straw bale.
5. Angling last 6 feet of temporary straw bale barrier up-slope."

Addendum No. 3
Page 2
May 1, 2012

02-Plu-70-0.6/35.2
02-3C3004
Project ID 0200000317
ACHSSTP-P070(102)E
OTS

In the Bid book, in the "Bid Item List," Item 25 is revised as attached.

To Bid book holders:

Replace page 4 of the "Bid Item List" in the Bid book with the attached revised page 4 of the Bid Item List. The revised Bid Item List is to be used in the bid.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This addendum and attachments are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/02/02-3C3004

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



REBECCA D. HARNAGEL
Chief, Office of Plans, Specifications & Estimates
Office Engineer
Division of Engineering Services

Attachment

BID ITEM LIST

02-3C3004

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
21	190116	DUST CONTROL PLAN (NATURALLY OCCURRING ASBESTOS)	LS	LUMP SUM	LUMP SUM	
22	190117	SAMPLING AND ANALYSIS PLAN (NATURALLY OCCURRING ASBESTOS)	LS	LUMP SUM	LUMP SUM	
23	190185	SHOULDER BACKING	TON	190		
24 (F)	043602	STRUCTURE EXCAVATION (ROCK ANCHOR WALL)	CY	470		
25 (F)	043603	STRUCTURE BACKFILL (ROCK ANCHOR WALL)	CY	219		
26	197030	EARTH RETAINING STRUCTURE (GUARD RAILING)	SQFT	3,900		
27	197040	EARTH RETAINING STRUCTURE (CORRUGATED STEEL PIPE)	SQFT	1,190		
28	022541	SOIL ANCHOR	EA	65		
29	043604	ROCK ANCHOR ASSEMBLY	LF	1,400		
30	203026	MOVE-IN/MOVE-OUT (EROSION CONTROL)	EA	4		
31	203031	EROSION CONTROL (HYDROSEED) (SQFT)	SQFT	164,000		
32	390132	HOT MIX ASPHALT (TYPE A)	TON	1,000		
33	394077	PLACE HOT MIX ASPHALT DIKE (TYPE F)	LF	440		
34	394090	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)	SQYD	134		
35	397005	TACK COAT	TON	1		
36	043605	STEEL PIN PILE (6"XX STRONG PIPE)	LF	1,870		
37	043606	DRILLED HOLE	LF	1,914		
38 (F)	510060	STRUCTURAL CONCRETE, RETAINING WALL	CY	62		
39 (F)	510072	STRUCTURAL CONCRETE, BARRIER SLAB	CY	299		
40 (F)	510502	MINOR CONCRETE (MINOR STRUCTURE)	CY	52.1		