

**DEPARTMENT OF TRANSPORTATION**

ES-OE MS #43  
1727 30TH Street, 2ND Floor  
Sacramento, CA 95816



June 29, 2001

03-Sac-5,99-53.4,56.0  
03-OC4104

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in SACRAMENTO COUNTY NEAR SACRAMENTO ON ROUTE 5 AT 0.7 km NORTH OF AIRPORT BOULEVARD OVERCROSSING AND ON ROUTE 99 AT 0.9 km SOUTH OF ELVERTA ROAD.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on July 10, 2001.

This addendum is being issued to revise the Project Plans and the Notice to Contractors and Special Provisions.

Project Plan sheet numbers 1, 2, 3, 5, 6 and 7 are revised. Half-sized copies of the revised sheets are attached for substitution for the like-numbered sheets.

In the Special Provisions, Section 10-3.09, "CONDUCTORS AND WIRING," the following paragraphs are added after the second paragraph:

**"TELEPHONE CABLE.-** -The telephone cable shall consist of six pair of No. 22 AWG solid copper conductors. Conductors shall be twisted in pairs. Each conductor shall be insulated with color coded polyethylene material. Cable shall comply with REA Spec PE-339. Telephone Cable, Filled, Simple Jacket and shall have a nominal outside diameter of 11.2 mm and shall weigh approximately 44.6 kg per 304 m. Conductor color coding shall conform to the following:

White/Blue, White/Orange, White/Brown, White/Gray and Red/Blue.

Approximately 3.5 m of cable shall be neatly coiled in the last telephone pull box near the existing telephone company CAD 12 pedestal as shown on the plans. The cable shall run from the existing telephone company CAD 12 pedestal to the telephone terminal box at the scale house exterior wall without splices.

The telephone cable will be installed by the Telephone Company between the telephone pull box and the telephone service point."

Addendum No. 1  
Page 2  
June 29, 2001

03-Sac-5,99-53.4,56.0  
03-0C4104

To Proposal and Contract book holders:

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This office is sending this addendum by UPS overnight mail to Proposal and Contract book holders to ensure that each receives it.

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief  
Plans, Specifications & Estimates Branch  
Office of Office Engineer

Attachment