

DEPARTMENT OF TRANSPORTATION

DES-OE MS #43
1727 30TH Street, 2ND Floor
Sacramento, CA 95816



**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

September 8, 2003

03-Pla-80-2.4/4.8
03-375604
ACIM-080-3(230)E

Addendum No. 2

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in PLACER COUNTY IN ROSEVILLE FROM 2.4 KM EAST OF SOUTH ROSEVILLE OVERCROSSING TO 0.6 KM WEST OF ATLANTIC STREET OVERCROSSING.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on September 17, 2003.

This addendum is being issued to revise the Notice to Contractors and Special Provisions.

In the Special Notices, "**Submission of DBE Information**", the following notices are added:

"Effective September 2, 2003, Triaxial Management Services will no longer provide lists of certified DBEs to contractors bidding on projects or provide DBEs with assistance in preparing bids for subcontracting or supplying materials. Triaxial provided these services for contracts in Districts 01, 02, 03, 04, 05 (except San Luis Obispo and Santa Barbara Counties), 06 (except Kern County), 09 and 10.

Contractors bidding on projects in these Districts may obtain lists of certified DBEs from the Department's Website at <http://www.dot.ca.gov/hq/bep>. The Department also publishes a quarterly directory of certified firms that may be ordered from the Publications Unit at (916) 445-3520.

Contractors bidding on projects with DBE goals in Districts 05 (San Luis Obispo and Santa Barbara Counties), 06 (Kern County), 07, 08, 11 and 12 may continue to call Padilla & Associates at the telephone numbers listed in the Special Provisions."

03-Pla-80-2.4/4.8
 03-375604
 ACIM-080-3(230)E

In the Special Provisions, Section 2-1.02A, "DBE GOALS FOR THIS PROJECT," the third paragraph is revised as follows.

"The following firms may be contacted for projects in the following locations:

Districts 04, 05 (except San Luis Obispo and Santa Barbara Counties), 06 (except Kern County) and 10:		Districts 08 and 11:
See the Department's DBE database at:		Padilla & Associates
http://www.dot.ca.gov/hq/bep/		- San Diego
		2725 Congress Street, Suite 1D
		San Diego, CA 92110
		Telephone: (619) 725-0843
		FAX No.: (619) 725-0854
Districts 07, 08, and 12; in San Luis Obispo and Santa Barbara Counties in District 05; and in Kern County in District 06:		Districts 01, 02, 03 and 09:
Padilla & Associates		See the Department's DBE database at:
- Los Angeles		http://www.dot.ca.gov/hq/bep/
5675 East Telegraph Rd., Suite A-260		
Los Angeles, CA 90040		
Telephone: (323) 728-8847		
FAX No.: (323) 728-8867		

In the Special Provisions, Section 10-1.57.5, "TUNNEL DRAINAGE SYSTEM," is added as attached.

Addendum No. 2
Page 3
September 8, 2003

03-Pla-80-2.4/4.8
03-375604
ACIM-080-3(230)E

To Proposal and Contract book holders:

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it.

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Office of Plans, Specifications & Estimates
Office Engineer

Attachment

10-1.57.5 TUNNEL DRAINAGE SYSTEM

The tunnel drainage system at the Sunrise-E80 On Ramp Tunnel shall consist of furnishing and installing perforated plastic pipe, riser grates and permeable material and shall conform to the provisions in Section 68-1, "Underdrains," of the Standard Specifications and these special provisions.

Permeable material shall be Class 2 and shall be placed in horizontal layers and thoroughly consolidated along with and by the same methods specified for structure backfill in Section 19-3, "Structure Excavation and Backfill," of the Standard Specifications. Ponding and jetting of permeable material or structure backfill adjacent to permeable material will not be permitted.

The contract lump sum price paid for tunnel drainage system shall include full compensation for furnishing all labor, materials, tools, equipment, and incidentals, and for doing all the work involved in furnishing and installing the tunnel drainage system, complete in place, including permeable material, as shown on the plans, as specified in the Standard Specifications and these special provisions, and as directed by the Engineer.