

**DEPARTMENT OF TRANSPORTATION**  
DIVISION OF ENGINEERING SERVICES  
OFFICE ENGINEER, MS 43  
1727 30<sup>TH</sup> STREET  
P.O. BOX 168041  
SACRAMENTO, CA 95816-8041  
FAX (916) 227-6214  
TTY 711



*Flex your power!  
Be energy efficient!*

January 13, 2010

03-Nev-80-19.1/19.3  
03-4C2204

Addendum No. 4

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN NEVADA COUNTY NEAR TRUCKEE FROM 0.9 MILE WEST OF UNION MILLS UNDERCROSSING TO 1.1 MILE WEST OF UNION MILLS UNDERCROSSING AT DONNER PASS TRUCK INSPECTION FACILITY AT 12800 HIGHWAY 80.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Wednesday, January 27, 2010.

This addendum is being issued to revise the Project Plans, the Notice to Bidders, Special Provisions and the Bid Book.

Project Plan Sheet 13 is revised. A copy of the revised sheet is attached for substitution for the like-numbered sheet.

In the Special Provisions, Section 10-1.32, "JOINTED PLAIN CONCRETE PAVEMENT," subsection "CONSTRUCTING LONGITUDINAL ISOLATION JOINTS," is added after "CONSTRUCTING TRANSVERSE CONTACT JOINTS" as follows:

#### **CONSTRUCTING LONGITUDINAL ISOLATION JOINTS**

"Final alignment of perpendicular transverse weakened plane joints in pavement shall not be made to match the spacing or skew of the weakened plane joints in the existing parallel concrete pavement. Tie bars shall not be placed across longitudinal isolation joints. The edge of the existing pavement shall be saw cut a width 1/8 inch and to the full depth of the existing concrete pavement to produce a flat vertical face. Prior to placing concrete, joint filler material shall be placed as shown on the plans. The joint filler shall be secured to the face of the existing pavement joint face by a method that will hold the joint filler in place and prevent the new concrete from adhering to the existing concrete, during placement of concrete."

Addendum No. 4  
Page 2  
January 13, 2010

03-Nev-80-19.1/19.3  
03-4C2204

In the Bid book, in the "Bid Item List," Items 29 and 30 are revised as attached.

To Bid book holders:

Replace page 4 of the "Bid Item List" in the Bid book with the attached revised page 4 of the Bid Item List. The revised Bid Item List is to be used in the bid.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This addendum and attachments available for the Contractors' download on the Web site:

**[http://www.dot.ca.gov/hq/esc/oe/project\\_ads\\_addenda/03/03-4C2204](http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/03/03-4C2204)**

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

**ORIGINAL SIGNED BY**

REBECCA D. HARNAGEL  
Chief, Office of Plans, Specifications & Estimates  
Office Engineer  
Division of Engineering Services

Attachments

**BID ITEM LIST  
03-4C2204**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
21	190101	ROADWAY EXCAVATION	CY	1,510		
22	190110	LEAD COMPLIANCE PLAN	LS	LUMP SUM	LUMP SUM	
23	203019	EROSION CONTROL (BFM)	SQYD	2,070		
24	203026	MOVE-IN/MOVE-OUT (EROSION CONTROL)	EA	2		
25	260201	CLASS 2 AGGREGATE BASE	CY	190		
26	280000	LEAN CONCRETE BASE	CY	1,010		
27	390136	MINOR HOT MIX ASPHALT	TON	19		
28	401000	CONCRETE PAVEMENT	CY	1,320		
29	404092	SEAL PAVEMENT JOINT	LF	5,900		
30	404094	SEAL LONGITUDINAL ISOLATION JOINT	LF	95		
31	802660	20' CHAIN LINK GATE (TYPE CL-6)	EA	2		
32	820115	SNOW POLE MARKER	EA	10		
33	820151	OBJECT MARKER (TYPE L-1)	EA	3		
34	832001	METAL BEAM GUARD RAILING	LF	120		
35	839581	END ANCHOR ASSEMBLY (TYPE SFT)	EA	3		
36	839585	ALTERNATIVE FLARED TERMINAL SYSTEM	EA	3		
37	840581	4" THERMOPLASTIC TRAFFIC STRIPE (RECESSED)	LF	2,700		
38	017339	8" THERMOPLASTIC TRAFFIC STRIPE (RECESSED)	LF	560		
39	017340	4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 17-7) (RECESSED)	LF	360		
40	840661	TWO-COMPONENT PAINT PAVEMENT MARKING	SQFT	120		