

**DEPARTMENT OF TRANSPORTATION**

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30<sup>th</sup> Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

[www.dot.ca.gov/hq/esc/oe](http://www.dot.ca.gov/hq/esc/oe)

*Serious Drought.  
Help save water!*

August 10, 2016

03-Gle-5-R0.0/R20.0

03-4F0604

Project ID 0314000019

ACNHI-0057(098)

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN GLENN COUNTY IN AND NEAR WILLOWS FROM THE COLUSA COUNTY LINE TO 0.2 MILE NORTH OF COUNTY ROAD 28, and to revise the *Notice to Bidders and Special Provisions*.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Wednesday, September 7, 2016.

In the Special Provisions, Section 86-1.01D(b)(3)(i) is added as attached.

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Submit the *Bid* book as described in the *Electronic Bidding Guide* at the Bidders' Exchange website.

**[http://www.dot.ca.gov/hq/esc/oe/electronic\\_bidding/electronic\\_bidding.html](http://www.dot.ca.gov/hq/esc/oe/electronic_bidding/electronic_bidding.html)**

Inform subcontractors and suppliers as necessary.

Addendum No. 1  
Page 2  
August 10, 2016

03-Gle-5-R0.0/R20.0  
03-4F0604  
Project ID 0314000019  
ACNHI-0057(098)

This addendum, EBS addendum file, attachments and the modified wage rates are available for the Contractors' download on the Web site:

**[http://www.dot.ca.gov/hq/esc/oe/project\\_ads\\_addenda/03/03-4F0604](http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/03/03-4F0604)**

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



EDWARD ARMIJO  
Senior, AADD Coordinator  
Office Engineer  
Division of Engineering Services

Attachment

Replace the table in the RSS for section 86-1.01D(3)(b)(i) with:

**Nondestructive Testing for Steel Standards and Poles**

| Weld location   | Weld type  | Minimum required NDT   |
|---|--|--|
| Circumferential splices around the perimeter of tubular sections, poles, and arms                 | CJP groove weld with backing ring                        | 100% UT or RT  |
| Longitudinal seam   | CJP or PJP groove weld                                   | Random 25% MT  |
| Longitudinal seam within 6 inches of a circumferential splice                                     | CJP groove weld  | 100% UT or RT  |
| Welds attaching base plates, flange plates, pole plates, or mast arm plates to poles or arm tubes | CJP groove weld with backing ring and reinforcing fillet | $t \geq 5/16$ inch: 100% UT and 100% MT<br>$t < 5/16$ inch: 100% MT after root weld pass and final weld pass |
|   | External (top) fillet weld for socket-type connections   | 100% MT  |
| Hand holes and other appurtenances  | Fillet and PJP welds                                     | MT full length on random 25% of all standard and poles   |

NOTE: t = pole or arm thickness