

DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER, MS 43
1727 30TH STREET
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
FAX (916) 227-6214
TTY (916) 227-8454



*Flex your power!
Be energy efficient!*

**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

November 22, 2005

04-Ala-5746
04-130524

Addendum No. 2

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in ALAMEDA COUNTY IN SAN LEANDRO AND SAN LORENZO IN THE SOUTHEAST QUADRANT OF ROUTE 880/238 SEPARATION.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on December 14, 2005.

This addendum is being issued to revise the Project Plans, the Notice to Contractors and Special Provisions, and the Proposal and Contract.

Project Plan Sheets 2, 3, 4, 5, 6, 7, 8, 23, 27, 29, 30, 32, 33, 46, 48 and 49 are revised. Half-sized copies of the revised sheets are attached for substitution for the like-numbered sheets.

Project Plan Sheets 25 and 26 are deleted.

In the Special Provisions, Section 5-1.09, "SUBCONTRACTING," the following paragraph is added after the second paragraph:

"The third paragraph of Section 8-1.01 of the Standard Specifications shall not apply to this contract."

In the Special Provisions, Section 12-3.01, "CAST-IN-PLACE," subsection "PART 3.- EXECUTION," heading "FINISHING CONCRETE SURFACES.--," of subheading "Nonskid abrasive aggregate finish.--," is deleted.

In the Special Provisions, Section 12-3.01, "CAST-IN-PLACE," subsection "PART 3.- EXECUTION," heading "SPECIAL TREATMENTS.--," of subheading "Concrete hardener.--," the first paragraph is revised as follows:

"Chemical concrete hardener shall be applied to all exposed concrete floor surfaces, prior to the application of concrete sealer. Surfaces shall be clean and dry before the application of hardener."

Addendum No. 2
Page 2
November 22, 2005

04-Ala-5746
04-130524

In the Special Provisions, Section 12-9.05, "RUBBER TILE FLOORING," subsection "GENERAL," the following paragraph is added after the second paragraph:

"Rubber Tile Flooring is also referred to as Resilient Floor Tile on the plans."

In the Special Provisions, Section 12-9.08, "ACOUSTIC CEILING TILE (Glue On)" is deleted.

In the Proposal and Contract, the Engineer's Estimate Items 59, 65, 66 and 71 are revised and Item 60 is deleted as attached.

To Proposal and Contract book holders:

Replace pages 5 and 6 of the Engineer's Estimate in the Proposal with the attached revised pages 5 and 6 of the Engineer's Estimate. The revised Engineer's Estimate is to be used in the bid.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the NOTICE TO CONTRACTORS section of the Notice to Contractors and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This office is sending this addendum by UPS overnight mail to Proposal and Contract book holders to ensure that each receives it. A copy of this addendum is available for the contractor's use on the Internet Site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Office of Plans, Specifications & Estimates
Office Engineer

Attachments

ENGINEER'S ESTIMATE**04-130524**

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity | Unit Price | Item Total |
|----------|-----------|--|-----------------|--------------------|------------|------------|
| 41 | 203001 | EROSION CONTROL (BLANKET) | M2 | 1050 | | |
| 42 | 203014 | FIBER (EROSION CONTROL) | KG | 240 | | |
| 43 | 203021 | FIBER ROLLS | M | 23 | | |
| 44 | 203024 | COMPOST (EROSION CONTROL) | M3 | 3 | | |
| 45 | 203045 | PURE LIVE SEED (EROSION CONTROL) | KG | 20 | | |
| 46 | 203061 | STABILIZING EMULSION (EROSION CONTROL) | KG | 50 | | |
| 47 | 204099 | PLANT ESTABLISHMENT WORK | LS | LUMP SUM | LUMP SUM | |
| 48 | 208000 | IRRIGATION SYSTEM | LS | LUMP SUM | LUMP SUM | |
| 49 | 208021 | 50 MM GALVANIZED STEEL PIPE (SUPPLY LINE) | M | 250 | | |
| 50 | 208024 | 100 MM GALVANIZED STEEL PIPE (SUPPLY LINE) | M | 470 | | |
| 51 | 208731 | 200 MM CORRUGATED HIGH DENSITY POLYETHYLENE PIPE CONDUIT | M | 14 | | |
| 52 | 390102 | ASPHALT CONCRETE (TYPE A) | TONN | 6650 | | |
| 53 | 394040 | PLACE ASPHALT CONCRETE DIKE (TYPE A) | M | 420 | | |
| 54 | 394048 | PLACE ASPHALT CONCRETE DIKE (TYPE E) | M | 240 | | |
| 55 | 394049 | PLACE ASPHALT CONCRETE DIKE (TYPE F) | M | 120 | | |
| 56 | 491007 | FURNISH PILING (CLASS 400) | M | 930 | | |
| 57 | 491008 | DRIVE PILE (CLASS 400) | EA | 76 | | |
| 58 (F) | 510060 | STRUCTURAL CONCRETE, RETAINING WALL | M3 | 98 | | |
| 59 (F) | 510502 | MINOR CONCRETE (MINOR STRUCTURE) | M3 | 25 | | |
| 60 | BLANK | | | | | |

ENGINEER'S ESTIMATE**04-130524**

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity | Unit Price | Item Total |
|----------|-----------|---|-----------------|--------------------|------------|------------|
| 61 (F) | 520103 | BAR REINFORCING STEEL (RETAINING WALL) | KG | 5050 | | |
| 62 | 566011 | ROADSIDE SIGN - ONE POST | EA | 5 | | |
| 63 | 568001 | INSTALL SIGN (STRAP AND SADDLE BRACKET METHOD) | EA | 2 | | |
| 64 | 620904 | 300 MM ALTERNATIVE PIPE CULVERT | M | 76 | | |
| 65 | 620913 | 600 MM ALTERNATIVE PIPE CULVERT | M | 14 | | |
| 66 | 620924 | 900 MM ALTERNATIVE PIPE CULVERT | M | 240 | | |
| 67 | 705339 | 900 MM ALTERNATIVE FLARED END SECTION | EA | 1 | | |
| 68 | 721010 | ROCK SLOPE PROTECTION (BACKING NO. 1, METHOD B) | M3 | 1 | | |
| 69 | 729010 | ROCK SLOPE PROTECTION FABRIC | M2 | 10 | | |
| 70 | 731502 | MINOR CONCRETE (MISCELLANEOUS CONSTRUCTION) | M3 | 47 | | |
| 71 (F) | 750001 | MISCELLANEOUS IRON AND STEEL | KG | 2950 | | |
| 72 | 800391 | CHAIN LINK FENCE (TYPE CL-1.8) | M | 300 | | |
| 73 | 800395 | CHAIN LINK FENCE (TYPE CL-1.8, SLATTED) | M | 730 | | |
| 74 | 802595 | 3.0 M CHAIN LINK GATE (TYPE CL-1.8) | EA | 2 | | |
| 75 | 832003 | METAL BEAM GUARD RAILING (WOOD POST) | M | 120 | | |
| 76 | 833126 | CONCRETE BARRIER (TYPE 25A) | M | 34 | | |
| 77 | 840501 | THERMOPLASTIC TRAFFIC STRIPE | M | 1540 | | |
| 78 | 840515 | THERMOPLASTIC PAVEMENT MARKING | M2 | 89 | | |
| 79 | 840666 | PAINT PAVEMENT MARKING (2-COAT) | M2 | 13 | | |
| 80 | 842000 | PARKING BUMPER (PRECAST CONCRETE) | EA | 9 | | |