

DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER, MS 43
1727 30TH STREET
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
FAX (916) 227-6214
TTY 711



*Flex your power!
Be energy efficient!*

**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

November 14, 2008

04-SCI,Ala-680-M11.9/M15.9,M0.0/M5.4
04-253784

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN SANTA CLARA AND ALAMEDA COUNTIES FROM 0.4 KM SOUTH OF ROUTE 237/680 SEPARATION TO GRIMMER BOULEVARD UNDERCROSSING.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on December 2, 2008.

This addendum is being issued to revise the Project Plans, the Notice to Bidders and Special Provisions and the Bid book.

Project Plan Sheets 1, 6, 11, 244, 256, 263, 294, 295, 298, 300, 306, 309, 310, 339, and 502 are revised. Copies of the revised sheets are attached for substitution for the like-numbered sheets.

On Project Plan Sheets 242, 243, 259, 260, 261, 262, 263, 264, 270, 271, 272 and 273 the call out is revised as follows:

"300 mm YELLOW CHEVRON STRIPES 30 m SPACING."

Project Plan Sheets 312 is revised as follows:

In the "ROADWAY QUANTITIES SUMMARY" table the row for Concrete Barrier Type 60 Base is deleted.

In the "ROADWAY QUANTITIES SUMMARY" table the Total for HMA (Type A) is revised to 59265.

In the "ROADWAY QUANTITIES SUMMARY" table a column for Place HMA (Misc Area) measured by the m2 with a Total of 7464 is added. 7464 is added to the Place HMA (Misc Area) column in the row for Roadway Widening.

In the Special Provisions, Section 10-1.19, "MAINTAINING TRAFFIC," Chart No.'s 17, 18 and 19 are added as attached.

In the Special Provisions, Section 10-1.62, "MINOR CONCRETE (GORE PAVING)," the fourth and fifth paragraphs are revised as follows:

"Concrete used in the construction of gore paving will be measured and paid for as minor concrete (brushed concrete).

Full compensation for forming and constructing gore paving, including any necessary soil compaction or disposal of forming materials shall be considered as included in the contract price paid per cubic meter for minor concrete (brushed concrete) and no additional compensation will be allowed therefor."

Addendum No. 1
Page 2
November 14, 2008

04-SCI,Ala-680-M11.9/M15.9,M0.0/M5.4
04-253784

In the Bid book, in the "Bid Item List," Items 60, 87, 169 and 175 are revised as attached.

To Bid book holders:

Replace pages 5, 7, and 11 of the "Bid Item List" in the Bid book with the attached revised pages 5, 7, and 11 of the Bid Item List. The revised Bid Item List is to be used in the bid.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This office is sending this addendum by GSO overnight mail all book holders to ensure that each receives it. A copy of this addendum is available for the Contractors' use on the Web site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ROBERT E. TRAVIS, Chief
Office of Plans, Specifications & Estimates
Division of Engineering Services - Office Engineer

Attachments

**Chart No. 17
Freeway/Expressway Lane Requirements**

County: Alameda	Route/Direction: 680/Southbound	KP: 5.19/10.85	PM: 3.23/6.74																								
Closure Limits: From 0.6 km N/O Mission Blvd./ Rte 238 UC to 0.2 km S/O Grimmer UC																											
FROM HOUR TO HOUR	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
Mondays through Thursdays	1	1	1	1																		3	3	2	2	1	
Fridays	1	1	1	1																			3	3	2	2	
Saturdays	1	1	1	1	1	2	2	3	3														3	3	3	2	
Sundays	2	1	1	1	1	1	1	2	2	3															3	2	
Legend:																											
1 Provide at least one through freeway lane open in direction of travel																											
2 Provide at least two adjacent through freeway lanes open in direction of travel																											
3 Provide at least three adjacent through freeway lanes open in direction of travel																											
Work permitted within project right of way where shoulder or lane closure is not required.																											
REMARKS:																											

**Chart No. 18
Freeway/Expressway Lane Requirements**

County: Alameda	Route/Direction: 680/Southbound										KP: 7.78/19.06 PM: 4.83/11.845																
Closure Limits: From Calaveras Road/Junction Rte 84 East UC to Mission Blvd./Junction Rte 238 North UC																											
FROM HOUR TO HOUR	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24		
Mondays through Thursdays	1	1	1	1																		3	2	2	2	1	
Fridays	1	1	1	1																		3	2	2	2	2	
Saturdays	1	1	1	1	1	1	2	2	3													3	3	3	2	2	
Sundays	1	1	1	1	1	1	1	1	2	3	3													3	3	2	
Legend:																											
<input type="checkbox"/> 1	Provide at least one through freeway lane open in direction of travel																										
<input type="checkbox"/> 2	Provide at least two adjacent through freeway lanes open in direction of travel																										
<input type="checkbox"/> 3	Provide at least three adjacent through freeway lanes open in direction of travel																										
<input type="checkbox"/>	Work permitted within project right of way where shoulder or lane closure is not required.																										
REMARKS:																											

**Chart No. 19
Freeway/Expressway Lane Requirements**

County: Alameda Route/Direction: 680/Southbound KP: 19.06/32.28 PM: 11.845/20.06

Closure Limits: From Junction Rte 580 UC to Junction Rte 84 East UC

FROM HOUR TO HOUR	24	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24				
Mondays through Thursdays		1	1	1	1																			2	2	2	1		
Fridays		1	1	1	1																					2	2	2	2
Saturdays		1	1	1	1	1	1	2	2																		2	2	
Sundays		1	1	1	1	1	1	1	1	2																		2	

Legend:

- 1 Provide at least one through freeway lane open in direction of travel
- 2 Provide at least two adjacent through freeway lanes open in direction of travel
- 3 Provide at least three adjacent through freeway lanes open in direction of travel
- Work permitted within project right of way where shoulder or lane closure is not required.

REMARKS:

BID ITEM LIST**04-253784**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
41	151270	SALVAGE METAL BRIDGE RAILING	M	456		
42	152390	RELOCATE ROADSIDE SIGN	EA	18		
43	152430	ADJUST INLET	EA	9		
44 (S)	153103	COLD PLANE ASPHALT CONCRETE PAVEMENT	M2	5200		
45	153210	REMOVE CONCRETE	M3	120		
46	153214	REMOVE CONCRETE CURB	M	1680		
47	153221	REMOVE CONCRETE BARRIER	M	110		
48	153229	REMOVE CONCRETE BARRIER (TYPE K)	M	5810		
49	153235	CLEAN BRIDGE DECK	M2	2000		
50	153531	ACCESS OPENING, SOFFIT	EA	1		
51	156585	REMOVE CRASH CUSHION	EA	1		
52	156590	REMOVE CRASH CUSHION (SAND FILLED)	EA	2		
53	157561	BRIDGE REMOVAL (PORTION), LOCATION A	LS	LUMP SUM	LUMP SUM	
54	157562	BRIDGE REMOVAL (PORTION), LOCATION B	LS	LUMP SUM	LUMP SUM	
55	157563	BRIDGE REMOVAL (PORTION), LOCATION C	LS	LUMP SUM	LUMP SUM	
56	157564	BRIDGE REMOVAL (PORTION), LOCATION D	LS	LUMP SUM	LUMP SUM	
57	157565	BRIDGE REMOVAL (PORTION), LOCATION E	LS	LUMP SUM	LUMP SUM	
58	160101	CLEARING AND GRUBBING	LS	LUMP SUM	LUMP SUM	
59	170101	DEVELOP WATER SUPPLY	LS	LUMP SUM	LUMP SUM	
60	190101	ROADWAY EXCAVATION	M3	31 000		

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
81	390135	HOT MIX ASPHALT (LEVELING)	TONN	8520		
82	391007	PAVING ASPHALT (BINDER, GEOSYNTHETIC PAVEMENT INTERLAYER)	TONN	107		
83	393003	GEOSYNTHETIC PAVEMENT INTERLAYER	M2	100 000		
84	394074	PLACE HOT MIX ASPHALT DIKE (TYPE C)	M	140		
85	394076	PLACE HOT MIX ASPHALT DIKE (TYPE E)	M	10 510		
86	394077	PLACE HOT MIX ASPHALT DIKE (TYPE F)	M	130		
87	394090	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)	M2	7460		
88	401108	REPLACE CONCRETE PAVEMENT (RAPID STRENGTH CONCRETE)	M3	520		
89	415101	CRACK EXISTING CONCRETE PAVEMENT	M2	21 400		
90	420201	GRIND EXISTING CONCRETE PAVEMENT	M2	960		
91 (S)	490657	600 MM CAST-IN-DRILLED-HOLE CONCRETE PILING	M	2379		
92	491007	FURNISH PILING (CLASS 400)	M	37		
93 (S)	491008	DRIVE PILE (CLASS 400)	EA	4		
94 (S)	498027	400 MM CAST-IN-DRILLED-HOLE CONCRETE PILING (SOUND WALL)	M	68		
95 (S)	500001	PRESTRESSING CAST-IN-PLACE CONCRETE	LS	LUMP SUM	LUMP SUM	
96 (F)	510051	STRUCTURAL CONCRETE, BRIDGE FOOTING	M3	821		
97 (F)	510053	STRUCTURAL CONCRETE, BRIDGE	M3	2090		
98 (F)	510060	STRUCTURAL CONCRETE, RETAINING WALL	M3	1890		
99 (F)	510086	STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N)	M3	226		
100	510087	STRUCTURAL CONCRETE, APPROACH SLAB (TYPE R)	M3	109		

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
161 (F)	041462	CONCRETE BARRIER (TYPE 60A MODIFIED)	M	75		
162	839701	CONCRETE BARRIER (TYPE 60)	M	50		
163 (F)	839702	CONCRETE BARRIER (TYPE 60A)	M	68		
164 (F)	839717	CONCRETE BARRIER (TYPE 732 MODIFIED)	M	216		
165	839721	CONCRETE BARRIER (TYPE 732A)	M	320		
166 (F)	041463	CONCRETE BARRIER (TYPE 736A MODIFIED)	M	306		
167 (F)	839734	CONCRETE BARRIER (TYPE 736SV)	M	57		
168 (S)	840515	THERMOPLASTIC PAVEMENT MARKING	M2	140		
169 (S)	840561	100 MM THERMOPLASTIC TRAFFIC STRIPE	M	91 800		
170 (S)	014561	300 MM YELLOW THERMOPLASTIC TRAFFIC STRIPE	M	450		
171 (S)	840563	200 MM THERMOPLASTIC TRAFFIC STRIPE	M	3400		
172 (S)	014562	200 MM THERMOPLASTIC TRAFFIC STRIPE (BROKEN 3.66 M - 0.91 M)	M	2490		
173 (S)	014563	100 MM THERMOPLASTIC TRAFFIC STRIPE (BROKEN 10.38 M - 4.26 M)	M	21 200		
174 (S)	014564	200 MM THERMOPLASTIC TRAFFIC STRIPE (BROKEN 11.00 M - 3.50 M)	M	1150		
175 (S)	850101	PAVEMENT MARKER (NON-REFLECTIVE)	EA	6750		
176 (S)	850111	PAVEMENT MARKER (RETROREFLECTIVE)	EA	10 100		
177	860090	MAINTAINING EXISTING TRAFFIC MANAGEMENT SYSTEM ELEMENTS DURING CONSTRUCTION	LS	LUMP SUM	LUMP SUM	
178 (S)	860460	LIGHTING AND SIGN ILLUMINATION	LS	LUMP SUM	LUMP SUM	
179 (S)	014565	ELECTRONIC TOLL SYSTEM	LS	LUMP SUM	LUMP SUM	
180 (S)	861501	MODIFY SIGNAL AND LIGHTING	LS	LUMP SUM	LUMP SUM	