

FOR CONTRACT NO.: 04-4S6304

INFORMATION HANDOUT

PERMITS

**CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD
NORTH COAST REGION**

WDID No. 1B10016WNSO

**ARMY CORPS OF ENGINEER
404 NATIONWIDE**

ROUTE: 04-Son-1-57.2 PM



California Regional Water Quality Control Board
North Coast Region
Geoffrey M. Hales, Chairman



Linda S. Adams
*Secretary for
Environmental Protection*

www.waterboards.ca.gov/northcoast
5550 Skylane Boulevard, Suite A, Santa Rosa, California 95403
Phone: (877) 721-9203 (toll free) • Office: (707) 576-2220 • FAX: (707) 523-0135

**Arnold
Schwarzenegger**
Governor

September 23, 2010

In the Matter of
Water Quality Certification

for the

California Department of Transportation
Highway 1 – Repair Slipout (Deer Trail) Project
WDID No. 1B10016WNSO

APPLICANT: California Department of Transportation
RECEIVING WATER: Unnamed Intermittent Coastal Streams
HYDROLOGIC AREA: Mendocino Coast Hydrologic Unit No.113.00
(Gualala Hydrologic Area 113.85)
COUNTY: Sonoma
FILE NAME: CDOT - Hwy 1, Repair Slip Out (Deer Trail) Project

BY THE EXECUTIVE OFFICER:

1. On February 22, 2010, the North Coast Regional Water Quality Control Board (Regional Water Board) received the California Department of Transportation (Caltrans) District 1, requesting Federal Clean Water Act (CWA), section 401, Water Quality Certification for activities related to the proposed Highway 1- Repair Slipout (Deer Trail) Project (project). Additional project information was received on August 10, 2010. The proposed project will cause disturbances to Waters of the United States (U.S.) and Waters of the State associated with intermittent coastal streams located within the Mendocino Coast Hydrologic Unit No.113.00 (Gualala Hydrologic Area 113.85). The Regional Water Board provided public notice of the application pursuant to title 23, California Code of Regulations, section 3858 on August 18, 2010, and posted information describing the project on the Regional Water Board's website. No comments were received.

2. The proposed project is located on Highway 1 at post mile (PM) 57.18, in Sonoma County. The purpose of the proposed project is to repair and upgrade the roadway and drainage facilities that were damaged due to culvert failure. Caltrans proposes: repairing one culvert; installing rock slope protection; excavating and reconstructing the roadway embankments; paving the roadway; and applying erosion control to stabilize slopes. The proposed project will result in temporary and permanent impacts to waters of the U.S and Waters of the State.
3. The proposed project will result in temporary and permanent impacts to waters of the U.S and Waters of the State. Caltrans has determined the temporary impacts to streams identified as Waters of the U.S. and State would total approximately 435 feet² (30 linear feet). The proposed project would result in 480 feet² (24 linear feet) of permanent impacts to streams identified as Waters of the U.S and State.
4. Caltrans will utilize Best Management Practices (BMPs) to provide erosion control and pollution prevention throughout the project area during construction. All disturbed soil areas affected by the construction activities will be stabilized and/or replanted with appropriate native vegetation and monitored to ensure success.
5. The proposed project will be conducted in summer months during low flow conditions. The proposed project is scheduled to be conducted between June 2011 and October 15, 2011. The entire project is expected to take two months to complete and all project activities will be conducted between May 15th and October 15th.
6. Caltrans has applied for authorization from the United States Army Corps of Engineers to perform the project under their Nationwide Permit No. 3 (maintenance) pursuant to Clean Water Act, section 404. Caltrans has determined that this project is categorically exempt from California Environmental Quality Act (CEQA) review (Class 1 Categorical Exemption). In addition, Regional Water Board staff also determined that this project is categorically exempt from CEQA review (Class 1 Categorical Exemption) and anticipates filling a Notice of Exemption.
7. The federal antidegradation policy requires that state water quality standards include an antidegradation policy consistent with the federal policy. The State Water Board established California's antidegradation policy in State Water Board Resolution No. 68-16. Resolution No. 68-16 incorporates the federal antidegradation policy where the federal policy applies under federal law. Resolution No. 68-16 requires that existing quality of waters be maintained unless degradation is justified based on specific findings. The Regional Water Board's Basin Plan implements, and incorporates by reference, both the State and federal antidegradation policies. This Order is consistent with applicable federal and State

antidegradation policies, as it does not authorize the discharge of increased concentrations of pollutants or increased volumes of treated wastewater, and does not otherwise authorize degradation of the waters affected by this project.

Receiving Water: Unnamed Intermittent Coastal Tributaries
Mendocino Coast Hydrologic Unit No.113.00
Gualala Hydrologic Area 113.85

Filled or Excavated Area: Temporary - streams 30 linear ft (435 feet²)

Total Linear Impacts: Permanent - streams 24 linear ft (480 feet²)
Temporary - streams 30 linear ft (435 feet²)

Dredge Volume: None

Fill Volume: Permanent - streams: 36 cubic yards of rock

Latitude/Longitude: 38.7444 N / 123.5029 W

Expiration: September 23, 2015

ACCORDINGLY, BASED ON ITS INDEPENDENT REVIEW OF THE RECORD, THE REGIONAL WATER BOARD CERTIFIES THAT THE Caltrans – Highway 1 – Repair Slipout (Deer Trail) Project, WDID No. 1B10016WNSO as described in the application will comply with sections 301, 302, 303, 306 and 307 of the Clean Water Act, and with applicable provisions of state law, provided that Caltrans complies with the following terms and conditions:

1. All conditions of this order apply to Caltrans (and all its employees) and all contractors (and their employees), sub-contractors (and their employees), and any other entity or agency that performs activities or work on the project (including the off-site mitigation lands) as related to this Water Quality Certification.
2. This certification action is subject to modification or revocation upon administrative or judicial review; including review and amendment pursuant to Water Code section 13330 and title 23, California Code of Regulations, section 3867.
3. This certification action is not intended and shall not be construed to apply to any discharge from any activity involving a hydroelectric facility requiring a Federal Energy Regulatory Commission (FERC) license or an amendment to a FERC license unless the pertinent certification application was filed pursuant to title 23,

California Code of Regulations, section 3855, subdivision (b) and the application specifically identified that a FERC license or amendment to a FERC license for a hydroelectric facility was being sought.

4. The validity this certification is conditioned upon total payment of any fee required under title 23, California Code of Regulations, section 3833, and owed by the application.
5. Except as may be modified by any preceding conditions, all certification actions are contingent on: a) the discharge being limited, and all proposed revegetation and mitigation being completed, in strict compliance with the applicant's project description, as approved herein, and b) compliance with all applicable water quality requirements and water quality control plans including the requirements of the Basin Plan, and amendments thereto.
6. All conditions required by this Order shall be included in the Plans and Specifications prepared by Caltrans for the Contractor. In addition, Caltrans shall require compliance with all conditions included in this Order in the bid contract for this project.
7. Caltrans shall construct the project in accordance with the project described in the application and the findings above, and shall comply with all applicable water quality requirements and Water Quality Standards as detailed in the Basin Plan.
8. Any change in the design or implementation of the project that would have a significant or material effect on the findings, conclusions, or conditions of this Order must be submitted to the Executive Officer of the Regional Water Board for prior review, consideration, and concurrence.
9. Caltrans shall provide a copy of this Order, associated attachments, and State Water Resources Control Board (SWRCB) Order No. 2003-0017-DWQ to the contractor, all subcontractors, and all utility companies conducting the work, and require that copies remain in their possession at the work site. Caltrans shall be responsible for work conducted by its employees, contractors, subcontractors, and utility companies.
10. The Regional Water Board shall be notified in writing each year at least five working days (working days are Monday – Friday) prior to the commencement of ground disturbing activities, major concrete pours, dewatering activities, or water diversion activities with details regarding the construction schedule, in order to allow Regional Water Board staff to be present on-site during installation and removal activities, and to answer any public inquiries that may arise regarding the

project. Caltrans shall provide Regional Water Board staff access to the project site to document compliance with this order.

11. The Resident Engineer (or appropriately authorized agent) shall hold on-site water quality permit compliance meetings (similar to tailgate safety meetings) to discuss permit compliance, including instructions on how to avoid violations and procedures for reporting violations. The meetings shall be held at least every other week, before forecasted storm events, and when a new contractor or subcontractor arrives to begin work at the site. The contractors, subcontractors and their employees, as well as any inspectors or monitors assigned to the project, shall be present at the meetings. Caltrans shall maintain dated sign-in sheets for attendees at these meetings, and shall make them available to the Regional Water Board on request.
12. All activities and best management practices (BMPs) shall be implemented according to the submitted application and the conditions in this Order. BMPs for erosion, sediment, turbidity and pollutant control shall be implemented and in place at commencement of, during, and after any ground clearing activities, construction activities, or any other project activities that could result in erosion, sediment, or other pollutant discharges to waters of the State. The BMPs shall be implemented in accordance with the Caltrans Construction Site Best Management Practice Manual (CCSBMPM) and all contractors and subcontractors shall comply with the CCSBMPM. In addition, BMPs for erosion and sediment control shall be utilized year round, regardless of season or time of year. Caltrans shall stage erosion and sediment control materials at the work site. All BMPs shall be installed properly and in accordance with the manufacturer's specifications. If the project Resident Engineer elects to install alternative BMPs for use on the project, Caltrans shall submit a proposal to Regional Water Board staff for review and concurrence.
13. Caltrans shall prioritize the use of wildlife-friendly biodegradable (not photo-degradable) erosion control products wherever feasible. Caltrans shall not use or allow the use of erosion control products that contain synthetic netting for permanent erosion control (i.e. erosion control materials to be left in place for two years or after the completion date of the project). If Caltrans finds that erosion control netting or products have entrapped or harmed wildlife, personnel shall remove the netting or product and replace it with wildlife-friendly biodegradable products. Caltrans shall not use or allow the use of erosion control products that contain synthetic materials within waters of the United States or waters of the State at any time. Caltrans shall request approval from the Regional Water Board if an exception from this requirement is needed for a specific location.
14. Work in flowing or standing surface waters, unless otherwise proposed in the project description and approved by the Regional Water Board, is prohibited. If

construction dewatering of groundwater is found to be necessary, Caltrans shall use a method of water disposal other than disposal to surface waters (such as land disposal) or Caltrans shall apply for coverage under the Low Threat Discharge Permit or an individual National Pollutant Discharge Elimination System (NPDES) Permit and receive notification of coverage to discharge to surface waters, prior to the discharge.

15. Caltrans shall submit, subject to approval by the Regional Water Board staff, a dewatering and/or diversion plan that appropriately describe the dewatered or diverted areas and how those areas will be handled during construction. The diversion/dewatering plans shall be submitted no later than 30 days prior to conducting the proposed activity. Information submitted shall include the area or work to be diverted or dewatered and method of the proposed activity. All diversion or dewatering activities shall be designed to minimize the impact to waters of the State and maintain natural flows upstream and downstream. All dewatering or diversion structures shall be installed in a manner that does not cause sedimentation, siltation or erosion upstream or downstream. All dewatering or diversion structures shall be removed immediately upon completion of project activities.
16. Caltrans is prohibited from discharging waste to waters of the State, unless explicitly authorized by this Order. For example, no debris, soil, silt, sand, bark, slash, sawdust, rubbish, cement or concrete or concrete washings, welding slag, oil or petroleum products, or other organic or earthen material from any construction or associated activity of whatever nature, other than that authorized by this Order, shall be allowed to enter into waters of the State. In addition, none of the materials listed above shall be placed within 150 linear feet of waters of the State or where the materials may be washed by rainfall into waters of the State.
17. Herbicides and pesticides shall not be used on the project. If Caltrans has a compelling case as to why herbicides and pesticides should be used, they may submit a request along with a BMP plan to the Executive Officer of the Regional Water Board for review, consideration, and concurrence.
18. Fueling, lubrication, maintenance, storage and staging of vehicles and equipment shall be outside of waters of the United States and the State. Fueling, lubrication, maintenance, storage and staging of vehicles and equipment shall not result in a discharge or a threatened discharge to any waters of the State or the United States. At no time shall the Applicant use any vehicle or equipment which leaks any substance that may impact water quality.
19. If, at any time, an unauthorized discharge to surface water (including wetlands, rivers or streams) occurs, or any water quality problem arises, the associated

project activities shall cease immediately until adequate BMPs are implemented. The Regional Water Board shall be notified promptly and in no case more than 24 hours after the unauthorized discharge or water quality problem arises.

20. Caltrans shall implement appropriate BMPs to prevent the discharge of equipment fluids to the stream channel. The minimum requirements will include: storing hazardous materials at least 150 linear feet outside of the stream banks; checking equipment for leaks; and preventing the use of equipment with leaks in a manner that does not result in a discharge to Waters of the State.
21. Caltrans and their contractor are not authorized to discharge wastewater (e.g., water that has contacted uncured concrete or cement, or asphalt) to surface waters, ground waters, or land. Wastewater may only be disposed of to a sanitary waste water collection system/facility (with authorization from the facility's owner or operator) or a properly-licensed disposal or reuse facility. If Caltrans or their contractor proposes an alternate disposal method, Caltrans or their contractor shall apply for a permit from the Regional Water Board. Plans to reuse or recycle wastewater require written approval from Regional Water Board staff.
22. Any potentially hazardous waste(s) (solids, liquids, or slurries) derived or encountered in this project shall undergo the appropriate characterization to demonstrate compliance with all applicable waste disposal laws and regulations. If unanticipated or anticipated waste are encountered or created during the project, Caltrans shall notify the Regional Water Board immediately and at least within 24 hours. Caltrans or their contractor shall prepare applicable work plans for handling, treating, transporting, and disposing of waste. The work plans shall be prepared and signed by an engineer or geologist with the appropriate and valid California licenses.
23. Caltrans shall provide analysis and verification that placing non-hazardous waste or inert materials (which may include discarded product or recycled materials) will not result in degradation of water quality, human health, or the environment. All project-generated waste shall be handled, transported, and disposed in strict compliance with all applicable State and Federal laws and regulations. When operations are complete, any excess material or debris shall be removed from the work area and disposed of properly and in accordance with the Special Provisions for the project and/or Standard Specification 7-1.13, Disposal of Material Outside the Highway Right of Way. Caltrans shall submit to the Regional Water Board the satisfactory evidence provided to the Caltrans Engineer by the Contractor referenced in Standard Specification 7-1.13. In accordance with State and Federal laws and regulations, Caltrans is liable and responsible for the proper disposal of waste generated by their project.

24. All imported fill material shall be clean and free of pollutants. All fill material shall be imported from a source that has the appropriate environmental clearances and permits. The reuse of low-level contaminated solids as fill on-site shall be performed in accordance with all State and Federal policies and established guidelines and must be submitted to the Regional Water Board for review and concurrence.
25. Only clean washed spawning gravel (0.5" – 4") with a cleanliness value of at least 85, using the Cleanliness Value Test Method for California Test No. 227 will be placed in the streams. Gravel bag fabric shall be nonwoven polypropylene geotextile (or comparable polymer) and shall conform to the following requirements:
- Mass per unit area, grams per square meter, min ASTM Designation: D 5261 – 270
 - Grab tensile strength (25-mm grip), kilonewtons, min. ASTM Designation: D4632* 0.89
 - Ultraviolet stability, percent tensile strength retained after 500 hours, ASTM Designation: D4355, xenon arc lamp method 70 or appropriate test method for specific polymer
 - Gravel bags shall be between 600 mm and 800 mm in length, and between 400 mm and 500 mm in width.
 - Yarn used in construction of the gravel bags shall be as recommended by the manufacturer or bag supplier and shall be of a contrasting color. Gravel shall be between 0.5" – 4" in diameter, and shall be clean and free from clay balls, organic matter, and other deleterious materials. The opening of gravel-filled bags shall be secured to prevent gravel from escaping. Gravel-filled bags shall be between 13 kg and 22 kg in mass.
26. In the event of any violation or threatened violation of the conditions of this Order, the violation or threatened violation shall be subject to any remedies, penalties, process or sanctions as provided for under applicable state or federal law. For the purposes of section 401(d) of the Clean Water Act, the applicability of any state law authorizing remedies, penalties, process or sanctions for the violation or threatened violation constitutes a limitation necessary to assure compliance with the water quality standards and other pertinent requirements incorporated into this Order. In response to a suspected violation of any condition of this certification, the State Water Board may require the holder of any federal permit or license subject to this Order to furnish, under penalty of perjury, any technical or monitoring reports the State Water Board deems appropriate, provided that the burden, including costs, of the reports shall bear a reasonable relationship to the need for the reports and the benefits to be obtained from the reports. In response

to any violation of the conditions of this Order, the Regional Water Board may add to or modify the conditions of this Order as appropriate to ensure compliance.

27. The Regional Water Board may add to or modify the conditions of this Order, as appropriate, and to implement any new or revised Water Quality Standards and implementation plans adopted or approved pursuant to the Porter-Cologne Water Quality Control Act or section 303 of the Clean Water Act.
28. This Order is not transferable. In the event of any change in control of ownership of land presently owned or controlled by Caltrans, Caltrans shall notify the successor-in-interest of the existence of this Order by letter and shall forward a copy of the letter to the Regional Water Board. The successor-in-interest must send to the Regional Water Board Executive Officer a written request for transfer of this Order to discharge dredged or fill material under this Order. The request must contain the following:
 - a. requesting entity's full legal name
 - b. the state of incorporation, if a corporation
 - c. address and phone number of contact person
 - d. description of any changes to the project or confirmation that the successor-in-interest intends to implement the project as described in this Order.
29. The authorization of this certification for any dredge and fill activities expires on September 23, 2015. Conditions and monitoring requirements outlined in this Order are not subject to the expiration date outlined above, and remain in full effect and are enforceable.
30. Please contact our staff Environmental Specialist / Caltrans Liaison Jeremiah Puget of at (707) 576-2835 or jpuget@waterboards.ca.gov if you have any questions.

Catherine Kuhlman
Executive Officer

100923_CDOT_Hwy1_DeerTrailCulvert_401Cert

Web link: State Water Resources Control Board Order No. 2003-0017 -DWQ,
General Waste Discharge Requirements for Dredge and Fill Discharges
That Have Received State Water Quality Certification can be found at:

[http://www.waterboards.ca.gov/board_decisions/adopted_orders/water quality/2003/wqo/wqo2003-0017.pdf](http://www.waterboards.ca.gov/board_decisions/adopted_orders/water_quality/2003/wqo/wqo2003-0017.pdf)

Original sent to: Ms. Jayshree Chauhan, California Department of Transportation,
P.O. 23660, Oakland, CA 94623-0660

Copies sent to: Ms. Jane Hicks, U.S. Army Corps of Engineers, Regulatory Functions,
1455 Market Street, San Francisco, CA 94103-1398

Mr. Cyrus Vafai, California Department of Transportation,
P.O. 23660, Oakland, CA 94623-0660

San Francisco District
Regulatory Division

Nationwide Permit Information

I. Project Location and Contact Information

District No: 04 Project Title: Son 1 57.18 Culvert and RSP repair
County: Son Route: 1 Post Mile: 57.18 Project EA: 4S6300/01
Project Manager: Chuck Morton Phone No.: 510.286.5016
Project Biologist: Chuck Morton Phone No.: 510.286.5016
Quad Name: Stewarts Point, ~38.7444N -123.5029E Waterway/Watershed: Unnamed stream draining to Pacific Ocean

II. Project Description: Please attach a complete project description.

III. Name of Lead Federal Agency NA State only funds

IV. Endangered Species Act Section 7 Consultation Please attach a determination and/or result of informal/formal consultation.

List all federally-listed species potentially occurring within the project area.

None

Has Section 7 Consultation concluded with USFWS? Yes No Date _____
Has Section 7 Consultation concluded with NMFS? Yes No Date _____
Lead Federal agency (i.e. agency responsible for Section 7 Consultation with USFWS or NMFS) N/A
Determination (List species under the appropriate category below)
No effect _____
Not likely to adversely affect _____
May affect _____
Appended to a programmatic _____

V. Essential Fish Habitat Consultation (EFH) Please attach a copy of determination and/or NMFS' EFH recommendations.

Select affected EFH Fishery Management Plan: Pacific Ground Fish Coastal Pelagic Pacific Salmon
Lead Federal agency EFH (i.e. agency responsible for section 7 consultation) _____
Has EFH Consultation concluded with NMFS? Yes No Date _____

VI. Permit Being Requested (check one that applies)

Reporting Nationwide Permit Non-Reporting Nationwide Permit

Indicate which NWP(s) would appropriately authorize the proposed project. 3

VII. Corps' Authority Information

Section 10 (Attach Justification and Maps): Yes No

Section 404 (Attach Justification and Maps): Yes No

Has a preliminary jurisdictional determination report been verified by the Corps? Yes No Date _____

VIII. Minimal Impact Criteria

Explain whether or not the proposed project would result in minimum impact to the aquatic environment (attach additional information if necessary):

Repair failed RSP at outfall, extend outfall to original location by placement of culvert extension.

IX. Permit Compliance Information (Nationwide General Conditions and the San Francisco District's Regional Conditions)

Explain how the project complies with each of the following. Attach additional sheets if necessary.
For more information go to: http://www.usace.army.mil/cw/cecwo/reg/nwp/nwp_2007_final.pdf

1. Navigation No effect.
2. Aquatic Life Movements No effect.
3. Spawning Areas No effect.
4. Migratory Bird Breeding Areas No effect.
5. Shellfish Beds No effect.
6. Suitable Material Appropriate material will be used for this construction activity.
7. Water Supply Intakes No effect.
8. Adverse Effects No effect.
9. Management of Water Flows No effect.
10. Fills within 100-Year Floodplains
Does the activity comply with applicable FEMA-approved state or local floodplain management requirements? Yes No
11. Equipment Backhoe
12. Soil Erosion and Sediment Controls Standard Caltrans BMPs will be utilized for this project.
13. Removal of Temporary Fills No temporary fills will be needed for this project
14. Proper Maintenance The culvert will be properly maintained
15. Wild and Scenic Rivers
Does the activity occur in a component of a National Wild and Scenic River System? Yes No
Does the activity occur in a river officially designated by Congress as a study river? Yes No
16. Tribal Rights No tribal issues at this location
17. Endangered Species See section IV above.
18. Historic Properties (attach documentation of determination)
Is it possible that the activity may affect properties listed, or eligible for listing in the National Register of Historic Places? Yes No
Lead Federal agency (i.e. agency responsible for Section 106 Compliance) _____
19. Designated Critical Waters (select those that apply):
 NOAA-designated marine sanctuaries National Estuarine Research Reserves
 State natural heritage sites Corps designated critical resource
 Outstanding national resource waters or other waters officially designated by a state as having particular environmental or ecological significance.
Note: NWP 7, 12, 14, 16, 17, 21, 29, 31, 35, 39, 40, 42, 43, 44, 49 and 50: NWP authorization prohibited
NWP 3, 8, 10, 13, 15, 18, 19, 22, 23, 25, 27, 28, 30, 33, 34, 36, 37, and 38: PCN required
20. Mitigation
Has the activity been designed and constructed to avoid and minimize adverse effects to Waters of the U.S.? Yes No
Has mitigation been proposed? If yes, please attach detailed mitigation and monitoring plan. Yes No
Does mitigation meet required minimum 1:1 ratio? Yes No
If streams are affected by the project, are vegetated buffers with native plant spp. near streams maintained / restored? Yes No
21. Water Quality
RWQCB 401 Certification Yes No Pending (provide date of application) _____
Point of Contact at RWQCB _____
Date 401 Certification issued _____
22. Coastal Zone Management
Consistency Determination Yes No Pending (provide date of application) _____
Point of Contact at Coastal Commission Covered by 1978 Appendix I&J exclusions
Date of Consistency Determination issued _____

23. Regional and Case-by-Case Conditions (the following section summarizes the S.F. District's Regional Conditions)

- Does the proposed project occur in Diked Baylands? Yes No If Yes, a PCN is required
- Does the proposed project occur within the Santa Rosa Plain? Yes No If Yes, a PCN is required
- Is the project proposed to occur within Eelgrass beds? Yes No If Yes, a PCN is required
- Is the project proposed to occur within EFH? Yes No If Yes, a PCN is required with additional information
- Will mitigation occur before or concurrently with project construction? Yes No
- Are you requesting a waiver of the 300 linear foot threshold? Yes No If Yes, a PCN is required with additional information

Specific NWP Regional Conditions

NWP 3: Excavation equipment shall work from an upland site; bank stabilization must incorporate structures or modification beneficial to fish and wildlife; and justification for work within special aquatic site is required (please attach).

NWP 11: Are any temporary structures proposed in wetlands or vegetated shallow water areas? Yes No If Yes, a PCN is required

NWP 12: Excess material removed from the trench shall be disposed of at an upland site; and authorization of substation facilities by this NWP is prohibited.

NWP 13: PCN required for stabilization of more than 300 linear feet; excavation of a toe trench is allowed as long as excess material is disposed of at an upland location; additional fill which extends beyond the original shoreline may not exceed one cubic yard per running foot; bank stabilization must incorporate structures or modification beneficial to fish and wildlife; and PCN should address up and downstream effects of stabilization.

NWP 14: PCN required for projects proposed to fill greater than 300 linear feet of channel; authorization prohibited for taxiways or runways; modifications must incorporate structures or modification beneficial to fish and wildlife; PCN should address up and downstream effects of fill.

NWP 23: PCN Required. Please refer to regional conditions for additional information on PCN requirements.

NWP 33: Access roads shall be designed to be the minimum width necessary; the road shall be properly stabilized; fill shall be placed to minimize encroachment of equipment within Waters of the U.S.; vegetative disturbance shall be minimized; borrow shall be taken from upland source; and stream channelization authorization by this NWP is prohibited.

NWP 35: PCN Required. Please refer to regional conditions for additional information on PCN requirements.

NWP 40: Work shall not impede flows during high volume events.

NWP 41: Mitigation may be required; PCN required if fill material will be re-deposited, re-graded, discharged, or if channel lining is installed; and PCN shall include an explanation of the project's benefit to water quality.

NWP 42: 404(b)(1) guidelines must be met if buildings are proposed in Waters of the U.S.

NWP 44: Revoked in Humboldt and Del Norte Counties.

24. Use of Multiple Nationwide Permits Yes No

If yes, list NWP and acreage impact _____

25. Transfer of Nationwide Permit Verifications _____

26. Compliance Certification) Not Applicable

27. Notification

NWPs 3, 7, 8, 12, 13, 14, 17, 18, 21, 22, 23, 27, 29, 31, 33, 34, 36, 37, 38, 29, 40, 41, 42, 43, 44, 45, 47, 48, 49, and 50: PCN Required

(for thresholds go to: http://www.usace.army.mil/cw/ceewo/reg/nwp/nwp_2007_final.pdf)

PCN Contents (please attach)

- | | |
|--|--|
| <input type="checkbox"/> Name, address, and telephone number of the applicant | <input type="checkbox"/> Location of proposed project |
| <input type="checkbox"/> Delineation of special aquatic sites and other Waters of the U.S. | <input type="checkbox"/> Detailed mitigation and monitoring plan |
| <input type="checkbox"/> Federally-listed species information | <input type="checkbox"/> Historic properties information |
| <input type="checkbox"/> A project description including purpose, direct and indirect effects, additional Corps' authorizations for the project; | |

28. Is the activity a single and complete project? Yes No

X. Multiple Nationwide Permit Requested

If multiple Nationwide Permits are requested, list No. and Title, and explain how each activity complies with the NWP terms. (Attach additional sheets if necessary):

- 1. Not Applicable
- 2. _____
- 3. _____

XII. Project Impact Information [Area Affected (acres) and (cubic yards)]

Wetlands (permanent): 0 Wetlands (temporary): 0
 Waters of the US (permanent): 0 Waters of the US (temporary): <100 sq ft
 Linear extent of impact within Corps' jurisdiction: 10 feet.

XIII. Project Mitigation Information

Special Conditions (List conditions specified by specialist Division personnel): No special conditions

Best Management Practices (attach additional information if necessary): Caltrans standard construction BMPs will be applied to this project.

Site Restoration Plan (attach additional information if necessary): Site will be restored to preconstruction conditions. Site will be strawed and hydroseeding will be applied as appropriate.

Proposed Mitigation (attach additional information if necessary): Site restoration is the proposed mitigation.

Attachments

- Site location map
- Delineation of jurisdictional boundaries (on aerial photo or contour map) prepared in accordance with November 2007 Memo titled, "San Francisco District's Information Requested for Verification of Corps' Jurisdiction".
- Completed routine delineation data forms
- Reduced project plans showing all proposed impacts to aquatic resources
- Mitigation information
- Copy of applicable nationwide permit(s) and general conditions

FOR CALTRANS USE ONLY:

IX. Signatures

Based on the information provided above, I hereby certify that this project qualifies for a nationwide permit pursuant to Section 404 of the Clean Water Act (33 U.S.C. 1344) and/or Section 10 of the U.S. Rivers and Harbors Act (33 U.S.C. 406).

Prepared by: [Signature]

Date: 1-29-2010

Peer Review: [Signature]

Date: 1-29-2010

Supervisory Concurrence: [Signature]

Date: 1-29-10

cc: U.S. Army Corps of Engineers Liaison
 Environmental Planning Branch Nationwide Permit File
 District Office Engineer
 District Project Manager
 Resident Engineer Pending File