

**DEPARTMENT OF TRANSPORTATION**

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30<sup>th</sup> Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

www.dot.ca.gov/hq/esc/oe



*Serious Drought.  
Help save water!*

July 10, 2015

06-Ker-119-R10.0/R13.3

06-424714

Project ID 0613000157

ACSTP-P119(018)E

Addendum No.1

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN KERN COUNTY NEAR TAFT FROM ELK HILLS ROAD TO TUPMAN ROAD.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Wednesday, July 29, 2015.

This addendum is being issued to revise the project plans, the *Notice to Bidders and Special Provisions*, and the *Bid* book.

Project plan sheets 27, 58, 66, 68, 75, 97, 110 and 112 are replaced and attached for substitution for the like-numbered sheets.

In the Special Provisions, Section 8 "PROSECUTION AND PROGRESS," is added as attached.

In the Special Provisions, Section 14-6.08 is replaced as attached

In the *Bid* book, in the "Bid Item List," Items 27, 47, 54, 62, 63, 78 and 81 are replaced.

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Submit the *Bid* book as described in the *Electronic Bidding Guide* at the Bidders' Exchange website.

**[http://www.dot.ca.gov/hq/esc/oe/electronic\\_bidding/electronic\\_bidding.html](http://www.dot.ca.gov/hq/esc/oe/electronic_bidding/electronic_bidding.html)**

Inform subcontractors and suppliers as necessary.

Addendum No. 1  
Page 2  
July 10, 2015

06-Ker-119-R10.0/R13.3  
06-424714  
Project ID 0613000157  
ACSTP-P119(018)E

This addendum, EBS addendum file and attachments are available for the Contractors' download on the Web site:

**[http://www.dot.ca.gov/hq/esc/oe/project\\_ads\\_addenda/06/06-424714](http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/06/06-424714)**

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



SHARRI BENDER EHLERT  
District Director  
District 6 Central Region

Attachments



## 8 PROSECUTION AND PROGRESS

**Replace "Reserved" in section 8-1.04C with:**

Section 8-1.04B does not apply.

Start job site activities within 55 days after receiving notice that the Contract has been approved by the Attorney General or the attorney appointed and authorized to represent the Department.

Do not start job site activities until the Department authorizes or accepts your submittal for:

1. WPCP or SWPPP, whichever applies
2. Notification of DRA or DRB nominee and disclosure statement
3. Contingency plan for opening closures to public traffic

You may enter the job site only to measure controlling field dimensions and locate utilities.

You may start job site activities before the 55th day after Contract approval if you:

1. Obtain specified authorization or acceptance for each submittal before the 55th day
2. Receive authorization to start

Submit a notice 72 hours before starting job site activities. If the project has more than 1 location of work, submit a separate notice for each location.

Replace section 14-6.08 with:

**14-6.08 BIOLOGICAL RESOURCE INFORMATION PROGRAM**

**14-6.08A General**

**14-6.08A(1) Summary**

Section 14-6.08 includes specifications for preparing and presenting a Biological Resource Information Program to familiarize construction staff with regulated species and related requirements.

A Caltrans Biologist must prepare and present training to personnel as required in PLACs, regarding regulated species, related laws and regulations, and protection measures.

**14-6.08A(2) Submittals**

Within 7 days after Contract approval, submit an outline of the Biological Resource Information Program. Allow 3 days for the Engineer's review. If the submittal is incomplete, the Engineer will provide comments. Within 7 days after receiving the Engineer's comments, update and resubmit the outline.

Notify the Engineer of scheduled training classes at least 7 days before the 1st training class.

Provide the Engineer with an attendance list including the printed and signed name of each attendee of the Biological Resource Information Program. Provide the Engineer with the attendance list within 3 working days following each environmental education session. Submit a separate attendance list for each subsequent session for new workers.

Provide hard hat stickers to staff who have completed the Biological Resource Information Program. The hard hat stickers must show the following information:

Training type	Completion date
San Joaquin kit fox	Prior to ground breaking activities (TBD)
San Joaquin antelope squirrel	Prior to ground breaking activities (TBD)

**14-6.08B Materials**

Not Used

**14-6.08C Construction**

Workers must receive Biological Resource Information training before performing on-site work. Workers include laborers, tradesmen, material suppliers, equipment maintenance personnel, supervisors, foremen, office personnel, food vendors, and other personnel who stay on the project longer than 30 minutes.

The Biological Resource Information Program includes:

1. Description of regulated species that may be affected by construction
2. Requirements for the protection of regulated species
3. Definition and consequences of "take"
4. What to do when you see a regulated species or a species that looks like a regulated species
5. Permit requirements to touch or move a regulated species
6. Identification of work area and ESA
7. Species Protection Area (SPA) requirements
8. Description of avoidance and minimization measures
9. Natural Resources Protection Plan or PLAC requirements
10. Description and general ecology of the regulated species
11. Description of specific habitats used by the regulated species and their location
12. Handout to implement species protection measures that describe species, habitats, and actions as listed in section 14-6.02 or in PLACs

The Department biologist is providing handout materials for regulated species during preconstruction environmental training as specified in section 2-1.06B.

**14-6.08D Payment**

Not Used

**BID ITEM LIST**  
**06-424714**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
21	141120	TREATED WOOD WASTE	LB	330		
22	150668	REMOVE FLARED END SECTION	EA	9		
23	150714	REMOVE THERMOPLASTIC TRAFFIC STRIPE	LF	34,000		
24	150715	REMOVE THERMOPLASTIC PAVEMENT MARKING	SQFT	330		
25	150722	REMOVE PAVEMENT MARKER	EA	1,150		
26	150742	REMOVE ROADSIDE SIGN	EA	4		
27	150812	REMOVE PIPE (LF)	LF	160		
28	150814	REMOVE DOWNDRAIN (EA)	EA	9		
29	150820	REMOVE INLET	EA	2		
30	150821	REMOVE HEADWALL	EA	1		
31	029147	REMOVE WINGWALL	EA	1		
32	152299	RESET MILEPOST MARKER	EA	3		
33	152320	RESET ROADSIDE SIGN	EA	5		
34	152390	RELOCATE ROADSIDE SIGN	EA	4		
35	155003	CAP INLET	EA	1		
36	160102	CLEARING AND GRUBBING (LS)	LS	LUMP SUM	LUMP SUM	
37	180106	DUST PALLIATIVE	LS	LUMP SUM	LUMP SUM	
38	190101	ROADWAY EXCAVATION	CY	87,100		
39	190105	ROADWAY EXCAVATION (TYPE Z-2) (AERIALY DEPOSITED LEAD)	CY	5,170		
40	210010	MOVE-IN/MOVE-OUT (EROSION CONTROL)	EA	2		

**BID ITEM LIST  
06-424714**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
41	210250	EROSION CONTROL (BONDED FIBER MATRIX) (SQFT)	SQFT	608,000		
42	210270	ROLLED EROSION CONTROL PRODUCT (NETTING)	SQFT	420,000		
43	210350	FIBER ROLLS	LF	36,700		
44	210600	COMPOST	SQFT	608,000		
45	210630	INCORPORATE MATERIALS	SQFT	608,000		
46	260203	CLASS 2 AGGREGATE BASE (CY)	CY	17,700		
47	390132	HOT MIX ASPHALT (TYPE A)	TON	14,400		
48	390402	RUBBERIZED HOT MIX ASPHALT-OPEN GRADED (OPEN GRADED FRICTION COURSE)	TON	2,220		
49	029148	CENTER LINE RUMBLE STRIP (HMA, GROUND-IN INDENTATIONS)	STA	180		
50	394060	DATA CORE	LS	LUMP SUM	LUMP SUM	
51	394076	PLACE HOT MIX ASPHALT DIKE (TYPE E)	LF	17,000		
52	394090	PLACE HOT MIX ASPHALT (MISCELLANEOUS AREA)	SQYD	250		
53	397005	TACK COAT	TON	30		
54 (F)	510502	MINOR CONCRETE (MINOR STRUCTURE)	CY	46		
55	560248	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED)	SQFT	6		
56	566011	ROADSIDE SIGN - ONE POST	EA	4		
57	029149	FURNISH SINGLE SHEET ALUMINUM SIGN (0.063"-UNFRAMED) FOR RETROREFLECTIVE SHEETING (TYPE XI)	SQFT	27		
58	029150	RETROREFLECTIVE SHEETING (TYPE XI)	SQFT	27		
59 (F)	620800	CONCRETE BACKFILL (PIPE TRENCH)	CY	4		
60	650018	24" REINFORCED CONCRETE PIPE	LF	480		

**BID ITEM LIST**  
**06-424714**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
61	665018	18" CORRUGATED STEEL PIPE (.109" THICK)	LF	11		
62	665024	24" CORRUGATED STEEL PIPE (.109" THICK)	LF	260		
63	665032	30" CORRUGATED STEEL PIPE (.109" THICK)	LF	11		
64	665037	36" CORRUGATED STEEL PIPE (.109" THICK)	LF	9		
65	665042	42" CORRUGATED STEEL PIPE (.109" THICK)	LF	15		
66	665047	48" CORRUGATED STEEL PIPE (.109" THICK)	LF	33		
67	665062	72" CORRUGATED STEEL PIPE (.138" THICK)	LF	33		
68	690118	18" CORRUGATED STEEL PIPE DOWNDRAIN (.109" THICK)	LF	1,300		
69	705311	18" ALTERNATIVE FLARED END SECTION	EA	34		
70	705315	24" ALTERNATIVE FLARED END SECTION	EA	10		
71	705319	30" ALTERNATIVE FLARED END SECTION	EA	1		
72	705321	36" ALTERNATIVE FLARED END SECTION	EA	1		
73	705323	42" ALTERNATIVE FLARED END SECTION	EA	1		
74	705325	48" ALTERNATIVE FLARED END SECTION	EA	2		
75	705333	72" ALTERNATIVE FLARED END SECTION	EA	1		
76	721026	ROCK SLOPE PROTECTION (NO. 1, METHOD B) (CY)	CY	91		
77	729011	ROCK SLOPE PROTECTION FABRIC (CLASS 8)	SQYD	290		
78 (F)	750001	MISCELLANEOUS IRON AND STEEL	LB	10,277		
79	820107	DELINEATOR (CLASS 1)	EA	170		
80	029151	MODIFIED WILDLIFE PASSAGEWAY (TYPE M)	EA	2		

**BID ITEM LIST****06-424714**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
81	840504	4" THERMOPLASTIC TRAFFIC STRIPE	LF	102,000		
82	840505	6" THERMOPLASTIC TRAFFIC STRIPE	LF	580		
83	840506	8" THERMOPLASTIC TRAFFIC STRIPE	LF	2,060		
84	840507	6" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 8-4)	LF	240		
85	840515	THERMOPLASTIC PAVEMENT MARKING	SQFT	1,060		
86	840523	4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 12-3)	LF	380		
87	840525	4" THERMOPLASTIC TRAFFIC STRIPE (BROKEN 36-12)	LF	17,700		
88	850111	PAVEMENT MARKER (RETROREFLECTIVE)	EA	1,880		
89	860604	FLASHING BEACON SYSTEM	LS	LUMP SUM	LUMP SUM	
90	029152	VEHICLE CLASSIFICATION STATION	LS	LUMP SUM	LUMP SUM	
91	999990	MOBILIZATION	LS	LUMP SUM	LUMP SUM	

**TOTAL BID:****\$**  

---