

FOR CONTRACT NO.: 07-276701

INFORMATION HANDOUT

ENCROACHMENT PERMITS

COUNTY OF VENTURA

PERMIT NO. PE11-0317

COUNTY DEPARTMENT OF PUBLIC WORKS
TRANSPORTATION DEPARTMENT

ROUTE: 1, 33, 101, & 126-VEN-Variou

County of Ventura
ENCROACHMENT PERMIT
 PUBLIC WORKS AGENCY
 TRANSPORTATION DEPARTMENT
 800 South Victoria Avenue, Ventura, CA 93009
 Ph (805) 654-2055 / Fax (805) 654-5169

Permit No. PE11-0317

Date 08/04/2011

Plan No(s) TR0

APPLICATION: THIS SECTION TO BE COMPLETED BY APPLICANT

The undersigned hereby applies for permission to encroach on the following described County Right of Way or other property: Oak View Avenue at Hwy 33 (SB VE-33) and Fairview Road at Hwy 33 (SB VE-33)

Description of encroachment or work to be done:
 Construct ADA curb ramp at the northwest corner of the intersection of Highway 33 and Oakview Avenue. Permit revised to add second location at the northeast corner of the intersection of Highway 33 and Fairview Road.

Contractor: CALTRANS / DISTRICT 7 (LOS ANGELES) Contact Name: _____ Ph: _____
 Address: 100 SOUTH MAIN STREET, LOS ANGELES / CA / 90012 Phone: (213) 897-3649

I understand that any permit that may be granted as a result of this request may be revoked by County at any time. In consideration for issuance of this permit, I agree, and by use hereof, my agents, employees, contractors and invitees agree to be bound by all of the provisions of California Vehicle Code Sections 35780, 35782, Division 12 of the Ventura County Ordinance Code, the Standard Conditions included with this permit and any special conditions hereon, or attached hereto. I agree to hold the County harmless from any claims, defense and legal costs, judgments for damages, or other relief against the County as a result of acts, or omissions, by me or my representatives, in the performance of any activities permitted hereunder, whether the condition giving rise to the claim or judgment was created in whole, or in part, by me or my representatives. I further agree to continually maintain all encroachments authorized by this permit in a condition acceptable to the County.

Permittee: CALTRANS / DISTRICT 7 (LOS ANGELES) Address: 100 SOUTH MAIN STREET, LOS ANGELES / CA / 90012

By: on file _____ Phone: (213) 897-3649
 SIGNATURE

Permittee shall notify Transportation Dept. Phone: (805) 654-2055
 48 HOURS PRIOR TO COMMENCING WORK

PERMIT: THIS SECTION TO BE COMPLETED BY THE PUBLIC WORKS AGENCY

THE FOLLOWING SPECIAL CONDITIONS ARE ATTACHED: **County Drawings Attached**
E1, E3, 112_1

- SPECIAL CONDITIONS:** [SEE ATTACHED NOTES]
- 1: In the event of damage to the sidewalk Permittee agrees to make all repairs as required.
 - 2: call Transportation prior to pouring and for final inspection.
 - 3: A) No road closure is allowed. B) Two-way traffic must be maintained at all times. C) Permittee to provide DigAlert ID# _____.
 - 4: Traffic control shall be per CA MUTCD Standards.

Permission is hereby granted to perform the activities described above subject to the statutes, ordinances and conditions described above. Special Conditions hereon and attached hereto are made a part hereof by reference. The permission is granted for the period of 08/12/2011 to 02/12/2012. Extended to: 07/12/2013.

By: Julie A. Stuart _____ Date: 1/13/12
 SIGNATURE

Issuance Fee:	\$0.00	Date/Time:	
Engineering Review Fee:	\$0.00	Payee Name:	
Permit Fee:	\$0.00	Notation:	
Inspection Fee:	\$0.00	Permit Fee Payments	
Extension Fee:	\$0.00	Method	Description
Mileage Fee:	\$0.00		Amount
Calculated Fee:	\$0.00	-----	
Additional Fee:	\$0.00	Trust Account Transactions	
Total fees	\$0.00		
Payments:	\$0.00		
Balance:	\$0.00		

CONSTRUCTION INSPECTION

PERMIT VALID

NO FEE

Public Works Agency
County of Ventura

STANDARD CONDITIONS

SAFETY DEVICE CONDITIONS:

Sec. 12128 – SAFETY DEVICES, LIGHTS, BARRICADES – In the conduct of the encroachment work, supplies and excavated material shall be properly placed and the permittee shall provide and maintain such safety devices including but not limited to lights, barricades, signs, and watchmen as are necessary to protect the public. Any omission on the part of the Commissioner to specify in the permit what safety devices shall be provided by or preventive action required of the permittee shall not excuse the permittee from complying with all laws, regulations and ordinances relating to the protection of persons or property under the circumstances. If the Commissioner finds that suitable safeguards are not being provided, he may provide, maintain, and relocate such safety devices or take action as is deemed necessary, charging the permittee in accordance with the schedule of charges as adopted by the Board of Supervisors.

Sec. 12128-1 – WARNING LIGHTS – A permittee making any excavation or leaving any obstruction which could be a hazard to persons using a right of way shall provide and maintain warning lights far enough away from the excavation or obstruction to give adequate warning to such persons, and at not more than 50-foot intervals along the excavation or obstruction, from one-half hour before sunset of each day to one-half hour after sunrise the next day, until the work is completed and the right of way made safe for use.

Sec. 12128-2 – SAFETY DEVICE STANDARDS – All safety devices shall conform to the requirements of the sign manual issued by the Department of Transportation, State of California, and the California Vehicle Code, so far as such manuals are applicable.

CLEANUP, BACKFILLING AND COMPACTION CONDITIONS:

Sec. 12410 – CLEANUP AFTER COMPLETION – Immediately after completion of the work, the permittee shall cleanup and remove all materials, earth and debris of any kind. If the permittee fails within 24 hours after having been notified to do so by the Commissioner, the work may be done by the Commissioner and the permittee charged in accordance with the schedule of charges adopted by the Board of Supervisors. When a pole, guy-stub or similar timber is removed and not replaced, the entire length thereof shall be removed from the ground and the hole backfilled and compacted.

Sec. 12411 – BACKFILLING AND COMPACTION – Backfilling and compaction of an excavation shall be in accordance with standards established by the Commissioner and adopted by resolution of the Board of Supervisors, both as to material and method. Backfilling shall commence with 48 hours after work in a trench is completed.

Sec. 12138 – RESTORATION OF RIGHT OF WAY – Upon completion of the encroachment work authorized by a permit, the permittee shall restore the right of way, including bridges and any other structure thereon, by replacing, repairing, or rebuilding it in accordance with the specifications or any special requirement but not less than to its original condition before the encroachment work was commenced. The permittee shall remove all obstructions, materials, and debris upon the right of way and shall do any other work necessary to restore the right of way to a safe and usable condition, as directed by the Commissioner. Where excavation occurs within areas already paved, the Commissioner may require temporary paving to be installed within 24 hours after the excavated area is backfilled. In the event that the permittee fails to act promptly to restore the right of way as herein provided, or should the nature of any damage to the right of way require restoration before the permittee can be notified or can respond to notification, the Commissioner may, at his option, make the necessary restoration. The permittee shall reimburse the County in accordance with the schedule of charges as adopted by the Board of Supervisors.

PROTECTION AND REPAIR OF EXISTING FACILITIES CONDITION:


Sec. 12144 – PROTECTION AND REPAIR OF FACILITIES – The permittee shall support and protect all wires, cables, pipes, conduits, poles, and other apparatus, both aerial and underground, by a method satisfactory to the owner. The owner has the right to support or protect any of its facilities at the sole expense of the permittee. In case any said wires, cables, pipes, conduits, poles or apparatus should be damaged (and for this purpose, pipe coating or other encasement of devices are considered as part of the structure), they may be repaired by the owner at the expense of permittee, or, if authorized by the owner, may be repaired by the permittee under the supervision of the owner. The expense of repairs to any damaged facilities shall be borne by the permittee.


NOTE: *Permittee shall continually maintain the permitted work, trenches, backfill, paving and all other road facilities affected by this permit.*

NOTES

- **Section 4216 of the Government Code requires an Inquiry Identification Number to be issued before "Permit to Excavate" is valid. For your pre-excavation I.D. number call Underground Service Alert TOLL FREE 1-800-227-2600 two working days before you dig.**
- All work authorized by this permit shall be performed in accordance with the conditions and requirements of the Ventura Countywide Stormwater Quality Management Program (VCSQMP), National Pollutant Discharge Elimination System (NPDES) permit CAS004002, as well as all State and Federal requirements of the Clean Water Act.
- **CALL FOR INSPECTION PRIOR TO PLACING CONCRETE**
- **48 HOURS PRIOR TO STARTING WORK NOTIFY:**
Encroachment Permits (805) 654-2055
Road Maintenance (805) 388-4518
- Traffic control signs shall be removed in the reverse order in which they were placed. For example, advanced Warning signs placed first during a traffic control set up should be removed last. Street obstructions left over night must have barricades and lights.
- Driver/operator shall not idle diesel fueled commercial motor vehicles with gross weight greater than 10,000 pounds and mobile off-road diesel fueled equipment pursuant to Title 13 California Code of Regulations.

SI & (US) UNITS	REVISION: E	PLATE E - 1
<p>1. CONCRETE CURBS & GUTTERS:</p> <p>1.1 Where Required The requirements for installing curbs and gutters are shown on B-Series plates.</p> <p>1.2 Design Curbs and gutters shall be constructed per SPPWC Standard Plan 120, types A-1 and A-2. W = 450 mm (18") or to match adjacent gutter.</p> <p>1.3 PCC Class Concrete class and construction shall be as specified in SLDS or VCSS.</p> <p>1.4 Base Required Where roadway subgrade has a R-value ≤ 14, 100 mm (4") thickness of PMB shall be placed under curbs and gutters.</p> <p>2. CROSS GUTTERS:</p> <p>2.1 Where Required Cross gutters shall be installed wherever surface drainage is to be carried across a road.</p> <p>2.2 Where Prohibited No surface drainage is to be carried across a road and no cross gutters are permitted across the following road sections:</p> <ul style="list-style-type: none"> a) Primary or Secondary roads (Plates B-2, B-3[A], B-3[B], B-3[C]). b) Collector roads (Plates B-5[A] and deleted B-4[A] and B-6[A]) except at locations where vehicular traffic is required to stop or where through traffic movement is precluded such as at the single leg of a T-intersection. <p>2.3 Design Cross gutters shall be constructed per SPPWC Standard Plan 122 and 123.</p> <p>2.4 PCC Class Concrete class and construction shall be as specified in SLDS or VCSS.</p> <p>2.5 Base Required Cross gutters and spandrels shall be constructed over 150 mm (6 ") thickness of PMB.</p>		
ADOPTED BY BOARD OF SUPERVISORS: 03-14-00	COUNTY OF VENTURA PUBLIC WORKS AGENCY ROAD STANDARDS	
APPROVED: <div style="text-align: right;">DIRECTOR OF PUBLIC WORKS</div>		
RECOMMENDED: <div style="text-align: right;">RCE 50408 EXPIRES 06-30-01</div>	CURBS & GUTTERS	

SI & (US) UNITS	REVISION: E	PLATE E - 3
<p>3. SIDEWALKS: The requirements for installing sidewalks are shown on B-Series plates.</p> <p>3.1 Design & Construction</p> <p>3.11 Sidewalks shall be constructed per SPPWC Standard Plan 112.</p> <p>3.12 Sidewalks shall be constructed of PCC, 100 mm (4") thick.</p> <p>3.13 Where roadway subgrade has a R-value ≤ 14, 100 mm (4") of PMB shall be placed under the sidewalk.</p> <p>3.14 Concrete class and construction shall be as specified in SLDS or VCSS.</p> <p>3.2 Curb Ramps Curb ramps, as required by the Americans With Disabilities Act and state law, shall be installed at all intersections. Construction shall be per SPPWC Standard Plan 111, Case A. Sidewalks, sidewalk flares at intersections and rights of way widths may have to be increased to accommodate ramp design.</p> <p>4. SURFACE ACCESS TO UNDERGROUND FACILITIES (MANHOLES, etc.): All surface accesses to underground facilities located within a sidewalk, sidepath or a marked or unmarked (Vehicle Code § 275) crosswalk area of a roadway, shall meet the following requirements:</p> <ol style="list-style-type: none"> 1. Covers shall support a load of 225 kg (500 lbs.) applied to a 25 mm (1 in.) diameter area at any location on the cover. The deflection, when so loaded, shall not exceed 1% of the longest dimension of the cover. There shall be no residual deflection after the load is removed. Plastic covers shall be ultraviolet resistant. Covers located in roadways, driveways or other locations to which vehicles have access, shall be designed for traffic loading. 2. No variation in the surface of the access closure shall exceed 3 mm (1/8") from the surrounding surface. 3. No opening in the access closure shall exceed 12 mm (1/2 in.) in width nor 60 mm (2.5") in length. Circular openings shall not exceed 20 mm (3/4 in.) in diameter. 4. Hold down fastenings shall be flush with the surface of the access closure. 5. The exposed surface of the access closure shall have a permanent slip resistant surface. 6. The resultant finished access closure, as installed, shall not result in a significant variation in the sidewalk, sidepath or crosswalk surface that will cause a hazard to pedestrian use. 		
ADOPTED BY BOARD OF SUPERVISORS: 00/00/00	<p align="center">COUNTY OF VENTURA PUBLIC WORKS AGENCY ROAD STANDARDS</p>	
<p>APPROVED:</p>  <p align="center">DIRECTOR OF PUBLIC WORKS</p>		
<p>RECOMMENDED:</p>  <p align="center">RCE 50408 EXPIRES 06-30-01</p>	<p align="center">SIDEWALKS AND SURFACE ACCESS CLOSURES</p>	





ABBREVIATIONS:

WPJ WEAKENED PLANE JOINT BCR BEGINNING OF CURB RETURN
 EXP JT EXPANSION JOINT ECR END OF CURB RETURN

NOTES:


1. WEAKENED PLANE JOINTS SHALL BE USED FOR ALL JOINTS, EXCEPT THAT EXPANSION JOINTS SHALL BE PLACED AT THE BCR AND ECR IN CURB, GUTTER AND SIDEWALK, AND AROUND UTILITY POLES LOCATED IN SIDEWALK AREAS.
2. WEAKENED PLANE JOINTS SHALL BE CONSTRUCTED AT REGULAR INTERVALS NOT EXCEEDING 3000 mm (10') IN WALKS AND 6000 mm (20') IN GUTTERS. JOINTS IN CURB AND WALK SHALL BE ALIGNED.
3. CURB AND GUTTER SHALL BE CONSTRUCTED SEPARATELY FROM SIDEWALK.

STANDARD PLANS FOR PUBLIC WORKS CONSTRUCTION		
PROMULGATED BY THE PUBLIC WORKS STANDARDS INC. GREENBOOK COMMITTEE 1984 REV. 1996	<h2 style="margin: 0;">CURB AND SIDEWALK JOINTS</h2> <p style="margin: 0; font-size: small;">USE WITH STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION</p>	STANDARD PLAN METRIC <h1 style="margin: 0;">112-1</h1> SHEET 1 OF 1




CASE A

AMERICAN PUBLIC WORKS ASSOCIATION - SOUTHERN CALIFORNIA CHAPTER		
PROMULGATED BY THE PUBLIC WORKS STANDARDS INC. GREENBOOK COMMITTEE 1992 REV. 1996	<h2 style="margin: 0;">CURB RAMP</h2>	STANDARD PLAN METRIC <h1 style="margin: 0;">111 - 2</h1> SHEET 1 OF 10
USE WITH STANDARD SPECIFICATIONS FOR PUBLIC WORKS CONSTRUCTION		



TYPE 3


WHEN PLANTING AREA IS ADJACENT TO THE CURB RAMP, SEE CASE A (TYPE 6)




TYPE 4

CASE A

WHEN PLANTING AREA IS ADJACENT TO THE CURB RAMP, SEE CASE A (TYPE 6)




TYPE 5




TYPE 6

IF PLANTING AREA IS NOT ADJACENT TO ONE FLARE, USE "X" PER TABLE 2 FOR THAT FLARE

CASE A



SEE TABLE 2 FOR X VALUE




CASE B

AMERICAN PUBLIC WORKS ASSOCIATION - SOUTHERN CALIFORNIA CHAPTER

STANDARD PLAN
METRIC


CURB RAMP

111 - 2
SHEET 4 OF 10




USE CURB FACE AT POINT A TO DETERMINE X VALUE IN TABLE 2

TYPE 1



USE CURB FACE AT POINT A TO DETERMINE X VALUE IN TABLE 2

TYPE 2



SECTION D-D

CASE D


AMERICAN PUBLIC WORKS ASSOCIATION - SOUTHERN CALIFORNIA CHAPTER


STANDARD PLAN

METRIC

CURB RAMP


111-2
SHEET 6 OF 10






SECTION A-A

USE TABLE 1 TO DETERMINE WHICH OF SECTIONS A-A, B-B OR C-C IS APPROPRIATE.




SECTION B-B

DEPRESS BACK OF WALK SEE DETAIL "A", "B", "C" OR "D".




SECTION C-C

DEPRESS BACK OF WALK SEE DETAIL "A", "B", "C" OR "D".



SECTION R-R




SECTION S-S

AMERICAN PUBLIC WORKS ASSOCIATION - SOUTHERN CALIFORNIA CHAPTER

STANDARD PLAN
METRIC

CURB RAMP

111-2
SHEET 8 OF 10



LEGEND:

SECTION A-A LANDING = 1200 mm (4')
 SECTION A-A LANDING = 900 mm (3')
 SECTION B-B
 SECTION C-C

TABLE 1 - SECTION USAGE & Z VALUES

NORMAL CURB FACE	X
100 mm (4") OR LESS	1200 mm (48")
125 mm (5")	1500 mm (60")
150 mm (6")	1800 mm (72")
175 mm (7")	2100 mm (84")
200 mm (8")	2400 mm (96")
225 mm (9")	2700 mm (108")
250 mm (10")	3000 mm (120")
275 mm (11")	3300 mm (132")
300 mm (12") OR MORE	3600 mm (144")

TABLE 2






NORMAL CURB FACE	SECTION A-A Y
50 mm (2") OR LESS	790 mm (32")
75 mm (3")	1185 mm (47")
100 mm (4")	1580 mm (63")
125 mm (5")	1975 mm (79")
150 mm (6")	2370 mm (95")
175 mm (7")	2765 mm (111")
200 mm (8")	3160 mm (126")
225 mm (9")	3555 mm (142")
250 mm (10")	3950 mm (160")
275 mm (11")	4340 mm (174")
300 mm (12") OR MORE	4736 mm (190")

TABLE 3

AMERICAN PUBLIC WORKS ASSOCIATION - SOUTHERN CALIFORNIA CHAPTER

CURB RAMP

STANDARD PLAN
METRIC
111 - 2
SHEET 9 OF 10



GENERAL NOTES:

1. CONCRETE SHALL BE CLASS 310-C-17 (520-C-2500) AND SHALL BE 100 mm (4") THICK.
2. THE RAMP SHALL HAVE A 300 mm (12") WIDE BORDER WITH 6 mm (1/4") GROOVES APPROXIMATELY 19 mm (3/4") OC. SEE GROOVING DETAIL.
3. THE RAMP SURFACE SHALL HAVE A TRANSVERSE BROOMED SURFACE TEXTURE.
4. USE DETAIL "A" OR "B" IF EXISTING SURFACE BEHIND RIGHT OF WAY IS PAVED.
5. USE DETAIL "C" OR "D" IF EXISTING SURFACE BEHIND RIGHT OF WAY IS UNPAVED.
6. W = 900 mm (3') UNLESS OTHERWISE SHOWN ON PLAN.
7. ANGLE = $\Delta/2$ UNLESS OTHERWISE SHOWN ON PLAN.
8. DIMENSIONS SHOWN ON THIS PLAN FOR METRIC AND ENGLISH UNITS ARE NOT EXACTLY EQUAL VALUES. IF METRIC UNITS ARE USED, ALL VALUES USED FOR CONSTRUCTION SHALL BE METRIC VALUES. IF ENGLISH UNITS ARE USED, ALL VALUES USED FOR CONSTRUCTION SHALL BE ENGLISH VALUES.

AMERICAN PUBLIC WORKS ASSOCIATION - SOUTHERN CALIFORNIA CHAPTER	STANDARD PLAN METRIC
CURB RAMP	111 - 2 SHEET-10 OF 10




INDEX OF PLANS

SHEET No.	DESCRIPTION
1	TITLE AND LOCATION MAP
2-18	CONSTRUCTION DETAILS
19-22	UTILITY PLANS
23-27	CONSTRUCTION AREA SIGNS
28	TRAFFIC HANDLING PLAN
29-32	TRAFFIC HANDLING DETAILS
33	TRAFFIC HANDLING QUANTITIES
34-36	PAVEMENT DELINEATION PLAN
37	SUMMARY OF QUANTITIES
38-44	ELECTRICAL PLANS
45-55	REVISED AND NEW STANDARD PLANS

THE STANDARD PLANS LIST APPLICABLE TO THIS CONTRACT IS INCLUDED IN THE NOTICE TO BIDDERS AND SPECIAL PROVISIONS BOOK.

STATE OF CALIFORNIA
DEPARTMENT OF TRANSPORTATION
PROJECT PLANS FOR CONSTRUCTION ON
STATE HIGHWAY

IN VENTURA COUNTY
AT VARIOUS LOCATIONS




LOCATIONS OF CONSTRUCTION

Loc No.	Route	POST MILE	DESCRIPTION	DIRECTION	START DATE
①	1	16.64	SW CORNER OF STATHAM Blvd (OXNARD)	SOUTHBOUND	WILL INFORM CITY INSPECTOR
②	1	18.24	SW, SE, NE, AND NW CORNERS OF FOURTH ST (OXNARD)	NORTHBOUND/SOUTHBOUND	UNKNOWN
③	1	18.44	SE CORNER OF SECOND ST-LT (OXNARD)	NORTHBOUND	UNKNOWN
④	1	18.59	NW CORNER OF MAGNOLIA Ave (OXNARD)	SOUTHBOUND	UNKNOWN
⑤	1	18.71	PALM Dr-Lt (OXNARD)	SOUTHBOUND	UNKNOWN
⑥	1	18.85	DEODAR Ave-Lt (OXNARD)	SOUTHBOUND	UNKNOWN
⑦	33	8.79	NW CORNER OF OAK VIEW Ave	SOUTHBOUND	
⑧	33	10.65	WOODLAND Rd	NORTHBOUND	
⑨	33	11.42	VALLERIO Ave-Lt	WESTBOUND	
⑩	33	12.80	NE CORNER OF FAIRVIEW Ave	NORTHBOUND	
⑪	101	10.89	SB ON RAMP FROM CAMARILLO SPRINGS Rd	SOUTHBOUND	
⑫	126	20.33	LOS SERENOS Rd-Lt	WESTBOUND	

+ APRIL 2013

PROJECT MANAGER
DAVID MIRANEY

DESIGN ENGINEER
FRED KOTISSO



5/4/12
PROJECT ENGINEER DATE
REGISTERED CIVIL ENGINEER
FRED KOTISSO
No. C72485
Exp. 6/30/12
CIVIL
STATE OF CALIFORNIA

THE CONTRACTOR SHALL POSSESS THE CLASS (OR CLASSES) OF LICENSE AS SPECIFIED IN THE "NOTICE TO BIDDERS."

CONTRACT No. 07-276704
PROJECT ID 070000528



DEVELOPMENT SERVICES DEPARTMENT
BUILDING & ENGINEERING DIVISION

P.W. PERMIT

214 South "C" Street, Oxnard, CA 93030

797-0818 - DAIR HARPER

FOR INSPECTIONS CALL (805) 247-8980 - 24 HOUR ADVANCE NOTICE

Application Number 12-00002431 Date 5/09/12
Property Address 2102 STATHAM BLVD LND
PARCEL NUMBER 111-1-111-111
Tenant nbr, name CAL-TRANS INSTALL RAMPS
Application description PW - ENCROACHMENT APPLICATION

Owner Contractor
CALIFORNIA DEPT OF TRANSPORTAT
DISTRICT 7, L.A./VTA COUNTIES
100 S MAIN ST
LOS ANGELES CA 90012
(213) 897-3656

Other struct info DATE - BEGINNING APRIL 2013
DATE - ENDING OCT. 2013
PERMIT COMMENTS NO FEE PER P.W.

Permit PW - ENCROACHMENT PERMIT
Additional desc
Phone Access Code 1446145
Permit Fee00 Plan Check Fee00
Issue Date 5/09/12 Valuation 0
Expiration Date 5/09/12

change has been made per George Roberts email dated 6/7/12

Special Notes and Comments
THIS PERMIT IS ISSUED IN ACCORDANCE WITH AND SUBJECT TO THE CALIF. VEHICLE CODE SECTION 35780, 35782, THE CITY CODE, AND THE ATTACHED CONDITIONS.

THE UNDERSIGNED CONTRACTOR HEREBY AGREES TO DO THE WORK AS HEREIN DESIGNATED AND AS INDICATED ON THE ATTACHED DRAWINGS: DRAWING NO. _____

IN CONSIDERATION OF THE GRANT OF THIS PERMIT, THE PERMITTEE AGREES TO SAVE HARMLESS THE CITY OF OXNARD, ITS OFFICERS AND EMPLOYEES FROM ANY LOSS, COST OF EXPENSE ARISING OUT OF THE PERFORMANCE OF THE WORK UNDER THIS PERMIT. PERMITTEE AGREES TO NOTIFY THE CITY OF OXNARD AT LEASE _____ HRS. IN ADVANCE OF CONSTRUCTION.

CONTRACTOR _____

PERMIT FOR EXCAVATION OR CONSTRUCTION WITHIN 300 FT. OF A SIGNALIZED INTERSECTION SHALL BE REVIEWED BY THE TRAFFIC ENGINEER.

PURPOSE: Install/reconstruct curb ramps as shown on approve drawings attached. Coordinate traffic control per approved traffic control plan attached. Applicant (DOT) shall contact City Public Works inspector at (805)797-0818, 24 hrs. in advance of construction to coordinate traffic control on City Streets. Applicant shall also contact the City Licensing Department (Tammy Guterrez) 805-385-7819 and provide verification that the contractor doing

NOTICE (Please check appropriate box in each paragraph)

- 1(a) I certify that I am licensed under the State Contractor's License Law and my contractor's license is in full force and effect; or
1(b) I certify that I am exempt from Business and Professions Code #7031.5 under: #7044 - Owner/builder. #7048 - Price of labor and materials less than \$300.
AND
2(a) I certify that I have workers' compensation insurance.
Insurer _____ Policy # _____, or a Certificate of Consent to self-insure by the Director of Industrial Relations; or
2(b) I certify that I am exempt under Labor Code #3800 because: the permit is for work of \$100 or less, or that in the performance of the work for which the permit is issued, I shall not employ any person in any manner so as to become subject to the workers' compensation laws of California.
AND
3 Lender's Name _____ Address _____

I certify that I have read this application and declare under penalty of perjury that the information contained herein is true, correct and complete. I agree to comply with all city and county ordinances and state laws relating to building construction, and hereby authorize representatives of this city to enter upon the above mentioned property for inspection purposes. I am the owner of the structure listed on this permit or I represent the owner and am acting with the owner's full knowledge and consent.

Executed at City of Oxnard 5/9/12 Date Sharon Peters Owner/Contractor Authorized Signature

PROJECT COMPLETED DATE: INSPECTOR:

THIS PERMIT BECOMES NULL AND VOID if work or construction authorized is not commenced within 180 days from date of issuance, or work is suspended or abandoned for a period of 180 days any time after work is commenced.





214 South "C" Street, Oxnard, CA 93030

797-0818

D. HARPER

FOR INSPECTIONS CALL (805)-247-8980 - 24 HOUR ADVANCE NOTICE

Application Number 12-00002431 Page 3
Date 5/09/12

Special Notes and Comments
work in the City has obtained a City
business License. Contractor must also
provide proof of Insurance (gen.
Lia., Workers Com-p. & Auto) to be made
a part of this permit. Start Date for
this project is approx. April 2013.

Table with 5 columns: Fee summary, Charged, Paid, Credited, Due. Rows include Permit Fee Total, Plan Check Total, and Grand Total, all with .00 values.

NOTICE (Please check appropriate box in each paragraph)

- 1(a) I certify that I am licensed under the State Contractor's License Law...
1(b) I certify that I am exempt from Business and Professions Code #7031.5...
2(a) I certify that I have workers' compensation insurance...
2(b) I certify that I am exempt under Labor Code #3800 because...
3 Lender's Name Address

I certify that I have read this application and declare under penalty of perjury that the information contained herein is true, correct and complete. I agree to comply with all city and county ordinances and state laws relating to building construction, and hereby authorize representatives of this city to enter upon the above mentioned property for inspection purposes.

Executed at City of Oxnard Date Owner/Contractor Authorized Signature

PROJECT COMPLETED DATE: INSPECTOR:

THIS PERMIT BECOMES NULL AND VOID if work or construction authorized is not commenced within 180 days from date of issuance, or work is suspended or abandoned for a period of 180 days any time after work is commenced.

