

**DEPARTMENT OF TRANSPORTATION**  
DIVISION OF ENGINEERING SERVICES  
OFFICE ENGINEER  
1727 30<sup>th</sup> Street MS-43  
P.O. BOX 168041  
SACRAMENTO, CA 95816-8041  
FAX (916) 227-6214  
TTY 711



*Flex your power!  
Be energy efficient!*

July 9, 2013

10-SJ-12-0.1/R4.4  
10-0G8004  
Project ID 1000000052  
ACNH-P012(112)E

Addendum No. 4

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN SAN JOAQUIN COUNTY NEAR TERMINOUS FROM MOKELUMNE RIVER BRIDGE TO LITTLE POTATO SLOUGH BRIDGE.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Tuesday, July 16, 2013.

This addendum is being issued to revise the Notice to Bidders and Special Provisions.

In the Special Provisions, Section 10-1.69, "BARRIER GATE," is replaced as attached.

To Bid book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

Addendum No. 4  
Page 2  
July 9, 2013

10-SJ-12-0.1/R4.4  
10-0G8004  
Project ID 1000000052  
ACNH-P012(112)E

This addendum and attachment are available for the Contractors' download on the Web site:

**[http://www.dot.ca.gov/hq/esc/oe/project\\_ads\\_addenda/10/10-0G8004](http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/10/10-0G8004)**

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



REBECCA D. HARNAGEL  
Chief, Office of Plans, Specifications & Estimates  
Office Engineer  
Division of Engineering Services

Attachment

**10-1.69 BARRIER GATE**

The barrier gate shall be furnished and installed as shown on the plans and in conformance with these special provisions. The successful bidder can obtain the barrier gate from:

Distributor:  
National Trench Safety  
7849 Stockton Boulevard  
Sacramento, CA 95823  
telephone (916) 387-6300  
FAX (916) 387-6400

Manufactured by:  
Energy Absorption Systems, Inc.  
35 East Wacker Drive  
Chicago, IL 60601  
telephone (312) 467-6750

The price quoted by the manufacturer for Barrier Gate System, Model No. BG 1.5, FOB Pell City, Alabama is \$70,373, not including sales tax and freight.

The above price will be firm for order placed within 30 days of contract award, and provided delivery is accepted within 90 days after the order is placed.

The barrier gate shall be installed in conformance with the manufacturer's recommendations.

The concrete pad shall conform to the provisions in Section 51, "Concrete Structures," of the Standard Specifications and these special provisions.

The concrete pad shall be constructed of concrete containing not less than 590 pounds of cementitious material per cubic yard.

The Contractor shall furnish the Engineer one copy of the manufacturer's plan and parts list for barrier gate installed.

The Contractor shall provide the Engineer with a Certificate of Compliance from the manufacturer in conformance with the provisions of Section 6-1.07, "Certificates of Compliance," of the Standard Specifications. The Certificate of Compliance shall certify that the barrier gate conforms with the contract plans and specifications, conforms to the prequalified design and material requirements, and was manufactured in conformance with the approved quality control program.

Barrier gate will be measured by the unit as determined from actual count in place in the completed work.

The contract unit price paid for barrier gate shall include full compensation for furnishing all labor, materials, tools, equipment, and incidentals, and for doing all the work involved in furnishing and installing the barrier gate, complete in place, as shown on the plans, as specified in the Standard Specifications and these special provisions, and as directed by the Engineer.