

**DEPARTMENT OF TRANSPORTATION**  
DIVISION OF ENGINEERING SERVICES  
OFFICE ENGINEER, MS 43  
1727 30<sup>TH</sup> STREET  
P.O. BOX 168041  
SACRAMENTO, CA 95816-8041  
FAX (916) 227-6214  
TTY 711



*Flex your power!  
Be energy efficient!*

June 9, 2010

10-SJ-205-1.9/R7.9  
10-Q2704

Addendum No. 3

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN SAN JOAQUIN COUNTY NEAR TRACY AT VARIOUS LOCATIONS FROM 0.6 MILE EAST OF PATTERSON PASS ROAD OVERCROSSING TO 0.9 MILE EAST OF TRACY BOULEVARD UNDERCROSSING.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Wednesday, June 16, 2010.

This addendum is being issued to revise the Project Plans and the Notice to Bidders and Special Provisions.

Project Plan Sheet 2 is revised. A copy of the revised sheet is attached for substitution for the like-numbered sheet.

In the Special Provisions, Section 10-1.34, "SUBGRADE ENHANCEMENT GEOTEXTILE," subsection "MATERIALS," the second paragraph is revised as follows:

"SEG must be Class B2."

In the Special Provisions, Section 10-1.39, "AGGREGATE BASE," the fourth paragraph is revised as follows:

10-SJ-205-1.9/R7.9  
10-0Q2704

"Class 3 aggregate base must comply with:

Sieve Sizes	Grading (Percentage Passing)	
	1-1/2" Maximum	
	Operating Range	Contract Compliance
2"	100	100
1-1/2"	90-100	87-100
1"		
3/4"	50-85	45-90
No. 4	24-45	20-50
No. 30	10-25	6-29
No. 200	2-11	0-14

Tests	Quality	
	Operating Range	Contract Compliance
Sand Equivalent	25	22 min
Resistance (R-value)	-	78 min
Durability Index	-	35 min

To Bid book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This addendum is available for the Contractors' download on the Web site:

**[http://www.dot.ca.gov/hq/esc/oe/project\\_ads\\_addenda/10/10-0Q2704](http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/10/10-0Q2704)**

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

IGNACIO SANCHEZ DEL REAL  
Acting Office Chief  
Office of Plans, Specifications & Estimates  
Office Engineer  
Division of Engineering Services