

DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

www.dot.ca.gov/hq/esc/oe



Serious Drought.
Help save water!

March 17, 2015

10-Ama-88-R66.6/71.7

10-0W6004

Project ID 1012000018

ACNHP-P088(063)E

Addendum No. 2

Dear Contractor:

This addendum is being issued to the contract for CONSTRUCTION ON STATE HIGHWAY IN AMADOR COUNTY AT CARSON SPUR FROM 0.9 MILE EAST OF KAYS ROAD TO THE ALPINE COUNTY LINE.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Thursday, March 26, 2015.

This addendum is being issued to revise the *Notice to Bidders and Special Provisions*.

In the Special Provisions, Section 14-6.10, is added as attached.

To *Bid* book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the *Notice to Bidders* section of the *Notice to Bidders and Special Provisions*.

Submit the *Bid* book as described in the *Electronic Bidding Guide* at the Bidders' Exchange website.

http://www.dot.ca.gov/hq/esc/oe/electronic_bidding/electronic_bidding.html

Inform subcontractors and suppliers as necessary.

Addendum No. 2
Page 2
March 17, 2015

10-Ama-88-R66.6/71.7
10-0W6004
Project ID 1012000018
ACNHP-P088(063)E

This addendum, EBS addendum file, and attachments are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/10/10-0W6004

If you are not a *Bid* book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



for
SHARRI BENDER EHLERT
District Director
District 6 Central Region

Attachment

Replace section 14-6.10 with:

14-6.10 EL DORADO NATIONAL FOREST VEHICLE WASHING

14-6.10A General

Section 14-6.10 includes specifications relating to noxious and or invasive weeds.

14-6.10B Materials

NOT USED

14-6.10C Construction

Prior to arrival within the El Dorado National Forest, construction equipment must be cleaned of noxious and or invasive weeds sources such as soils, seeds, and other such debris. The Engineer must be notified 7 days prior to the arrival of a piece of equipment to the job site other than hand tools.

Adhere to the Eldorado National Forest prescriptions for seed, mulch, and fertilizer use on National Forest System lands. Should noxious weed infestations occur, they must be treated in a manner approved by the U.S. Forest Service.

Construction equipment will be determined to be free of soil, seeds, and other such debris when a visual inspection does not disclose such material.

Construction equipment known to be in an infested noxious and or invasive weed area must be cleaned with water above 120 degrees Fahrenheit.

Staging areas must be in weed free areas.

14-6.10D Payment

NOT USED