

DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER, MS 43
1727 30TH STREET
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
FAX (916) 227-6214
TTY (916) 227-8454



*Flex your power!
Be energy efficient!*

**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

October 25, 2007

11-SD-52,67,125-Var
11-010614
Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in SAN DIEGO COUNTY AT VARIOUS LOCATIONS.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on November 15, 2007.

This addendum is being issued to revise the Project Plans, the Notice to Contractors and Special Provisions, and the Proposal and Contract.

Project Plan Sheets 23, 24, 28, 29, 81, 82, 109, 110, 112, 165, 166, 167, 168, 174, and 265 are revised. Half-sized copies of the revised sheets are attached for substitution for the like-numbered sheets.

In the Special Provisions, Section 5-1.17, "PROJECT INFORMATION," "Geotechnical Design Report dated December 2000" is added to the fourth paragraph for the list of items available in the District.

In the Special Provisions, Section 5-1.19, "CALIFORNIA DEPARTMENT OF FISH AND GAME REQUIREMENTS," the fifth paragraph is revised as follows:

"A delay when ordered by the Engineer, will be considered a temporary suspension of work, in accordance with the provisions in Section 8-1.05, "Temporary Suspension of Work," of the Standard Specifications."

In the Special Provisions, Section 5-1.20, "CALIFORNIA REGIONAL WATER QUALITY CONTROL BOARD REQUIREMENTS," the fourth paragraph is revised as follows:

"A delay when ordered by the Engineer, will be considered a temporary suspension of work, in accordance with the provisions in Section 8-1.05, "Temporary Suspension of Work," of the Standard Specifications."

In the Special Provisions, Section 5-1.21, "UNITED STATES ARMY CORPS OF ENGINEERS REQUIREMENTS," the fourth paragraph is revised as follows:

"A delay when ordered by the Engineer, will be considered a temporary suspension of work, in accordance with the provisions in Section 8-1.05, "Temporary Suspension of Work," of the Standard Specifications."

11-SD-52,67,125-Var
11-010614

In the Special Provisions, Section 5-1.22, "UNITED STATES FISH AND WILDLIFE SERVICE REQUIREMENTS," the fourth paragraph is revised as follows:

"A delay when ordered by the Engineer, will be considered a temporary suspension of work, in accordance with the provisions in Section 8-1.05, "Temporary Suspension of Work," of the Standard Specifications."

In the Special Provisions, Section 5-1.28, "MIGRATORY BIRDS," is revised as attached.

In the Proposal and Contract, the Engineer's Estimate Items 49, 50, 51, 52, 53, 54, 55, 56, 57, 58, 59, 103, 147, 156, and 168 are revised as attached.

To Proposal and Contract book holders:

Replace pages 5, 8, 10, and 11 of the Engineer's Estimate in the Proposal with the attached revised pages 5, 8, 10, and 11 of the Engineer's Estimate. The revised Engineer's Estimate is to be used in the bid.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the NOTICE TO CONTRACTORS section of the Notice to Contractors and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This office is sending this addendum by GSO overnight mail to Proposal and Contract book holders to ensure that each receives it. A copy of this addendum is available for the contractor's use on the Internet Site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Office of Plans, Specifications & Estimates
Division of Engineering Services - Office Engineer

Attachments

5-1.28 MIGRATORY BIRDS

Attention is directed to the Federal Migratory Bird Treaty Act (16 USC 703 et seq.) Title 50 Code of Federal Regulations Part 10, and the California Department of Fish and Game Code Sections 3503, 3513, and 3800, that protect migratory birds, their occupied nests, and their eggs from destruction or take.

A Biologist will be provided by the State for this project. The Biologist will verify the presence or absence of migratory birds.

Attention is directed to "Order of Work" and "Clearing and Grubbing" of these special provisions.

Prior to the migratory bird nesting season of February 15 through September 1, vegetation mowing and tree removal within the limits of clearing and grubbing work shall be completed in conformance with the provisions in "Clearing and Grubbing" of these special provisions.

If evidence of bird nesting is discovered during the nesting season, the Contractor shall not disturb the nesting birds or nests, and shall immediately stop work adjacent to the nesting birds and notify the Engineer. During nesting season, migratory birds shall be handled as follows:

- A. If nesting migratory birds are found within the project limits where noise mitigation is not feasible, the nesting area shall be designated as an environmentally sensitive area and no work shall occur within 90 meters until the nesting season is over.

The Contractor shall place temporary noise barriers when determined by the Biologist and directed by the Engineer to minimize impacts to nesting migratory birds when discovered within the project limits. Placing temporary noise barriers to minimize impacts to nesting migratory birds when directed by the Engineer will be paid for as extra work as provided in Section 4-1.03D, "Extra Work," of the Standard Specifications.

The boundaries of the environmentally sensitive areas for migratory birds shall be delineated in conformance with "Environmentally Sensitive Area" and "Temporary Fence (Type ESA)" of these special provisions. Once the nesting season is over, the areas will no longer be considered an environmentally sensitive area and temporary fence (Type ESA) shall be removed.

Temporary fence (Type ESA), when required to delineate the boundaries of the environmentally sensitive areas for migratory birds, will be measured and paid for in conformance with "Temporary Fence (Type ESA)" of these special provisions.

A delay due to migratory birds or their nests, when ordered by the Engineer, will be considered a temporary suspension of work, in accordance with the provisions in Section 8-1.05, "Temporary Suspension of Work," of the Standard Specifications.

Attention is directed to "Time Related Overhead" of these special provisions.

**ENGINEER'S ESTIMATE
11-010614**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
41	152438	ADJUST FRAME AND COVER TO GRADE	EA	3		
42 (S)	152641	MODIFY SIGN STRUCTURE	EA	1		
43 (S)	153103	COLD PLANE ASPHALT CONCRETE PAVEMENT	M2	4940		
44	153210	REMOVE CONCRETE	M3	540		
45	012602	REMOVE CONCRETE (RETAINING WALL)	M	860		
46	153229	REMOVE CONCRETE BARRIER (TYPE K)	M	160		
47	160101	CLEARING AND GRUBBING	LS	LUMP SUM	LUMP SUM	
48	170101	DEVELOP WATER SUPPLY	LS	LUMP SUM	LUMP SUM	
49	190101	ROADWAY EXCAVATION	M3	701 000		
50 (F)	192003	STRUCTURE EXCAVATION (BRIDGE)	M3	6325		
51 (F)	192020	STRUCTURE EXCAVATION (TYPE D)	M3	45		
52 (F)	192037	STRUCTURE EXCAVATION (RETAINING WALL)	M3	1070		
53 (F)	193003	STRUCTURE BACKFILL (BRIDGE)	M3	6645		
54 (F)	193013	STRUCTURE BACKFILL (RETAINING WALL)	M3	1240		
55 (F)	197021	EARTH RETAINING STRUCTURE, LOCATION A	M2	340		
56 (F)	197022	EARTH RETAINING STRUCTURE, LOCATION B	M2	290		
57 (F)	197023	EARTH RETAINING STRUCTURE, LOCATION C	M2	115		
58 (F)	197024	EARTH RETAINING STRUCTURE, LOCATION D	M2	560		
59	198001	IMPORTED BORROW	M3	214 000		
60 (S)	200001	HIGHWAY PLANTING	LS	LUMP SUM	LUMP SUM	

**ENGINEER'S ESTIMATE
11-010614**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
101 (F)	510088	STRUCTURAL CONCRETE, APPROACH SLAB (TYPE N MODIFIED)	M3	515		
102 (F)	510129	CLASS 2 CONCRETE (BOX CULVERT)	M3	1642		
103 (F)	510502	MINOR CONCRETE (MINOR STRUCTURE)	M3	247		
104 (F)	510524	MINOR CONCRETE (SOUND WALL)	M3	10		
105 (F)	511045	EXPOSED AGGREGATE FINISH	M2	450		
106 (F)	041141	ARCHITECTURAL TREATMENT (COBBLESTONE TEXTURE)	M2	1040		
107 (F)	511064	FRACTURED RIB TEXTURE	M2	80		
108 (F)	041142	TRAPEZOIDAL RIB TEXTURE	M2	210		
109 (S-F)	518002	SOUND WALL (MASONRY BLOCK)	M2	860		
110 (S)	519124	JOINT SEAL ASSEMBLY (MR 60 MM)	M	122		
111 (S)	519144	JOINT SEAL (MR 50 MM)	M	385		
112 (S-F)	520102	BAR REINFORCING STEEL (BRIDGE)	KG	2 180 000		
113 (S-F)	520103	BAR REINFORCING STEEL (RETAINING WALL)	KG	35 500		
114 (S-F)	520107	BAR REINFORCING STEEL (BOX CULVERT)	KG	211 869		
115 (S-F)	520120	HEADED BAR REINFORCEMENT	EA	1455		
116 (F)	560213	FURNISH SIGN STRUCTURE (LIGHTWEIGHT)	KG	4590		
117 (S-F)	560214	INSTALL SIGN STRUCTURE (LIGHTWEIGHT)	KG	4590		
118 (F)	560218	FURNISH SIGN STRUCTURE (TRUSS)	KG	86 015		
119 (F)	560219	INSTALL SIGN STRUCTURE (TRUSS)	KG	83 705		
120 (F)	012604	INSTALL SIGN PANEL ON EXISTING STRUCTURE	M2	113		

**ENGINEER'S ESTIMATE
11-010614**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
141	620919	750 MM ALTERNATIVE PIPE CULVERT	M	490		
142	620924	900 MM ALTERNATIVE PIPE CULVERT	M	220		
143	620930	1050 MM ALTERNATIVE PIPE CULVERT	M	140		
144	620938	1350 MM ALTERNATIVE PIPE CULVERT	M	230		
145	650086	1350 MM REINFORCED CONCRETE PIPE	M	120		
146	664104	750 MM BITUMINOUS COATED CORRUGATED STEEL PIPE (2.01 MM THICK)	M	45		
147	690277	450 MM BITUMINOUS COATED CORRUGATED STEEL PIPE DOWNDRAIN (2.77 MM THICK)	M	270		
148	690280	600 MM BITUMINOUS COATED CORRUGATED STEEL PIPE DOWNDRAIN (2.01 MM THICK)	M	210		
149	703233	GRATED LINE DRAIN	M	31		
150	703287	1200 MM CORRUGATED STEEL PIPE RISER (2.01 MM THICK)	M	2.8		
151	705336	450 MM ALTERNATIVE FLARED END SECTION	EA	9		
152	705337	600 MM ALTERNATIVE FLARED END SECTION	EA	8		
153	705338	750 MM ALTERNATIVE FLARED END SECTION	EA	1		
154	707479	900 MM REINFORCED CONCRETE PIPE RISER	M	10		
155 (S)	012607	TELEVISIONING SEWER MAIN	M	110		
156	719569	MINOR CONCRETE (PIPE ENCASMENT)	M3	1.0		
157	721010	ROCK SLOPE PROTECTION (BACKING NO. 1, METHOD B)	M3	970		
158	721024	ROCK SLOPE PROTECTION (1/4T, METHOD B)	M3	1700		
159	721400	CONCRETE (SLOPE PROTECTION)	M3	32		
160 (F)	721810	SLOPE PAVING (CONCRETE)	M3	265		

**ENGINEER'S ESTIMATE
11-010614**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
161 (F)	721811	SLOPE PAVING (MASONRY BLOCK)	M2	1990		
162 (F)	041143	SLOPE PAVING (ROCK COBBLE)	M2	900		
163	727901	MINOR CONCRETE (DITCH LINING)	M3	120		
164	729010	ROCK SLOPE PROTECTION FABRIC	M2	5690		
165 (F)	731517	MINOR CONCRETE (GUTTER)	M	9		
166	012608	MINOR CONCRETE (CURB, GUTTER, SIDEWALK, CONCRETE BARRIER TRANSITION, AND DRIVEWAY)	M3	390		
167	731530	MINOR CONCRETE (TEXTURED PAVING)	M2	3070		
168 (S-F)	750001	MISCELLANEOUS IRON AND STEEL	KG	27 949		
169 (S)	800382	CHAIN LINK FENCE (TYPE CL-0.9, VINYL-CLAD)	M	9		
170 (S)	800392	CHAIN LINK FENCE (TYPE CL-1.8, VINYL-CLAD)	M	4980		
171 (S)	801900	CHAIN LINK GATE	EA	13		
172	012609	CONCRETE BARRIER MARKER	EA	71		
173	820107	DELINEATOR (CLASS 1)	EA	130		
174	820118	GUARD RAILING DELINEATOR	EA	75		
175 (S)	832001	METAL BEAM GUARD RAILING	M	640		
176	833080	CONCRETE BARRIER (TYPE K)	M	92		
177 (S)	012610	DOUBLE METAL BEAM GUARD RAILING	M	43		
178 (S)	839541	TRANSITION RAILING (TYPE WB)	EA	12		
179 (S)	839561	RAIL TENSIONING ASSEMBLY	EA	4		
180 (S)	839566	TERMINAL SYSTEM (TYPE CAT)	EA	5		