

DEPARTMENT OF TRANSPORTATION

DIVISION OF ENGINEERING SERVICES

OFFICE ENGINEER

1727 30th Street MS-43

P.O. BOX 168041

SACRAMENTO, CA 95816-8041

FAX (916) 227-6214

TTY 711

*Flex your power!
Be energy efficient!*

February 28, 2014

11-Imp-5708

11-076704

Project ID 1100000035

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for BUILDING CONSTRUCTION IN IMPERIAL COUNTY IN EL CENTRO AT THE EL CENTRO MAINTENANCE STATION AT 1102 MONTENEGRO WAY.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on Thursday, March 13, 2014.

This addendum is being issued to revise the Project Plans and the Notice to Bidders and Special Provisions.

Project Plan Sheets 142, 173, 177, 179, 180, 186, 188, 189, 191, 193, 202, 203, 204, 212, 213, 214 and 219 are replaced. Copies of the revised sheets are attached for substitution for the like-numbered sheets.

In the Special Provisions, Section 12-2, "SITWORK," subsection "PART 3-EXECUTION," "PREPARATION AND RESTORATION" the first paragraph is revised as follows:

"Site preparation: Once the excavation is complete, the subgrade shall be scarified to a depth of 1-foot, moisture conditioned if necessary, and recompact to a minimum of 95 percent of maximum dry density. The site shall then be backfilled with select backfill soil in level lifts not to exceed six inches and compacted to not less than 95 percent of maximum dry density."

In the Special Provisions, Section 12-2, "SITWORK," subsection "PART 3-EXECUTION," "COMPACTION" the second paragraph under "Select Backfill:" is deleted.

Addendum No. 1
Page 2
February 28, 2014

11-Imp-5708
11-076704
Project ID 1100000035

To Bid book holders:

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the Notice to Bidders section of the Notice to Bidders and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the Bid book.

Submit bids in the Bid book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This addendum and attachments are available for the Contractors' download on the Web site:

http://www.dot.ca.gov/hq/esc/oe/project_ads_addenda/11/11-076704

If you are not a Bid book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,



LAURIE BERMAN
District Director

Attachments