

DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER, MS 43
1727 30TH STREET
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
FAX (916) 227-6214
TTY (916) 227-8454



*Flex your power!
Be energy efficient!*

**** WARNING ** WARNING ** WARNING ** WARNING ****

This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

June 27, 2008

11-SD-15 ,163 -R16.7/M34.1,16.1/R18.8
11-2T0924

Addendum No. 3

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in SAN DIEGO COUNTY IN SAN DIEGO ON ROUTE 15 FROM 0.3 KM SOUTH OF ROUTE 52/15 SEPARATION TO 1.0 KM NORTH OF CARMEL MOUNTAIN ROAD OVERCROSSING AND ON ROUTE 163 FROM 0.6 KM NORTH OF ROUTE 163/52 SEPARATION TO ROUTE 163/15 SEPARATION.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on July 10, 2008.

This addendum is being issued to revise the Proposal and Contract.

To Proposal and Contract book holders:

Replace pages 10, 11, 12, 13, and 15 of the Engineer's Estimate in the Proposal with the attached corrected pages 10, 11, 12, 13, and 15 of the Engineer's Estimate. The corrected Engineer's Estimate is to be used in the bid.

Inquiries or questions in regard to this addendum must be communicated as a bidder inquiry and must be made as noted in the NOTICE TO CONTRACTORS section of the Notice to Contractors and Special Provisions.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it. A copy of this addendum is available for the contractor's use on the Internet Site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Office of Plans, Specifications & Estimates
Division of Engineering Services - Office Engineer

Attachments

ENGINEER'S ESTIMATE

11-2T0924

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity | Unit Price | Item Total |
|----------|-----------|--|-----------------|--------------------|------------|------------|
| 141 | 560208 | FURNISH SIGN STRUCTURE (TUBULAR) | KG | 102 775 | | |
| 142 (S) | 560209 | INSTALL SIGN STRUCTURE (TUBULAR) | KG | 102 775 | | |
| 143 | 560213 | FURNISH SIGN STRUCTURE (LIGHTWEIGHT) | KG | 11 088 | | |
| 144 (S) | 560214 | INSTALL SIGN STRUCTURE (LIGHTWEIGHT) | KG | 11 088 | | |
| 145 | 560234 | FURNISH LAMINATED PANEL SIGN (25.4 MM-TYPE A) | M2 | 270 | | |
| 146 | 560238 | FURNISH SINGLE SHEET ALUMINUM SIGN (1.6 MM-UNFRAMED) | M2 | 40 | | |
| 147 | 560239 | FURNISH SINGLE SHEET ALUMINUM SIGN (2.0 MM-UNFRAMED) | M2 | 35 | | |
| 148 | 560241 | FURNISH SINGLE SHEET ALUMINUM SIGN (1.6 MM-FRAMED) | M2 | 28 | | |
| 149 | 560242 | FURNISH SINGLE SHEET ALUMINUM SIGN (2.0 MM-FRAMED) | M2 | 6 | | |
| 150 (S) | 561009 | 920 MM CAST-IN-DRILLED-HOLE CONCRETE PILE (SIGN FOUNDATION) | M | 24 | | |
| 151 (S) | 561015 | 1524 MM CAST-IN-DRILLED-HOLE CONCRETE PILE (SIGN FOUNDATION) | M | 140 | | |
| 152 | 013817 | ROADSIDE SIGN-ONE POST (WEED CONTROL MAT RUBBER) | EA | 6 | | |
| 153 | 566011 | ROADSIDE SIGN - ONE POST | EA | 29 | | |
| 154 | 566012 | ROADSIDE SIGN - TWO POST | EA | 10 | | |
| 155 | 568001 | INSTALL SIGN (STRAP AND SADDLE BRACKET METHOD) | EA | 6 | | |
| 156 | 013818 | INSTALL SIGN PANEL (BARRIER MOUNTED) | EA | 16 | | |
| 157 | 568017 | INSTALL ROADSIDE SIGN PANEL ON EXISTING POST | EA | 25 | | |
| 158 (F) | 575004 | TIMBER LAGGING | M3 | 49 | | |
| 159 | 620902 | 200 MM ALTERNATIVE PIPE CULVERT | M | 46 | | |
| 160 | 620909 | 450 MM ALTERNATIVE PIPE CULVERT | M | 2100 | | |

ENGINEER'S ESTIMATE**11-2T0924**

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity | Unit Price | Item Total |
|----------|-----------|---|-----------------|--------------------|------------|------------|
| 161 | 620913 | 600 MM ALTERNATIVE PIPE CULVERT | M | 1420 | | |
| 162 | 620919 | 750 MM ALTERNATIVE PIPE CULVERT | M | 610 | | |
| 163 | 620943 | 1650 MM ALTERNATIVE PIPE CULVERT | M | 25 | | |
| 164 | 680272 | 100 MM PLASTIC PIPE UNDERDRAIN | M | 1630 | | |
| 165 | 700617 | DRAINAGE INLET MARKER | EA | 5 | | |
| 166 | 013819 | 900 MM CEMENT MORTAR LINED & TAPE COATED (6.25 MM THICK) WELDED STEEL PIPE | M | 400 | | |
| 167 | 013820 | 400 MM BUTTERFLY VALVE ASSEMBLY | EA | 8 | | |
| 168 | 013821 | 150 MM BLOW-OFF VALVE ASSEMBLY | EA | 3 | | |
| 169 | 013822 | 100 MM AIR RELEASE AND VACUUM VALVE ASSEMBLY | EA | 6 | | |
| 170 | 013823 | POLYVINYL CHLORIDE PIPE CLASS 200 | M | 62 | | |
| 171 | 013824 | CORROSION TEST STATION | EA | 9 | | |
| 172 | 013825 | ACCESS MANHOLE | EA | 2 | | |
| 173 | 013826 | GATE VALVE | EA | 3 | | |
| 174 | 013827 | 400 MM CEMENT MORTAR LINED AND COATED (6.25 MM THICK) WELDED STEEL PIPE | M | 89 | | |
| 175 | 013828 | 900 MM CEMENT MORTAR LINED AND COATED (6.25 MM THICK) WELDED STEEL PIPE | M | 44 | | |
| 176 | 013829 | 400 MM CEMENT MORTAR LINED (FIELD APPLIED) AND TAPE COATED (6.25 MM THICK) WELDED | M | 260 | | |
| 177 | 013830 | 600 MM STEEL CASING PIPE | M | 36 | | |
| 178 | 013831 | 400 MM FLEXIBLE EXPANSION JOINT | EA | 6 | | |
| 179 | 013832 | 900 MM BUTTERFLY VALVE ASSEMBLY | EA | 1 | | |
| 180 | 013833 | 100 MM BLOW-OFF VALVE ASSEMBLY | EA | 2 | | |

ENGINEER'S ESTIMATE

11-2T0924

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity | Unit Price | Item Total |
|-----------|-----------|---|-----------------|--------------------|------------|------------|
| 181 | 013834 | 100 MM SERVICE LINE ASSEMBLY | EA | 2 | | |
| 182 | 013835 | 100 MM POLYVINYL CHLORIDE CONDUIT (FOR FIBER OPTIC) | M | 150 | | |
| 183 | 708064 | 450 MM ALTERNATIVE PIPE RISER | M | 29 | | |
| 184 | 708068 | 900 MM ALTERNATIVE PIPE RISER | M | 21 | | |
| 185 (S) | 013836 | TELEWISE EXISTING SEWER PIPE | LS | LUMP SUM | LUMP SUM | |
| 186 | 721420 | CONCRETE (DITCH LINING) | M3 | 92 | | |
| 187 (F) | 721810 | SLOPE PAVING (CONCRETE) | M3 | 24 | | |
| 188 (F) | 721812 | SLOPE PAVING (CONCRETE) (SPLIT FACED VENEER) | M2 | 410 | | |
| 189 | 731517 | MINOR CONCRETE (GUTTER) | M3 | 48 | | |
| 190 | 731530 | MINOR CONCRETE (TEXTURED PAVING) | M2 | 2790 | | |
| 191 | 731627 | MINOR CONCRETE (CURB, SIDEWALK AND CURB RAMP) | M3 | 200 | | |
| 192 (S-F) | 750001 | MISCELLANEOUS IRON AND STEEL | KG | 28 468 | | |
| 193 (S-F) | 750501 | MISCELLANEOUS METAL (BRIDGE) | KG | 45 | | |
| 194 (S-F) | 750505 | BRIDGE DECK DRAINAGE SYSTEM | KG | 1420 | | |
| 195 | 820107 | DELINEATOR (CLASS 1) | EA | 170 | | |
| 196 | 820110 | MILEPOST MARKER | EA | 8 | | |
| 197 | 820118 | GUARD RAILING DELINEATOR | EA | 46 | | |
| 198 (S) | 832001 | METAL BEAM GUARD RAILING | M | 220 | | |
| 199 (S-F) | 833032 | CHAIN LINK RAILING (TYPE 7) | M | 271 | | |
| 200 (S) | 041378 | PERFORATED STEEL SCREEN (SCONCE) | EA | 8 | | |

ENGINEER'S ESTIMATE**11-2T0924**

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity | Unit Price | Item Total |
|--------------|-----------|--|-----------------|--------------------|------------|------------|
| 201 | 833080 | CONCRETE BARRIER (TYPE K) | M | 1970 | | |
| 202 (S) | 041379 | PERFORATED STEEL SCREEN (PILASTER) | EA | 4 | | |
| 203 (S-F) | 041380 | TUBULAR PIPE HANDRAILING | M | 40 | | |
| 204 (F) | 833142 | CONCRETE BARRIER (TYPE 26 MODIFIED) | M | 203 | | |
| 205 (F) | 839405 | CONCRETE BARRIER (TYPE A) | M | 172 | | |
| 206 (S-F) | 839521 | CABLE RAILING | M | 475 | | |
| 207 (S) | 839541 | TRANSITION RAILING (TYPE WB) | EA | 4 | | |
| 208 (S) | 839581 | END ANCHOR ASSEMBLY (TYPE SFT) | EA | 9 | | |
| 209 (S) | 839584 | ALTERNATIVE IN-LINE TERMINAL SYSTEM | EA | 1 | | |
| 210 (S) | 839585 | ALTERNATIVE FLARED TERMINAL SYSTEM | EA | 12 | | |
| 211 (S) | 839604 | CRASH CUSHION (REACT 9CBB) | EA | 5 | | |
| 212 | 013837 | CONCRETE BARRIER (TYPE 60 MODIFIED) | M | 49 | | |
| 213 | 839704 | CONCRETE BARRIER (TYPE 60D) | M | 88 | | |
| 214 | 839706 | CONCRETE BARRIER (TYPE 60G) | M | 26 | | |
| 215 | 839709 | CONCRETE BARRIER (TYPE 60GE) | M | 250 | | |
| 216 | 839710 | CONCRETE BARRIER (TYPE 60S) | M | 960 | | |
| 217 | 839711 | CONCRETE BARRIER (TYPE 60SA) | M | 58 | | |
| 218 | 839712 | CONCRETE BARRIER (TYPE 60SC) | M | 2290 | | |
| 219 | 839713 | CONCRETE BARRIER (TYPE 60SE) | M | 140 | | |
| 220 (F) | 041382 | CONCRETE BARRIER (TYPE 60GE MODIFIED) | M | 32 | | |

ENGINEER'S ESTIMATE**11-2T0924**

| Item No. | Item Code | Item Description | Unit of Measure | Estimated Quantity | Unit Price | Item Total |
|------------|-----------|---|-----------------|--------------------|------------|------------|
| 241 (S) | 860255 | SIGNAL AND LIGHTING (LOCATION 5) | LS | LUMP SUM | LUMP SUM | |
| 242 (S) | 860297 | SIGNAL AND LIGHTING (CITY) | LS | LUMP SUM | LUMP SUM | |
| 243 (S) | 013843 | TEMPORARY LIGHTING | LS | LUMP SUM | LUMP SUM | |
| 244 (S) | 860402 | LIGHTING (CITY STREET) | LS | LUMP SUM | LUMP SUM | |
| 245 (S) | 860460 | LIGHTING AND SIGN ILLUMINATION | LS | LUMP SUM | LUMP SUM | |
| 246 (S) | 860530 | CHANGEABLE MESSAGE SIGN SYSTEM | LS | LUMP SUM | LUMP SUM | |
| 247 (S) | 013844 | GUIDE WIRE SYSTEM | LS | LUMP SUM | LUMP SUM | |
| 248 (S) | 860796 | SPRINKLER CONTROL CONDUIT (BRIDGE) | M | 400 | | |
| 249 (S) | 860798 | BOOSTER PUMP ELECTRICAL SYSTEM | LS | LUMP SUM | LUMP SUM | |
| 250 (S) | 860930 | TRAFFIC MONITORING STATION | LS | LUMP SUM | LUMP SUM | |
| 251 (S) | 013845 | TEMPORARY TRAFFIC MONITORING STATION | LS | LUMP SUM | LUMP SUM | |
| 252 (S) | 860990 | CLOSED CIRCUIT TELEVISION SYSTEM | LS | LUMP SUM | LUMP SUM | |
| 253 (S) | 013846 | FIBER OPTIC COMMUNICATION SYSTEM | LS | LUMP SUM | LUMP SUM | |
| 254 (S) | 013847 | TEMPORARY COMMUNICATION SYSTEM | LS | LUMP SUM | LUMP SUM | |
| 255 (S) | 861101 | RAMP METERING SYSTEM (LOCATION 1) | LS | LUMP SUM | LUMP SUM | |
| 256 (S) | 861102 | RAMP METERING SYSTEM (LOCATION 2) | LS | LUMP SUM | LUMP SUM | |
| 257 (S) | 861103 | RAMP METERING SYSTEM (LOCATION 3) | LS | LUMP SUM | LUMP SUM | |
| 258 (S) | 861104 | RAMP METERING SYSTEM (LOCATION 4) | LS | LUMP SUM | LUMP SUM | |
| 259 (S) | 861105 | RAMP METERING SYSTEM (LOCATION 5) | LS | LUMP SUM | LUMP SUM | |
| 260 (S) | 013848 | TEMPORARY RAMP METERING SYSTEM (LOCATION 1) | LS | LUMP SUM | LUMP SUM | |