



Dist	County	Route	Post Miles Total Project	Sheet No.	Total Sheets
<i>Randell D. Hiatt</i> REGISTERED CIVIL ENGINEER					
October 19, 2012 PLANS APPROVAL DATE					
					
THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.					


TO ACCOMPANY PLANS DATED \_\_\_\_\_



**PLAN**

**NOTES:**

1. Where the distance between back of post and hinge point is less than 42", construct vegetation control to 6" from hinge point while maintaining the 8" block-out at back of post. If the 8" block-out at back of post can not be maintained, construct vegetation control flush with the back edge of post.
2. Where dike is constructed under barrier, construct vegetation control to back edge of dike. Where paved shoulder is constructed within 36" in front of the post, construct vegetation control to the edge of paved shoulder.
3. For wood and steel post sizes, see Standard Plan A77C2.
4. For details not shown, see Standard Plans A78A and A78B.



**SECTION A-A**

STATE OF CALIFORNIA  
DEPARTMENT OF TRANSPORTATION  
**SINGLE THREE BEAM BARRIER  
TYPICAL VEGETATION CONTROL  
STANDARD BARRIER RAILING SECTION**

NO SCALE

RSP A78C3 DATED OCTOBER 19, 2012 SUPERSEDES STANDARD PLAN A78C3  
DATED MAY 20, 2011 - PAGE 93 OF THE STANDARD PLANS BOOK DATED 2010.

**REVISED STANDARD PLAN RSP A78C3**

**2010 REVISED STANDARD PLAN RSP A78C3**