



D16+	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET No.	TOTAL SHEETS
 REGISTERED CIVIL ENGINEER					
July 19, 2013 PLANS APPROVAL DATE					
Stanley P. Johnson No. C6798 Exp. 3-31-14 CIVIL STATE OF CALIFORNIA					
THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.					

TO ACCOMPANY PLANS DATED \_\_\_\_\_


STANDARD TYPE	SETBACK (DIMENSION A)
32	30'-0" (Min)
31	20'-0" (Min)
15, 15D, 15-SB, 21, 21D, 30	ARM LENGTH (Min)



CUT SLOPES  
STEEPER THAN 4:1,  
LESS THAN 2:1  
DETAIL A-1  
See Note 2 and 3



FILL SLOPES  
STEEPER THAN 4:1,  
LESS THAN 2:1  
DETAIL A-2  
See Note 2 and 3




FLAT SECTIONS, CUT OR FILL SLOPES  
4:1 OR FLATTER  
DETAIL A-3  
See Note 2


FOUNDATIONS ADJACENT TO ALL ROADWAYS EXCEPT  
IN SIDEWALK, MEDIAN AND ISLAND AREAS  
DETAIL A

NOTES:

1. Where a portion of the foundation is above grade, the top edges shall have a 1" chamfer.
2. Slopes shall be horizontal to vertical ratio (Horizontal : Vertical).
3. Horizontal setbacks on cut and fill slopes steeper than 4:1 shall not exceed the distance shown for flat sections.
4. CIDH embedment depth shall be increased beyond standard depths by the diameter of the CIDH.



MEDIAN, ISLAND  
OR WIDE SIDEWALK  
DETAIL B-1  
7' Wide and wider



NARROW SIDEWALK  
DETAIL B-2  
Less than 7' wide

FOUNDATIONS IN SIDEWALK, MEDIAN AND ISLAND AREAS  
DETAIL B

STATE OF CALIFORNIA  
DEPARTMENT OF TRANSPORTATION  
**ELECTRICAL SYSTEMS**  
**(FOUNDATION INSTALLATIONS)**

NO SCALE

RSP ES-11 DATED JULY 19, 2013 SUPERSEDES STANDARD PLAN ES-11  
DATED MAY 20, 2011 - PAGE 488 OF THE STANDARD PLANS BOOK DATED 2010.

**REVISED STANDARD PLAN RSP ES-11**

2010 REVISED STANDARD PLAN RSP ES-11