



DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET NO.	TOTAL SHEETS
Randell D. Hiatt REGISTERED CIVIL ENGINEER No. C50200 Exp. 6-30-11 CIVIL STATE OF CALIFORNIA					
May 20, 2011 PLANS APPROVAL DATE					
THE STATE OF CALIFORNIA OR ITS OFFICERS OR AGENTS SHALL NOT BE RESPONSIBLE FOR THE ACCURACY OR COMPLETENESS OF SCANNED COPIES OF THIS PLAN SHEET.					




TRANSITION TYPE 60S CONCRETE BARRIER TO TYPE 50 CONCRETE BARRIER

NOTES:


1. See Standard Plan A76G for Concrete Barrier Type 60S and Type 60SA.
2. Footing monolithic or doweled with 2-#8 x 8" @ 2'-0". The footing is required at concrete barrier ends and at interruptions in concrete barrier.
3. 10" Concrete barrier footing extends 10'-0" back from structure.
4. See Standard Plan A78I for transition to Thrie Beam Barrier.




CONCRETE BARRIER TYPE 60S END ANCHORAGE



SECTION B-B



CONCRETE BARRIER TYPE 60S CONNECTION TO STRUCTURE



SECTION A-A

STATE OF CALIFORNIA
 DEPARTMENT OF TRANSPORTATION
CONCRETE BARRIER TYPE 60S
 NO SCALE

A76H