





DIST	COUNTY	ROUTE	POST MILES TOTAL PROJECT	SHEET No.	TOTAL SHEETS
X	X	X	X	X	X

REGISTERED CIVIL ENGINEER X
DATE _____



PLANS APPROVAL DATE _____
The State of California or its officers or agents shall not be responsible for the accuracy or completeness of electronic copies of this plan sheet.



- NOTES:
1. Posts must be vertical.
 2. Railing must conform to horizontal and vertical alignment.
 3. When rail is on slope, place fabric parallel to post
 4. Alternative details may be submitted by the contractor for engineer approval.
 5. Provide thimbles at all cable loops.
 6. Peen all 3/8" Ø bolts.
 7. See "General Plan" for end post location.
 8. Replace existing bolt with 1"Ø x 4" bolt.
 9. At intermediate posts only. Contractor has the option of either 1/8" x 2" strap or 1/4" anchor plate with eyebolt.

NOTE:
THE CONTRACTOR MUST VERIFY ALL CONTROLLING FIELD DIMENSIONS BEFORE ORDERING OR FABRICATING ANY MATERIAL.

STANDARD DRAWING		STATE OF CALIFORNIA DEPARTMENT OF TRANSPORTATION		DIVISION OF ENGINEERING SERVICES		BRIDGE NO. X		X	
FILE NO. xs16-140-1	APPROVAL DATE <u>October 2014</u>	ORIGINAL SCALE IN INCHES FOR REDUCED PLANS		UNIT: X PROJECT NUMBER & PHASE: X		POST MILE X		CHAIN LINK RAILING TYPE 2 DETAILS No. 1	
DS OSD 2147A (ENGLISH STANDARD DRAWING "XS" BORDER REV. (02-02-11))		0 1 2 3		CONTRACT NO.: X		DISREGARD PRINTS BEARING EARLIER REVISION DATES		REVISION DATES 6-28-14 9-15-14	
								SHEET OF X X	

USERNAME => s136236 DATE PLOTTED => 03-OCT-2014 TIME PLOTTED => 07:54