TABLE OF CONTENTS

C3 GENERAL REQUIREMENTS C3-1
C3.2 SEISMIC PERFORMANCE OBJECTIVES C3-1
C3.3 SEISMIC DESIGN APPROACH C3-5
C3.3.1 Earthquake Resisting Systems (ERS) C3-10
C3.4 DESIGN GROUND MOTION C3-15
C3.4.1 Design Spectra Based on General Procedure C3-15
C3.4.2 Site Effects on Ground Motions C3-16
C3.4.2.1 Site Class Definitions C3-17
C3.4.2.2 Definitions of Site Class Parameters C3-17
C3.4.3 Response Spectra Based on Site-Specific Procedure C3-18
C3.4.4 Acceleration Time Histories C3-19
C3.4.5 Vertical Acceleration Effects C3-20
C3.5 LOAD FACTORS C3-21
C3.6 COMBINATION OF SEISMIC FORCE EFFECTS C3-21
C3.7 SEISMIC HAZARD LEVEL (SHL), SEISMIC DESIGN AND ANALYSIS PROCEDURE (SDAP) AND SEISMIC DESIGN REQUIREMENT (SDR) C3-22
C3.8 TEMPORARY AND STAGED CONSTRUCTION C3-22

C4 DESIGN AND ANALYSIS PROCEDURES C4-1
C4.1 SINGLE SPAN BRIDGES C4-1
C4.2 SDAP A1 AND A2 ..... C4-1
C4.3 SDAP B – NO SEISMIC DEMAND ANALYSIS C4-2
C4.3.2 Restrictions C4-2
C4.3.3 Capacity Design and Strength Requirements of Members Framing into Columns C4-3
C4.4 SDAP C – CAPACITY SPECTRUM DESIGN METHOD C4-3
C4.4.2 Restrictions C4-5
C4.5 SDAP D – ELASTIC RESPONSE SPECTRUM METHOD C4-5
C4.6 SDAP E – ELASTIC RESPONSE SPECTRUM METHOD WITH DISPLACEMENT CAPACITY VERIFICATION C4-5
C4.7 RESPONSE MODIFICATION FACTORS C4-6
C4.8 CAPACITY DESIGN C4-6
C4.8.1 Inelastic Hinging Forces C4-7
C4.10 ELASTIC DESIGN OF SUBSTRUCTURES C4-7
C4.10.1 All Substructure Supports are Designed Elastically C4-7
C4.10.2 Selected Substructure Supports are Designed Elastically C4-8

C5 ANALYSIS REQUIREMENTS C5-1
C5.1 DEFINITION OF PROCEDURES C5-1
C5.1.1 General C5-1
C5.1.2 Selection of Analysis Procedure C5-1
C5.2 SEISMIC LATERAL LOAD DISTRIBUTION C5-2
C5.2.2 Design Criteria C5-2
C5.2.3 Load Distribution C5-3
C5.3 MODELING REQUIREMENTS C5-3
C5.3.1 General C5-3
C5.3.2 Distribution of Mass C5-4
C5.3.3 Stiffness and Strength C5-4
C5.3.3.1 General C5-4

C5.3.3.2 Substructure C5-4
C5.3.3.3 Superstructure C5-5
C5.3.4 Foundations C5-5
C5.3.5 Abutments C5-6
C5.3.6 Seismic Isolator Units C5-6
C5.3.7 Hinges C5-6
C5.3.8 Damping C5-6
C5.4 ANALYSIS PROCEDURES C5-6
C5.4.1 Capacity Spectrum Analysis C5-6
C5.4.2 Elastic Response Spectrum Analysis C5-9
C5.4.2.2 Uniform Load Method C5-9
C5.4.2.3 Multi-Mode Dynamic Analysis Method C5-10
C5.4.3 Seismic Displacement Capacity Verification C5-10
C5.4.4 Nonlinear Dynamic Analysis Procedure C5-11

C6 SEISMIC DESIGN REQUIREMENT (SDR) 1 AND 2 ..... C6-1
C6.2 DESIGN FORCES C6-1
C6.3 DESIGN DISPLACEMENTS C6-1
C6.7 STRUCTURAL STEEL DESIGN REQUIREMENTS C6-2
C6.7.2 SDR 2 ..... C6-2
C6.7.2.1 Ductile Moment-Resisting Frames and Bents C6-2
C6.7.2.1.1 Columns C6-2
C6.7.2.3 Concentrically Braced Frames and Bents with Nominal Ductility C6-2

C7 SEISMIC DESIGN REQUIREMENTS (SDR) 3 ..... C7-1
C7.2 DESIGN FORCES C7-1
C7.2.1 Ductile Substructures (R>1) – Flexural Capacity C7-1
C7.2.2 Capacity Protected Elements or Actions C7-1
C7.2.3 Elastically Designed Elements C7-1
C7.2.4 Abutments and Connections C7-1
C7.2.5 Single Span Bridges C7-2
C7.3 DESIGN DISPLACEMENTS C7-2
C7.4 FOUNDATION DESIGN REQUIREMENTS C7-2
C7.4.1 Foundation Investigation C7-2
C7.4.2 Spread Footings C7-2
C7.4.2.1 Moment and Shear Capacity C7-3
C7.4.2.2 Liquefaction Check C7-3
C7.4.3 Driven Piles C7-3
C7.4.3.1 General C7-3
C7.4.3.2 Design Requirements C7-4
C7.4.3.3 Moment and Shear Design C7-4
C7.4.3.4 Liquefaction Check C7-4
C7.4.4 Drilled Shafts C7-5
C7.5 ABUTMENT DESIGN REQUIREMENTS C7-6
C7.5.1 General C7-6
C7.5.2 Longitudinal Direction C7-6
C7.5.3 Transverse Direction C7-6
C7.6 LIQUEFACTION DESIGN REQUIREMENTS C7-6
C7.6.1 General C7-6
C7.6.2 Evaluation of Liquefaction Potential C7-6
C7.6.3 Evaluation of the Effects of Liquefaction and Lateral Ground Movement C7-7
C7.6.4 Design Requirements if Liquefaction and Ground Movement Occurs C7-7

C7.6.5 Detailed Foundation Design Requirements C7-7
C7.6.6 Other Collateral Hazards C7-7
C7.7 STRUCTURAL STEEL DESIGN REQUIREMENTS C7-7
C7.8 REINFORCED CONCRETE DESIGN REQUIREMENTS C7-7
C7.9 BEARING DESIGN REQUIREMENTS C7-7
C7.9.1 Prototype and Quality Control Tests C7-7
C7.10 SEISMIC ISOLATION DESIGN REQUIREMENT C7-8

C8 SEISMIC DESIGN REQUIREMENTS (SDR) 4, 5 AND 6 ..... C8-1
C8.2 DESIGN FORCES C8-1
C8.2.1 Ductile Substructures (R>1) – Flexural Capacity C8-1
C8.2.2 Capacity Protected Elements C8-1
C8.2.3 Elastically Designed Elements C8-1
C8.2.4 Abutments and Connections C8-1
C8.2.5 Single Span Bridges C8-2
C8.3 DESIGN DISPLACEMENTS C8-2
C8.3.2 Minimum Seat Width Requirement C8-2
C8.3.3 Displacement Compatibility C8-3
C8.3.4 P-Δ Requirements C8-3
C8.3.5 Minimum Displacement Requirements for Piers and Bents C8-4
C8.4 FOUNDATION DESIGN REQUIREMENTS C8-4
C8.4.1 Foundation Investigation C8-4
C8.4.1.1 General C8-4
C8.4.1.2 Subsurface Investigations C8-4
C8.4.1.3 Laboratory Testing C8-4
C8.4.2 Spread Footings C8-5
C8.4.2.1 Spring Constants — for Footing C8-5
C8.4.2.2 Moment-Rotation and Shear-Displacement Relationships for Footing C8-7
C8.4.3 Driven Piles C8-8
C8.4.3.1 General C8-8
C8.4.3.2 Design Requirements C8-8
C8.4.3.3 Axial and Rocking Stiffness for Driven Pile/Pile Cap Foundations C8-10
C8.4.3.4 Lateral Stiffness Parameters for Driven Pile/Pile Cap Foundations C8-11
C8.4.3.5 Pile Cap Stiffness and Capacity C8-12
C8.4.3.6 Moment and Shear Design C8-12
C8.4.3.7 Liquefaction and Dynamic Settlement Evaluations C8-13
C8.4.4 Drilled Shafts C8-13
C8.5 ABUTMENT DESIGN REQUIREMENTS C8-14
C8.5.1 General C8-14
C8.5.2 Longitudinal Direction C8-15
C8.5.2.1 SDAP B and C C8-15
C8.5.2.2 SDAP D and E C8-16
C8.5.3 Transverse Direction C8-16
C8.5.3.1 SDAP B and C C8-16
C8.5.3.2 SDAP D and E C8-16
C8.6 LIQUEFACTION DESIGN REQUIREMENTS C8-17
C8.6.1 General C8-17
C8.6.2 Evaluation of Liquefaction Potential C8-17
C8.6.3 Evaluation of the Effects of Liquefaction and Lateral Ground Movement C8-18
C8.6.4 Design Requirements if Liquefaction and Ground Movement Occurs C8-19

C8.6.5 Detailed Foundation Design Requirements C8-19
C8.7 STRUCTURAL STEEL DESIGN REQUIREMENTS C8-19
C8.7.1 General C8-19
C8.7.2 Materials C8-20
C8.7.4 Ductile Moment Resisting Frames and Single Column Structures C8-21
C8.7.4.1 Columns C8-22
C8.7.4.2 Beams C8-22
C8.7.4.3 Panel Zones and Connections C8-22
C8.7.4.4 Multi-Tier Frame Bents C8-22
C8.7.5 Ductile Concentrically Braced Frames C8-23
C8.7.5.1 Bracing Systems C8-23
C8.7.5.2 Design Requirements for Ductile Bracing Members C8-24
C8.7.5.3 Brace Connections C8-24
C8.7.5.4 Columns, Beams and Other Connections C8-24
C8.7.6 Concentrically Braced Frames with Nominal Ductility C8-25
C8.7.6.1 Bracing Systems C8-25
C8.7.6.2 Design Requirements for Nominally Ductile Bracing Members C8-25
C8.7.6.3 Brace Connections C8-25
C8.7.6.5 Chevron Braced and V-Braced Systems C8-26
C8.7.7 Concrete Filled Steel Pipes C8-26
C8.7.7.1 Combined Axial Compression and Flexure C8-26
C8.7.7.2 Flexural Strength C8-27
C8.7.7.3 Beams and Connections C8-27
C8.7.8 Other Systems C8-28
C8.7.8.1 Ductile Eccentrically Braced Frames C8-28
C8.7.8.2 Ductile End-Diaphragm in Slab-on-Girder Bridge C8-29
C8.7.8.3 Ductile End Diaphragms in Deck Truss Bridges C8-29
C8.7.8.4 Other Systems C8-29
C8.7.9 Plastic Rotational Capacities C8-29
C8.7.9.3 In Ground Hinges C8-29
C8.8 REINFORCED CONCRETE DESIGN REQUIREMENTS C8-29
C8.8.1 General C8-29
C8.8.2 Column Requirements C8-30
C8.8.2.1 Longitudinal Reinforcement C8-31
C8.8.2.2 Flexural Resistance C8-31
C8.8.2.3 Column Shear and Transverse Reinforcement C8-31
C8.8.2.4 Transverse Reinforcement for Confinement at Plastic Hinges C8-32
C8.8.2.5 Transverse Reinforcement for Longitudinal Bar Restraint in Plastic Hinges C8-33
C8.8.2.6 Spacing for Transverse Reinforcement for Confinement and Longitudinal Bar Restraint C8-33
C8.8.2.7 Splices C8-34
C8.8.2.8 Flexural Overstrength C8-34
C8.8.3 Limited Ductility Requirements for Wall Type Piers C8-34
C8.8.4 Moment Resisting Connection Between Members (Column/Beam and Column/Footing Joints) C8-34
C8.8.4.1 Implicit Approach: Direct Design C8-34
C8.8.4.2 Explicit Approach: Detailed Design C8-34
C8.8.4.2.1 Design Forces and Applied Stresses C8-35
C8.8.4.2.2 Maximum Required Horizontal Reinforcement C8-35
C8.8.4.2.3 Maximum Allowable Compression Stresses C8-36

C8.8.4.3 Reinforcement for Joint Force Transfer C8-36
C8.8.4.3.1 Acceptable Reinforcement Details C8-36
C8.8.4.3.2 Vertical Reinforcement C8-36
C8.8.4.3.3 Horizontal Reinforcement C8-37
C8.8.4.3.4 Hoop or Spiral Reinforcement C8-38
C8.8.4.4 Footing Strength C8-38
C8.8.5 Concrete Piles C8-38
C8.8.5.1 Transverse Reinforcement Requirements C8-38
C8.8.6 Plastic Rotation Capacities C8-38
C8.8.6.1 Life Safety Performance C8-38
C8.8.6.3 In-Ground Hinges C8-38
C8.9 BEARING DESIGN REQUIREMENTS C8-38
C8.9.1 Prototype and Quality Control Tests C8-39
C8.10 SEISMIC ISOLATION DESIGN REQUIREMENTS C8-39
C8.11 SUPERSTRUCTURE DESIGN REQUIREMENTS C8-39
C8.11.2 Load Paths C8-39
C8.11.3 Effective Superstructure Width C8-40
C8.11.4 Superstructure to Substructure Connections C8-40

C15 SEISMIC ISOLATION C15-1
C15.1 SCOPE C15-1
C15.2 DEFINITIONS C15-3
C15.3 NOTATION C15-3
C15.4 ANALYSIS PROCEDURES C15-3
C15.4.1 Capacity Spectrum Method C15-5
C15.4.2 Uniform Load Method C15-7
C15.4.3 Multimode Spectral Method C15-7
C15.4.4 Time-History Method C15-7
C15.5 DESIGN PROPERTIES OF THE ISOLATION SYSTEM C15-7
C15.5.1 Nominal Design Properties C15-7
C15.5.2.1 Minimum and Maximum System Property Modification Factors C15-7
C15.5.2.2 System Property Adjustment Factors C15-7
C15.6 CLEARANCES C15-7
C15.7 DESIGN FORCES FOR SDAP A1 AND A2 ..... C15-8
C15.9 OTHER REQUIREMENTS C15-8
C15.9.1 Non-Seismic Lateral Forces C15-8
C15.9.1.2 Cold Weather Requirements C15-8
C15.9.2 Lateral Restoring Force C15-8
C15.9.3 Vertical Load Stability C15-9
C15.9.4 Rotational Capacity C15-9
C15.10 REQUIRED TESTS OF ISOLATION SYSTEMS C15-9
C15.10.1 System Characterization Tests C15-9
C15.10.1.1 Low-Temperature Test C15-9
C15.10.1.2 Wear and Fatigue Tests C15-9
C15.10.3.1 System Adequacy C15-10
C15.11 ELASTOMERIC BEARINGS C15-11
C15.11.2 Shear Strain Components for Isolation Design C15-11
C15.11.3 Load Combinations C15-12
C15.13.1 General C15-12
C15.13.2 Materials C15-12
C15.13.2.3 Mating Surface C15-12

C15.13.4.2.2 Seismic Coefficient of Friction C15-12
C15.15.1 Scope C15-12
C15.15.2 System Characterization Tests C15-13
C15.15.4 Fabrication, Installation, Inspection, and Maintenance Requirements C15-13
C15.15.5 Prototype Tests C15-13

APPENDIX A COMMENTARY ON THE SELECTION OF THE DESIGN EARTHQUAKES A-1
A.1 INTRODUCTION A-1
A.2 CURRENT AASHTO MAP (1990 USGS MAP) A-1
A.3 NEW USGS MAPS A-1
A.4 NATIONAL EARTHQUAKE HAZARD REDUCTION PROGRAM (NEHRP) MAXIMUM CONSIDERED EARTHQUAKE (MCE) MAPS A-3
A.5 DESIGN EARTHQUAKES A-3
A.5.1 Rare Earthquake (MCE) A-3
A.5.2 Expected Earthquake A-5
A.6 IMPACT STUDIES A-5

APPENDIX B PROVISIONS FOR SITE CHARACTERIZATION B-1
B.1 GENERAL B-1
B.2 SUBSURFACE EXPLORATIONS B-1
B.2.1 In Situ Tests B-2
B.2.2 Exploration for Seismic Studies B-4
B.2.2.1 Liquefaction Potential B-4
B.2.2.2 Site Response Determination B-8
B.3 LABORATORY TESTING B-8
B.3.1 Standard Laboratory Tests B-9
B.3.2 Special Testing for Seismic Studies B-9
B.3.3 Rock Testing B-10

APPENDIX C GUIDELINES FOR CONDUCTION OF SITE-SPECIFIC GEOTECHNICAL INVESTIGATIONS AND DYNAMIC SITE RESPONSE ANALYSES C-1
C.1 INTRODUCTION C-1
C.2 SITE-SPECIFIC GEOTECHNICAL INVESTIGATION C-1
C.3 DYNAMIC SITE RESPONSE ANALYSIS C-1

APPENDIX D PROVISIONS FOR COLLATERAL SEISMIC HAZARDS D-1
D.1 GENERAL D-1
D.1.1 Evaluation of Collateral Hazards D-2
D.1.2 Designing for Collateral Hazards D-2
D.2 LIQUEFACTION D-3
D.2.1 Preliminary Screening for Liquefaction D-4
D.2.2 Field Explorations for Liquefaction Hazards Assessment D-5
D.2.4 Ground Motions for Liquefaction Analysis D-7
D.2.5 Evaluation of Liquefaction Hazard D-8
D.2.5.1 Simplified Method D-8
D.2.5.2 Numerical Modeling Methods D-15
D.2.6 Liquefaction Hazards Assessment D-15
D.2.6.1 Lateral Flows D-16
D.2.6.2 Lateral Spreading D-19
D.2.6.3 Settlement D-24
D.3 OTHER COLLATERAL HAZARDS D-28
D.3.1 Fault Rupture D-28
D.3.2 Landsliding D-28

D.3.3 Differential Compaction D-29
D.3.4 Flooding or Inundation D-29
D.4 DESIGNING FOR COLLATERAL HAZARDS D-29
D.4.1 Spread Footing Foundations D-30
D.4.1.1 Loss of Bearing Support for Spread Footings D-30
D.4.1.2 Settlement of Spread Footing D-31
D4.2 Deep Foundations D-31
D.4.2.1 Loss in Lateral Support for Deep Foundations D-32
D.4.2.2 Loads from Lateral Spreading/Flow D-32
D.4.2.3 Settlement and Downdrag D-37
D4.3 Ground Improvement D-42
D.4.3.1 Bearing Capacity and Settlement D-43
D.4.3.2 Lateral Spreading and Flow D-43

APPENDIX E DUCTILE END-DIAPHRAGM IN GIRDER BRIDGE E-1
E.1 DESIGN PROCEDURE E-1

APPENDIX F DUCTILE END-DIAPHRAGM IN DECK TRUSS BRIDGE F-1
F.1 DESIGN PROCEDURE F-1

APPENDIX G PARAMETRIC STUDY OF COLUMN DESIGNS G-1
G.1 BACKGROUND AND PURPOSE G-1
G.2 SCOPE OF THE PARAMETER STUDY G-1
G.3 DESCRIPTION OF COLUMN DESIGNS G-3
G.4 DISCUSSION OF RESULTS G-4
G.4.1 Column Strength Control G-4
G.4.2 Column Performance G-5
G.4.3 Column Size Effect G-5
G.4.4 Column Overstrength G-5
G.4.5 Cost Impact G-6

APPENDIX H LIQUEFACTION EFFECTS AND ASSOCIATED HAZARDS H-1
H.1 PURPOSE AND SCOPE H-1
H.2 DESIGN APPROACH H-2
H.3 SITE SELECTION AND CHARACTERIZATION H-2
H.4 BRIDGE TYPE H-3
H.5 DESIGN RESPONSE SPECTRA AND TIME HISTORIES H-9
H.6 LIQUEFACTION STUDIES H-10
H.6.1 Simplified Liquefaction Analyses H-10
H.6.2 DESRA-MUSC Ground Response Studies H-11
H.6.2.1 Without Embankment Fill H-14
H.6.2.2 With Embankment Fill H-19
H.6.3 Lateral Ground Displacement Assessment H-19
H.6.3.1 Initial Stability Analyses H-19
H.6.3.2 Lateral Spread Implications from DESRA-MUSC Analyses H-20
H.6.3.3 Stability Analyses with Mitigation Measures H-21
H.6.3.4 Displacement Estimates from Simplified Methods H-23
H.6.3.5 Displacement Estimates Using Site Response Analysis Results H-24
H.7 STRUCTURAL ANALYSIS AND DESIGN H-24
H.7.1 Vibration Design H-25
H.7.2 Lateral Spreading Structural Design/Assessment H-25
H.7.2.1 Modes of Deformation H-26
H.7.2.2 Foundation Movement Assessment H-26

H.7.2.3 Pinning Force Calculation H-26
H.8 COMPARISON OF REMEDIATION ALTERNATIVES H-28
H.8.1 Summary of Structural and Geotechnical Options H-28
H.8.2 Comparisons of Costs H-32
H.9 MISSOURI EXAMPLE H-33
H.9.1 Site Characterization and Bridge Type H-33
H.9.2 Liquefaction Analyses H-36
H.9.3 Initial Stability Analysis H-39
H.9.4 Stability Analyses with Mitigation Measures H-40
H.9.5 Displacement Estimates from Simplified Methods H-44
H.9.6 Pinning Force Calculations H-46
H.9.7 Comparison of Remediation Alternatives H-48
H.10 SUMMARY AND CONCLUSIONS H-51

REFERENCES R-1