TABLE OF CONTENTS

PREFACE P-1

1 INTRODUCTION 1-1
1.1 BACKGROUND 1-1
1.2 BASIC CONCEPTS 1-1
1.3 NEW CONCEPTS AND MAJOR MODIFICATIONS 1-2
1.4 PROJECT ORGANIZATION 1-7

2 DEFINITIONS AND NOTATIONS 2-1
2.1 DEFINITIONS 2-1
2.2 NOTATIONS 2-2

3 GENERAL REQUIREMENTS 3-1
3.1 APPLICABILITY 3-1
3.2 SEISMIC PERFORMANCE OBJECTIVES 3-1
3.3 SEISMIC DESIGN APPROACH 3-2
3.3.1 Earthquake Resisting Systems (ERS) 3-2
3.4 DESIGN GROUND MOTION 3-4
3.4.1 Design Spectra Based on General Procedure 3-4
3.4.2 Site Effects on Ground Motions 3-6
3.4.2.1 Site Class Definitions 3-6
3.4.2.2 Definitions of Site Class Parameters 3-7
3.4.2.3 Site Coefficients 3-8
3.4.3 Response Spectra Based on Site-Specific Procedures 3-9
3.4.4 Acceleration Time Histories 3-9
3.4.5 Vertical Acceleration Effects 3-10
3.5 LOAD FACTORS 3-12
3.6 COMBINATION OF SEISMIC FORCE EFFECTS 3-13
3.7 SEISMIC HAZARD LEVEL (SHL), SEISMIC DESIGN AND ANALYSIS PROCEDURE (SDAP) AND SEISMIC DESIGN REQUIREMENT (SDR) 3-14
3.8 TEMPORARY AND STAGED CONSTRUCTION 3-15

4 DESIGN AND ANALYSIS PROCEDURES 4-1
4.1 SINGLE SPAN BRIDGES 4-1
4.2 SDAP A1 AND A2 4-1
4.3 SDAP B – NO SEISMIC DEMAND ANALYSIS 4-1
4.3.1 No Analysis Approach 4-1
4.3.2 Limitations 4-1
4.3.3 Capacity Design and Strength Requirements of Members Framing into Columns 4-2
4.4 SDAP C – CAPACITY SPECTRUM DESIGN METHOD 4-3
4.4.1 Capacity Spectrum Design Approach 4-3
4.4.2 Limitations 4-3
4.5 SDAP D – ELASTIC RESPONSE SPECTRUM METHOD 4-4
4.6 SDAP E – ELASTIC RESPONSE SPECTRUM METHOD WITH DISPLACEMENT CAPACITY VERIFICATION 4-4
4.7 RESPONSE MODIFICATION FACTORS 4-5
4.8 CAPACITY DESIGN 4-6
4.8.1 Inelastic Hinging Forces 4-6
4.8.1.1 Single Column and Piers 4-7

4.8.1.2 Bents with Two or More Columns 4-7
4.8.1.3 Capacity Design Forces 4-8
4.9 PLASTIC HINGE ZONES 4-8
4.9.1 Top Zone of Columns, Pile Bents and Drilled Shafts 4-8
4.9.2 Bottom Zone of a Column Above a Footing or Above an Oversized In-ground Drilled Shaft 4-9
4.9.3 Bottom Zone of Pile Bents and Drilled Shafts/Caissons 4-9
4.10 ELASTIC DESIGN OF SUBSTRUCTURES 4-9
4.10.1 All Substructure Supports are Designed Elastically 4-9
4.10.2 Selected Substructure Supports are Designed Elastically 4-9

5 ANALYSIS REQUIREMENTS 5-1
5.1 DEFINITION OF PROCEDURES 5-1
5.1.1 General 5-1
5.1.2 Selection of Analysis Procedure 5-1
5.2 SEISMIC LATERAL LOAD DISTRIBUTION 5-1
5.2.1 Applicability 5-1
5.2.2 Design Criteria 5-2
5.2.3 Load Distribution 5-2
5.3 MODELING REQUIREMENTS 5-3
5.3.1 General 5-3
5.3.2 Distribution of Mass 5-3
5.3.3 Stiffness and Strength 5-3
5.3.3.1 General 5-3
5.3.3.2 Substructure 5-3
5.3.3.3 Superstructure 5-3
5.3.4 Foundations 5-4
5.3.5 Abutments 5-4
5.3.6 Seismic Isolator Units 5-4
5.3.7 Bearings and Joints 5-4
5.3.8 Damping 5-5
5.4 ANALYSIS PROCEDURES 5-5
5.4.1 Capacity Spectrum Analysis 5-5
5.4.1.1 Seismic Isolation Systems 5-5
5.4.2 Elastic Response Spectrum Analysis 5-6
5.4.2.1 Selection of Analysis Method 5-6
5.4.2.2 Uniform Load Method 5-6
5.4.2.3 Multi-Mode Dynamic Analysis Procedure 5-6
5.4.3 Seismic Displacement Capacity Verification 5-6
5.4.4 Nonlinear Dynamic Analysis Procedure 5-7

6 SEISMIC DESIGN REQUIREMENT (SDR) 1 AND 2 6-1
6.1 GENERAL 6-1
6.2 DESIGN FORCES 6-1
6.3 DESIGN DISPLACEMENTS 6-1
6.4 FOUNDATION DESIGN REQUIREMENTS 6-1
6.5 ABUTMENT DESIGN REQUIREMENTS 6-1
6.6 LIQUEFACTION DESIGN REQUIREMENTS 6-1
6.7 STRUCTURAL STEEL DESIGN REQUIREMENTS 6-1
6.7.1 SDR 1 6-1
6.7.2 SDR 2 6-1
6.7.2.1 Ductile Moment-Resisting Frames and Bents 6-1

6.7.2.1.1 Columns 6-2
6.7.2.1.2 Beams, Panel Zones and Connections 6-2
6.7.2.2 Ductile Concentrically Braced Frames 6-2
6.7.2.3 Concentrically Braced Frames and Bents with Nominal Ductility 6-2
6.8 REINFORCED CONCRETE DESIGN REQUIREMENTS 6-2
6.8.1 SDR 1 6-2
6.8.2 SDR 2 6-2
6.8.2.1 Minimum Shear Steel 6-2
6.8.2.2 Pile Reinforcement Requirements 6-2
6.9 BEARING DESIGN REQUIREMENTS 6-2
6.10 SEISMIC ISOLATION DESIGN REQUIREMENTS 6-2

7 SEISMIC DESIGN REQUIREMENT (SDR) 3 7-1
7.1 GENERAL 7-1
7.2 DESIGN FORCES 7-1
7.2.1 Ductile Substructures (R>1) – Flexural Capacity 7-1
7.2.1.1 SDAP B 7-1
7.2.1.2 SDAP C 7-1
7.2.1.3 SDAP D and E 7-1
7.2.2 Capacity Protected Elements or Actions 7-1
7.2.3 Elastically Designed Elements 7-1
7.2.4 Abutments and Connections 7-1
7.2.5 Single Span Bridges 7-1
7.3 DESIGN DISPLACEMENTS 7-1
7.3.1 General 7-1
7.3.2 Minimum Seat Width Requirement 7-2
7.3.3 Displacement Compatibility 7-2
7.3.4 P-Δ Requirements 7-2
7.3.5 Minimum Displacement Requirements for Lateral Load Resisting Piers and Bents 7-2
7.4 FOUNDATION DESIGN REQUIREMENTS 7-2
7.4.1 Foundation Investigation 7-2
7.4.1.1 General ..... `7-2
7.4.1.2 Subsurface Investigation 7-3
7.4.1.3 Laboratory Testing 7-3
7.4.2 Spread Footings 7-3
7.4.2.1 Moment and Shear Capacity 7-3
7.4.2.2 Liquefaction Check 7-3
7.4.3 Driven Piles 7-4
7.4.3.1 General 7-4
7.4.3.2 Design Requirement 7-4
7.4.3.3 Moment and Shear Design 7-4
7.4.3.4 Liquefaction Check 7-5
7.4.4 Drilled Shafts 7-5
7.5 ABUTMENT DESIGN REQUIREMENTS 7-5
7.5.1 General 7-5
7.5.1.1 Abutments and Wingwalls 7-6
7.5.2 Longitudinal Direction 7-6
7.5.2.1 SDAP B and C 7-6
7.5.2.2 SDAP D and E 7-6
7.5.3 Transverse Direction 7-8
7.5.3.1 SDAP B and C 7-9

7.5.3.2 SDAP D and E 7-9
7.6 LIQUEFACTION DESIGN REQUIREMENTS 7-9
7.6.1 General 7-9
7.6.2 Evaluation of Liquefaction Potential 7-10
7.6.3 Evaluation of the Effects of Liquefaction and Lateral Ground Movement 7-10
7.6.4 Design Requirements if Liquefaction and Ground Movement Occurs 7-10
7.6.5 Detailed Foundation Design Requirements 7-10
7.6.6 Other Collateral Hazards 7-15
7.7 STRUCTURAL STEEL DESIGN REQUIREMENTS 7-15
7.7.1 General 7-15
7.7.2 Materials 7-15
7.7.3 Sway Stability Effects 7-15
7.7.4 Ductile Moment Resisting Frames and Single Column Structures 7-15
7.7.4.1 Columns 7-16
7.7.4.2 Beams 7-16
7.7.4.3 Panel Zones and Connections 7-16
7.7.4.4 Multi-tier Frame Bents 7-18
7.7.5 Ductile Concentrically Braced Frames 7-18
7.7.5.1 Bracing Systems 7-18
7.7.5.2 Design Requirement for Ductile Bracing Members 7-18
7.7.5.3 Brace Connections 7-18
7.7.5.4 Columns, Beams and Other Connections 7-18
7.7.6 Concentrically Braced Frames with Nominal Ductility 7-19
7.7.6.1 Bracing Systems 7-19
7.7.6.2 Design Requirements for Nominally Ductile Bracing Members 7-19
7.7.6.3 Brace Connections 7-19
7.7.6.4 Columns, Beams and Other Connections 7-20
7.7.6.5 Chevron Braced and V-Braced Systems 7-20
7.7.7 Concrete Filled Steel Pipes 7-20
7.7.7.1 Combined Axial Compression and Flexure 7-20
7.7.7.2 Flexural Strength 7-20
7.7.7.3 Beams and Connections 7-21
7.7.8 Other Systems 7-21
7.7.8.1 Ductile Eccentrically Braced Frames 7-21
7.7.8.2 Ductile End-Diaphragm in Slab-on-Girder Bridge 7-21
7.7.8.3 Ductile End Diaphragms in Deck Truss Bridges 7-22
7.7.8.4 Other Systems 7-22
7.7.9 Plastic Rotational Capacities 7-23
7.7.9.1 Life Safety Performance 7-23
7.7.9.2 Immediate Use Limit State 7-23
7.7.9.3 In Ground Hinges 7-23
7.8 REINFORCED CONCRETE DESIGN REQUIREMENTS 7-23
7.8.1 General 7-23
7.8.2 Column Pier Requirements 7-23
7.8.2.1 Longitudinal Reinforcement 7-24
7.8.2.2 Flexural Resistance 7-24
7.8.2.3 Column Shear and Transverse Reinforcement 7-24
7.8.2.4 Transverse Reinforcement for Confinement at Plastic Hinges 7-26
7.8.2.5 Transverse Reinforcement for Longitudinal Bar Restraint in Plastic Hinges 7-27

7.8.2.6 Spacing for Transverse Reinforcement for Confinement and Longitudinal Bar Restraint 7-28
7.8.2.7 Splices 7-28
7.8.2.8 Flexural Overstrength 7-28
7.8.3 Limited Ductility Requirements for Wall Type Piers 7-28
7.8.4 Moment Resisting Connection Between Members (Column/Beam and Column/Footing Joints) 7-29
7.8.4.1 Implicit Approach: Direct Design 7-29
7.8.4.2 Explicit Approach: Detailed Design 7-30
7.8.4.2.1 Design Forces and Applied Forces 7-30
7.8.4.2.2 Minimum Required Horizontal Reinforcement 7-30
7.8.4.2.3 Maximum Allowable Compression Stresses 7-30
7.8.4.3 Reinforcement for Joint Force Transfer 7-30
7.8.4.3.1 Acceptable Reinforcement Details 7-30
7.8.4.3.2 Vertical Reinforcement 7-30
7.8.4.3.3 Horizontal Reinforcement 7-31
7.8.4.3.4 Hoop or Spiral Reinforcement 7-31
7.8.4.4 Footing Strength 7-31
7.8.5 Concrete Piles 7-31
7.8.5.1 Transverse Reinforcement Requirements 7-31
7.8.5.2 Volumetric Ratio of Transverse Reinforcement 7-32
7.8.5.3 Cast-in-Place and Precast Concrete Piles 7-32
7.8.6 Plastic Rotation Capacities 7-32
7.8.6.1 Life Safety Performance 7-32
7.8.6.2 Immediate Use Performance 7-32
7.8.6.3 In-Ground Hinges 7-32
7.9 BEARING DESIGN REQUIREMENTS 7-32
7.9.1 Prototype and Quality Control Tests 7-33
7.10 SEISMIC ISOLATION DESIGN REQUIREMENTS 7-33

8 SEISMIC DESIGN REQUIREMENTS (SDR) 4, 5 AND 6 8-1
8.1 GENERAL 8-1
8.2 DESIGN FORCES 8-1
8.2.1 Ductile Substructures (R>1) – Flexural Capacity 8-1
8.2.1.1 SDAP C 8-1
8.2.1.2 SDAP D and E 8-1
8.2.2 Capacity Protected Elements or Actions 8-1
8.2.3 Elastically Designed Elements 8-1
8.2.4 Abutments and Connections 8-1
8.2.5 Single Span Bridges 8-1
8.3 DESIGN DISPLACEMENTS 8-1
8.3.1 General 8-1
8.3.2 Minimum Seat Width Requirement 8-2
8.3.3 Displacement Compatibility 8-2
8.3.4 P- Requirements 8-2
8.3.5 Minimum Displacement Requirements for Lateral Load Resisting Piers and Bents 8-2
8.4 FOUNDATION DESIGN REQUIREMENTS 8-2
8.4.1 Foundation Investigation 8-2
8.4.1.1 General ..... `8-2
8.4.1.2 Subsurface Investigation 8-3
8.4.1.3 Laboratory Testing 8-3

8.4.2 Spread Footings ... 8-3
8.4.2.1 Spring Constants for Footing (Nonliquefiable Sites) ... 8-3
8.4.2.2 Moment-Rotations and Shear-Displacement Relationships for Footing (Nonliquefiable Sites) ... 8-5
8.4.2.3 Liquefaction and Dynamic Settlement ... 8-5
8.4.3 Driven Piles ... 8-6
8.4.3.1 General ... 8-6
8.4.3.2 Design Requirements ... 8-6
8.4.3.3 Axial and Rocking Stiffness for Driven Pile/Pile Cap Foundations (Nonliquefiable Sites) ... 8-6
8.4.3.4 Lateral Stiffness Parameters for Driven Pile/Pile Cap Foundations (Nonliquefiable Sites) ... 8-6
8.4.3.5 Pile Cap Stiffness and Capacity ... 8-7
8.4.3.6 Moment and Shear Design (Nonliquefiable Sites) ... 8-7
8.4.3.7 Liquefaction and Dynamic Settlement Evaluations ... 8-7
8.4.4 Drilled Shafts ... 8-14
8.5 ABUTMENT DESIGN REQUIREMENTS ... 8-14
8.5.1 General ... 8-14
8.5.1.1 Abutments and Wingwalls ... 8-14
8.5.2 Longitudinal Direction ... 8-14
8.5.2.1 SDAP B and C ... 8-15
8.5.2.2 SDAP D and E ... 8-15
8.5.3 Transverse Direction ... 8-17
8.5.3.1 SDAP B and C ... 8-17
8.5.3.2 SDAP D and E ... 8-17
8.6 LIQUEFACTION DESIGN REQUIREMENTS ... 8-18
8.6.1 General ... 8-18
8.6.2 Evaluation of Liquefaction Potential ... 8-18
8.6.3 Evaluation of the Effects of Liquefaction and Lateral Ground Movement ... 8-18
8.6.4 Design Requirements if Liquefaction and Ground Movement Occurs ... 8-18
8.6.5 Detailed Foundation Design Requirements ... 8-23
8.6.6 Other Collateral Hazards ... 8-23
8.7 STRUCTURAL STEEL DESIGN REQUIREMENTS ... 8-23
8.7.1 General ... 8-23
8.7.2 Materials ... 8-23
8.7.3 Sway Stability Effects ... 8-24
8.7.4 Ductile Moment Resisting Frames and Single Column Structures ... 8-24
8.7.4.1 Columns ... 8-24
8.7.4.2 Beams ... 8-24
8.7.4.3 Panel Zones and Connections ... 8-26
8.7.4.4 Multi-tier Frame Bents ... 8-26
8.7.5 Ductile Concentrically Braced Frames ... 8-26
8.7.5.1 Bracing Systems ... 8-26
8.7.5.2 Design Requirement for Ductile Bracing Members ... 8-26
8.7.5.3 Brace Connections ... 8-26
8.7.5.4 Columns, Beams and Other Connections ... 8-27
8.7.6 Concentrically Braced Frames with Nominal Ductility ... 8-27
8.7.6.1 Bracing Systems ... 8-27
8.7.6.2 Design Requirements for Nominally Ductile Bracing Members ... 8-27
8.7.6.3 Brace Connections ... 8-28
8.7.6.4 Columns, Beams and Other Connections ... 8-28

8.7.6.5 Chevron Braced and V-Braced Systems 8-28
8.7.7 Concrete Filled Steel Pipes 8-28
8.7.7.1 Combined Axial Compression and Flexure 8-28
8.7.7.2 Flexural Strength 8-29
8.7.7.3 Beams and Connections 8-29
8.7.8 Other Systems 8-29
8.7.8.1 Ductile Eccentrically Braced Frames 8-29
8.7.8.2 Ductile End-Diaphragm in Slab-on-Girder Bridge 8-30
8.7.8.3 Ductile End Diaphragms in Deck Truss Bridges 8-30
8.7.8.4 Other Systems 8-31
8.7.9 Plastic Rotational Capacities 8-31
8.7.9.1 Life Safety Performance 8-31
8.7.9.2 Immediate Use Limit State 8-31
8.7.9.3 In Ground Hinges 8-31
8.8 REINFORCED CONCRETE DESIGN REQUIREMENTS 8-31
8.8.1 General 8-31
8.8.2 Column Requirements 8-32
8.8.2.1 Longitudinal Reinforcement 8-32
8.8.2.2 Flexural Resistance 8-32
8.8.2.3 Column Shear and Transverse Reinforcement 8-32
8.8.2.4 Transverse Reinforcement for Confinement at Plastic Hinges 8-35
8.8.2.5 Transverse Reinforcement for Longitudinal Bar Restraint in Plastic Hinges 8-36
8.8.2.6 Spacing for Transverse Reinforcement for Confinement and Longitudinal Bar Restraint 8-36
8.8.2.7 Splices 8-36
8.8.2.8 Flexural Overstrength 8-37
8.8.3 Limited Ductility Requirements for Wall Type Piers 7-37
8.8.4 Moment Resisting Connection Between Members (Column/Beam and Column/Footing Joints) 8-37
8.8.4.1 Implicit Approach: Direct Design 8-37
8.8.4.2 Explicit Approach: Detailed Design 8-38
8.8.4.2.1 Design Forces and Applied Forces 7-38
8.8.4.2.2 Minimum Required Horizontal Reinforcement 7-38
8.8.4.2.3 Maximum Allowable Compression Stresses 7-39
8.8.4.3 Reinforcement for Joint Force Transfer 8-39
8.8.4.3.1 Acceptable Reinforcement Details 7-39
8.8.4.3.2 Vertical Reinforcement 7-39
8.8.4.3.3 Horizontal Reinforcement 7-39
8.8.4.3.4 Hoop or Spiral Reinforcement 7-39
8.8.4.4 Footing Strength 8-39
8.8.5 Concrete Piles 8-40
8.8.5.1 Transverse Reinforcement Requirements 8-40
8.8.5.2 Volumetric Ratio of Transverse Reinforcement 8-40
8.8.5.3 Cast-in-Place and Precast Concrete Piles 8-40
8.8.6 Plastic Rotation Capacities 8-40
8.8.6.1 Life Safety Performance 8-40
8.8.6.2 Immediate Use Performance 8-41
8.8.6.3 In-Ground Hinges 8-41
8.9 BEARING DESIGN REQUIREMENTS 8-41
8.9.1 Prototype and Quality Control Tests 8-41

8.10 SEISMIC ISOLATION DESIGN REQUIREMENTS 8-41
8.11 SUPERSTRUCTURE DESIGN REQUIREMENTS 8-42
8.11.1 General 8-42
8.11.2 Load Paths 8-42
8.11.3 Effective Superstructure Width 8-42
8.11.4 Superstructure to Substructure Connections 8-42
8.11.4.1 Connection Design Forces 8-42
8.11.4.2 Fuse Elements and Abutment Connections 8-42

15 SEISMIC ISOLATION 15-1
15.1 SCOPE 15-1
15.2 DEFINITIONS 15-1
15.3 NOTATION 15-1
15.4 ANALYSIS PROCEDURES 15-3
15.4.1 Capacity Spectrum Method 15-3
15.4.2 Uniform Load Method 15-4
15.4.3 Multimode Spectral Method 15-4
15.4.4 Time-History Method 15-4
15.5 DESIGN PROPERTIES OF THE ISOLATION SYSTEM 15-5
15.5.1 Nominal Design Properties 15-5
15.5.2 System Property Modification Factors (L) 15-5
15.5.2.1 Minimum and Maximum System Property Modification Factors 15-5
15.5.2.2 System Property Adjustment Factors 15-5
15.6 CLEARANCES 15-5
15.7 DESIGN FORCES FOR SDAP A1 AND A2 15-6
15.8 DESIGN FORCES FOR SDAP C, D AND E 15-6
15.9 OTHER REQUIREMENTS 15-6
15.9.1 Non-Seismic Lateral Forces 15-6
15.9.1.1 Service Force Resistance 15-6
15.9.1.2 Cold Weather Requirements 15-6
15.9.2 Lateral Restoring Force 15-6
15.9.3 Vertical Load Stability 15-6
15.9.4 Rotational Capacity 15-7
15.10 REQUIRED TESTS OF ISOLATION SYSTEMS 15-7
15.10.1 System Characterization Tests 15-7
15.10.1.1 Low-Temperature Test 15-7
15.10.1.2 Wear and Fatigue Test 15-7
15.10.2 Prototype Tests 15-7
15.10.3 Determination of System Characteristics 15-9
15.10.3.1 System Adequacy 15-9
15.11 ELASTOMERIC BEARINGS 15-10
15.11.2 Shear Strain Components for Isolation Design 15-10
15.11.3 Load Combinatons 15-10
15.12 ELASTOMERIC – CONSTRUCTION 15-10
15.12.1 General Requirements 15-10
15.12.2 Quality Control Tests 15-11
15.12.2.1 Compression Capacity 15-11
15.12.2.2 Combined Compression and Shear 15-11
15.12.2.3 Acceptance Criteria 15-11
15.13 SLIDING BEARING – DESIGN 15-11
15.13.1 General 15-11

15.13.2 Materials 15-11
15.13.2.1 PTFE Bearing Liners 15-11
15.13.2.2 Other Bearing Liner Materials 15-11
15.13.2.3 Mating Surface 15-12
15.13.3 Geometry 15-12
15.13.3.1 Minimum Thickness 15-12
15.13.3.1.1 PTFE Bearing Liner 15-12
15.13.3.1.2 Other Bearing Liner Materials 15-12
15.13.3.2 Mating Surface 15-12
15.13.3.3 Displacement Capacity 15-12
15.13.4 Loads and Stresses 15-12
15.13.4.1 Contact Pressure 15-12
15.13.4.2 Coefficient of Friction 15-13
15.13.4.2.1 Service Coefficient of Friction 15-13
15.13.4.2.2 Seismic Coefficient of Friction 15-13
15.13.5 Other Details 15-13
15.13.5.1 Bearing Liner Attachment 15-13
15.13.5.2 Mating Surface Attachment 15-13
15.13.6 Materials for Guides 15-13
15.14 SLIDING BEARINGS – CONSTRUCTION 15-13
15.14.1 General Requirements 15-13
15.14.2 Quality Control Tests 15-13
15.14.2.1 Compression Capacity 15-13
15.14.2.2 Combined Compression and Shear 15-14
15.14.2.3 Acceptance Criteria 15-14
15.15 OTHER ISOLATION SYSTEMS 15-14
15.15.1 Scope 15-14
15.15.2 System Characterization Tests 15-14
15.15.3 Design Procedure 15-14
15.15.4 Fabrication, Installation, Inspection, and Maintenance Requirements 15-15
15.15.5 Prototype Tests 15-15
15.15.6 Quality Control Tests 15-15
15.15.6.1 Compression Capacity 15-15
15.15.6.2 Combined Compression and Shear 15-15
15.15.6.3 Acceptance Criteria 15-15

APPENDIX 15A ISOLATION DESIGN PARAMETERS 15A-1
15A.1 SLIDING ISOLATION SYSTEMS 15A-1
15A.1.1 Factors for Establishing λ_{min} 15A-1
15A.1.2 Factors for Establishing λ_{max} 15A-1
15A.1.2.1 $\lambda_{max,A}$ 15A-1
15A.1.2.2 $\lambda_{max,V}$ 15A-1
15A.1.2.3 $\lambda_{max,C}$ 15A-2
15A.1.2.4 $\lambda_{max,TR}$ 15A-2
15A.1.2.5 $\lambda_{max,T}$ 15A-2
15A.2 ELASTOMERIC BEARINGS 15A-3
15A.2.1 Factors for Establishing λ_{min} 15A-3
15A.2.2 Factors for Establishing λ_{max} 15A-3
15A.2.2.1 $\lambda_{max,A}$ 15A-3
15A.2.2.2 $\lambda_{max,V}$ 15A-4

15A.2.2.3 $\lambda_{max,C}$ 15A-4
15A.2.2.4 $\lambda_{max,TR}$ 15A-4
15A.2.2.5 $\lambda_{max,T}$ 15A-5
15A.2.2.6 $\lambda_{max,SCRAG}$ 15A-5