

TABLE OF CONTENTS

CHAPTER 1 INTRODUCTION	1-1
1.1 OVERVIEW	1-1
1.2 PURPOSE OF PAVEMENT PRESERVATION	1-1
1.2.1 Definition.....	1-1
1.2.2 Pavement Preservation Concept.....	1-1
1.2.3 Benefits of Pavement Preservation.....	1-2
1.2.4 Treatment Selection and the Optimum Timing for the Treatment.....	1-2
1.3 FUNDAMENTALS OF FLEXIBLE PAVEMENTS	1-4
1.3.1 Function of Pavements.....	1-4
1.3.2 Factors Affecting Pavement Performance.....	1-4
1.4 FLEXIBLE PAVEMENT DISTRESSES	1-7
1.4.1 Cracking.....	1-7
1.4.2 Deformation.....	1-9
1.4.3 Deterioration.....	1-11
1.4.4 Mat Problems.....	1-13
1.4.5 Problems Associated with Seal Coats.....	1-14
1.5 DISTRESS TREATMENTS	1-18
1.6 REFERENCES	1-20
CHAPTER 2 MATERIALS	2-1
2.1 OVERVIEW	2-1
2.2 ASPHALT BINDERS	2-1
2.2.1 Paving Asphalt (Asphalt Cement) Constituent.....	2-1
2.2.2 Paving Asphalt Manufacture.....	2-2
2.2.3 Asphalt Specifications.....	2-2
2.3 ASPHALT EMULSIONS	2-5
2.3.1 Emulsion Constituent.....	2-5
2.3.2 Emulsions Manufacture.....	2-5
2.3.3 Emulsifiers and Types of Emulsion.....	2-7
2.3.4 Anionic Emulsions versus Cationic Emulsions.....	2-7
2.3.5 Specifications and Testing.....	2-8
2.4 CUTBACK ASPHALTS	2-11
2.4.1 Cutbacks Asphalts.....	2-11
2.4.2 Manufacturing.....	2-11
2.4.3 Specifications and Testing.....	2-11
2.5 POLYMER MODIFIED BINDERS	2-12

2.5.1 Polymers and Polymer Modified Binders.....	2-12
2.5.2 Polymer Modified Binder Manufacture.....	2-12
2.5.3 Polymer Modified Asphalts	2-14
2.6 ASPHALT RUBBER	2-14
2.6.1 Asphalt Rubber Constituent.....	2-14
2.6.2 Asphalt Rubber Manufacture	2-16
2.6.3 Caltrans Specification Requirements for Asphalt Rubber.....	2-16
2.7 AGGREGATES	2-18
2.7.1 Aggregate Properties.....	2-18
2.7.2 Aggregate Manufacture.....	2-19
2.8 STORAGE AND HANDLING	2-19
2.8.1 Asphalt Binders	2-20
2.8.2 Asphalt Emulsions	2-21
2.8.3 Aggregates.....	2-25
2.9 SAMPLING REQUIREMENTS	2-25
2.9.1 Sampling Guidelines.....	2-26
2.9.2 Sample Delivery.....	2-26
2.10 REFERENCES	2-27
CHAPTER 3 FRAMEWORK FOR TREATMENT SELECTION	3-1
3.1 GENERAL CONSIDERATIONS.....	3-1
3.2 SELECTION PROCESS	3-2
3.2.1 Assess the Existing Conditions	3-2
3.2.2 Determine the Feasible Treatment Options	3-2
3.2.3 Analyse and Compare the Feasible Treatment Options.....	3-6
3.3 REFERENCES	3-9
CHAPTER 4 CRACK SEALING, CRACK FILLING, AND JOINT SEALING	4-1
4.1 OVERVIEW.....	4-1
4.2 PROJECT SELECTION	4-4
4.2.1 Project Planning.....	4-4
4.2.2 Seal or Fill.....	4-4
4.2.3 Treatment Performance.....	4-7
4.3 MATERIALS	4-8
4.3.1 Materials and Specifications	4-8
4.3.2 Storage and Handling of Materials.....	4-9
4.3.3 Material Placement Methods	4-10

4.3.4 <i>Selecting the Appropriate Placement Method</i>	4-12
4.4 CONSTRUCTION	4-13
4.4.1 <i>Safety and Control</i>	4-13
4.4.2 <i>Equipment Requirements</i>	4-14
4.4.3 <i>Climatic Conditions</i>	4-14
4.4.4 <i>Preparation</i>	4-14
4.4.5 <i>Finishing</i>	4-17
4.4.6 <i>Trafficking and Subsequent Treatments</i>	4-17
4.4.7 <i>Job Review – Quality Issues</i>	4-18
4.5 TROUBLESHOOTING AND FIELD CONSIDERATIONS	4-19
4.5.1 <i>Troubleshooting Guide</i>	4-19
4.5.2 <i>Field Considerations</i>	4-20
4.6 REFERENCES	4-24
CHAPTER 5 PATCHING AND EDGE REPAIR	5-1
5.1 OVERVIEW	5-1
5.1.1 <i>Patching</i>	5-1
5.1.2 <i>Dig Outs</i>	5-2
5.1.3 <i>Edge Repairs</i>	5-2
5.1.4 <i>Surface Reinstatement</i>	5-2
5.2 PROJECT SELECTION	5-3
5.2.1 <i>Potholes</i>	5-3
5.2.2 <i>Edge Failure</i>	5-4
5.2.3 <i>Costs and Performance</i>	5-4
5.2.4 <i>Design and Specifications</i>	5-5
5.3 CONSTRUCTION	5-5
5.3.1 <i>Patching</i>	5-5
5.3.2 <i>Dig Outs</i>	5-9
5.3.3 <i>Edge Repairs</i>	5-10
5.3.4 <i>Surface Reinstatement</i>	5-10
5.4 TROUBLESHOOTING AND FIELD CONSIDERATIONS	5-11
5.4.1 <i>Troubleshooting Guide</i>	5-11
5.4.2 <i>Field Considerations</i>	5-12
5.5 REFERENCES	5-19
CHAPTER 6 FOG AND REJUVENATING SEALS	6-1
6.1 OVERVIEW	6-1
6.1.1 <i>Fog Seal</i>	6-1

6.1.2 Rejuvenating Seal	6-1
6.2 PROJECT SELECTION	6-2
6.2.1 Fog Seal.....	6-2
6.2.2 Rejuvenating Seal	6-4
6.3 MATERIALS	6-5
6.3.1 General Terminology.....	6-5
6.3.2 Materials and Specifications	6-6
6.3.3 Design Considerations	6-6
6.4 CONSTRUCTION	6-6
6.4.1 General Description	6-6
6.4.2 Site Conditions.....	6-7
6.4.3 Surface Preparation	6-7
6.4.4 Materials Preparation.....	6-8
6.4.5 Application Rates and Spraying	6-9
6.4.6 Estimating Application Rates	6-10
6.4.7 Traffic Control.....	6-10
6.4.8 Safety (Personal Protection Equipment).....	6-10
6.4.9 Quality control.....	6-10
6.4.10 Post Treatment.....	6-11
6.5 TROUBLESHOOTING AND FIELD CONSIDERATIONS	6-12
6.5.1 Troubleshooting Guide	6-12
6.5.2 Dos and Don'ts.....	6-13
6.5.3 Field Considerations	6-13
6.6 REFERENCES	6-21
CHAPTER 7 CHIP SEALS	7-1
7.1 OVERVIEW	7-1
7.1.1 Types of Chip Seals	7-1
7.1.2 Binder Types.....	7-2
7.2 PROJECT SELECTION	7-3
7.3 DESIGN AND SPECIFICATIONS.....	7-5
7.3.1 Material Specifications.....	7-5
7.3.2 Chip Seal Design.....	7-5
7.4 CONSTRUCTION	7-11
7.4.1 Construction Process.....	7-11
7.4.2 Preparation.....	7-11
7.4.3 Joints.....	7-13
7.4.4 Spraying Equipment	7-13

7.4.5 Haul Trucks	7-17
7.4.6 Rolling	7-17
7.4.7 Brooming	7-18
7.5 FIELD TESTING.....	7-19
7.6 TROUBLESHOOTING AND FIELD CONSIDERATIONS	7-20
7.6.1 Troubleshooting Guide.....	7-20
7.6.2 Field Considerations	7-22
7.7 REFERENCES	7-29
CHAPTER 8 SLURRY SEALS.....	8-1
8.1 OVERVIEW.....	8-1
8.1.1 General Description	8-1
8.1.2 Purpose of a Slurry Seal.....	8-2
8.2 MATERIALS	8-2
8.2.1 Asphalt Emulsion.....	8-3
8.2.2 Aggregates.....	8-4
8.2.3 Mineral Filler and Additives	8-6
8.3 MIX DESIGN	8-6
8.3.1 Prescreening.....	8-7
8.3.2 Job Mix Design.....	8-7
8.3.3 Final Testing.....	8-9
8.3.4 A Modern, Rational Mix Design for Slurry Surfacing Systems.....	8-10
8.4 PROJECT SELECTION	8-10
8.4.1 Distress and Application Considerations.....	8-10
8.4.2 Performance of Slurry Seals.....	8-11
8.5 CONSTRUCTION.....	8-11
8.5.1 Safety and Traffic Control.....	8-12
8.5.2 Equipment Requirements.....	8-12
8.5.3 Stockpile / Project Staging Area Requirements.....	8-13
8.5.4 Surface Preparation	8-14
8.5.5 Application Conditions.....	8-15
8.5.6 Quality Issues	8-16
8.5.7 Post Construction Conditions.....	8-19
8.5.8 Post-Treatments.....	8-20
8.6 TROUBLESHOOTING AND FIELD CONSIDERATIONS	8-21
8.6.1 Troubleshooting Guide.....	8-21
8.6.2 Field Considerations	8-23
8.7 REFERENCES	8-28

CHAPTER 9 MICROSURFACING	9-1
9.1 OVERVIEW	9-1
9.1.1 <i>General Description</i>	9-1
9.1.2 <i>Types of Slurry Surfacing</i>	9-2
9.2 MATERIALS	9-2
9.2.1 <i>Asphalt Emulsion.....</i>	9-3
9.2.2 <i>Aggregates.....</i>	9-5
9.2.3 <i>Mineral Filler and Additives</i>	9-6
9.3 MIX DESIGN	9-6
9.3.1 <i>Prescreening.....</i>	9-7
9.3.2 <i>Job Mix Design.....</i>	9-7
9.3.3 <i>Final Testing.....</i>	9-10
9.4 PROJECT SELECTION	9-10
9.4.1 <i>Distress and Application Considerations.....</i>	9-10
9.4.2 <i>Performance of Microsurfacing</i>	9-11
9.5 CONSTRUCTION	9-11
9.5.1 <i>Safety and Traffic Control.....</i>	9-12
9.5.2 <i>Equipment Requirements.....</i>	9-12
9.5.3 <i>Stockpile / Project Staging Area Requirements.....</i>	9-14
9.5.4 <i>Surface Preparation</i>	9-14
9.5.5 <i>Application Conditions.....</i>	9-16
9.5.6 <i>Types of Applications</i>	9-16
9.5.7 <i>Quality Issues</i>	9-18
9.5.8 <i>Post Construction Conditions.....</i>	9-21
9.5.9 <i>Post-Treatments.....</i>	9-22
9.6 TROUBLESHOOTING AND FIELD CONSIDERATIONS	9-24
9.6.1 <i>Troubleshooting Guide.....</i>	9-24
9.6.2 <i>Field Considerations</i>	9-26
9.7 REFERENCES	9-32
CHAPTER 10 THIN MAINTENANCE OVERLAYS.....	10-1
10.1 OVERVIEW	10-1
10.2 DENSE-GRADED OVERLAYS	10-1
10.2.1 <i>Dense-Graded Mixes</i>	10-1
10.2.2 <i>Dense-Graded Overlays Performance</i>	10-2
10.2.3 <i>Dense-Graded Overlays Design and Specifications</i>	10-4
10.2.4 <i>Dense-Graded Overlays Material Requirements</i>	10-5

10.2.5 Dense-Graded Asphalt Concrete (DGAC)Overlays Construction.....	10-6
10.3 OPEN-GRADED OVERLAYS	10-11
10.3.1 Open-Graded Mixes	10-11
10.3.2 Open-Graded Overlays Performance.....	10-12
10.3.3 Open-Graded Overlays Job Selection.....	10-13
10.3.4 Open-Graded Overlays Design and Specifications.....	10-15
10.3.5 Open-Graded Overlays Construction.....	10-18
10.4 GAP-GRADED OVERLAYS	10-20
10.4.1 Gap-Graded Mixes	10-20
10.4.2 Gap-Graded Overlays Performance	10-21
10.4.3 Gap-Graded Overlays Job Selection.....	10-22
10.4.4 Open-Graded Overlays Design and Specifications.....	10-22
10.4.5 Gap-Graded Overlays Construction	10-23
10.5 TROUBLESHOOTING AND FIELD CONSIDERATIONS.....	10-25
10.5.1 Troubleshooting Guide.....	10-25
10.5.2 Field Considerations	10-31
10.6 REFERENCES	10-40
CHAPTER 11 BONDED WEARING COURSE.....	11-1
11.1 OVERVIEW.....	11-1
11.2 DESIGN AND SPECIFICATIONS	11-2
11.2.1 Hot Mix Asphalt.....	11-2
11.2.2 BWC Gap Graded.....	11-4
11.2.3 BWC Open Graded.....	11-4
11.2.4 RBWC Gap Graded.....	11-5
11.2.5 RBWC Open Grade	11-5
11.2.6 Polymer-Modified Asphalt Emulsion Membrane	11-5
11.3 PROJECT SELECTION	11-5
11.3.1 Distress and Application Considerations.....	11-5
11.3.2 Performance	11-6
11.4 CONSTRUCTION.....	11-11
11.4.1 Safety and Traffic Control.....	11-11
11.4.2 Equipment Requirements.....	11-11
11.4.3 Materials Transfer Vehicle.....	11-13
11.4.4 Mix Production and Handling.....	11-14
11.4.5 Surface Preparation	11-14
11.4.6 Application	11-14
11.4.7 Opening to Traffic	11-17

11.5 TROUBLESHOOTING AND FIELD CONSIDERATIONS	11-17
11.5.1 Troubleshooting Guide.....	11-17
11.5.2 Field Considerations	11-19
11.6 REFERENCES	11-23
CHAPTER 12 INTERLAYERS	12-1
CHAPTER 13 IN-PLACE RECYCLING	13-1
13.1 OVERVIEW.....	13-1
13.1.1 Cold In-Place Recycling.....	13-1
13.1.2 Hot In-Place Recycling.....	13-2
13.2 MATERIALS	13-2
13.2.1 Project and Materials Selection	13-2
13.2.2 CIR Materials	13-3
13.2.3 HIR Materials.....	13-5
13.3 MIX DSEIGN.....	13-8
13.3.1 Philosophy of Mix Design	13-8
13.3.2 Cold In-Place Recycling Mix Design	13-8
13.3.3 Hot In-Place Recycling Mix Design.....	13-9
13.4 CONSTRUCTION.....	13-11
13.4.1 Cold In-Place Construction.....	13-11
13.4.2 Hot In-Place Construction	13-17
13.5 QUALITY CONTROL	13-21
13.5.1 Quality Control of CIR.....	13-21
13.5.2 Quality Control of HIR.....	13-23
13.6 TROUBLESHOOTING THE FIELD	13-26
13.6.1 Troubleshooting Guide for Cold In-Place Recycling.....	13-27
13.6.2 Troubleshooting Guide for Hot In-Place Recycling.....	13-28
13.7 REFERENCES	13-28

LIST OF TABLES

Table 1-1 Distress Type and Mechanism	1-16
Table 1-2 General Treatment Guidelines for HMA Distress	1-19
Table 2-1 Superpave Asphalt Binder Testing Equipment and Purposes	2-3
Table 2-2 Performance Graded (PG) Asphalt Grade Specifications	2-4
Table 2-3 Performance Graded Modified Asphalt Binder	2-15
Table 2-4 Performance Based Asphalt Binder	2-17
Table 2-5 Mixing, Spraying and Storage Temperatures of Emulsions	2-25
Table 2-6 Acceptable Switch Load Combinations	2-26
Table 4-1 FHWA Criteria for Crack Sealing or Filling	4-6
Table 4-2 Crack Sealer and Filler Specifications	4-10
Table 4-3 Placement Method Considerations.....	4-13
Table 4-4 Trouble Shooting Crack Sealing and Filling Projects.....	4-19
Table 4-5 Common Problems and Related Solutions.....	4-20
Table 5-1 Approaches for Surface Reinstatement.....	5-11
Table 5-2 Common Patching Problems and Related Solutions.....	5-12
Table 6-1 Typical Application Rates.....	6-9
Table 6-2 Trouble Shooting Fog Seal Problems	6-11
Table 6-3 Common Problems and Related Solutions.....	6-12
Table 7-1 AEMA Recommendations for Application Rates.....	7-3
Table 7-2 Binder/Chip Seal Combinations for Addressing Specific Distress Mechanisms.....	7-4
Table 7-3 Common Problems and Related Solutions.....	7-9
Table 7-4 Road Type and Associated Aggregate Loss (Whip-Off) Factor	7-9
Table 7-5 Correction Factors Associated with Existing Road Conditions	7-9
Table 7-6 Binder Content Correction Based on Surface Hardness and Related Traffic Volume	7-10
Table 7-7 Troubleshooting Chip Seal Problems (Hot/Emulsion/Asphalt Rubber)	7-21
Table 7-8 Common Problems and Related Solutions.....	7-22
Table 8-1 Typical Emulsion Properties for Quick Setting Asphalt Emulsions	8-4
Table 8-2 Caltrans Slurry Surfacing Aggregate Gradings	8-5
Table 8-3 General Aggregate Properties and Aggregate Requirements.....	8-6
Table 8-4 Typical Mix Requirements	8-8
Table 8-5 Job Selection Criteria	8-11
Table 8-6 Trouble Shooting Slurry Seal Job Problems	8-22
Table 8-7 Common Problems and Related Solutions.....	8-23
Table 9-1 Typical Emulsion Properties for Microsurfacing & Polymer Modified Slurry Quick Set .	9-4
Table 9-2 Caltrans Slurry Surfacing Aggregate Gradings	9-5
Table 9-3 General Aggregate Properties and Aggregate Requirements.....	9-6
Table 9-4 Typical Mix Requirements	9-8
Table 9-5 Job Selection Criteria	9-10
Table 9-6 Trouble Shooting Microsurfacing Seal Job Problems	9-25
Table 9-7 Common Problems and Related Solutions.....	9-26

Table 10-1 Aggregate Requirements for Asphalt Concrete Mixes	10-2
Table 10-2 Mix Properties.....	10-5
Table 10-3 Recommended Application Temperatures	10-8
Table 10-4 Acceptance - Method	10-10
Table 10-5 Aggregate Quality Requirements.....	10-11
Table 10-6 Aggregate Gradation Requirements.....	10-17
Table 10-7 Asphalt Binder Selection	10-17
Table 10-8 Laydown Guidelines	10-19
Table 10-9 Application Temperatures.....	10-20
Table 10-10 Rubberized Hot Mix Asphalt - Gap Graded	10-21
Table 10-11 Recommended Application Temperatures	10-24
Table 10-12 Troubleshooting Guide	10-26
Table 10-13 Common Problems and Related Solutions.....	10-28
Table 11-1 Binder Grades used in Pavement Climatic Regions for BWC Gap Graded	11-2
Table 11-2 Based Stock used in Rubberized Asphalt	11-3
Table 11-3 BWC and RBWC Gradation Selection Characteristics	11-3
Table 11-4 Distress Severity or Extent That Can Be Treated With a BWC.....	11-6
Table 11-5 Summary of PCR and IRI Results for BWC over JCP Sections.....	11-8
Table 11-6 Hydraulic Conductivity as an Indication of Spray Reduction Characteristics.....	11-9
Table 11-7 Common Problems and Related Solutions.....	11-18
Table 13-1 Troubleshooting guidelines for partial-depth cold in-place recycling operations.....	13-27
Table 13-2 Troubleshooting guidelines for hot in-place recycling operations.....	13-28

LIST OF FIGURES

Figure 1-1 Typical pavement performance curve and maintenance/rehabilitation time	1-2
Figure 1-2 Concept of optimal timing for pavement preservation	1-3
Figure 1-3 The Cost of <u>NOT</u> carrying out maintenance in a timely way	1-3
Figure 1-4 Typical flexible pavement structure and stress distribution	1-4
Figure 1-5 Longitudinal Cracks	1-7
Figure 1-6 Fatigue Cracks	1-8
Figure 1-7 Transverse Cracks.....	1-8
Figure 1-8 Reflective Cracks.....	1-8
Figure 1-9 Block Cracks.....	1-9
Figure 1-10 Edge Cracks.....	1-9
Figure 1-11 Rutting	1-9
Figure 1-12 Corrugations	1-10
Figure 1-13 Shoving.....	1-10
Figure 1-14 Depression	1-10
Figure 1-15 Overlay Bumps.....	1-11
Figure 1-16 Delamination	1-11
Figure 1-17 Potholes	1-11
Figure 1-18 Patching	1-12
Figure 1-19 Raveling.....	1-12
Figure 1-20 Stripping	1-12
Figure 1-21 Polished Aggregate.....	1-13
Figure 1-22 Pumping.....	1-13
Figure 1-23 Segregation (HMA)	1-13
Figure 1-24 Checking.....	1-14
Figure 1-25 Bleeding.....	1-14
Figure 1-26 Rock Loss	1-14
Figure 1-27 Segregation (seal coats).....	1-15
Figure 1-28 Bleeding/fat spot (seal coats).....	1-15
Figure 1-29 Delamination (seal coats)	1-15
Figure 2-1 Asphalt Emulsion Illustrations	2-5
Figure 2-2 Colloid Mill Cross Section	2-6
Figure 2-3 Emulsion Plant Operations Schematic.....	2-6
Figure 2-4 Material Compatibility and Reactivity of Emulsions	2-8
Figure 2-5 Relative Viscosity vs Binder Content.....	2-10
Figure 2-6 Settlement and Storage Stability Test.....	2-10
Figure 2-7 Sieve Test	2-11
Figure 2-8 Torsional Recovery Test.....	2-11
Figure 2-9 Typical Polymer Blending Plant.....	2-13
Figure 2-10 Micrographs of Polymer Systems.....	2-13
Figure 2-11 Asphalt Rubber “Reaction”	2-18
Figure 2-12 Micrographs: Asphalt Rubber Extender Oil Effects.....	2-18
Figure 3-1 Treatment Strategy Based on Pavement Condition.....	3-1
Figure 3-2 Typical Pavement Rating Form – Visual.....	3-3
Figure 3-3 Caltrans Maintenance Treatment Matrix	3-4
Figure 3-4 Caltrans General Guidelines for Effective Maintenance Treatments on Cracks	3-5
Figure 3-5 Treatment Timing versus Costs	3-6

Figure 3-6 Rating Evaluation Work Sheet	3-8
Figure 3-7 Example Ratings Evaluation Worksheet	3-8
Figure 4-1 Fatigue Cracking.....	4-2
Figure 4-2 Longitudinal Cracking	4-2
Figure 4-3 Transverse Cracking	4-2
Figure 4-4 Block Cracking	4-2
Figure 4-5 Reflection Cracking	4-3
Figure 4-6 Edge Cracking	4-3
Figure 4-7 Slippage Cracking.....	4-3
Figure 4-8 Thermal Effects on Crack Growth.....	4-5
Figure 4-9 Traffic Load Effects on Crack Growth.....	4-5
Figure 4-10 Treatment Effectiveness	4-8
Figure 4-11 Flush Fill Method	4-11
Figure 4-12 Overband Method	4-11
Figure 4-13 Reservoir Fill Method with Flush Finish.....	4-12
Figure 4-14 Combination Fill Method	4-12
Figure 4-15 Combination: Sand Fill with Recessed Finish.....	4-12
Figure 4-16 Crack Routing Operation.....	4-15
Figure 4-17 Manual Crack Cleaning	4-16
Figure 4-18 Application Techniques and Equipment.....	4-16
Figure 4-19 Typical Flat Finishing Techniques	4-17
Figure 4-20 Brooming Blotter Coat Over a Treated Crack.....	4-17
Figure 4-21 Excessive Sealant	4-18
Figure 4-22 Multiple Treatments	4-18
Figure 4-23 Poor Workmanship – Raised, Bumpy Sealing.....	4-18
Figure 5-1 Water Penetration of Pavement	5-3
Figure 5-2 Heaving Effects Caused by the Freeze/Thaw Cycle.....	5-3
Figure 5-3 Loss of Fines Results in a Void Under the Pavement.....	5-3
Figure 5-4 Once Formed, Traffic Enlarges Potholes.....	5-3
Figure 5-5 Typical Survival Rate Curves.....	5-4
Figure 5-6 Throw and Roll Patching.....	5-5
Figure 5-7 Dewatered and Cleaned Pothole.....	5-7
Figure 5-8 Surface and Base of Pothole Prepared for Treatment.....	5-7
Figure 5-9 Tack Coat Applied to All Sides of Hole.....	5-7
Figure 5-10 Patch Material Placed and Compaction in Progress	5-7
Figure 5-11 Finished Patch with a 0.1 to 0.2 in (3 to 6 mm) Crown.....	5-7
Figure 5-12 Site Preparation.....	5-8
Figure 5-13 Application of Tack Coat.....	5-8
Figure 5-14 Filling the Prepared Hole.....	5-8
Figure 5-15 Application of Finish Coat.....	5-8
Figure 5-16 Edge Seal Application	5-8
Figure 5-17 Dig Out Project.....	5-10
Figure 6-1 Fog Seal Application	6-2
Figure 6-2 Suitable Surface, Heavily Aged Dense Graded HMA.....	6-2
Figure 6-3 Unsuitable Surface, Dense Graded HMA With Closed Surface.....	6-3
Figure 6-4 Suitable Surface, Open Graded HMA	6-3
Figure 6-5 Chip Seal Before and After Fog Seal	6-3
Figure 6-6 Suitable Surface, Open Texture Dense Graded HMA.....	6-3

Figure 6-7 Schematic of Fog Seal Application	6-7
Figure 6-8 Viscosity Change with Dilution.....	6-8
Figure 6-9 Simple Water Compatibility Test Method.....	6-9
Figure 7-1 Single Chip Seal	7-1
Figure 7-2 Multiple Chip Seal.....	7-2
Figure 7-3 Illustration of ALD	7-7
Figure 7-4 Illustration of Flakiness of Aggregates.....	7-7
Figure 7-5 Effects of Compaction on Voids in Cubical Aggregate	7-7
Figure 7-6 Aggregate Shape Characteristics	7-8
Figure 7-7 Construction Process for Chip Seals.....	7-12
Figure 7-8 Start and Stop Passes on Roofing Felt.....	7-14
Figure 7-9 Spray Distributor	7-14
Figure 7-10 Spray Bar with Nozzle Arrangement.....	7-14
Figure 7-11 Spray Bar Height Arrangements.....	7-15
Figure 7-12 Scrub Seal Application	7-15
Figure 7-13 Chip Spreader	7-16
Figure 7-14 Lever and Wedge Effect	7-16
Figure 7-15 Pneumatic (Rubber Tired) Roller	7-18
Figure 7-16 Brooming Process, Shown on a Shoulder Seal.....	7-19
Figure 7-17 Kick Broom	7-19
Figure 7-18 Field Test Methods	7-19
Figure 8-1 Schematic of a Slurry Surfacing Machine	8-1
Figure 8-2 Micrograph of a Latex/Asphalt Cured Film	8-4
Figure 8-3 Good Mixture Consistency	8-7
Figure 8-4 Wet Track Abrasion Test Apparatus and Test in Progress.....	8-8
Figure 8-5 Loaded Wheel Test and Excess Asphalt Test Apparatus and Test Samples	8-9
Figure 8-6 Determining Optimum Binder Content	8-10
Figure 8-7 Slurry Surfacing Machine.....	8-13
Figure 8-8 Slurry Seal Box with Augers	8-13
Figure 8-9 A Typical Stockpile and Project Staging Area	8-13
Figure 8-10 Surface Preparation Methods.....	8-14
Figure 8-11 Effect of Temperature on Break Rate	8-15
Figure 8-12 Longitudinal Joints	8-16
Figure 8-13 Transverse Joints	8-17
Figure 8-14 Edges and Shoulders.....	8-17
Figure 8-15 Poor Mixes.....	8-18
Figure 8-16 Wash Boarding Effect	8-18
Figure 8-17 Traffic Damage Caused by Early Trafficking	8-19
Figure 8-18 Damage Due to Post Application Heavy Rain with Shear	8-19
Figure 8-19 Rolling a Slurry Surfacing	8-20
Figure 8-20 Sweeping with a Suction Broom	8-20
Figure 8-21 Sanding at Cross Street.....	8-21
Figure 9-1 Schematic of a Slurry Surfacing Machine	9-1
Figure 9-2 Micrograph of a Latex/Asphalt Cured Film	9-5
Figure 9-3 Good Mixture Consistency	9-7
Figure 9-4 Wet Track Abrasion Test Apparatus and Test in Progress.....	9-8
Figure 9-5 Loaded Wheel Test and Excess Asphalt Test Apparatus and Test Samples	9-9
Figure 9-6 Determining Optimum Binder Content	9-10

Figure 9-7 Slurry Surfacing Machine.....	9-13
Figure 9-8 Slurry Seal Box with Augers	9-13
Figure 9-9 Microsurfacing Equipment and Application	9-13
Figure 9-10 Rut Box (11).....	9-14
Figure 9-11 Adjustable Edge Box (11)	9-14
Figure 9-12 A Typical Stockpile and Project Staging Area	9-14
Figure 9-13 Surface Preparation Methods.....	9-15
Figure 9-14 Effect of Temperature on Break Rate.....	9-16
Figure 9-15 Scratch Coat Principles and Treatment.....	9-17
Figure 9-16 Rut Filling Principle and Sectional Diagram.....	9-17
Figure 9-17 Suitable and Unsuitable Surfaces to Use Microsurfacing as a Rut Filler	9-18
Figure 9-18 Longitudinal Joints	9-18
Figure 9-19 Transverse Joints	9-19
Figure 9-20 Edges and Shoulders.....	9-19
Figure 9-21 Poor Mixes.....	9-20
Figure 9-22 Wash Boarding Effect	9-20
Figure 9-23 Traffic Damage Caused by Early Trafficking	9-21
Figure 9-24 Damage Due to Post Application Heavy Rain with Shear	9-22
Figure 9-25 Rolling a Slurry Surfacing.....	9-22
Figure 9-26 Rolling of an Airport Taxiways.....	9-23
Figure 9-27 Sweeping with a Suction Broom	9-23
Figure 9-28 Sanding at a Cross Street	9-24
Figure 10-1 Stone Matrices Created by Different Gradings.....	10-1
Figure 10-2 SAM Seal and SAMI.....	10-7
Figure 10-3 Transverse Joint Formation	10-8
Figure 10-4 Formation of Longitudinal Joints	10-9
Figure 10-5 Rolling Regimes	10-10
Figure 10-6 Typical Texture.....	10-13
Figure 11-1 Change in Skid Resistance Over Time	11-7
Figure 11-2 Change in Skid Resistance with Speed.....	11-7
Figure 11-3 The cracks remained the same width through-out the core, except at the membrane ...	11-9
Figure 11-4 Emulsion Membrane and Mix Spreading	11-9
Figure 11-5 District 7 Rt. 103, BWC Gap Graded, Constructed in 2005.....	11-10
Figure 11-6 District 6 Rt. 99 Projects.....	11-10
Figure 11-7 District 3 US 50, BWC Gap Graded Alpine mix, Constructed in 2002	11-10
Figure 11-8 District 10 I-5, RBWC Open Graded, Constructed 2005	11-10
Figure 11-9 Roadtec Spray Paver.....	11-12
Figure 11-10 Vögele Spray Paver	11-12
Figure 11-11 Emulsion Membrane and Mix Spreading	11-13
Figure 11-12 Freshly Laid BWC.....	11-13
Figure 11-13 Paving the Shoulder of Rt. 84 with BWC Type O.....	11-16
Figure 11-14 Making Transverse Butt Joints	11-16
Figure 11-15 Roller Position During Application.....	11-17
Figure 13-1 Summary of Process to Arrive at the Best Option for Pavement Rehabilitation.....	13-3
Figure 13-2 CIR Construction Flow Chart	13-12
Figure 13-3 Schematic of Single Unit CIR Train.....	13-13
Figure 13-4 A Variation of a Single Unit CIR Train.....	13-14
Figure 13-5 A Single Unit Train that Allows for Addition of Virgin Aggregate.....	13-14

Figure 13-6 Two-Unit CIR Train in Operation 13-15
Figure 13-7 Schematic of Multi-Unit CIR Equipment Train 13-15
Figure 13-8 Surface Recycling Process (Heater-Scarification)..... 13-18
Figure 13-9 Single-Pass HIR Repaving Train..... 13-19
Figure 13-10 Example of a Remixing Process HIR Train 13-20
Figure 13-11 Example of a Remixing HIR Train in Action..... 13-20
Figure 13-12 Example of Remixing HIR (Virgin HMA)..... 13-21