A

AASHTO STANDARDS
Policy on Use of ---------- 82.3

ABANDONMENT
Water Wells ---------- 110.2

ABBREVIATIONS, OFFICIAL NAMES
---------- 61.1

ABRASION
---------- 855.2

ACCELERATION LANE
---------- 403.5
At Rural Intersections ---------- 405.1

ACCESS CONTROL
---------- 62.6
---------- 104
Alignment, Existing ---------- 104.3
Alignment, New ---------- 104.3
Frontage Roads ---------- 104.3
Frontage Roads Financed by Others ---------- 104.3
General Policy ---------- 104.1
Highways, Definition ---------- 62.3
Interchanges ---------- 504.8
Intersections ---------- 405.6
Openings ---------- 104.2
Openings, Financial Responsibility ---------- 205.5
Openings on Expressways ---------- 205.1
Openings in Relation to Median Openings---------- 104.5
Rights, Protection of ---------- 104.4

ACCESSIBILITY REQUIREMENTS
Curb Ramps, Guidelines for ---------- 105.4
Driveways ---------- 205.3
Provisions for Disabled Persons ---------- 105.3
Refuge Areas ---------- 403.7

ACCIDENT DATA
Intersections ---------- 402.2

ACCRETION
Definition ---------- 806.2
---------- 874

ACQUISITION
---------- 62.6
of Material and Disposal Sites ---------- 111.5

ADT/AADT
see AVERAGE DAILY TRAFFIC

AESTHETIC FACTORS
Contour Grading and Slope Rounding ---------- 304.4
In Design ---------- 109.3
Materials and Color Selection ---------- 705
Noise Barrier ---------- 1102.6
Planting ---------- 902.1
Retaining Walls ---------- 210.5

AGGRADATION
Definition ---------- 806.2
---------- 874

AGGREGATE BASE
see BASE Engineering Criteria---------- 663

AGGREGATE SUBBASE
Engineering Criteria ---------- 663

AGGRESSIVE
Definition ---------- 806.2

AGREEMENTS
Drainage, Cooperative ---------- 803.2
Materials ---------- 111.4

AIR POLLUTION
Control of Burning ---------- 110.3
Control of Dust ---------- 110.3

AIR RIGHTS
---------- 62.6

AIRWAY-HIGHWAY
---------- 207
Clearances ---------- 207.2
Submittal of Data ---------- 207.3

ALIGNMENT
Aesthetic Factors ---------- 109.3
Bridges ---------- 203.9
Channel ---------- 862.2
Consistency (Horizontal) ---------- 203.3
Controls (Horizontal) ---------- 203.1
Coordination (Horizontal/Vertical) ---------- 204.6
Culverts ---------- 823.2
Horizontal ---------- 203
Vertical (Grade) ---------- 204

ALLUVIUM
Definition ---------- 806.2
---------- 874

ALTERNATIVES FOR CULVERT PIPES
---------- 857

ALUMINUM PIPE
---------- 852.5

ANGLE OF INTERSECTION
---------- 403.3

APPRAISAL
---------- 62.6

APPROACH SLABS, STRUCTURE
New Construction Projects ---------- 208.11(2)

HDM PREVIOUS TO CHANGE DATED 05/07/12

Rehabilitation Projects ---------- 673

APPROVALS
Nonstandard Design Features ---------- 82.2
Proprietary Items ---------- 110.10
---------- 601.5
Special Pavement Structural Section Designs ---- 601.5

AREAS OF CONFLICT
Intersections ---------- 403.2

AQUEDUCT
Definition ---------- 806.2

AQUIFER
Definition ---------- 806.2
---------- 841.2

ARCH CULVERTS
---------- 852.3
---------- 852.4
---------- 852.5
---------- 852.6

ARMOR
---------- 873.3

ARTERIAL HIGHWAYS
---------- 62.3

ARTESIAN WATERS
Definition ---------- 806.2

ASPHALT CONCRETE
see FLEXIBLE PAVEMNT

ASPHALT TREATED PERMEABLE BASE
Definition ---------- 62.7
Design, Asphalt Pavement ---------- 633.1
Design, Concrete Pavement ---------- 623.1
Pavement Drainage ---------- 662.3

AUXILIARY LANES
---------- 62.1
Interchange ---------- 504.5

AVAILABLE HEAD, USE OF
---------- 821.1
---------- 821.4

AVERAGE DAILY TRAFFIC
---------- 62.8
---------- 103.1

AVULSION
Definition ---------- 806.2
---------- 874

AXIS OF ROTATION
Superelevation ---------- 202.4

AXLE LOADS, EQUIVALENT SINGLE
see EQUIVALENT SINGLE AXLE LOADS

B

BACKFILL, CULVERTS
---------- 829.2

BACKWATER
Definition ---------- 806.2
---------- 874
---------- 821.4
---------- 864.4

BAFFLE
---------- 873.4

BANK
Definition ---------- 806.2
---------- 874
Guide ---------- 873.4
Protection, Definition ---------- 806.2
---------- 874

BARRIER
Concrete on Walls ---------- 210.6
Median ---------- 305.3
Noise ---------- 1100
Railing ---------- 208.10

BASE
Definitions ---------- 62.7
Aggregate ---------- 662.1
Asphalt Treated ---------- 662.2
Asphalt Treated Permeable ---------- 662.3
Cement Treated ---------- 662.2
Cement Treated Permeable ---------- 662.3
Description ---------- 602.1
Engineering Criteria ---------- 663
Granular, Untreated ---------- 662.1
Hot Mix Asphalt Concrete ---------- 662.2
Lean Concrete ---------- 662.2
Treated Permeable ---------- 662.3

BASEMENT SOIL
See SUBGRADE

BASIN CHARACTERISTICS
Elevation ---------- 812.7
Land Use ---------- 812.4
Orientation ---------- 812.8
Shape ---------- 812.2
Size ---------- 812.1
Slope ---------- 812.3
Soil & Geology ---------- 812.5
Storage ---------- 812.6

HDM PREVIOUS TO CHANGE DATED 05/07/12

BEDLOAD
Definition ---------- 806.2
---------- 874
---------- 851.2

BENCHES
Drains ---------- 834.4
Slope ---------- 304.3

BERM
---------- 835
Definition ---------- 874

BIKEWAY
Definitions ---------- 1001.1
Design Criteria ---------- 1003
Markings ---------- 1004
Planning Criteria ---------- 1002
Railings ---------- 208.10
Standards ---------- 1000
Traffic Control Devices ---------- 1004

BITUMINOUS
Coatings On Pipes ---------- 852.4

BORDER INSPECTION STATIONS
---------- 107.3

BORROW
Definition ---------- 62.7

BRANCH CONNECTION
---------- 62.4
Freeway-to-freeway ---------- 504.4
Interchange, Entrances and Exits ---------- 504.2

BRIDGE REPLACEMENT & REHABILITATION PROGRAM
---------- 43.3

BRIDGES
---------- 208
Alignment ---------- 203.9
Approach Railing ---------- 208.10
Clearances ---------- 309
Deer Crossing ---------- 208.8
Definition ---------- 62.2
Embankment Slopes ---------- 208.5
Equipment Crossings ---------- 208.8
Falsework Clearance ---------- 204.8
Flood Design ---------- 821.3
Grade Line ---------- 204.7
Overloads ---------- 110.1
Slope Treatment, End ---------- 707
Structure Depth ---------- 204.8
Structure, Open End ---------- 208.5
Types of Structures ---------- 62.2
also see GRADE SEPARATION STRUCTURES

BROKEN-BACK CURVE
see CURVES

BULKHEADS
Definition ---------- 874
Type ---------- 873.3

BULKING
Definition ---------- 806.2
---------- 874
Factors ---------- 813.8
---------- 861.2
---------- 864.3

BUS
Design Vehicle ---------- 404.3
Loading Facilities ---------- 108.2
Turning Templates ---------- 404.5

BYPASS HIGHWAY
---------- 62.3

C

CALIFORNIA OPERATIONAL SAFETY AND HEALTH (CAL-OSHA)
Tunnel Safety Orders ---------- 110.12

CALIFORNIA R-VALUE
Definition ---------- 62.7
Measurement of ---------- 614.3
Record Keeping ---------- 605.1

CAMBER
Definition ---------- 806.2
---------- 829.2

CANTILEVER WALLS
---------- 210.1

CAPACITY
Drainage Structure ---------- 806.2
Highway ---------- 102
Intersection ---------- 402.1
Operational Features Affecting Design ---------- 402.1
Ramp Intersection ---------- 406
Safety Roadside Rests ---------- 903.5

CAPILLARITY
Definition ---------- 806.2

CAPILLARY WATER
Definition ---------- 806.2
---------- 841.2

CAPITAL PREVENTATIVE MAINTENANCE
---------- 603.3

HDM PREVIOUS TO CHANGE DATED 05/07/12

CATCH BASIN
Definition ---------- 806.2
Inlets ---------- 837.2

CATCH POINT
Clearance to Right of Way Line ---------- 304.2
Side Slope Standards ---------- 304.1

CATTLE PASSES
---------- 208.8

CEMENT TREATED PERMEABLE BASE
also see BASE Definition---------- 62.7

CENTRAL ANGLE
---------- 203.4

CENTRIFUGAL FORCE
Formula ---------- 202.1
Superelevation ---------- 202

CHAIN LINK
Fences ---------- 701.2
Railings, Bridges ---------- 208.10

CHANNEL, OPEN
Alignment & Grade ---------- 862.2
Changes ---------- 865
Characteristics ---------- 813
Cross Section ---------- 863
Design Consideration ---------- 861
Flow Classifications ---------- 864.2
Flow Equations ---------- 864.3
Linings ---------- 873.3
Unlined ---------- 862.2

CHANNEL & SHORE PROTECTION
---------- 870
Armor ---------- 873.3
Definitions ---------- 874
Design, Concepts ---------- 873.1
Design, Highwater & Hydraulics ---------- 873.2
Site Considerations ---------- 872.3
Training ---------- 873.4

CHANNELIZATION
---------- 62.4
Design Standards ---------- 405
Left-turn ---------- 405.2
Principles of ---------- 403
Right-turn ---------- 405.3

CHANNELIZATION, PRINCIPLES OF
---------- 403
Angle of Intersection ---------- 403.3
Areas of Conflict ---------- 403.2
Major Movements ---------- 403.1
Points of Conflict ---------- 403.4
Precautions ---------- 403.12
Prohibited Turns ---------- 403.8
Refuge Areas ---------- 403.7
Signal Control ---------- 403.9
Speed-change Areas ---------- 403.5
Summary ---------- 403.11
Traffic Control Devices ---------- 403.10
Turning Traffic ---------- 403.6

CHECK DAM
Definition ---------- 806.2

CIENEGA
Definition ---------- 806.2

CLEANOUT
Definition ---------- 806.2
---------- 842.4

CLEAR DISTANCE
Stopping Sight Distance on Horizontal Curves -- 201.6

CLEAR RECOVERY ZONE
---------- 309.1

CLEARANCES
Airway-highway ---------- 207
Falsework ---------- 204.6
Lateral, for Elevated Structures ---------- 309.4
Pedestrian Over Crossings ---------- 309.2
Railroad ---------- 309.5
Signs, Vertical ---------- 309.2
Slope to Right of Way Line ---------- 304.2
Structures, Horizontal ---------- 309.1
Structures, Vertical ---------- 309.2
Tunnel ---------- 309.3

CLIMATE
Pavement Map ---------- 615

CLIMBING LANES
Transitions ---------- 206.2
Sustained Grades ---------- 204.5

CLOVERLEAF INTERCHANGE
Local Streets ---------- 502.2
Freeway-to-freeway ---------- 502.3

COATINGS
Pipe ---------- 852.4

COEFFICIENT OF ROUGHNESS
Channels ---------- 864.3
Conduit ---------- 851.2

COEFFICIENT OF RUNOFF
Definition ---------- 806.2
---------- 819.2

COLORS, SELECTION
Concrete ---------- 705.1
Steel Structures ---------- 705.2

COMFORT FACILITIES
Roadside Rests ---------- 903

HDM PREVIOUS TO CHANGE DATED 05/07/12

COMFORTABLE SPEEDS
see MAXIMUM COMFORTABLE SPEED

COMMERCIAL DRIVEWAYS
---------- 205

COMMUNITY NOISE ABATEMENT PROGRAM
---------- 1101.4

COMPOSITE PAVEMENT
Definition ---------- 62.7
Engineering Properties ---------- 642.1
Mechanistic-Emperical Method ---------- 606.3
New Construction ---------- 643
Pavement Preservation ---------- 644
Performance Factors ---------- 642.2
Reconstruction ---------- 643
Rehabilitation ---------- 645
Types ---------- 641

COMPOUND CURVES
---------- 203.5
Superelevation ---------- 202.6

CONCENTRATED FLOW
Definition ---------- 806.2

CONCENTRATION
Drainage, Definition ---------- 806.2

CONCRETE
Base, Lean ---------- 62.7
---------- 662.2
Gravity Walls ---------- 210.2
Painting ---------- 705.1
Pavement, Rigid ---------- 620
Portland Cement Pavement (PCCP)
see RIGID PAVEMENT
Retaining Walls ---------- 210.2

CONDEMNATION
---------- 62.6
Inverse ---------- 62.6

CONDUIT
Cross Section ---------- 851.2
Crossover, Irrigation ---------- 706.4
Definition ---------- 806.2
Protective Coating ---------- 854.3

CONGESTION MITIGATION AND AIR QUALITY IMPROVEMENT PROGRAM (CMAQ)
---------- 43.2

CONNECTIONS
Access Openings on Expressways ---------- 205.1
Branch ---------- 62.4
Branch Interchange, Entrances and Exits ---------- 504.2
Driveways on Frontage Roads ---------- 205.4
Driveways on Rural Roads ---------- 205.4
Driveways on Urban Roads ---------- 205.3
Financial Responsibility ---------- 205.5
Freeway-to-freeway ---------- 62.4
---------- 504.4
Freeway with Local Roads ---------- 106.2
Local Facility ---------- 203.1
Private Road ---------- 205.2
Roadway ---------- 107.1

CONSERVATION OF MATERIALS AND ENERGY
---------- 110.11

CONSTRUCTIBILITY
Pavement ---------- 618.2

CONTINUOSLY REINFORCED CONCRETE PAVEMENT
---------- 621.2
also see RIGID PAVEMENT

CONSTRUCTION
Freeway Connections with Local Roads ---------- 106.2
Initial and Stage ---------- 106.1
Temporary Features ---------- 82.1
Temporary Pavements and Detours ---------- 612.6

CONTOUR GRADING
---------- 304.4
Aesthetics ---------- 109.3

CONTRACTORS YARDS/PLANT SITES
---------- 112

CONTRAST TREATMENT
---------- 704
Policy ---------- 704.1

CONTROL
Drainage, Definition ---------- 806.2
Erosion ---------- 110.2
Traffic, Devices ---------- 62.8
---------- 403.10
Traffic, Special Problems ---------- 110.7

CONTROL OF ACCESS
see ACCESS CONTROL

CONTROL OF POLLUTION
see POLLUTION CONTROL

CONTROLLED ACCESS HIGHWAY
---------- 62.3

CONVENTIONAL HIGHWAYS
---------- 62.3
Sidewalks ---------- 105.1

COORDINATION WITH OTHER AGENCIES
---------- 108
Bus Loading Facilities ---------- 108.2

HDM PREVIOUS TO CHANGE DATED 05/07/12

Divided Nonfreeway Facilities ---------- 108.1
with FHWA ---------- 108.3

COST REDUCTION INCENTIVE PROPOSALS
Walls ---------- 210.4

COUNTERFORT WALLS
---------- 210.2

CRASH CUSHIONS
---------- 702.1

CRIB WALLS
---------- 210.2

CRITICAL
Depth, Definition ---------- 806.2
---------- 874
Flow, Definition ---------- 806.2
---------- 874
Slope, Definition ---------- 806.2
---------- 874
Velocity, Definition ---------- 806.2
---------- 874

CROSS DRAINAGE
---------- 820

CROSS SECTION
City Streets and County Roads ---------- 308.1
Clear Recovery Zone, ---------- 309.1
Effects on Drainage ---------- 833
Frontage Roads ---------- 310.1
Geometric ---------- 62.1
Grade ---------- 204.2
Multilane, All Paved ---------- 307.5
Multilane, Divided ---------- 307.4
Multilane, RRR Criteria ---------- 307.6
Outer Separation ---------- 310.2
State Highway ---------- 307
Two-lane, New Construction ---------- 307.2
Two-lane, RRR Criteria ---------- 307.3
Warrants for ---------- 307.1

CROSS SECTION, OTHER THAN STATE HIGHWAY ROADS
---------- 308
City and County Roads ---------- 308.1

CROSS SECTION, STATE HIGHWAY
see CROSS SECTION

CROSS SLOPES
Effects on Drainage ---------- 833
Gutter ---------- 303.2
Median ---------- 305.2
Pavement ---------- 301.2
Shoulder ---------- 302.2
Structures ---------- 208.2

CROSSINGS
Deer ---------- 208.8
Equestrian ---------- 208.7
Equipment ---------- 208.8
Railroad ---------- 104.3

CROSSOVER
Irrigation, Conduits ---------- 706.3

CUL-DE-SAC STREET
---------- 62.3

CULVERTS
Alignment & Slope ---------- 823.4
Alternative Pipes ---------- 857
Anchorage ---------- 829.5
Available Head ---------- 821.4
Backwater ---------- 825.1
Bedding & Backfill ---------- 829.2
Box and Arch ---------- 852.3
Bridges ---------- 821.3
Buoyant Forces ---------- 826.3
Camber ---------- 823.2
Choice of Type ---------- 851.2
Culvert Design System ---------- 825.3
Curvature ---------- 823.2
Definition ---------- 806.2
Design Discharge ---------- 821.2
Design Flood, Definition ---------- 806.2
Design Frequency, Definition ---------- 806.2
Design Storm, Definition ---------- 806.2
End Treatment ---------- 826.2
Entrance Design ---------- 826
Entrance Riser ---------- 826.3
Gradeline ---------- 823.2
Headwall ---------- 826.3
Headwater ---------- 821.4
Height of Cover ---------- 829.2
---------- 856
Hydrologic Considerations ---------- 821.2
Improved Inlets ---------- 826.4
Inlet Control ---------- 825.2
Joints ---------- 829.4
---------- 854.1
Length ---------- 828.3
Minimum Cover ---------- 856.5
Multiple Pipes ---------- 824.2
Outlet Design ---------- 827
Piping ---------- 829.3
Roughness ---------- 851.2
Sag ---------- 829.7
Service Life ---------- 855
Settlement ---------- 829.2
Slope ---------- 823.2
Transitions ---------- 826.4
Type Selection ---------- 824

CURB RAMPS
---------- 105.4
Guidelines for ---------- 105.4
Policy and Procedure ---------- 105.3

CURBS
---------- 303

HDM PREVIOUS TO CHANGE DATED 05/07/12

Bridges ---------- 303.5
Frontage Roads and Streets ---------- 303.6
General Policy ---------- 303.1
Grade Separations ---------- 303.5
Gutter Pan, Cross Slope ---------- 303.2
Median ---------- 305.4
Position of ---------- 303.5
Ramps ---------- 504.3
Returns, for City Streets ---------- 405.8
Structures ---------- 303.5
Types and Uses ---------- 303.2

CURVES

Broken-back ---------- 203.7
Compound ---------- 203.5
Compound, Superelevation of ---------- 202.6
Horizontal ---------- 203
Length and Central Angle ---------- 203.4
Location of Ramp on ---------- 504.2
Maximum Comfortable Speeds ---------- 202.2
Radius ---------- 203.2
Ramp Widening ---------- 504.3
Reversing ---------- 203.6
Reversing, Superelevation Transition for ---------- 202.5
Spiral ---------- 203.8
Superelevation ---------- 202
Three-Center ---------- 405.7
Vertical ---------- 204.4

CUT WIDENING

---------- 304.3

D

D-LOAD

Cracking D-Load ---------- 856.2
Definition ---------- 806.2
Reinforced Concrete Pipe ---------- 852.1

DAM

---------- 829.9

DEAD END STREET

---------- 62.3

DEBRIS

---------- 813.8
Barrier, Definition ---------- 806.2
Basin, Definition ---------- 806.2
Bulking ---------- 813.8
Control Structure ---------- 822.2
Definition ---------- 806.2
---------- 874
Rack, Definition ---------- 806.2
Riser ---------- 822.2

DECELERATION LANE

---------- 403.5
Left Turns ---------- 405.2
Right Turns ---------- 405.3

DECISION SIGHT DISTANCE

---------- 201.7

DEER CROSSINGS

---------- 208.8

DEFENSE ROUTE

Rural and Single Interstate Routes ---------- 309.2

DEFINITIONS

---------- 62
Drainage ---------- 806.2
Pavement Structural Section ---------- 62.7
Deflection Studies ---------- 635.1

DEGRADATION

Definition ---------- 806.2

DELAY

---------- 62.8

DENSITY

---------- 62.8

DESIGN

Capacities ---------- 102
Channel & Shore Protection ---------- 873.1
Designation ---------- 103
Discharge ---------- 811.3
Discharge, Estimating ---------- 819
Flood, Establishing ---------- 818.2
Frequency, Definition ---------- 806.2
Geometric Standards ---------- 200
Hourly Volume ---------- 103.1
Hourly Volume, Definition ---------- 62.8
Interchange ---------- 504
Intersection ---------- 405
Period ---------- 103.2
Speed (See DESIGN SPEED)
Standards, Applications ---------- 80
Storm ---------- 821.2
Storm, Definition ---------- 806.2

DESIGN DESIGNATION

Design Period ---------- 103.2
Relation to Design ---------- 103.1

DESIGN HOURLY VOLUME

---------- 62.8
---------- 103.1

DESIGN LIFE

Pavement ---------- 612
Relation to Design Period ---------- 103.1

DESIGN SPEED

---------- 101
Definition ---------- 62.8
Entrances & Exits ---------- 504.2

HDM PREVIOUS TO CHANGE DATED 05/07/12

Freeway-to-freeway Minimum ---------- 504.4
Freeway Entrances & Exits ---------- 504.2
Local Facility ---------- 101.1
Scenic Values ---------- 109
Selection ---------- 101.1
Standards ---------- 101.2

DESIGN VEHICLE

---------- 62.8
---------- 404
Bus ---------- 404.2
California Truck ---------- 404.2
Offtracking ---------- 404.1
STAA Truck ---------- 404.2
Turning Templates ---------- 404.3

DESIGN VOLUME

see DESIGN HOURLY VOLUME

DESIGN, FACTORS AFFECTING

---------- 401
Bicycles ---------- 401.6
Driver ---------- 401.2
Environment ---------- 401.4
General ---------- 401.1
Pavement ---------- 611
Pedestrian ---------- 401.5
Vehicle ---------- 401.3

DESIGN, OPERATIONAL FEATURES AFFECTING

---------- 402
Accidents ---------- 402.2
Capacity ---------- 402.1
Undesirable Geometric Features ---------- 402.2

DESIGNATION, DESIGN

Design Period ---------- 103.2
Relation to Design ---------- 103.1

DETOURS

---------- 110.7
Local Roads Used as ---------- 106.2

DETRITUS

Definition ---------- 806.2
---------- 874

DHV

see DESIGN HOURLY VOLUME

DIAMOND INTERCHANGE

---------- 502.2

DIKES

Definition, Earthen ---------- 874
Frontage Roads and Streets ---------- 303.6
General Policy ---------- 303.1
Guide, Earthen ---------- 873.4
PCC Grouted Riprap ---------- 873.4
Position of ---------- 303.5
Ramp ---------- 504.3
Toe, Earthen ---------- 873.4
Types and Uses ---------- 303.3

DISCHARGE

Definition ---------- 806.2
Design ---------- 811.3
Estimating ---------- 819
Peak ---------- 811.3

DISPOSAL SITES/MATERIALS SITES

---------- 111
Acquisition of ---------- 111.5
Environmental Requirements ---------- 111.1
Information Furnished to Prospective Bidders ---------- 111.3
Investigation of Local Material Sources ---------- 111.2
Mandatory, on Federal-aid Projects ---------- 111.6
Material Arrangements ---------- 111.4

DISTANCE, CLEAR

Stopping Sight Distance on Horizontal Curves -- 201.6

DITCHES

Grade ---------- 834.3
Side ---------- 303.2
---------- 834.3
Slope ---------- 834.3

DIVERGING

---------- 62.8

DIVERSION

Definition ---------- 806.2
---------- 874

DIVIDED HIGHWAY

---------- 62.3
Grade Line ---------- 204.2

DIVIDED NONFREEWAY FACILITY

---------- 108.1

DIVISION OF DESIGN

---------- 10

DOWEL BAR

---------- 622.4
Definition ---------- 62.7

DOWNDRAINS

Definition ---------- 806.2
Flume ---------- 834.4
Pipe ---------- 834.4

DRAIN

Edge System (See EDGE DRAIN)

DRAINAGE

Area, Definition ---------- 806.2
Area ---------- 819.2
Basic Policy ---------- 803.1
Channels ---------- 861
Computer Programs ---------- 819.6

HDM PREVIOUS TO CHANGE DATED 05/07/12

---------- 825.3
---------- 864.4
Cooperative Projects Policy ---------- 803.2
Course, Definition ---------- 806.2
Definition ---------- 806.2
Definition, Channel & Shore ---------- 874
Design Responsibility ---------- 802.1
Detention Basins ---------- 891.3
Divide, Definition ---------- 806.2
Easement, Definition ---------- 806.2
Economics of Design ---------- 801.5
Galleries ---------- 841.5
Glossary of Terms ---------- 806.2
Median ---------- 834.2
Objectives of Design ---------- 801.4
Pavement ---------- 650
by Pumping ---------- 839
Roadway ---------- 830
Section, Duties of ---------- 802.1
Subsurface ---------- 840
System, Definition ---------- 806.2

DRAINS

Anchorage ---------- 834.4
Benches ---------- 834.4
Entrance Standards ---------- 834.4
Geotextile ---------- 841.5
Horizontal ---------- 841.5
Outlet Treatment ---------- 834.4
Overside, Spacing & Location ---------- 834.4
Service Life ---------- 857.1
---------- 857.2
Slope ---------- 834.4
Subsurface Types ---------- 841.5

DRIVEWAYS

---------- 205
Access Openings on Expressways ---------- 205.1
Commercial ---------- 205.3
Financial Responsibility ---------- 205.5
Frontage Roads ---------- 205.4
Local Standards ---------- 205.3
Pedestrian Access ---------- 205.3
Residential ---------- 205.3
Rural Areas ---------- 205.4
Urban ---------- 205.3

DRY WEATHER FLOWS

Definition ---------- 806.2

E

EARTH RETAINING SYSTEMS

Anchored Wall ---------- 210.2
Cantilever Wall ---------- 210.2
Concrete Gravity Wall ---------- 210.2
Counterfort Wall ---------- 210.2
Crib Wall; Concrete, Steel and Timber ---------- 210.2
Drainage ---------- 210.8
Electroliers and Signs ---------- 210.8
Footings ---------- 210.8
Gabion Basket Wall ---------- 210.2
Gravity Wall ---------- 210.2
L-Type Wall ---------- 210.2
Masonry Wall ---------- 210.2
Mechanically Stabilized Wall ---------- 210.2
Non-Gravity Cantilevered Walls ---------- 210.2
Proprietary ---------- 210.2
Reinforced Embankments ---------- 210.2
Rock Gravity Wall ---------- 210.2
Rock/Soil Anchors ---------- 210.2
Safety Railings ---------- 210.6
Salvaged Material Retaining Wall ---------- 210.2
Secant Soldier Pile Wall ---------- 210.2
Sheet Pile Wall ---------- 210.2
Slurry Diaphragm Wall ---------- 210.2
Soil Mix Wall ---------- 210.2
Soil Nail Wall ---------- 210.2
Soil Reinforcement Systems ---------- 210.2
Soldier Pile Wall with Lagging ---------- 210.2
Tangent Soldier Pile Wall ---------- 210.2
Tire Anchored Timber Wall ---------- 210.2
Utilities ---------- 210.8

EARTHQUAKE CONSIDERATIONS

---------- 110.6

EASEMENT

---------- 62.6
Definition ---------- 806.2

ECONOMIC ANALYSIS

see LIFE-CYCLE COST ANALYSIS

EDDY LOSS

Definition ---------- 806.2

EDGE DRAIN

---------- 606.3
System, Definition ---------- 62.7

ELECTROLIERS AND SIGNS

Walls ---------- 210.7

EMBANKMENT

Definition ---------- 62.7
Side Slope Standards ---------- 304
Slopes at Structures ---------- 208.5
Structure Approach Embankment ---------- 208.11

EMINENT DOMAIN

---------- 62.6

ENCROACHMENT

---------- 62.6

END OF FREEWAY

Connections with Local Roads ---------- 106.2

ENDWALL

Definition ---------- 806.2

HDM PREVIOUS TO CHANGE DATED 05/07/12

ENERGY
Dissipator, Definition ---------- 806.2
Dissipator ---------- 827.2
Grade Line, Definition ---------- 806.2
Head, Definition ---------- 806.2

ENTRANCE
Design (Hydraulic) ---------- 826
Freeway Interchange ---------- 504.2
Head, Definition ---------- 806.2
Loss, Definition ---------- 806.2

ENVIRONMENTAL REQUIREMENTS
Bus Loading Facilities ---------- 108.2
Contractor's Yard and Plant Site ---------- 112
FHWA ---------- 108.3
Material Sites and Disposal Sites ---------- 111
Median Width ---------- 305.1
Project Development ---------- 81.1
Special Considerations ---------- 110

EQUALIZER
Definition ---------- 806.2
---------- 826.3

EQUESTRIAN TRAILS
see TRAILS, MULTIPURPOSE

EQUESTRIAN UNDERCROSSINGS
---------- 208.7

EQUIPMENT CROSSINGS
---------- 208.8

EQUIVALENT SINGLE AXLE LOADS
Definition ---------- 62.7
Conversion ESAL to Traffic Index ---------- 613.3
ESAL Constants ---------- 613.3
Lane Distribution Factors ---------- 613.3
Projections, Truck Traffic ---------- 613.3

EROSION
And Accretion, Definition ---------- 806.2
Control, Channel & Shore ---------- 871.1
Control, Planting ---------- 902
Control, Water Pollution ---------- 110.2
Definition ---------- 806.2
---------- 874
Vegetative Control ---------- 62.5

EVAPORATION
Definition ---------- 806.2
---------- 812.8
---------- 814.4
---------- 819.2

EXITS
Freeway Interchange ---------- 504.2

EXPRESSWAY
---------- 62.3

F

FAA
Abbreviation ---------- 61.1
Notice Requirements ---------- 207.3

FACTORS AFFECTING INTERSECTION DESIGN
see DESIGN, FACTORS AFFECTING

FALSEWORK
---------- 204.8
Grade Line ---------- 204.8
Vertical Clearance ---------- 204.8
Width of Traffic Openings ---------- 204.8
Worker Safety ---------- 204.8

FAN
Definition ---------- 806.2
---------- 874

FEDERAL-AID
---------- 40
Funding Determination ---------- 44
Programs (see also PROGRAMS) ---------- 43
System ---------- 42

FEDERAL LANDS PROGRAM
---------- 43.4

FENCES
---------- 701
Approval ---------- 701.1
Barbed Wire, Type BW ---------- 701.2
Chain Link ---------- 701.2
Exceptions to Standard Types ---------- 701.2
Freeways and Expressways ---------- 701.2
Location of ---------- 701.2
Locked Gates ---------- 701.2
Median ---------- 701.2
on Other Highways ---------- 701.3
Policy and Purpose ---------- 701.1
Retaining Walls ---------- 210.6
Safety Roadside Rests ---------- 903.5
Standard Types ---------- 701.2
Vinyl-clad ---------- 705.1
Weathering Type Steel ---------- 705.1
Wire Mesh, Type WM ---------- 701.2

FETCH
Definition ---------- 874

FHWA
Approval of Locked Gates ---------- 701.2
Approval of Mandatory Sites ---------- 111.6
Coordination With ---------- 108.3
Federal-aid ---------- 40
Liaison With ---------- 11.2

HDM PREVIOUS TO CHANGE DATED 05/07/12

FILTER FABRIC

---------- 841.5

FLAP GATES

Definition ---------- 806.2
---------- 821.6
---------- 838.5

FLARED END SECTION

---------- 826.3
---------- 834.4

FLEXIBLE PAVEMENT

Definition ---------- 62.7
Aged Residue (AR) ---------- 632.1
Analytical Depth ---------- 635.1
Bus Pads ---------- 636.4
California R-value ---------- 633.1
Climate Region ---------- 632.1
Cold in-Place Recycled Asphalt ---------- 635.1
Concrete Overlay ---------- 635.1
Data Collection ---------- 635.1
80th percentile Deflection ---------- 635.1
Deflection Studies ---------- 635.1
Emperical Method ---------- 633.1
Engineering Analysis Software ---------- 637
Full Depth Hot Mix Asphalt ---------- 633.1
Gravel Equivalent ---------- 633.1
Gravel factor (G_f) ---------- 633.1
Grouping ---------- 635.1
Hot Mix Asphalt (HMA) ---------- 631
Hot Mixed Asphalt Base ---------- 633.1
Hot Recycled Asphalt ---------- 635.1
International Roughness Index (IRI) ---------- 635.1
Intersections ---------- 636.3
Lean Concrete Base (LCB) ---------- 635.1
Lime Treated Subbase ---------- 633.1
Mainline ---------- 636.1
Mill and Overlay ---------- 635.1
Open Graded Friction Course (OGFC) ---------- 631.2
Park & Ride Facilities ---------- 636.4
Pavement Condition Report ---------- 635.1
Pavement Preservation ---------- 634
Percent Reduction in Deflection ---------- 635.1
Percent Reduction in deflection required
at the Milled depth ---------- 635.1
Performance Factors ---------- 632.2
Performance Graded (PG) ---------- 632.1
Polymer modified binders ---------- 632.1
RAC-G ---------- 631.3
RAC-O ---------- 631.3
Ramp Termini ---------- 636.1
Reflective crack retardation ---------- 635.1
Remove and Replace ---------- 635.1
Rich-Bottom Concept ---------- 633.1
Ride Quality ---------- 635.1
Roadside Facilities ---------- 636.4
Safety Roadside Rest Areas ---------- 636.4
Rubberized Asphalt Concrete ---------- 631.3
SAMI-F ---------- 631.5
SAMI-R ---------- 631.5
Shoulders ---------- 636.2
Smoothness ---------- 632.1
Stress Absorbing Membrane Interlayers (SAMI) - 631.5
Structural Adequacy ---------- 635.1
Subgrade Enhancement Fabrics ---------- 633.1
Test Sections ---------- 635.1
Tolerable Deflection at the Surface (TDS) ------- 635.1
Tolerable Deflections ---------- 635.1
Traffic Index (TI) ---------- 633.1
Traveled Way ---------- 636.1
Treated Permeable Base (TPB) ---------- 633.1
Wearing Course ---------- 631.2
Whitetopping ---------- 635.1

FLOOD

Base ---------- 818.1
Control Projects ---------- 803.2
Design ---------- 818.1
Design Criteria, Recommended ---------- 821.3
---------- 831.3
Greatest of Record ---------- 821.3
Magnitude ---------- 817
Maximum Historical ---------- 818.1
Measurement ---------- 817.2
Plain, Definition ---------- 806.2
Plane, Definition ---------- 806.2
Stage, Definition ---------- 806.2
---------- 874
Waters, Definition ---------- 806.2
---------- 874

FLOW

Channel ---------- 816.6
Critical ---------- 864.3
Definition ---------- 806.2
---------- 874
Line ---------- 806.2
Subcritical ---------- 864.3
Supercritical ---------- 864.3

FREE

Outlet, Definition ---------- 806.2
Water, Definition ---------- 806.2

FREEBOARD

Definition ---------- 806.2
---------- 866

FREEWAY

---------- 62.3
Entrances and Exits at Interchanges ---------- 504.2
Landscape ---------- 62.5
---------- 900

FREEWAY CONNECTIONS WITH EXISTING ROADS

---------- 106.2

HDM PREVIOUS TO CHANGE DATED 05/07/12

FREEWAY-TO-FREEWAY CONNECTIONS
---------- 62.4
---------- 504.4
Branch Connections ---------- 504.4
Grade Line ---------- 204.2
Grades ---------- 504.4
Lane Drops ---------- 504.4
Metering ---------- 504.3
---------- 504.4
Shoulder Width ---------- 504.4

FREEWAY-TO-FREEWAY INTERCHANGES
---------- 502.3

FRENCH DRAINS
Definition ---------- 806.2
---------- 841.5

FRICTION FACTORS
---------- 202.1

FRONTAGE ROADS
---------- 62.3
---------- 310
Access Control ---------- 104.3
Cross Section ---------- 310.1
Curbs ---------- 303.6
Driveways ---------- 205.4
Financed by Others ---------- 104.3
Headlight Glare ---------- 310.3
Horizontal Clearance ---------- 309.1
Outer Separation ---------- 310.2
Railroad Crossings ---------- 104.3
Sidewalks ---------- 105.1

FUNDING
---------- 44
Federal-Aid Eligibility ---------- 44.1
Federal Participation Ratio ---------- 44.2

FUNNELING
---------- 403.1

G

GALLERIES
Drainage ---------- 841.5

GEOMETRIC CROSS SECTIONS
---------- 300
Definition ---------- 62.1

GEOMETRIC DESIGN
Definition ---------- 62.4
Structure Standards ---------- 200
Undesirable Geometric Features, Intersections --- 402.2

GEOTECHNICAL DESIGN REPORT
---------- 113
Content ---------- 113.2
Local Materials Sources ---------- 111.2
Policy ---------- 113.1
Side Slope Standards ---------- 304.1
Submittal and Approval ---------- 113.3

GORE
---------- 62.4
Contrasting Surface Treatment ---------- 504.2
Paved Gore ---------- 504.2

GRADE
Cross Section, Position with Respect to ---------- 204.2
to Drain, Definition ---------- 806.2
Freeway Entrance Standards ---------- 504.2
Freeway Exit Standards ---------- 504.2
Freeway-to-freeway Connection Standards ------ 504.4
General Controls ---------- 204.1
Horizontal Alignment, Coordination with -------- 204.6
Ramps ---------- 504.2
Rolling Profile ---------- 204.1
Safety Roadside Rests ---------- 903.5
Separate Lines ---------- 204.7
Separation ---------- 62.4
Separation Structures ---------- 208
Separation, Pedestrian ---------- 105.2
Standards ---------- 204.3
Stopping Sight Distance at Crests ---------- 201.4
Stopping Sight Distance at Sags ---------- 201.5
Structures ---------- 204.8
Sustained Grades ---------- 204.5
Vertical Curves ---------- 204.4

GRADE LINE
Bridge Decks ---------- 204.8
Depressed, Under Structures ---------- 204.8
General ---------- 204.1
Separate ---------- 204.7
Structures ---------- 204.8

GRADE SEPARATION STRUCTURES
---------- 208
Cattle Passes, Equipment, and Deer Crossings --- 208.8
Cross Slope ---------- 208.2
Curbs ---------- 303.5
Equestrian Undercrossing ---------- 208.7
Median ---------- 208.3
Open End Structures ---------- 208.5
Pedestrian ---------- 105.2
Pedestrian Overcrossings and Undercrossing ---- 208.6
Railings ---------- 208.10
Railroad Underpasses and Overheads ---------- 208.9
Sidewalks ---------- 208.4
Widths ---------- 208.1

GRADIENT (SLOPE)
Definition ---------- 806.2

HDM PREVIOUS TO CHANGE DATED 05/07/12

GRADING PLANE
Definition ---------- 62.7

GRATED LINE DRAIN
---------- 837.2

GRAVEL EQUIVALENT
---------- 604.3

GRAVITY WALL
---------- 210.2

GROIN
---------- 873.4

GROUND WATER
Definition ---------- 806.2
---------- 841.2

GUARDRAIL
Bridge Approach Railings ---------- 208.10
References ---------- 702

GUIDE BANK
---------- 873.4

GUTTER PAN
Cross Slope ---------- 303.2
General Policy ---------- 303.1
Uses, Curb Types ---------- 303.2

GUTTERS, SIDE
---------- 834.3
Capacity ---------- 836.2
Grade ---------- 836.2
Intersection, at ---------- 836.2
Types ---------- 836.1
Valley ---------- 836.2

H

HAULING
Overloaded Material/Equipment , Design for ----- 110.1

HEAD
Available ---------- 821.4

HEADLIGHT SIGHT DISTANCE
Grade Sags ---------- 201.5

HEADWAY
---------- 62.8

HIGH SPEED RAIL
Definition ---------- 62.10
Clearances ---------- 309.1

HIGHWAY
---------- 62.3
Capacity ---------- 102
Controlled Access ---------- 62.3
Conventional ---------- 62.3
Federal Lands Program ---------- 43.4
Landscape Architect Definitions ---------- 62.5
Major ---------- 62.3
National Highway System ---------- 42
Parkway ---------- 62.3
Pedestrian Facilities ---------- 105
Planting ---------- 62.5
Radial ---------- 62.3
Route Numbers ---------- 21.2
Scenic ---------- 62.3
Structures, Definitions ---------- 62.2
Structures, Grade Line ---------- 204.8
Through ---------- 62.3
Types, Definitions ---------- 62.3

HIGHWAY DESIGN MANUAL STANDARDS
---------- 82.1

HORIZONTAL ALIGNMENT
Aesthetic Factors ---------- 109.3
Alignment Consistency ---------- 203.3
Bridges ---------- 203.9
Broken Back Curves ---------- 203.7
Compound Curves ---------- 203.5
Curve Length and Central Angle ---------- 203.4
General Controls ---------- 203.1
Grade, Coordination with ---------- 204.6
Radius ---------- 203.2
Reversing Curves ---------- 203.6
Standards for Curvature ---------- 203.2
Spiral Transition ---------- 203.8

HORIZONTAL CLEARANCE
Bridges ---------- 309.1
Between Elevated Structures ---------- 309.4
Clear Distance ---------- 201.6
Noise Barriers ---------- 1102.2
Off-track Maintenance ---------- 309.5
Railroad Walkway ---------- 309.5
Railroads, Adjacent to ---------- 309.5
Retaining Walls ---------- 309.1
Structure ---------- 309.1
Tunnels ---------- 309.3

HORIZONTAL DRAINS
---------- 841.5

HOT MIX ASPHALT CONCRETE BASE
also see BASE Engineering Criteria ---------- 663

HOT MIXED ASPHALT
---------- 631.1
also see FLEXIBLE PAVEMENT

HYDRAULIC
Gradient, Definition ---------- 806.2
Jump, Definition ---------- 806.2
Mean Depth, Definition ---------- 806.2

HDM PREVIOUS TO CHANGE DATED 05/07/12

Mean Depth ---------- 864.3
Radius, Definition ---------- 806.2

HYDRAULIC DESIGN DISCHARGE

Empirical Methods ---------- 819.2
Field Investigation ---------- 815.3
Hydrograph Methods ---------- 816.5
Rational Methods ---------- 819.2
Regional Analysis ---------- 819.2
Statistical Methods ---------- 819.3
Summary of Methods ---------- 819.1

HYDROGRAPH

Definition ---------- 806.2
---------- 816.5
SCS Triangular ---------- 819.4
Synthetic ---------- 819.4
Unit ---------- 819.4

HYDROGRAPHY

Definition ---------- 806.2

HYDROLOGIC DATA

Basin Characteristics ---------- 812
Federal Agencies ---------- 815.3
Field Investigations ---------- 815.3
Precipitation ---------- 815.2
---------- 815.3
Rainfall ---------- 815.5
Sources ---------- 815.3
Stream Flow ---------- 815.4
Surface Runoff ---------- 815.2
Transfer of Data ---------- 819.5

HYDROLOGICAL ANALYSIS

Gumbel Extreme Value Distribution ---------- 819.3
Log Normal Distribution ---------- 819.3
Log Pearson Type III Distribution ---------- 819.3
Objectives ---------- 811.2
Rational Methods ---------- 819.2
Regional Analysis Methods ---------- 819.2
SCS Triangular Hydrograph ---------- 819.4
Synthetic Hydrograph ---------- 819.4
Unit Hydrograph ---------- 819.4

HYDROLOGY

Definition ---------- 806.2
---------- 811.1

HYDROPLANING

Definition ---------- 831.4

I

INFILTRATION

---------- 606.3
---------- 819.2
Definition ---------- 806.2

INITIAL CONSTRUCTION

and Stage ---------- 106.1

INLETS

Combination ---------- 837.2
Curb Opening ---------- 837.2
Grate ---------- 837.2
Hydraulic Design ---------- 837.4
Location and Spacing ---------- 837.3
Pipe Drop ---------- 837.2
Time, Definition ---------- 806.2
Transition ---------- 826.4
Types ---------- 837.2
Use of ---------- 837.1

INSPECTION STATIONS, BORDER

---------- 107.3

INTERCHANGES

Access Control ---------- 504.8
Aesthetic Factors ---------- 109.3
Approval of Design ---------- 503.2
Auxiliary Lanes ---------- 504.5
Cloverleaf ---------- 502.2
Concepts ---------- 501.1
Data Required for Design ---------- 503.1
Definition ---------- 62.4
Design, Procedure ---------- 503
Design, Standards ---------- 504
Diamond ---------- 502.2
Elements ---------- 62.4
Freeway Entrances and Exits, Design ---------- 504.2
Freeway-to-freeway ---------- 502.3
Freeway-to-freeway Connections, Standards ----- 504.4
Freeway-to-freeway, Minimum Design Speed --- 504.4
Freeway-to-freeway Omission of Movements --- 502.3
Grade Separations ---------- 62.4
Grades Exits/Entrances ---------- 504.2
Lane Reduction ---------- 504.6
Local Streets ---------- 502.2
Parallel Street Systems ---------- 502.2
Ramps ---------- 504.3
Sight Distance for Planting ---------- 902.2
Single Point Interchange ---------- 502.2
Spacing ---------- 501.3
Traffic ---------- 500
Trumpet ---------- 502.2
Two-quadrant Cloverleaf ---------- 502.2
Types ---------- 502
Warrants ---------- 501.2
Weaving Sections ---------- 504.7
also see RAMPS

INTERMODAL SURFACE TRANSPORTATION EFFICIENCY ACT (ISTEA)

---------- 40

INTERSECTION

Access Control ---------- 405.6
Accidents ---------- 402.2
Angle of Intersection ---------- 403.3
Areas of Conflict ---------- 403.2
Bicycle, Affecting Design of ---------- 401.6

HDM PREVIOUS TO CHANGE DATED 05/07/12

Capacity ---------- 402.1
Capacity, Ramps ---------- 406
Channelization ---------- 403
Definition ---------- 62.4
Design, Factors Affecting ---------- 401
Design, Operational Features Affecting ---------- 402
Design, Standards ---------- 405
Design Vehicle ---------- 404
Driver, Affecting Design of ---------- 401.2
Environment, Affecting Design of ---------- 401.4
General, Factors Affecting Design ---------- 401.1
at Grade ---------- 400
Grade Separations ---------- 62.4
Left-turn Channelization ---------- 405.2
Major Movement, Preference to ---------- 403.1
Median Openings ---------- 405.5
Operational Features ---------- 402
Pedestrian, Affecting Design of ---------- 401.5
Points of Conflict ---------- 403.4
Precautions ---------- 403.12
Prohibited Turns ---------- 403.8
Public Road ---------- 405.7
Ramp ---------- 406
Refuge Area ---------- 403.7
Returns and Corner Radii, City Street ---------- 405.8
Right-turn Channelization ---------- 405.3
Sight Distance ---------- 405.1
Signal Control ---------- 403.9
Speed-change Areas ---------- 403.5
Traffic Control Devices ---------- 403.10
Traffic Islands ---------- 405.4
Turning Traffic ---------- 403.6
Undesirable Geometric Features ---------- 402.2
Vehicle, Affecting Design of ---------- 401.3
Widening at Signalized Intersections ---------- 405.9

INTERSTATE
Funding ---------- 42.2
Numbering ---------- 21.2

INUNDATE
Definition ---------- 806.2

INVERSE CONDEMNATION
---------- 62.6

INVERT
Definition ---------- 806.2
Paving, Definition ---------- 806.2
Paving ---------- 852.1
---------- 852.4
---------- 853.6
Protection ---------- 852.4
---------- 852.5

INVERTED SIPHON
Definition ---------- 806.2
---------- 829.7

IRRIGATION SYSTEM
Crossover Conduits ---------- 706.4

ISLAND
---------- 62.4
Traffic ---------- 405.4

ISOHYETAL
Line, Definition ---------- 806.2
Map, Definition ---------- 806.2

ISOVEL
Definition ---------- 806.2
---------- 874

ISTEA
---------- 41.1
---------- 42.2

J

JACK
Definition ---------- 806.2
---------- 874

JACKING OPERATIONS
Definition ---------- 806.2

JETTY
Definition ---------- 806.2
---------- 874
Types ---------- 873.4

JOINT
Longitudinal ---------- 62.7
Pavement ---------- 622.3
Seals ---------- 62.7

JOINT BANK PROTECTION COMMITTEE
---------- 802.3

JOINT PLAIN CONCRETE PAVEMENT
---------- 621.1
also see RIGID PAVEMENT

JOINTS
Culverts ---------- 829.4
---------- 854.1

JUNCTION STRUCTURES
---------- 838.5

K

KINEMATIC WAVE EQUATION
---------- 816.6

KIRPICH EQUATION
---------- 816.6

HDM PREVIOUS TO CHANGE DATED 05/07/12

K-RAIL
---------- 204.8

L

L-TYPE WALL
---------- 210.2

LAG
Definition ---------- 806.2

LAMINAR FLOW
Definition ---------- 806.2

LANDSCAPE
Aesthetic Factors ---------- 109.3
Architecture ---------- 62.5
---------- 900
Highway ---------- 62.5

LANE
Addition ---------- 206.2
Addition on Ramps ---------- 504.3
Auxiliary ---------- 62.1
---------- 504.5
Climbing ---------- 204.5
---------- 206.2
Deceleration ---------- 405.2
---------- 405.3
Definitions ---------- 62.1
Distribution Factors ---------- 602.3
Drops ---------- 206.3
Drops on Freeway-to-freeway Connectors ---------- 504.4
Drops on Ramps ---------- 504.3
Left Turn ---------- 405.2
Numbering ---------- 62.1
Passing ---------- 204.5
Reductions ---------- 206.3
Reduction at Interchanges ---------- 504.6
Right Turn ---------- 405.3
Separate Turning ---------- 403.6
Speed Change ---------- 403.5
Two-way Left-turn Lanes ---------- 405.2
Width ---------- 301.1
Width on Curves ---------- 504.3
Width of Opening for Falsework ---------- 204.8

LATERAL
Definition ---------- 806.2
---------- 838.4
---------- 838.5

LEAN CONCRETE BASE
See BASE
Definition ---------- 62.7
Engineering Criteria ---------- 663
Design, Flexible (Asphalt) Pavement ---------- 633.1
Design, Rigid (Concrete) Pavement ---------- 623.1

LEFT-TURN CHANNELIZATION
---------- 405.2

LEFT-TURN REFUGE
---------- 403.7

LEGISLATION
---------- 41
ISTEA ---------- 41.1

LEVEE
Definition ---------- 806.2

LEVEL OF SERVICE
---------- 62.8

LIFE-CYCLE COST ANALYSIS (LCCA)
---------- 619

LIME
Treatment Definition ---------- 614.4
Use of ---------- 633.1

LIME TREATED SUBBASE
see SUBBASE

LININGS
Channel ---------- 873.3

LOAD TRANSFER DEVICE
See DOWEL BAR

LOADING FACILITIES
Bus ---------- 108.2

LOCAL STREETS/ROADS
Cross Section ---------- 308.1
Definition ---------- 62.3
Design Speed ---------- 101.1
Driveways ---------- 205.3
Grade ---------- 204.1
Horizontal Alignment ---------- 203.1
Interchanges ---------- 502.2
Returns and Corner Radii ---------- 405.8
Superelevation ---------- 202.7

LOCKED GATES
---------- 701.2

LOG OF TEST BORINGS
---------- 210.8

M

MAINTAINABILITY
Pavement ---------- 618.1

MAINTENANCE
Definitions ---------- 62.7

HDM PREVIOUS TO CHANGE DATED 05/07/12

MAINTENANCE YARDS
On Freeways ---------- 107.2

MANDATORY MATERIAL SITES
Federal-aid Projects ---------- 111.6

MANDATORY STANDARDS
---------- 82.1

MANNING
Equation ---------- 864.3
Roughness Coefficient ---------- 851.2
---------- 864.3

MARKERS
---------- 702.1
Contrast Treatment ---------- 704.1

MATERIALS
Availability, Pavement ---------- 617.1
Color Selection for Steel Structures ---------- 705.2
Conservation of ---------- 110.11
Hauling, Overloaded Design ---------- 110.1
Information Furnished to Prospective Bidders --- 111.3
Plants ---------- 112
Recycling, Pavement ---------- 617.2
Report (see MATERIALS REPORT)
Sites ---------- 111
Sites, Acquisition ---------- 111.5
Sites, Arrangements ---------- 111.4
Sites, Environmental Requirements ---------- 111.1
Sites, Investigation of Local Sources ---------- 111.2
Sites, Mandatory ---------- 111.6
Special Treatment ---------- 705.1

MATERIALS REPORT
Content ---------- 114.3
Local Materials Sources ---------- 111.2
Policy ---------- 114.1
Preliminary ---------- 114.4
Requesting ---------- 114.2
Retention of Records ---------- 114.5
Reviews ---------- 114.5

MAXIMUM COMFORTABLE SPEED
Chart ---------- 202.2
Superelevation ---------- 202.2

MAY
Definition and Usage ---------- 82.1

MEAN VELOCITY
---------- 864.3

MECHANISTIC-EMPERICAL
---------- 606.3

MEDIAN
---------- 62.1
Aesthetic Factors ---------- 109.3
Barriers ---------- 305.3
Cross Slope ---------- 305.2
Curbs ---------- 305.4
Decking on Bridge ---------- 208.3
Fencing ---------- 701.2
Grade ---------- 834.2
Lane ---------- 62.1
Left-turn Lane ---------- 405.2
Openings ---------- 405.5
Paved ---------- 305.5
Position ---------- 303.5
Separate Roadways ---------- 305.6
Standards ---------- 305
Width ---------- 305.1

MERGING
Definition ---------- 62.8

METEOROLOGY
Evapo-transpiration ---------- 814.4
Rainfall ---------- 814.2
Snow ---------- 814.3
Tides and Waves ---------- 814.5
Tsunami ---------- 814.5

METERING
---------- 504.3
Definition ---------- 62.8
Freeway-to-Freeway Connections ---------- 504.4
Lane Merges ---------- 206.3
Ramp Lane Drops ---------- 504.3

MINIMUM TURNING RADIUS
Definition ---------- 62.4

MISCELLANEOUS STANDARDS
---------- 700
Fences ---------- 701
Guardrail ---------- 702
Mailboxes ---------- 702
Markers ---------- 702

MUD FLOW
Definition ---------- 806.2

MULTILANE CROSS SECTIONS
All Paved ---------- 307.5
Divided ---------- 307.4

MULTIPLE LANES
Definition ---------- 62.1

MULTIPLE PIPES
---------- 824.2

N

NATIONAL HIGHWAY SYSTEM
---------- 42.1

HDM PREVIOUS TO CHANGE DATED 05/07/12

NAVIGABLE WATERS
Definition ---------- 806.2

NEGATIVE PROJECTING CONDUIT
Definition ---------- 806.2

NOISE ABATEMENT
---------- 1100
By Others ---------- 1101.2
Objective ---------- 1101.2
Prioritizing ---------- 1101.5
Terminology ---------- 1101.3

NOISE BARRIERS
Aesthetics ---------- 1102.6
Alternate Designs ---------- 1102.5
Clearances ---------- 1102.2
Design Criteria ---------- 1102
Design Procedures ---------- 1102.5
Drainage Openings ---------- 1102.9
Emergency Access ----------1102.8
Heights ---------- 1102.3
Lengths ---------- 1102.4
Location ---------- 1102.2
Maintenance Considerations ---------- 1102.7
Pay Quantities ---------- 1102.5
Planting ---------- 1102.6
Preliminary Site Data ---------- 1102.5
Sight Distance Requirements ---------- 1102.2

NONFREEWAY FACILITIES
Conversion to Divided ---------- 108.1

NONMOTORIZED TRAFFIC
Provisions for ---------- 104.3

NORMAL DEPTH
Definition ---------- 806.2
---------- 864.2

O

OFFICE OF
State Landscape Architecture ---------- 901.1

OFF-SITE DRAINAGE
Definition ---------- 806.2

OFFTRACKING
---------- 404.1

ON-SITE DRAINAGE
Definition ---------- 806.2

OPEN CHANNEL
Alignment and Grade ---------- 862.2
Changes ---------- 865
Definition ---------- 806.2
Design Consideration ---------- 865.2
Discharge Computations ---------- 864.3
Flow Characteristics ---------- 864.2
Linings ---------- 873.3
Unlined ---------- 862.2

OUTER SEPARATION
Definition ---------- 62.1
---------- 310.2

OUTFALL
Definition ---------- 806.2
---------- 874

OUTWASH
Definition ---------- 806.2
---------- 874

OVERFLOW
Channel ---------- 861.5
Definition ---------- 874

OVERLAND FLOW
---------- 816.6

OVERLAYS
Asphalt On Structure Decks ---------- 607.6
Definitions ---------- 62.7

OVERLOADS
Design for ---------- 110.1

P

PAINTING
Concrete ---------- 705.1
Steel ---------- 705.2

PARALLEL STREET SYSTEMS
Interchanges ---------- 502.2

PARK AND RIDE LOTS
Pavement Structural Section Design ---------- 604.7

PARKWAY
Definition ---------- 62.3

PARTIAL ACQUISITION
Definition ---------- 62.6

PASSING LANE
---------- 204.5

PASSING SIGHT DISTANCE
---------- 201.2

PAVEMENT/PAVEMENT STRUCTURE
Capital Preventive Maintenance ---------- 603.3
Composite see COMPOSITE PAVEMENT
Condition Survey ---------- 603.8
Cross Slopes ---------- 301.2

HDM PREVIOUS TO CHANGE DATED 05/07/12

Definition ---------- 62.7
Design Life ---------- 612
Detours ---------- 603.6
Drainage, Impact of ---------- 651.1
Flexible see FLEXIBLE PAVEMENT
Joints ---------- 622.3
Layers ---------- 602
New ---------- 603.1
Performance see PAVEMENT SERVICE LIFE - 62.7
Portland Cement Concrete ---------- 603
Preservation ---------- 603.3
Reconstruction ---------- 603.5
---------- 602.2
Reductions ---------- 206.3
Rehabilitation, Pavement ---------- 603.3
Rehabilitation, Roadway ---------- 603.4
Rehabilitation, Definition ---------- 62.7
Rigid see RIGID PAVEMENT
Service Life, Definition ---------- 62.7
Structure ---------- 62.7
Temporary ---------- 603.6
Transitions ---------- 206
Transitions for Freeways, Temporary ---------- 206.4
Type Selection ---------- 611.2
Types of Projects ---------- 603
Widening ---------- 603.2
Width ---------- 301.1

PEAK FLOW

Definition ---------- 806.2
---------- 874
---------- 811.3

PEDESTRIAN FACILITIES

---------- 105
Accessibility Requirements ---------- 105.3
Bridges ---------- 208.4
Conventional Highways ---------- 105.1
Curb Ramps, Guidelines ---------- 105.4
Freeway Facilities ---------- 105.1
Frontage Roads ---------- 105.1
Grade Separations ---------- 105.2
Overcrossings ---------- 105.2
---------- 208.6
Railings ---------- 208.10
Refuge Areas ---------- 403.7
Replacement in Kind ---------- 105.1
School Walkways ---------- 105.1
Sidewalks ---------- 105.1
Sidewalks, Structures ---------- 208.4
Undercrossings ---------- 105.2
---------- 208.6

PENETRATION TREATMENT

---------- 604.6

PERCHED WATER

Definition ---------- 806.2
---------- 841.4

PERCOLATING WATERS

Definition ---------- 806.2

PERMEABILITY

---------- 606.2
---------- 841.2
Definition ---------- 806.2

PHYSICALLY DISABLED PERSONS

See ACCESSIBILITY REQUIREMENTS

PIPE

Alternative Pipe Culvert Selection Procedure
Using AltPipe ---------- 857.2
Cast in Place Concrete ---------- 852.2
Concrete Box and Arch, Strength Requirements -- 852.3
Corrugated Aluminum Pipe and Arch, Strength
Requirements ---------- 852.5
Corrugated Steel Pipe and Arch, Strength
Requirements ---------- 852.4
Culverts ---------- 828.2
---------- 828.3
Minimum Cover ---------- 856.5
Minimum Diameter ---------- 838.4
Multiple ---------- 824.2
Plastic, Strength Requirements ---------- 852.7
Protective Coatings ---------- 852.4
Reinforced Concrete, Strength Requirements ---- 852.1
Standards for Drain ---------- 838.4
Structural Metal Pipe and Arch, Strength
Requirements ---------- 852.6

PIPING

Definition ---------- 806.2
---------- 829.3

PLANT SITES/CONTRACTOR'S YARD

---------- 112

PLANTING

Aesthetic Factors ---------- 109.3
Design ---------- 902
Guidelines ---------- 902.3
Highway ---------- 62.5
Irrigation ---------- 902.4
Replacement ---------- 62.5
Restoration ---------- 62.5
Safety Requirements ---------- 902.2
Safety Roadside Rests ---------- 903.5
Sight Distance ---------- 902.2
Trees ---------- 902.3
Vista Points ---------- 904.3
Water Supply ---------- 706.5

PLASTIC COATINGS

---------- 852.4

POINT OF CONCENTRATION

Definition ---------- 806.2

POINTS OF CONFLICT

Intersections ---------- 403.4

HDM PREVIOUS TO CHANGE DATED 05/07/12

POLICE FACILITIES
---------- 107.2

POLLUTION CONTROL
Air ---------- 110.3
Water ---------- 110.2

PONDING
---------- 821.4

PORTLAND CEMENT CONCRETE
Channel Linings ---------- 872.2
Pavement see RIGID PAVEMENT

POSITIVE PROJECTING CONDUIT
Definition ---------- 806.2

POTAMOLOGY
Definition ---------- 806.2

PRECAST PANEL CONCRETE PAVEMENT
---------- 621.3
also see RIGID PAVEMENT

PRECIPITATION
Area, Definition ---------- 806.2
Definition ---------- 806.2
---------- 874
Mean Annual ---------- 819.2
Point, Definition ---------- 806.2

PRELIMINARY HYDRAULIC DATA
---------- 805.1

PRESENT WORTH
see ECONOMIC ANALYSIS

PRIORITY NETWORK
42 000 km ---------- 309.2

PRIVATE ROAD CONNECTIONS
---------- 205.2
Financial Responsibility ---------- 205.5
Sight Distance ---------- 405.1

PROCEDURAL REQUIREMENTS
---------- 82.4

PROGRAMS, FEDERAL-AID
Bridge Replacement and Rehabilitation Program -- 43.3
Congestion Mitigation and Air Quality Improvement Program (CMAQ) ---------- 43.2
Federal Lands Program ---------- 43.4
Special Programs ---------- 43.5
Surface Transportation Program (STP) ---------- 43.1

PROHIBITED TURNS
---------- 403.8

PROJECTING BARREL
---------- 826.3

PROJECTING ENDS
---------- 826.3

PROPRIETARY ITEMS
---------- 110.10
Earth Retaining Systems ---------- 210.2

PROTECTION OF ACCESS RIGHTS
---------- 104.4

PROTECTION OF WETLANDS
see WETLANDS

PROTECTIVE COATINGS
---------- 852.4

PUBLIC ROAD INTERSECTION
---------- 405.7
Sight Distance ---------- 405.1

PULL OUTS
see TURNOUTS

PUMPING
Definition ---------- 62.7

PUMPING PLANT
---------- 839.1

R

R-VALUE
see CALIFORNIA R-VALUE

RADIAL HIGHWAY
Definition ---------- 62.3

RADIUS
Curb ---------- 405.8
Horizontal Alignment ---------- 203.2

RAILINGS
Bicycle ---------- 208.10
Bridge ---------- 208.10
Bridge Approach ---------- 208.10
Chain Link ---------- 208.10
Earth Retaining Systems ---------- 210.6
Guardrail ---------- 208.10
---------- 702.1
Pedestrian ---------- 208.10
Vehicular ---------- 208.10

RAILROAD
Clearances ---------- 309.5
Crossings ---------- 104.3
Grade Line of Structures ---------- 204.8
Overheads ---------- 208.9
Slope Treatment, Structures ---------- 707
Underpasses ---------- 208.9

HDM PREVIOUS TO CHANGE DATED 05/07/12

RAINFALL
Definition ---------- 806.2
Sources of Data ---------- 815.3

RAIN GAGE
---------- 819.5

RAINWASH
Definition ---------- 806.2
---------- 874

RAMPS
Curbs on ---------- 504.3
Curb Ramps ---------- 105.4
Definition ---------- 62.4
Dikes ---------- 504.3
Distance Between Exits ---------- 504.3
Distance Between On-Ramps ---------- 504.3
Entrance and Exit ---------- 504.2
Grade ---------- 504.2
Grade Line ---------- 204.2
Grade, Standards ---------- 204.3
Hook ---------- 502.2
Intersection Capacity ---------- 406
Intersections on Crossroad, Location of ---------- 504.3
Lane Drops ---------- 504.3
Loop ---------- 504.3
Metering (see METERING) ----------
Pavement, Flexible ---------- 636.1
Pavement, Rigid ---------- 626.1
Pavement, Traffic Considerations ---------- 613.5
Pavement Transitions ---------- 206
Single Lane ---------- 504.3
Structural Design ---------- 602.3
---------- 603.5
---------- 604.5
Superelevation ---------- 504.3
Tapers ---------- 206.3
Termini, Flexible Pavement ---------- 636.1
Termini, Rigid Pavement ---------- 626.1
Transitions ---------- 504.3
Two-lane Entrance ---------- 504.3
Two-lane Exit ---------- 504.3
Widening for Trucks ---------- 504.3

RATIONAL METHOD
---------- 819.2

RAVELING
Definition ---------- 62.7

REACH
Definition ---------- 806.2
---------- 874

RECORD KEEPING
Documentation, Type of Pavement ---------- 605.1
Revisions ---------- 605.2

RECOVERY AREA
---------- 309.1

RECYCLING, ASPHALT CONCRETE
General ---------- 110.11
Hot, Definition ---------- 62.7

REFUGE AREAS
---------- 403.7

REGIME
Definition ---------- 806.2
---------- 874

REHABILITATION, CULVERTS
General ---------- 853.1
Caltrans Host Pipe Structural Philosophy ---------- 853.2
Problem Identification and Coordination ---------- 853.3
Alternative Pipe Liner Materials ---------- 853.4
Cementitious Pipe Lining ---------- 853.5
Invert Paving with Concrete ---------- 853.6
Structural Repairs with Steel Tunnel Liner Plate ---------- 853.7

REHABILITATION, PAVEMENT
Capital Preventive Maintenance, part of ---------- 603.3
Definitions ---------- 62.7
Design Life ---------- 612.4
Composite ---------- 645
Flexible Pavement ---------- 635
Rigid Pavement ---------- 625

REHABILITATION, ROADWAY
---------- 603.4
Definitions ---------- 62.7
Design Life ---------- 612.4
Composite Pavement ---------- 645
Flexible Pavement ---------- 635
Rigid Pavement ---------- 625

REINFORCED EARTH SLOPES
---------- 210

RELICTION
Definition ---------- 806.2

RELINQUISHMENT
Definition ---------- 62.6

REPLACEMENT IN-KIND
Sidewalks ---------- 105.1

REPLACEMENT PLANTING
Aesthetic Factors ---------- 109.3
Definition ---------- 62.5

RESEARCH/SPECIAL DESIGNS
Research, Experimentation ---------- 606.1
Special Designs ---------- 606. 2
Mechanistic-Empirical Design ---------- 606.3

HDM PREVIOUS TO CHANGE DATED 05/07/12

RESOURCES
Other, Pavement ---------- 604.2

RESTORATION PLANTING
Aesthetic Factors ---------- 109.3
Definition ---------- 62.5

RESURFACING
Definition ---------- 62.7
see PRESERVATION, PAVEMENT
see REHABILITATION, PAVEMENT
see REHABILITATION, ROADWAY

RETAINING WALLS
---------- 210
Aesthetic Considerations ---------- 210.5
Construction Methods and Types ---------- 210.2
Guidelines for Plan Preparation ---------- 210.8
Safety Railing, Fences, and Concrete Barriers --- 210.6

RETARD
Types ---------- 873.4

RETARDING BASIN
Definition ---------- 806.2

RETENTION BASIN
Definition ---------- 806.2

RETROGRESSION
Definition ---------- 806.2

RETURN WALLS
---------- 210.8

RETURNS, CITY STREET AND CORNER RADII
---------- 405.8

REVEGETATION
---------- 62.5
Aesthetic Factors ---------- 109.3

REVERSING CURVES
---------- 203.6
Superelevation Transitions ---------- 202.5

REVETMENT
Definition ---------- 806.2
---------- 874

RIGHT OF ACCESS
Definition ---------- 62.6

RIGHT OF WAY
Definitions ---------- 62.6
Through Public Domain ---------- 306.2
Width ---------- 306.1

RIGHT-TURN CHANNELIZATION
---------- 405.3

RIGID PAVEMENT
Catalog ---------- 623.1
Definition ---------- 62.7
Design Procedure for ---------- 623
Engineering Properties ---------- 622.1
Joints ---------- 622.5
New Construction ---------- 623
Mechanistic-Empirical Procedures ---------- 606.3
Pavement Preservation ---------- 624
Performance Factors ---------- 622.2
Reconstruction ---------- 623
Rehabilitation ---------- 625
Texturing ---------- 622.7
Types ---------- 621
also see CONCRETE

RIPARIAN
Definition ---------- 806.2
---------- 874

RIPRAP
Definition ---------- 806.2
---------- 874
---------- 827.2
---------- 873.3

RISER
Culvert Entrance ---------- 822.2
Definition ---------- 806.2

RISK ANALYSIS
Definition ---------- 806.2
---------- 818.2

ROADBED
Definition ---------- 62.1
---------- 62.7

ROADSIDE INSTALLATIONS
---------- 107
Border Inspection Stations, Location of ---------- 107.3
Define Roadside ---------- 62.1
Maintenance Yards and Police Facilities ---------- 107.2
Roadway Connections ---------- 107.1

ROADSIDE RESTS, SAFETY
Definition ---------- 62.5
Design Standards ---------- 903
Facilities and Features ---------- 903.5
Fencing ---------- 903.5
Grading ---------- 903.5
Minimum Standards ---------- 903.1
Pavement Design ---------- 613.5
Pavement, Flexible ---------- 636.4
Pavement, Rigid ---------- 626.4
Planting and Irrigation ---------- 903.5
Site Feasibility ---------- 903.4
Size and Capacity ---------- 903.5
Water Supply ---------- 110.2
---------- 706.6
---------- 903.5

HDM PREVIOUS TO CHANGE DATED 05/07/12

ROADSIDE TREATMENT
Irrigation Crossover Conduits ---------- 706.4
Roadside Management ---------- 706.1
Topsoil ---------- 706.3
Vegetation Control ---------- 706.2
Water Supply ---------- 706.5

ROADWAY
Connections ---------- 107.1
Definition ---------- 62.1
Drainage ---------- 830
Structural Elements ---------- 601.2

ROCKFALL RESTRAINING NETS
---------- 703.2

ROUNDED INLET
Definition ---------- 806.2

ROUNDED LIP
---------- 826.3

RRR CRITERIA
Design Period ---------- 103.2
Left-Turn Lanes ---------- 405.2
Multi lane Cross Section ---------- 307.6
Pavement Design Life ---------- 612.5
Two-lane Cross Section ---------- 307.3

RUNNING
Speed ---------- 62.8
Time ---------- 62.8

RUNOFF
---------- 816
Drainage, Definition ---------- 806.2
Factors Affecting ---------- 811.5
Superelevation Transition ---------- 202.5

RURAL AND SINGLE INTERSTATE ROUTING
---------- 309.2

RUTTING
Definition ---------- 62.7

S

SAFETY
Planting ---------- 902.2
Planting and Irrigation ---------- 902.1
Railings on Walls ---------- 210.5
Reviews ---------- 110.8
Roadside Rests ---------- 903
Tunnel Safety Orders ---------- 110.12
Worker ---------- 110.7
Worker, Falsework Clearance ---------- 204.8

SAFETY ROADSIDE RESTS
Definition ---------- 62.5
Design Standards ---------- 903
Facilities and Features ---------- 903.5
Fencing ---------- 903.5
Grading ---------- 903.5
Minimum Standards ---------- 903.1
Planting and Irrigation ---------- 903.5
Sewage Facilities ---------- 903.5
Site Feasibility ---------- 903.4
Size and Capacity ---------- 903.5
Water Supply ---------- 706.6
Water Supply ---------- 903.5

SAG CULVERT
Definition ---------- 806.2
---------- 829.7

SCENIC
Highway ---------- 62.3
Values ---------- 109
Values, Safety Roadside Rests ---------- 903.4

SCENIC VALUES IN PLANNING AND DESIGN
---------- 109
Aesthetic Factors ---------- 109.3
Basic Precepts ---------- 109.1
Design Speed ---------- 109.2

SCHOOL PEDESTRIAN WALKWAYS
---------- 105.1

SCOUR
Definition ---------- 806.2
---------- 874
---------- 827.2

SEAL
Fog ---------- 604.6
Slurry ---------- 603.2

SEDIMENTATION
Definition ---------- 806.2
---------- 874
---------- 823.2
---------- 862.2
---------- 865.2

SEPARATE ROADWAY
---------- 305.6

SERVICEABILITY
Definition ---------- 62.7

SETTLEMENT
Definition ---------- 62.7
Structure Approach ---------- 208.11

SEVERANCE DAMAGES
---------- 62.6

SHALL
Definition and Usage ---------- 82.1

HDM PREVIOUS TO CHANGE DATED 05/07/12

SHEET FLOW
Definition ---------- 806.2

SHOALING
Definition ---------- 806.2

SHOULD
Definition and Usage ---------- 82.1

SHOULDER
Cross Slope ---------- 302.2
Definition ---------- 62.1
Pavement, Flexible ---------- 636.2
Pavement, Rigid ---------- 626.2
Standards, Geometric ---------- 302
Standards, Pavement ---------- 613.5
Superelevation Transitions ---------- 202.5
Transitions (Widen, Reduction) ---------- 206
Width ---------- 302.1
Width, Right Turn Channelization ---------- 405.3
Width, Two-lane Roads, New Construction ------ 307.2

SIDE GUTTERS/DITCHES
---------- 834.3

SIDE SLOPES
---------- 304
Benches and Cut Widening ---------- 304.3
Clearance to Right of Way Line ---------- 304.2
Contour Grading and Slope Rounding ---------- 304.4
Standards ---------- 304.1
Stepped ---------- 304.5
Structures ---------- 208.5
Transition Slopes ---------- 304.1
Widening ---------- 304.3

SIDEWALKS
See PEDESTRIAN FACILITIES

SIGHT DISTANCE
Clear Distance (m) ---------- 201.6
Corner ---------- 405.1
Decision ---------- 201.7
Decision at Intersections ---------- 405.1
Exit Nose ---------- 504.2
General ---------- 201.1
Headlight, at Grade Sags ---------- 201.5
Intersection ---------- 405.1
Passing ---------- 201.2
Planting ---------- 902.2
Ramp Intersections ---------- 504.3
Standards ---------- 201.1
Stopping ---------- 201.3
Stopping at Grade Crests ---------- 201.4
Stopping at Grade Sags ---------- 201.5
Stopping on Horizontal Curves ---------- 201.6
Stopping at Intersections ---------- 405.1

SIGNAL CONTROL
---------- 403.9

SIGNALIZED INTERSECTION
Widening ---------- 405.9

SIGNS
Vertical Clearance ---------- 309.2

SILT
Definition ---------- 806.2
---------- 874

SILTATION
---------- 110.2

SIPHONS
---------- 829.7

SKEW
Angle ---------- 62.4
Angle of Intersection ---------- 403.3
Definition (Hydraulic) ---------- 806.2

SLIDE
Definition ---------- 806.2
---------- 874

SLIPOUT
Definition ---------- 806.2
---------- 874

SLOPE
Aesthetic Factors ---------- 109.3
Cross ---------- 301.2
Crown ---------- 301.2
Definition (Hydraulic) ---------- 806.2
---------- 874
Paving ---------- 873.3
Protection ---------- 873.3
Shoulder Cross Slopes ---------- 302.2
Side ---------- 304
Side, Benches and Cut Widening ---------- 304.3
Standards, Side Slopes ---------- 304.1
Treatment Under Structures ---------- 707

SLOPE TREATMENT UNDER STRUCTURES
---------- 707
Guidelines ---------- 707.2
Policy ---------- 707.1
Procedure ---------- 707.3

SLOTTED DRAINS
---------- 837.2

SLOUGH
Definition ---------- 806.2
---------- 874

SLUG FLOW
Definition ---------- 806.2

HDM PREVIOUS TO CHANGE DATED 05/07/12

SNOW PACK
---------- 812.8
---------- 814.3

SOFFIT
Definition ---------- 806.2

SOIL
Characteristics for Pavements ---------- 614.1
Topsoil ---------- 706.3
Unified Soil Classification System ---------- 614.2

SPACING
Drainage Pipes ---------- 824.2
Vehicle ---------- 62.8

SPECIAL CONSIDERATIONS
---------- 110
Air Pollution, Control of ---------- 110.3
Control of Noxious Weeds ---------- 110.5
Earthquake Consideration ---------- 110.6
Overloaded Material Hauling, Design for ---------- 110.1
Safety Reviews ---------- 110.8
Traffic Control Plans ---------- 110.7
Water Pollution, Control of ---------- 110.2
Wetlands Protection ---------- 110.4

SPECIAL DESIGNS
See RESEARCH/SPECIAL DESIGNS

SPECIAL STRUCTURES AND INSTALLATION
---------- 703

SPECIFIC ENERGY
Definition ---------- 806.2
---------- 864.3

SPEED, COMFORTABLE
Superelevation ---------- 202.2

SPEED, DESIGN
see DESIGN SPEED

SPEED, RUNNING
Definition ---------- 62.8

SPEED-CHANGE LANES
---------- 62.1
Intersections ---------- 403.5
Left-turn Channelization ---------- 405.2
Pavement Transitions ---------- 206
Right-turn Channelization ---------- 405.3

SPILLWAY
Paved ---------- 834.4

SPIRAL TRANSITIONS
---------- 203.8

STABILIZATION TRENCHES
---------- 841.5

STAGE
Definition ---------- 806.2

STAGE CONSTRUCTION
---------- 106.1
Freeway Connections with Local Roads ---------- 106.2

STANDARDS
---------- 80
Advisory ---------- 82.1
Approval for Nonstandard Design ---------- 82.2
FHWA and AASHTO ---------- 82.3
Mandatory ---------- 82.1
Permissive ---------- 82.1

STATE HIGHWAY, CROSS SECTIONS
---------- 307
also see CROSS SECTIONS

STEEL STRUCTURES
Colors ---------- 705.2

STEPPED SLOPES
---------- 304.5

STOPPING SIGHT DISTANCE
see SIGHT DISTANCE

STORAGE
---------- 838.4
Basin, Definition ---------- 806.2
Definition ---------- 806.2
---------- 874
Depression ---------- 819.2
Detention ---------- 812.6
Interception ---------- 812.6
Left-turns ---------- 405.2
Retention, Definition ---------- 806.2
Right-turns ---------- 405.3

STORM
Definition ---------- 806.2
---------- 874
Design, Establishing ---------- 818.2
Design, Recommended Criteria ---------- 821.2
Drain, Definition ---------- 806.2

STP
see SURFACE TRANSPORTATION PROGRAM

STREAM WATERS
Definition ---------- 806.2
---------- 874

STREETS
Definitions ---------- 62.3

STRUCTURAL PLATE
Arches ---------- 852.6
Vehicular Underpasses ---------- 852.6

HDM PREVIOUS TO CHANGE DATED 05/07/12

STRUCTURAL SECTION
see PAVEMENT STRUCTURE

STRUCTURE APPROACH
Design Responsibilities ---------- 601.3
Foundation: Embankment Design ---------- 208.11
Pavement Systems ---------- 672
Slab-New Construction Projects ---------- 208.11
Slab-Rehabilitation Projects ---------- 673

STRUCTURE CLEARANCE
---------- 309
Elevated Structures ---------- 309.4
Horizontal ---------- 309.1
Railroad ---------- 309.5
Tunnel ---------- 309.3
Vertical ---------- 309.2

STRUCTURES, SLOPE TREATMENT UNDER
See SLOPE TREATMENT

STRUTTING
Definition ---------- 806.2

SUBBASE
Definition ---------- 62.7
Description ---------- 602.1
Engineering Criteria ---------- 663
Lime Treated ---------- 662.2
Treated ---------- 662.2

SUBCRITICAL FLOW
Definition ---------- 806.2
---------- 864.3

SUBDRAIN
Definition ---------- 806.2
---------- 841.5

SUBGRADE
---------- 614
Definition ---------- 62.7
Description ---------- 602.1
Engineering Considerations ---------- 614.1
Enhancement Fabrics ---------- 614.5

SUBSEAL
---------- 607.6

SUBSURFACE DRAINAGE
---------- 840

SUMP
Definition ---------- 806.2
---------- 831.3

SUPERCRITICAL FLOW
Definition ---------- 806.2
---------- 864.3

SUPERELEVATION
Axis of Rotation ---------- 202.4
Basic Criteria ---------- 202.1
Bridge ---------- 203.9
Channels ---------- 866.2
City Streets and County Roads ---------- 202.7
Comfortable Speeds ---------- 202.2
Compound Curves ---------- 202.6
Ramps ---------- 504.3
Relationship to Speed on Curves ---------- 203.2
Reversing Curves ---------- 203.6
Runoff ---------- 202.5
Standards ---------- 202.2
Transition ---------- 202.5

SURFACE
Course, Definition ---------- 62.7
Course, Description ---------- 602.1
Runoff, Definition ---------- 806.2
Water, Definition ---------- 806.2
Water ---------- 831.1

SURFACE TRANSPORTATION PROGRAM
---------- 43.1

SWALE
Definition ---------- 806.2

T

TAPERED INLET
Definition ---------- 806.2
---------- 826.4

TEXTURING
Rigid Pavement ---------- 622.7

THREE-CENTER CURVE
Intersections ---------- 405.7

TIME OF CONCENTRATION
Channel Flow ---------- 816.6
Combined Flow ---------- 816.6
Culvert Flow ---------- 816.6
Kinematic Wave Equation ---------- 816.6
Kirpich Equation ---------- 816.6
Overland Equation ---------- 816.6
Soil Conservation Service (SCS) Equation ------- 816.6
Upland Method ---------- 816.6

TOLL ROAD, BRIDGE OR TUNNEL
---------- 62.3

TOPSOIL
Roadside Treatment ---------- 706.3

TRAFFIC
Axle Load Spectra ---------- 613.4
Considerations in Pavement Engineering --------- 613
Control Devices ---------- 62.8
Control Devices ---------- 403.10
Control Plans, Special Problems ---------- 110.7

HDM PREVIOUS TO CHANGE DATED 05/07/12

Definitions ---------- 62.8
Index, TI ---------- 613.3
Interchanges ---------- 500
Islands ---------- 405.4
Lane ---------- 62.1
Markings ---------- 62.8
Noise Abatement ---------- 1100
Ramp Intersection Flow ---------- 406
Sign ---------- 62.8
Signals ---------- 62.8
Specific Loading Considerations ---------- 613.5
Volume Projections ---------- 613.2
Volumes ---------- 102.1

TRAILS
Multipurpose ---------- 1003.5

TRANSITIONS
General Standards, Pavement ---------- 206.1
Lane Additions ---------- 206.2
Lane Drops ---------- 206.3
Pavement ---------- 206
Spiral ---------- 203.8
Superelevation ---------- 202.5
Temporary Freeway ---------- 206.4

TRANSPIRATION
---------- 812.8
---------- 819.2

TRASH RACK
Definition ---------- 806.2
---------- 822.2

TRAVELED WAY
---------- 62.1
Standards ---------- 301

TREATED BASE AND SUBBASE
---------- 662.2

TREATED PERMEABLE BASE AND SUBBASE
---------- 662.3

TREES
Conventional Highways ---------- 902.3
Freeways and Expressways ---------- 902.2

TRUCK
Critical Lengths of Grade ---------- 204.5
Design Vehicle ---------- 404.3
Escape Ramps ---------- 702.1
Turning Templates ---------- 404.5
Turns ---------- 404.5
Weighing Facilities ---------- 703.1

TRUMPET INTERCHANGE
---------- 502.2

TRUNK LINE
Definition ---------- 806.2
---------- 838.4

TUNNEL
Classification ---------- 110.12
Clearances ---------- 309.3
Liner Plate ---------- 852.6
Projects ---------- 110.12
Structural Repairs with Steel Tunnel Liner Plate ---------- 853.7

TURBULENCE
Definition ---------- 806.2
---------- 874

TURBULENT FLOW
Definition ---------- 806.2

TURNING LANES
Left-turn Channelization ---------- 405.2
Right-turn Channelization ---------- 405.3
Separate ---------- 62.1
Traffic ---------- 403.6
Two-way Left-turn ---------- 405.2

TURNING RADIUS
Minimum ---------- 62.4

TURNING TEMPLATES
---------- 404.3
Truck and Bus ---------- 407

TURNOUTS
---------- 204.5

TURNS, PROHIBITED
Intersections ---------- 403.8

TWO-LANE CROSS SECTIONS
New Construction ---------- 307.2
RRR Projects ---------- 307.3

TWO-QUADRANT CLOVERLEAF INTERCHANGE
---------- 502.2

TWO-WAY LEFT-TURN LANES
---------- 405.2

U

UNDERCUT
Definition ---------- 806.2
---------- 874
---------- 865.2

UNDERDRAINS
Design Criteria ---------- 842.4
Installations ---------- 842.2
Open Joint ---------- 842.5
Perforated Pipe ---------- 842.5

HDM PREVIOUS TO CHANGE DATED 05/07/12

Pipe ---------- 842.5
Selection of Type ---------- 842.7
Service Life ---------- 842.6

UNDERFLOW
Definition ---------- 806.2

UNDERPASS
Railroad, Grade Line ---------- 204.8
Railroad ---------- 208.9

UNDIVIDED HIGHWAYS
Axis of Rotation ---------- 202.4
Grade Line ---------- 204.2

UNTREATED GRANULAR BASE
see BASE

UTILITIES
at Walls ---------- 210.8

V

VALUE ANALYSIS
---------- 110.9

VEGETATIVE EROSION CONTROL
---------- 62.5

VELOCITY HEAD
Definition ---------- 806.2
---------- 864.3

VERTICAL CLEARANCE
see CLEARANCES

VERTICAL CURVES
---------- 204.4
also see SIGHT DISTANCE

VISTA POINTS
---------- 62.5
Aesthetic Factors ---------- 109.3
Design Standards ---------- 904
Features and Facilities ---------- 904.3
General ---------- 904.1
Minimum Standards ---------- 904.1
Site Selection ---------- 904.2
Water Supply ---------- 706.6

VOLUME
---------- 62.8
Design Hourly Volume ---------- 103.1
Design Volume ---------- 62.8

W

WALKWAYS
see PEDESTRIAN FACILITIES

WALLS
Head ---------- 826.3

WALLS, RETAINING
see EARTH RETAINING SYSTEMS

WATER
Course, Definition ---------- 806.2
Definition ---------- 874
Pollution, Control of ---------- 110.2
Quality Control Boards ---------- 110.2
Shed ---------- 819.2
Table, Definition ---------- 806.2
Way, Definition ---------- 806.2
---------- 874
Wells, Abandonment ---------- 110.2

WATER SUPPLY
Roadside Rests ---------- 903.5
Roadside Rests and Landscaping ---------- 706.6
Vista Points ---------- 706.6

WAVE
Height ---------- 873.2
Run-up ---------- 873.2

WEAVING
---------- 62.8
Sections ---------- 62.4
Sections, Interchange ---------- 504.7

WEED CONTROL
Noxious, Control of ---------- 110.5

WEEPHOLES
Definition ---------- 806.2
---------- 874
---------- 872.2

WEIGHING FACILITIES
Truck ---------- 703.1

WEIR
Definition ---------- 806.2

WELLS
---------- 841.5
Water, Abandonment ---------- 110.2

WETLANDS PROTECTION
---------- 110.4

WHEELCHAIR RAMPS
see CURB RAMPS

WIDENING
Pavement ---------- 206.2
Ramps, for Trucks ---------- 504.3
Pavement Design Life ---------- 612.3
Pavement, Project Type ---------- 603.2
Signalized Intersections ---------- 405.9

HDM PREVIOUS TO CHANGE DATED 05/07/12

Slope Benches and Cut Widening ---------- 304.3

WIDTH

Driveway, Access Openings on Expressways ---- 205.1
Driveway, Urban ---------- 205.3
Lane ---------- 301.1
Lane, on Curves ---------- 504.3
Left Turn Lanes ---------- 405.2
Median ---------- 305.1
Opening for Falsework ---------- 204.8
Pavement ---------- 301.1
Right of Way ---------- 306
Shoulder ---------- 302.1
Structures ---------- 208.1

Y

YARDS

Maintenance ---------- 107.2
Plant Sites, Contractors ---------- 112

HDM PREVIOUS TO
CHANGE DATED 05/07/12