

Memorandum

*Serious drought.
Help Save Water!*

To: RICK GUEVEL
CHIEF
Office of SHOPP Management

Date: July 14, 2014

File: SHOPP Amendments
14H-162

From: DEPARTMENT OF TRANSPORTATION
Division of Transportation Programming
MS-82

Subject: **AMENDMENTS TO THE 2014 SHOPP**

RECOMMENDATION

I recommend that the following 2014 SHOPP Amendments be approved:

SHOPP Amendment **14H-162**

Amends the 2014 State Highway Operation and Protection Program by incorporating project cost, scope, schedule and technical changes as shown in the Attachment.

Approved:

Original Signed By

DONNA M. BERRY

SHOPP Statewide Development

Original Signed By

RICK GUEVEL

Chief

Office of SHOPP Management

Attachment

cc: DISTRICT DIRECTORS (4 & 11)

2014 SHOPP Amendment 14H-162
Cost, Scope, Schedule and Technical Changes
Includes Federal Emergency Relief Funds
(\$ Thousands)

Dist	County	Route	Post Miles	Location/Description	PPNO	EA	EFIS#	Prog	RW	Const	FY	Support			Comments
04	Alameda	84	16.5 18.4	In Sunol, at Tyler Ranch north of 2nd Street and Railroad Avenue In Hayward, 1.7 miles northeast of A Street undercrossing. Required environmental mitigation for EFIS 04 0000 0455, PPNO 0086Z.	0085Q	17244 17245	0400001104 0413000371	201.010	1,585 700	1,825 990	14/15	PA&ED PS&E RW CONST	460 749 180 617	230 394 90 330	Split into PPNO 0085S per approved PCR.
04	Alameda	84	16.7	In Hayward, 2.8 miles southeast of Route 92 separation. Required environmental mitigation for EFIS 04 0000 0455, PPNO 0086Z.	0085S	17246	0413000372	201.010	885	835	14/15	PA&ED PS&E RW CONST	-	230 355 90 287	Split from PPNO 0085Q per approved PCR.
04	Napa	29	47.0/47.2	Near Calistoga, at Troutdale Creek Bridge #21-0004. Plant establishment.	0382E	4A09A	0415000012	201.111	5	100	15/16	PA&ED PS&E RW CONST	-	0 90 5 80	Split from PPNO 0382D per approved PCR.
04	Napa	29	VAR	In St. Helena, at various locations, from 0.1 mile south of Route 29/Washington Street intersection to Route 29/ Heitz Way intersection. Plant establishment.	0378F	2594A	0412000642	201.120	20	850	15/16	PA&ED PS&E RW CONST	-	0 205 40 130	Split from PPNO 0378C per approved PCR.
04	Santa Clara	152	16.2/19.5	Near Gilroy, from Old Lake Road to San Felipe Road on Canada Road, 5.2 mile east of Route 152/Canada Road interchange. Planting and environmental mitigation.	0485U	2A441	0412000581	201.010	1,000	1,486	15/16	PA&ED PS&E RW CONST	0 600 350 395	0 600 350 395	Technical correction in the Location / Description per approved PCR

2014 SHOPP Amendment 14H-162
 Cost, Scope, Schedule and Technical Changes
 Includes Federal Emergency Relief Funds
 (\$ Thousands)

Dist	County	Route	Post Miles	Location/Description	PPNO	EA	EFIS#	Prog	RW	Const	FY	Support			Comments
												PA&ED	PS&E	CONST	
04	Santa Clara	130	5.6/6.0	In Saratoga, north of Booker Creek Road. Construct segmented pile wall.	0500C	2G990	0412002042 0412000012	201.131	100	1,627	15/16	PA&ED PS&E RW CONST	400 550 150 486	400 550 150 486	Technical correction on EFIS number per approved PCR.
11	San Diego	94	Var	In San Diego County, on Routes 94, 125, and 805 at various locations. Seismic retrofit 7 bridges and bridge rail upgrade.	1053	29920	1100000422	201.113	79	8,944	14/15	PA&ED PS&E RW Const	0 1,707 14 1,479	0 1,707 14 1,271	Update cost per approved PCR.