


STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION
Caltrans
 DESIGN OVERSIGHT
 BEHZAD GOLEMOHAMMADI
 CALCULATED/DESIGNED BY
 CHECKED BY
 REVISIONS



| DIST | COUNTY | ROUTE | KILOMETER TOTAL PROJECT | POST PROJECT | SHEET No | TOTAL SHEETS |
|------|--------|-------|-------------------------|--------------|----------|--------------|
| 04 | SF | 80 | 13.2/13.9 | | 118R1 | 1204 |

REGISTERED ELECTRICAL ENGINEER
 JENS ERLINGSSON
 No. 8249
 Exp. 9/30/06
 ELECTRICAL
 STATE OF CALIFORNIA

12/19/02
 REGISTERED PROFESSIONAL ENGINEER DATE

12-6-04
 PLANS APPROVAL DATE

PB POWER, Inc.
 A Parsons Brinckerhoff Company
 303 Second St., Suite 700N
 San Francisco, CA 94107-1317

The State of California or its officers or agents shall not be responsible for the accuracy or completeness of electronic copies of this plan sheet.

Caltrans now has a web site! To get to the web site, go to <http://www.dot.ca.gov>

SHEET NOTES:

- 1 Conduit from barrier pullbox or other equipment down into Girder, See sheet E-97.
- 2 For conduit to Suspend Lighting, See sheet E-227. Typ for all PB-LTG located on the north side of the roadway.
- 3 Contractor shall furnish and install UP-105 per sheet E-72. For complete scope of work on platform and other related work not shown on this sheet, see Electrical Special Provisions.
- 4 See sheet E-67 for pylon floodlight conduit location.
- 5 Type PB-1C junction box is used on suspender brackets.
- 6 Roadway Barrier Receptacle, see Detail 1, sheet E-68.

NOTES:

1. References:
 - For typical details and locations of conduit connections to light poles, barrier outlet boxes, call boxes, overhead sign lighting, CCTV and MVDS, see sheets E-67, E-68 and E-68.
 - TOS equipment is shown for conduit routing only. For typical details of TOS controller and devices, see sheets E-344 through E-357.
 - For types of pullboxes, splice boxes and enclosures, see sheet E-83.
 - For circuit and conduit/cable tray schedules, see sheets starting at E-401.
2. For Roadway Call Boxes, refer to sheet E-396.
3. For Roadway Level Lighting Pole Schedule, see sheet E-82.
4. For Roadway Level Call Box Schedule, see sheet E-397.
5. For number of lighting fixtures (main tower lights), see lighting schedule sheets E-271 and E-272.



| | | | | | |
|---|----------|--------------------------|----|------|------|
| REQUEST FOR INFORMATION NOT ADDRESSED IN THIS CCO REMAIN IN FORCE | | | | | |
| 1 | 02/19/08 | ELECTRICAL MODIFICATIONS | MP | RR | 42 |
| MARK | DATE | DESCRIPTIONS | BY | CH'D | CCO# |
| REVISIONS | | | | | |

CONTRACT CHANGE ORDER NO. _____
 SHEET _____ OF _____

CONDUIT PLAN

SAS SUPERSTRUCTURE ROADWAY WESTBOUND LIGHTING AND ELECTRICAL SYSTEMS

SCALE 1:200

FOR REVISION ONLY
 THIS PLAN IS ACCURATE FOR ELECTRICAL WORK ONLY.

FOR REDUCED PLANS ORIGINAL SCALE IS IN MILLIMETERS

DGN FILE => T:\13103\MS\pse\SAS Struc\CCO\SAS CC042\04-0120F1_018R01.dgn
 USERNAME => Hlorico
 CU 04251

EA 0120F1

DATE PLOTTED => 3/17/2008
 TIME PLOTTED => 3:52:55 PM
 LAST REVISION => 00-00-00