




STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION  
**Caltrans**  
 DESIGN OVERSIGHT  
 BEHZAD GOLEMOHAMMADI





DIST	COUNTY	ROUTE	KILOMETER TOTAL PROJECT	POST TOTAL PROJECT	SHEET No	TOTAL SHEETS
04	SF	80	13.2/13.9		210 R2	1204

*Jens Erlingsson* 12/19/02  
 REGISTERED ELECTRICAL ENGINEER DATE  
 12-6-04  
 PLANS APPROVAL DATE  
 PB POWER, Inc.  
 A Parsons Brinckerhoff Company  
 303 Second St., Suite 700N  
 San Francisco, CA 94107-1317  
 The State of California or its officers or agents shall not be responsible for the accuracy or completeness of electronic copies of this plan sheet.  
 Caltrans now has a web site! To get to the web site, go to <http://www.dot.ca.gov>



- SHEET NOTES:**
- 1 PB-1E and conduit support, mounting details see sheet E-165A.
  - 2 41C, continued to the next PB-1E mounted along side of Bike Path deck.
  - 3 For bike path light detail, see sheet E-172.
  - 4 Weld connectors for conduit support under bike path.
  - 5 Field locate support for metal-clad cable.
  - 6 For connection and mounting details of call box on railings, refer to structural railing details.
  - 7 41C flex to Roadway concrete barrier PB-LTG.
  - 8 41C flex to Roadway concrete barrier PB-COM.
  - 9 Provide reducer as required.
  - 10 For connection and mounting details, see sheet E-172. Metal clad cable is supplied and part of Bike Path lighting assembly. Cable is shown solid for detail clarity only.
  - 11 For details of Belvedere, see sheet E-173.
  - 12 Weld connectors for conduit support under Bike Path. Field to locate support for conduit as required.
  - 13 For call box mounting detail and connection, see sheet E-160B.

- NOTES:**
- 1. All exposed conduits and fittings installed between the roadway and the bike path shall be PVC coated galvanized steel.
  - 2. See sheets E-135 through E-140 for SAS Superstructure Roadway Plans.



REQUEST FOR INFORMATION NOT ADDRESSED IN THIS CCO REMAIN IN FORCE

MARK	DATE	DESCRIPTIONS	BY	CH'D	CCO#
2	03/04/08	BARRIER MODIFICATIONS	JS BM	RG SE	44
1	02/19/08	ELECTRICAL MODIFICATIONS	MP EL	RR	42


CONTRACT CHANGE ORDER NO. \_\_\_\_\_  
 SHEET \_\_\_\_\_ OF \_\_\_\_\_



*Manuel Fumio Tzuc*  
 FOR REVISION ONLY

THIS PLAN IS ACCURATE FOR ELECTRICAL WORK ONLY.

ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SHOWN.



DGN FILE => \13103\MSpse\SAS Struc\CCO\SAS CC044\04-0120f1\_02\0R02.dgn  
 USERNAME => llorico  
 CU 04251

EA 0120F1

DATE PLOTTED => 3/4/2008  
 TIME PLOTTED => 9:26:10 AM  
 LAST REVISION 00-00-00