





STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION
Caltrans



DIST	COUNTY	ROUTE	KILOMETER TOTAL PROJECT	POST TOTAL PROJECT	SHEET No	TOTAL SHEETS
04	SF	80	13.2/13.9		133R3	1204

REGISTERED ELECTRICAL ENGINEER DATE: 12/19/02
 JENS ERLINGSSON No. 8249
 Exp. 9/30/06
 STATE OF CALIFORNIA

12-6-04
 PLANS APPROVAL DATE
 PB POWER, Inc.
 A Parsons Brinckerhoff Company
 303 Second St., Suite 700N
 San Francisco, CA 94107-1317

The State of California or its officers or agents shall not be responsible for the accuracy or completeness of electronic copies of this plan sheet.
 Caltrans now has a web site! To get to the web site, go to <http://www.dot.ca.gov>

SHEET NOTES:

- ① Bond grounding bushing to ground lug of lighting pole or overhead sign post with #6 bare copper wire.
- ② Deleted
- ③ See Utility Detail No. 1 (Sheet No. 965 of 1204) for conduit penetration through girder plate and lighting pole metal base. The Contractor shall install sealant between the sleeve and conduit to prevent water or moisture from passing inside the sleeve.
- ④ Ensure that the maximum of three conduits passing through the 150 mm ϕ pedestal plate opening are separated as much as possible from each other.

NOTES:

1. References:
- For installation and typical details of TOS equipment, see sheets E-344 thru E-357.
 - For pull box schedule, see sheet E-83.
 - For TOS field element locations, see sheet E-341.



REQUEST FOR INFORMATION NOT ADDRESSED IN THIS CCO REMAIN IN FORCE

MARK	DATE	DESCRIPTIONS	BY	CH'D	CCO#
③	03/04/08	BARRIER MODIFICATIONS	JS BM	RG SE	44
②	02/19/08	ELECTRICAL MODIFICATIONS	MP EL RG	RR	42
①	10/16/06	REVISED SHEET NOTES	LR	MG	11

CONTRACT CHANGE ORDER NO. _____
 SHEET _____ OF _____

DETAIL 1

(TYPICAL ROADWAY BARRIER RECEPTACLE LOCATION)
 SCALE: 1:10

DETAILS

SAS SUPERSTRUCTURE ROADWAY WESTBOUND CONDUIT LOCATIONS

SCALE AS NOTED

DATE PLOTTED => 4/18/2008
 TIME PLOTTED => 1:53:22 PM
 00-00-00