



STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION  
**Caltrans**  
 DESIGN OVERSIGHT  
 BEHZAD GOLEMOHAMMADI



DIST	COUNTY	ROUTE	KILOMETER TOTAL PROJECT	POST PROJECT	SHEET No	TOTAL SHEETS
04	SF	80	13.2/13.9		207 R1	1204

12/19/02  
 REGISTERED ELECTRICAL ENGINEER DATE  
 12-6-04  
 PLANS APPROVAL DATE  
 PB POWER, Inc.  
 A Parsons Brinckerhoff Company  
 303 Second St., Suite 700N  
 San Francisco, CA 94107-1317  
 The State of California or its officers or agents shall not be responsible for the accuracy or completeness of electronic copies of this plan sheet.  
 Caltrans now has a web site! To get to the web site, go to <http://www.dot.ca.gov>



**NOTES:**

- References:
  - For pull box schedule, see Sheet E-169.
  - For light pole schedule, see Sheet E-166.
  - For call box schedule, see Sheet E-397.
- For location of pull boxes inside girder, see Sheet E-35 through E-140.
- For mounting hole detail for call box on roadway metal barrier, see sheet AS-13.

**SHEET NOTES:**

- Bond grounding bushing to pole ground lug with #6 bare copper wire.
- For conduit location inside lighting pole, see Sheet E-161.
- For call box mounting detail, see AS Sheets.
- For typical conduit support locations inside barrier diaphragm, see Details 1, 2, and 3 of Sheet E-160A.
- Locate Pull Box at approximate center of diaphragm. For typical PB-LTG and conduit support inside barrier diaphragm, see Details 4 and 6 sheet E-160A.
- Locate Pull Box at approximate center of diaphragm. For typical PB-COM and conduit support inside barrier diaphragm, see Detail 5 sheet E-160A.
- Provide conduit clamp for each conduit.
- Strut channel, 41 mm, support for pull box and installed by Contractor.



FOR REVISION ONLY

REQUEST FOR INFORMATION NOT ADDRESSED IN THIS CCO REMAIN IN FORCE					
1	03/04/08	BARRIER MODIFICATIONS	JS	RG	44
MARK	DATE	DESCRIPTIONS	BY	CH'D	CCO#
REVISIONS					


CONTRACT CHANGE ORDER NO. \_\_\_\_\_  
 SHEET \_\_\_\_\_ OF \_\_\_\_\_

**DETAILS**  
**SAS SUPERSTRUCTURE ROADWAY**  
**CONDUIT AND PULL BOX LOCATIONS**  
 SCALE AS NOTED

**PLAN-TYPICAL PULL BOX AND CONDUIT LOCATIONS**

(CONDUITS INSIDE STEEL BARRIER TYPE 732 MODIFIED)  
 SCALE 1:20

THIS PLAN IS ACCURATE FOR ELECTRICAL WORK ONLY. ALL DIMENSIONS ARE IN MILLIMETERS UNLESS OTHERWISE SHOWN.



DGN FILE => T:\13103\MS\pse\SAS Struc\CCO\SAS CC044\04-0120f1\_02d7R01.dgn  
 USERNAME => ilorico  
 CU 04251

EA 0120F1

DATE PLOTTED => 5/22/2008  
 TIME PLOTTED => 10:52:00 AM  
 LAST REVISION 00-00-00