

DIST	COUNTY	ROUTE	KILOMETER TOTAL PROJECT	POST PROJECT	SHEET No	TOTAL SHEETS
04	SF	80	13.2/13.9		192 R4	1204

**Caltrans**  
**Metric**

REGISTERED ELECTRICAL ENGINEER  
 JENS ERLINGSSON  
 No. 8249  
 Exp. 9/30/06  
 STATE OF CALIFORNIA

12/19/02  
 PLANS APPROVAL DATE

12-6-04  
 PLANS APPROVAL DATE

PB POWER, Inc.  
 A Parsons Brinckerhoff Company  
 303 Second St., Suite 700N  
 San Francisco, CA 94107-1317

The State of California or its officers or agents shall not be responsible for the accuracy or completeness of electronic copies of this plan sheet.

Caltrans now has a web site! To get to the web site, go to <http://www.dot.ca.gov>

- SHEET NOTES:**
- Conduit from barrier pullbox or other equipment down into Girder Box, see sheet E-185.
  - Contractor shall furnish and install UP-208 and LP-223 per sheet E-75. For complete scope of work on platform and other related work not shown on this sheet, see Electrical Special Provisions.
  - For conduit to tower and suspension cable lighting, see sheet E-230.
  - Roadway Barrier Receptacle, see Detail 1, sheet E-162.

- NOTES:**
- References:
    - For typical details and locations of conduit connections to light poles, barrier outlet boxes, call boxes, overhead sign lighting, CMS, CCTV and MVDS, see sheets E-160 thru E-162 and E-169.
    - TOS equipment is shown for conduit routing only. For typical details of TOS controller and devices, see sheets E-344 through E-357.
    - For types of pull boxes, splice boxes and enclosures, see sheet E-169.
    - For circuit and conduit/cable tray schedules, see sheets starting at E-401.
  - For Roadway Level Call Boxes, refer to sheet E-396.
  - For Roadway level, Bike Path and Belvedere Lighting Fixture Schedules, see sheets E-146, E-147 and E-165.
  - For Roadway level and Bike Path Call Box Schedule, see sheet E-397.
  - For number of lighting fixtures (main tower lights) see lighting schedule sheets E-271 and E-272.
  - All conduits and fittings routed exposed between the Bike Path and the roadway shall be rigid galvanized steel, PVC coated.
  - See sheets E-160 thru E-165 for conduit locations.

**SAS SUPERSTRUCTURE - CONDUIT PLAN**

REQUEST FOR INFORMATION NOT ADDRESSED IN THIS CCO REMAIN IN FORCE

MARK	DATE	DESCRIPTIONS	BY	CH'D	CCO#
4	01/08/09	BIKE PATH DETAILS	TW	RG FW	99
3	12/015/08	BIKE PATH DETAILS	TW	RG FW	99
2	03/04/08	BARRIER MODIFICATIONS	JS BM	RG SE	44
1	02/19/08	ELECTRICAL MODIFICATIONS	MP EL	RR	42

REGISTERED PROFESSIONAL ENGINEER  
 MANUELL FUMIO TAYAT  
 No. E 8651  
 Exp. 9/30/2008  
 ELECTRICAL  
 STATE OF CALIFORNIA

REGISTERED PROFESSIONAL ENGINEER  
 S. A. ESTOQUE, JR.  
 No. E-10151  
 Exp. 12/31/2008  
 ELECTRICAL  
 STATE OF CALIFORNIA


REGISTERED PROFESSIONAL ENGINEER  
 FADI WALIEDDINE  
 No. 11465  
 Exp. 12/31/2009  
 ELECTRICAL  
 STATE OF CALIFORNIA

FOR REVISION ONLY 1  
 FOR REVISION ONLY 2  
 FOR REVISION ONLY 3, 4

**SAS SUPERSTRUCTURE ROADWAY EASTBOUND LIGHTING AND ELECTRICAL SYSTEMS**  
 SCALE 1:200

CONTRACT CHANGE ORDER NO. \_\_\_\_\_  
 SHEET \_\_\_\_\_ OF \_\_\_\_\_

THIS PLAN ACCURATE FOR ELECTRICAL WORK ONLY.



DATE PLOTTED => 1/9/2009  
 TIME PLOTTED => 3:16:44 PM  
 LAST REVISION 00-00-00