STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-1	01-31-00 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN ~52°F± MAX
WEATHER OCAST, COLD -AM)	

* ~~SF/OBB~~ ~~0728; 0731;~~ ~~1558~~ 1528 (WL) → ~~0955~~ ⇒ -5½: SL
~~1009 1614~~ ⇒ +16 V5¼-1"
W: (1225 - 1745') + (2d))

→ : (0905 0900 = 5'); = Σ(-) = -3'; << (2 HRS. = 30') ⇒ "+" ✗ ...

* SF/OBB NO. LOT: EXCH. VEHS) <0728
* SAS TRAILER; → G/M: JBR, CH) ~~0731~~
→ T/O P/C) → SHADES"! <0731

* JIM B.R.: 1) + C. HAVEL; 2) TOUR PLANS TODAY?) GRUP DEPARTS @ 0930; N/G FOR ME: MUST LEAVE @ 1000 FOR DOCTOR'S; NOT EVEN 0900 HRS. WOULD WORK...; 3) DOESN'T NEED TO CONSIDER STAYING BACK B/C OF ME!; HE'S BEEN BEFORE — WOULD TALK TO TAE-L-L; POINT IS FOR OUR SAS GRUP TO GO TOGETHER, HE FIGURES)

→ (N) ARE) HERMAN S.: I WAS @ REQ'MT. (3X/WK.)
→ JAY A.: MORNING; 2) + R. DUNCAN: 4C MVG'S;

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 2/	DATE 01-31-06	M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN	MAX
WEATHER		

(CONT'N.)

→ JIM B.R.: 1) I'VE SEDAN TODAY, JUST FOR TOUR, IF NEEDED...; 2) HE'S TLL TO WAIT FOR ME AFTERALL; 3) TH O.K. W/ ME - I'LL BE HERE. 0730 STAFF MTG.)

→ + C. HAVEL: I'M CONSIDERING KEEPING FM'S AEM VOLTS, JEEP; DRAWBACKS: 1) POWER STEERING NOT GOOD; 2) NO LOCKABLE STORAGE (NO TOOL BOX - GEAR EXPOSED...); 3) V. HIGH MILEAGE (>118K)

→ MARK G.V.: G/M) → LOG IN;

<0749

* WEB NOTES: + ϕ L (!); → MISC)

0755

* TOM S.: 1) NO CYPRESS "E" SRS W/ HIM NOW - TOOK WHEN LEFT HAYWARD [BREAKWATER] F.O.; 2) MAYBE AEM A.M. - I FIGURE IT HAD PROB →

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
—3)	01-31-04	M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN — MAX —	
WEATHER —		

(CONT'N.) TOSSED WHEN DISLODGED FR. WILLOW ST. F.O.,
3) ALSO BCE N.T. LOCKE (DC'D.) MAY HAVE...;
4) [BCE BJB TO'VE TRIED] FR DIS-OF (LIBRARY),
5) (PASTRIES...);

→ BCE ~~BRIAN~~ SCOTS J.B.: 1) I'LL MISS 0930 SITE TOUR HIM TOO (⇔ WORKING ON SKYWAY OBGD WELDING CLAIMS);

2) I'VE DENTAL; 3) NO LUCK ON "HORSESHOE" RAMP SSPS; P. SIVA'S RESPONSES ⇔ CT'S OLD M.O. OF "BLACK BOX" RE: FAR^N BACK THEN...; SKYWAY OBGD CLAIM ⇔ PENETRATION...; NO USE ACCESSING CELLS NOW; CARCS'Z: 1ST JOB WE SCRUTINIZED PEN^N; W/ U.T.; TACOMA-NARROWS ONLY U.T. TO BULKHEADS...; (PAT?) LOWRY CALL..;

4) OBGD LIFT TH?; 5) APPLYING FOR ACM AMER B'S POSITION; ASKING IF I'M GOING FOR IT —!; DOESN'T THINK BCE/SRTE IS A PRE-REQ.!—?!;
6) BCE [illegible] LAT "ON LOAN"; MEHRAN A.—...; FCI'S C.WELTZ →

SIGNATURE	TITLE
[signature]	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
— 47	01-31-04	M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN	MAX
WEATHER		

(CONT'N) INSPS / "≠ RAMON A."]

1) D.M. DASTVARZ — SAW YAST'Y. !?] NOT MARCH?!] ACM ROCK M'S CALL: DMD "T" N "S" "STAIRED UP" TO "VOUNTEER"]

2) RAMON M.G. CALL TO ME LAST NIGHT: RCE P.M. STRYKER YSET ⇐⇒ RMG TO SAS..!) FOR W.T. 7K# PREP. + ENCOUNTER W/ RCE MAN + STRIKER MGR...]

3) LOCKED IN RCE N.T. LOCKER OFC. — KEY (NOT FOB) ⇐⇒ CYPRESS "E" SPS, PLANS...] + RCE G. LAT...]

4) DCE L. DAVID — LV'G SO-SO. DETOUR JOB FOR DENTAL'S SIDE...] JOB'S SCHEDULE NOW "STRETCHED" [⇐⇒ DELAY TO SAS BOD.]]

5) MAE + RCE S. KO: ① IVE DENTAL ⇒ CAN'T GO ON TOUR] ② IVE RESIGN IT NERO...]

L0815

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 5/	DATE 01-31-06 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN — MAX —
WEATHER —	

* JIM B.R.: 1) ROMAN M.G. VS. BCE P.M. STRYKERS; CAN SEE BOTH SIDES ...; 2) T-LL: TO POSTPONE SITE VISIT 'TIL TH (ON MY ACCOUNT)!; NOT NECESS.!)

→ CHC # 0152: GET MISC. DOCS; <0822

* (CALL ↑); → RT ≈ → DESK; <0824

* RES. SERVER STATUS; $ <0833 <0836

* V/D RPT.; ↓; < 0850; $ <0859; ~~[illegible]~~

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 6	DATE 01-31-06 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN — MAX —
WEATHER	

* V/D RPT.) <0905 / *(CALL ↓)) <0908 / *V/D RPT.) <0910

* CONT. W/ OLD HILLTOP CHINA PICS. (< PACHECO SERVER → R.F.O. SERVER...)) <0915

* IBID.) <0922 / * MARK G.V.: JUBBED JOE..) <0925

* WIN MEDIA PLAYER — DOWNLOAD SNAFU; → MORE CHINA PICS.) <0942

* CONT. V/D RPT.) → + CHINA PICS.) <0949

* V/D RPT.) → CLOSE CHINA PICS) <1004 / *V W/NS) <1005

* S/D P/C; <1006 / -V) <1009 / * JBR: G/B - MAY NOT RT~; <1010~

* SF/OBB SO. LOT: EXCH. VEHS) MI = 108,736; <1014

* V/D RPT.: 1225 - 1246) <1248

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.