STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐
ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒
(STRUCTURAL STEEL)

JOB STAMP: 04-043804 RICHMOND/SAN RAFAEL SEISMIC RETROFIT PROJECT

REPORT NO. — 1

DATE 02-15-06 M T (W) T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE: MIN ~54°F ± MAX

WEATHER CLEAR, COLD — AM;

* 0818; 0831 ~~0835~~ → 1701; + 1°40' = 1841; → 1843 ⇒ 1'2' (!) (→ 1914 ~)

~ : (0946 – 0947 = 61...), (0959 – 1003 = 4'), (1245 – 1251 = 6'), (1420 – 1424 = 4'), (1450 – 1503 = 13'), (1510 – 1514 = 4'), (1534 – 1551 = 17'), (1559 – 1600 = 1'), (1612 – 1617 = 5'), (1750 – 1803 = 13'), /

⇒ Σ(~) = 130' " — " 30' (= 2 BRKS) = + 100' (= 1°40')

* SP/ORB SO. LOT: EXCH. VEH'S) <0818

* FERGATTA F.O.: MISC CONTRACT ADMIN; ETC.) <0831 ~

* ↳ PK'G LOT FULL ⟺ CLASS (ER) ...;

* U/L OFC.; → T/B P/C; → MADE T;) <0835 ~

* S/U & U/D RPT.; → LOG IN; (MADE "DOWN": ~ 1ST TIME.) <0840

* DOK RS.: G/M)

* BAY F. MECHANIC T2236 – 0444 0841

LFT. V/M: LFT. V/M BEFORE – STATUS ON JEEP FR LAST WK. FRE (WEPS?); LFT. # ON TABLE; ID PG.)

* BAY F. 9-801 1-415-807-4593 (P) 0843

N.I.S. – !

SIGNATURE [signature] TITLE ASR (RANGE D)

CEM-4501 (HC-0010 REV. 11/92) '12 DEC-5 AM10:19 23141 92-95203

46.02

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION
RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT
DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐
ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒
(STRUCTURAL STEEL)

JOB STAMP
04-0438U4
RICHMOND/SAN RAFAEL
SEISMIC RETROFIT
PROJECT

REPORT NO. -21

DATE 02-15-06 M T (W) T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE: MIN — MAX —

WEATHER —

* U/D. RPT.) → [DCE RP: LVE]) <0845
* E/M: L/N = 201 U/R) + 13 ↓ (+3 TODAY); <0844
* (CALL ↓); <0947 / *(CALD ↑); <0949
↑ [P.S.: WAY @ THIS OFC.?!) → SPOT ✓ E/MS: → P/O]

* JAV^A; <0956 / ~~~; <0959 / *(CALLS ↑); <1003 /

* SAS DRAFT CLO REVIEW (B.I. # 163);
→ P. SIVA: 1) APOL^S FOR EARLIER; 2) ↑ "DRAFT"; NO "CONTRACT"...;
3) PMIV RES? - NOT YET: ACCESS?!) <1022

* (CALL ↓); <1031 / * C.S.; P.S.: JAV^A? - LATER...;
→ P.S.: DO "PMIV U/D" FOR AUTO-RE-LINK...) <1034

* P. SIVA ~~<1037~~ 1) MY PMIV N/G; I RAN BOTH U/D BATCHES...)
HIS NEITHER...; 2) LOOKED @ SERVER ARCH FOLDERS -
CAT. 62 (NOPC) EMPTY!)
⋮

→ + SYRONS T.: BIJAN, ETC.)
→ + CARLOS S.: 1) HIS PMIV ALSO N/G; 2) CALLING R. PUENTE)

SIGNATURE [signature]

TITLE ASR (RANGED) →

CEM-4501 (HC-0010 REV. 11/92) 92-95203

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐

ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒

(STRUCTURAL STEEL)

JOB STAMP

04-0438U4
RICHMOND/SAN RAFAEL
SEISMIC RETROFIT
PROJECT

REPORT NO. -3/

DATE 02-15-04 M T (W) T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE: MIN — MAX —

WEATHER

(CONT'N): 3) CALL "JENNIFER"?!)

→ P. SIVA, CARLOS S.: PMIV'S J.L.M. HERE LAST WK.!?)

"UPDATING PMIV..."

<1044

~~X~~ U/D RP'T.) ~~<1049~~ <1049

~~<1054~~

* CARLOS S.: 1) SPOKE W/ R. PUENTE + DANNY A.; PMIV NOW CANCELLED! ⇒ NO ACCESS!; 2) DANNY A. SAYS OTHER WAY TO [650-738-3814 DANNY A.] (LOOK @ FILES: P. SIVA ALREADY TRIED: FOLDERS EMPTY...)

→ P. SIVA: 1) CARLOS S. W/; 2) PMIV CANCELLED...; SHOULDN'T'VE ~~WAIT~~ LET PMIV'S JLM IN TO SERVER ROOM LAST WK.!; 3) CAT. 62 FOLDERS "M.T.") NOT CORRESP. / 5.X FOLDERS...)

<1054

~~X~~ <1052 (X U/D RP'T.) <1100

SIGNATURE [signature]

TITLE ASR (RANGE D)

CEM-4501 (HC-0010 REV. 11/92) 92-95203

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐

ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒

(STRUCTURAL STEEL)

JOB STAMP

04-0438U4
RICHMOND/SAN RAFAEL
SEISMIC RETROFIT
PROJECT

REPORT NO. -4/

DATE 02-15-06 M T (W) T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE: MIN — MAX —

WEATHER

* P. SIVA: UNSUCCESSFULL W/ PMIV &/OR FOLDER RES...!; TRIED SERVER ROOM TOO...; I'D CALL DANNY A.)

<1119

* U/D RPT.; <1121

1128

* DANNY A. 9-~~[illegible]~~1-650-738-3816 1122
DCERS: "CANCEL"!;
1) PMIV CANCELLED...; 2) SKYWAY DRB 0302...;
3) "U.S.I."; "NOPC"; "DRB"; "WHITE PAPER"; "POSITION PAPER";
4) $240/YR...)

* BCE BJ ROAL 9-622 5790 1129
BSY: LFT. V/M - FRASCO @ R/SR ⟺ NOPC(S) TURNED OFF LAST WK.!; I'LL TRY CELL'R.)

* BCE BJR 9-714-7074 1130
LFT. V/M: IBID.) ARCH BOXES MOVED TO D.O. - LAST RESORT...)

SIGNATURE [signature]

TITLE ASR (RANGE D)

CEM-4501 (HC-0010 REV. 11/92) 92-95203

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION
RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT
DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐
ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒
(STRUCTURAL STEEL)

JOB STAMP
04-0438U4
RICHMOND/SAN RAFAEL
SEISMIC RETROFIT
PROJECT

REPORT NO. -5/

DATE 02-15-06 M T (W) T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE: MIN — MAX —

WEATHER —

* DAILY: RPT. TEMPL S;
→ BCE RSP: 1) W/ P.S; 2) + SYROUST.; 3) DANNY A SAYS DCE RAMSES S. OK'D NO EXT'N TO PMIV USAGE ~LAST WK...!; 4) BCE RSP AGREES DP'T SHOULD "OWN" RIGHT TO ACCESS DATABASE FOR ARCHIVES!;

<1138

* DANNY A FR. 650-738-3816 (SPKR PH) 1138-1141
SPOKE W/ JEAN-LOUIS M.: ← TO COME BY R/SR AFTER L. TODAY TO ACTIVATE PMIV FOR 1 USER; "P. SIVA" - O.K.; ON SPKRPH W/ BCE RSP + PS + SYROUST...; $250/YR; OR ~ $10/WK.; CHARGE TO SF/OBR'S CHRIS MASTER?!; I'D LFT. V/Ms W/ BCE BJB...;

(<1142)

* WRAP UP. DISC'N. W/ BCE RSP, PS;
→ SYROUST.: L.? - BROUGHT OWN TODAY!; →

SIGNATURE [signature]

TITLE ASR (RANGE D)

CEM-4501 (HC-0010 REV. 11/92) 92-95203

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐

ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒

(STRUCTURAL STEEL)

JOB STAMP

04-043804
RICHMOND/SAN RAFAEL
SEISMIC RETROFIT
PROJECT

REPORT NO. — 81

DATE 02-15-04 M T (W) T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE: MIN ___ MAX ___

WEATHER ___

(CONT'N):

→ H. STALEY — !:1) HERE FR SF/OBB TOO — !?!/
2) HELP W/ "WORD" DOC.; NGH'D THE RT-CLICK
ON DESKTOP (SINCE CAN'T LOCATE OFF "START"—"PGM.");

→ BCE RSP.: 1) L.; 2) + BCE H.E-M.: "NO" 3) COPE) ~~XXXX/XXXX~~
→ LOCK WORKSTATION) → P. SILVA: NO WORD ON JEEP (RAY F.)
<1149 & <1156
① C. HAEL "BI-CCOS" (3 WORKED MONDAY!
② BCE BJB: 1) AMBL'S ACM JOB; 2) SAS POS^N

X→ (L.) (W/ BCE R.S.P.); → RT^N P.F.O.; <1238
→; <1245 / X CALLS T); → (CALP.) <1251 / X U/D RPT.) <1307

X U/D RPT.) → P. SILVA: RAY F. — OTHER #?!) "60"; <1310
X NICK B. 1) W.P.S.: 2) JEEP READY "TODAY" [!] PICK RS TO BORROW
X F/SR (N.DR.) MECHANIC RAY F.: 1) W/ P.S.'S CHE) <1315
2) JEEP: ① REPAIR SHOP RPR SPARK PLUGS (AGAIN) ⇔
"PINING" ISSUE..?!) ~"EA. 6→7 MOV" ~2→3 X BT
② SEAT-RUSTED BY ACM V.O.T.: SO LARGE..) BEFORE AT
BRACKETS...) ③ WOULD KEEP MY CHE #4173 PK
CW 2BK (NO...!) VS JEEP...) ④ HAD JUST GOTTEN A →

SIGNATURE [signature] TITLE ASR (RANGE D)

CEM-4501 (HC-0010 REV. 11/92) 92-95203

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION
RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT
DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐
ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒
(STRUCTURAL STEEL)

JOB STAMP
04-0438U4
RICHMOND/SAN RAFAEL
SEISMIC RETROFIT
PROJECT

REPORT NO. -7/

DATE 02-15-06 M T (W) T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE: MIN — MAX —

WEATHER —

(CON.T'N) CALL: DCE R.S. TO BORROW JEEP TMRW WHILE HIS SEDAN/CHC IN FOR P.M. ...)

→ RT^N R.F.O.;
→ BCE RSP: 1) W/ P.S.) 2) REASSIGN JEEP TO ME/SEND E/MAIL...;

2) CHC # 0500 SNAFU...; "VEH COORD^R" LOST TRACK OF IT — CAN'T ["VECTOR"] OFF GAS CARD, ETC?!; NICK B. NOT HANDLING?!; SHOWED HIM DISOF CONSTR^N W/S ⟺ DATABASE...; OLD PH. LIST: CHC # 0500 ASSGD. TO THANH DOAN — IF KENYON BEFORE THAT...)

3) PMIN'S ~~JENNIFER~~ JESSICA: LK'E FOR P. SIVA...; 4358

* BCE RSP: 1) + P.S.)) 2) + F HARTU: OLD PIC; "Y.T.B.D." E/M...) 3) E/M → NICK B. RE: VAR. VEHS)
4) CALLED DCE RAMSES S. RE: JEEP SWITCH ETC.)
5) "ALT. PRT. SCR." TRICK! ⟺ "FRAME"...) <1478

SIGNATURE [signature]

TITLE ASR (RANGE D)

CEM-4501 (HC-0010 REV. 11/92) 92-95203

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐

ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒

(STRUCTURAL STEEL)

JOB STAMP

04-0438U4
RICHMOND/SAN RAFAEL
SEISMIC RETROFIT
PROJECT

REPORT NO. -8/

DATE 02-15-06 M T (W) T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE: MIN — MAX —

WEATHER

* U/D IPT.; <1420 / *(CALLS↑); <1423 / *(CALD↓); <1424
* ✓ V/MS: MPCS = +2 ↓; → SPOT ✓ E/M) <1432
* U/D IPT.; <1450 / *(CALL↑); ~~[illegible]~~ <1503 /

*<1512

* PMIV: WORKS!; → SAMPLE ~~SEARCHES~~ <1510

*(CALLS↑); <1516

* P/C U/DS) → EMMA R.: 1) "GLEN" - !) 2) PRE-CONS (2)
TODAY: FAIRFIELD, HERE...) <1520

* CONT. w/ PMIV; → SPOT ✓ E/M...)
→ P. SIVA: 1) I GOT INTO PMIV TOO! - AS MYSELF!
(NOT HIM!); 2) LOOKING @ HIS E/M ATT'T.)
NOT V. USEFUL...) ⇒ PMIV NOT THAT USEFUL
[BEST - LISTS...]) SAYS HAD GOOD BINDERS B4 -
NOW ALL @ D.O....)
⋮
→ SYRONS T.: 1) LV↓; 2) I'M BACK FRI) 3) [URS: FOR P.S.]
<1529

SIGNATURE [signature]

TITLE ASR (RANGE D)

CEM-4501 (HC-0010 REV. 11/92) 92-95203

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐

ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒

(STRUCTURAL STEEL)

JOB STAMP

04-043804
RICHMOND/SAN RAFAEL
SEISMIC RETROFIT
PROJECT

REPORT NO. -01

DATE 02-15-06 M T (W) T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE: MIN ____ MAX ____

WEATHER ____

* W/D. RPT.) <1534 / * (CALL) <1551 ~~(STA)~~
RCB "RSP. LVE FOR SALTO -?"

* (CALST) → PMEV P/O → P. STEVA: LVE; BACK FRE <1559
* (CALST) (CONTM) <1600 / * PMEV P/O; <1601 + <1605
* LTS OUT <1607 / Ar) → LTS OUT (D/C) → LOCK DOOR)
→ RDE MT.) <1612

* ~~PMEV~~ (CALST) <1617 / * PMEV (CONTM) <1625
* RES. DELETE D/BASE...) <1633 / * E/MT) <1650
* RES. R/SR SERVER...) → FOUND PRIVATE D/BASE!:
"ACCESS" ⟺ NO PC's!!!) <1710

* E/MT (START) <1724 / * CONT. W/ R/SR D/B (SERVER) <1750
* (CALST) <1753 / * (CALST) <1758 / * (CALL) <1803
* E/MT (CONT.) <1820 / * MARK UP COPIERS <1824 → W/ <1828
* MISC W/U → PREP. FOR SAS WORK...) → W/D RPT. ~~ALAT~~
→ SERVER ROOM BREAKING ?? — STOPPED...) ⟺ "TAPE B/U" <1843
* (CC's) <1853 / * S.T.'S (CC's) <1855 / * (E/M) → (E/M) → P/O)
→ E R/S PRINTER (PAPER) <1909 / * S/D W/M → P/CU → MADE W/U) <1910

SIGNATURE ____ TITLE ASR (RANGE D)

CEM-4501 (HC-0010 REV. 11/92) * LOCK OFC.) → LTS OUT <1911
* SET ALARM) → LOCK DOOR <1914 92-95203