STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 1/

DATE 03-24-06 M T W T F S S (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN ~ 60°F ± MAX

WEATHER O'CAST (DRIZZLE AM), COLD-AM;

* 0845, 0849-0850, 0910, 0912, 1742 " 2' = 1710 → 1453 ⇒ " 2°57'
+ 1°49'
" 58' ⇒ V 1~

W: (1503 - 1509 = 1'), (1702~ - 1850~ = 1°48') ⇒ 1°49'.

(1033 - 1045 = 12'), (1217 - 1234 = 17'), (1291 - 1318 = 31'), (1449 - 1451 = 2'),

* ⊥ : (1457~ - 1702~ = 2°05'), (1751 - 1759 = 8'),

⇒ Σ(⊥) = (2°05' + 76') = 3°21'. " 30' (= 2 BRKS) = 2°51'

* PHIL L. L. ~~TR.~~ Ⓝ / 4505 0843
N/R.

* PLL TO Ⓝ / 4505 0849-0850
1) COULDN'T TAKE HIS CALL BEFORE; 2) JUST NEEDED PLUMB BOB — PLENTY @ T.F.O. (SDC) BCE & LAT).

* SF/OBB SO. LOT: EXCH. VEH'S) <0910
* SAS TRAILER: MISC CONTRACT ADMIN, ETC.) <0912
* T/O P/C: → LOG IN; → E/M: L/N = 154 U/R, +5 ↓; <0914
G/M: DJC, JULIE S., +?; → JBR, CH;
* SPOT ✓ E/M; → JBR: DENT BCE SK'S E/M TO TIL?-
NO; I WILL; CODE "265" ≡ ?!; E-Z CODE = 270?!)
<0916

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46-02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-2/	03-24-06	M T W T (F) S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN — MAX —	
WEATHER —		

* E/M ↑; < 0920 / * E/M (FWD.); < 0923 / * SCAN; < 0932
* E/MST ↑; < 0940, < 0942 / * P/O; < 0944

* JAV.: W. MUG;
→ ROB KOBAL: 1) HAS NON-PDF E-COPY OF [SAS] BID SUMMARY?; 2) WOULD E/M - BUT JUST SHUT DOWN P/C!: 3) RUNNING LATE FOR MT 4; / 4) SAYS HAD ASKED BATA'S EDWIN ~~RUFINO~~ CASTILLO TO DO AN "OVER-UNDER" ANALYSIS OF BID (S); ... PROB. TO MANUALLY INPUT.../

→ DORIS J.C.: 1) EDWIN CASTILLO, BATA?: SITS ON MY WING @ ["BATA QUAD"]; 2) SAYS MY FOB ONLY @ "LEVEL 4" !?! ⇒ COULDN'T RESET ALARM @ KEYPAD IF WENT OFF!; NEEDS ME TO FILL OUT FORM + SUPPLY 5-DIGIT P/W — FOLKS TYP. PICK ZIP...!)

3) I LEFT ~2230 A FEW NIGHTS AGO - DIDN'T SET OFF !? ⇔ NOT SET ⇔ CUSTODIAL...;
4) SEC. GUARD ↑; SOMEONE TOOK PIC - SLEEPING...!; ⇔ ONE OF MY EMPLOYEES (F.E.)...) E →

SIGNATURE	TITLE
[signature]	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3/	DATE 03-29-06 M T W T (F) S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N):

→ BATA'S EDWIN C.: 1) INTRO.; 2) TO FWP. ME "OVER-UNDER" ANALYSIS — ALMOST DONE;

<1000

* TOM B.R.: BATA'S E.C. / ROB K. "OVER-UNDER" BLD ANALYSIS...; I'D FWD. UPON FCP'T.)

→ SUSAN S.: DRESSED UP! ⟺ PARTNERING TODAY ≠ WEDDING...)

<1005

* PROV'N.; → W. DISH RACK "PAN"; → TOM S.: 1) HAS DONATION...; 2) HAS D/WASHER @ HOME...;

<1012

* ~~[illegible]~~ [?]:

<1020

SIGNATURE	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-4/	03-24-06	M T W T(F) S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN — MAX —	
WEATHER		

* PROV^N / → P. #7 E/M, CSPS, MAP; <1030
* PROV^N (C/U) <1033 / *(CALD ↓) <1042 / *(CALLS ↑); <1045
* U/D TRP'T.) <1100 /

* TAI-L L: 1) THX FOR MY FWD ↓ E/M RE: A/C; 2) MY E-Z CODE FOR SAS...: 3) R/S P/W FOR MY STAFF CENTRAL...!; 4) LOOKS LIKE I'M ON "265" ALREADY!; BCE BJB HAD GIVEN ME UPON SHOW UP...; 5) + JBR...)
⋮

<1104

* E/M ↑) → TAI-L L.: WAS USING A/C 240...) <1110
* P/O) <1113 / * "OVER-UNDER"; <1117 / * E/M) <1120
E/M (START);

* CHRIS H.: 1) + JBR; 2) "PENALTY" FOR UNBALANCED BID? PROB. NONE, I THINK; EXCEPT: ITEM DELETION/INCREASE (ADJ'T.) ON CCO IMPACTS...!; DOUBLE-EDGED SWORD...!; NEGO. W/ CONTRACTOR...?)

SIGNATURE	TITLE
[signature]	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE	
-5/	03 24 06	M T W T (F) S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN — MAX —	
WEATHER		

(CONT'N.):
3) DID OWN BID ANALYSIS...; HADN'T CHECKED HIS E/M (FR ME); TO FW'D.?)

CH26

* C. HAVEL: 1) HADN'T FOUND / LISTED "ENG'S EST." TO COMPARE AGAINST...; 2) + JBR; 3) MY CONCERN IS DUPLICATING WORK...; 4) ⟺ BCE SK ON P. #7 WHSE VACATE TASK...!)

CH39

* E/M ↑; CH39 / * C. HAVEL: 1) L/N "FW'D" — @ BOTT. OF E/M ⟺ MY DOING; 2) ⟺ MY L/N VERSION DOESN'T CAPTURE PREV. TRX. [TIME STAMP]...!

CH44

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -6/	DATE 03-24-06 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN MAX
WEATHER	

* U/D RP'T.)
→ C. HAVEL: 1) + JBR) 2) SUE G'S E/M SAYS "START" MOVE ON "OF-17" - NOT BEFORE...; ≡ "AWARD"...!)
:

<1149

* U/D RP'T.; → JBR: "ESA" - OUT IN PK'E LOT!?; <1153

* U/D RP'T.; <1217 / *(CALLS ↑); <1219 / *(CALD ↓); <1234

* FOB FORM; <1241 / *(CALLS ↓); <1314 / *(CALD ↓); <1318

* BCE BJB: ~~FOB FORM; [illegible]~~
1) SIGNED FOB FORM - HASN'T SEEN ONE BEFORE...!)
→ + JBR; + CH: 2) "265" A/C (<BCE SK'S E/M); JBR'S E/M...) 3) CH - ALSO HASN'T SEEN B-F...)
:
→ DORIS J.C.: 1) FOB FORM; 2) FOLKS BEFORE HER ARRIVAL 12-105 / 01-06 PROB. DIDN'T DO: E.G., JBR, CH; SHE REALLY TIL OK...;

<1329 ~~[illegible]~~

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -7	DATE 03-24-06 M T W T (F) S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN — MAX —
WEATHER —	

* DANNY A. 9-1-650-738-3816 1337
1) COULDN'T ANSWER BEFORE...; 2) FOG @ DEVIL'S SLIDE;
3) SAYS WILL ~~FA~~ SEND LINK ON I^A/N FOR BID DOCS.;
4) ALSO, PLUG-IN FOR PDFS (FOR FULL VERSION ADOBE);
5) I'D TALK TO (C) IT GLYNN S.

* U/D RP'T.; <1343

* —/—; / → DANNY A / FR. 650-738-3816: "1332": —/—;

* JBR, CH: DORIS J.C. SAYS DOESN'T HAVE THEIR FOB FORMS...;

<1337

* JENNY/BETTY: —/— (L) - LFT-!; ~~AA~~ ~~EXA~~ PROC. ~~AA~~;
→ (CALL ↑); <1345

* E/V: PROC. ~~AA~~ —/— (L); → FT^N SAS; <1416
—/—; <1419 / —/— (L), (I/N), (E/M); <1433 & <1435

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

* I/N; <1440

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 8	DATE 03 24 06 M T W T (F) S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN — MAX —
WEATHER —	

* MA GULLI 9-715-8723 1441
1) TRAVELLER TALK TODAY?) MONDAY..!)
2) TESTED SKY-CLIMBER MOTORS @ S.DIEGO YEST'Y.)
> 90 DAYS USE;

* U/D RPT.) <1446 / * MISC.) <1449 / * (CALL ↓)) <1451~

* BCE BJB: 1) NEED TO P/U KIDS — WILL RT'N TO MAKE UP HRS.; SAYS IT'S FRIDAY...) 2) A-B I/N ARTICLES (P/OS);
⋮

→ JBR: G/N...) <1453

* SF/OBB SO. LOT: EXCH. VEHS) <1457

* BCE RSP FR (N) / 4026 <1503-1504
1) FMR ASR RBT. & → JUPITER (BERK.); 2) I'D CALL IF CAN MEET...: 3) HAD TO LV. OFC. / NEED TO M/U TIME..) 4) C. HAVEL HAD JUST RT'D. TO DESK 5' AGO.

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 9	DATE 03 24 06 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN ___ MAX ___
WEATHER ___	

* SF/0BB SO. LOT: EXCH VEH9 <1702

* SAS TRAILER: MISC CONTRACT ADMIN., ETC.)
→ DORIS J.C.: 1) STILL HERE!; 2) NCAA...) (GONZ, NCLA)) <1705

* U/L P/C) → DJCONNER: 1) JBR NEEDED FOB FORM...) 2) C HAVEL "OK"!?) 3) SHOWED ME (PRIVILEGES) LIST, LEVELS) SAYS I WAS A "4" - JUST IN/OUT; TO PUT ME @ (1?, 3?); 4) GO HOME!)

→ (T.Y.L'S J.DUXB. "+" MT'G W/ MGV IN CONF RM);

<1715

* (CALP 2) → U/D IPT.)
→ SAMAN S.: 1) BACK FR PARTNERING) "WED"...) 2) LABOUCHE = R.B. ...! 3) MIX DESIGN: CA % MOIST NOT COMPUTING...) 8% MAX. SPEC... - I'D FIND...) 4) V W/ KEN BEEDE &/OR PLANT...)

<1757

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 10	DATE 03 29 06 M T W T F S S (Circle Day)
SHIFT HOUR: START STOP	TEMPERATURE MIN — MAX —
WEATHER —	

* SAMAN S.; 1) §90-5.03: 8% MAX. ON FA. ("ABOVE" SSD...); 2) PERHAPS BATCH TKT. SUBTRACTS FRACTION % OF % MOIST. METER READOUT TO ALLOW MOIST. TO BRING FA TO SSD...; 3) ✓ W/ F.B. — THEN "CEMEX" (RMC...); 4) RON G. HAD BEEN ON PCC ON SKYWAY — NOW SS...;

<1744

* U/D RPT.; <1751 / *(CALL ↓); <1759 / * U/D RPT.; <1802
*(CALLS ↑); <1804 / * (CALD 2); → MSV: 1) PARTNERED-OUT...; 2) JUPITER — <C HAVEL...; <1813

* U/D RPT.; <1827 / * E/M → P/O; <1828

~~<1846~~
* JAN A.: MT. CARAFE (~2C), MT STL. VAT → CARAFE (~8C); W. STL VAT.; MK 30 C (w/ "<1 1/3")...; <1846

* S/D L/N, P/C; // SHADES ↓ // <1849 / * U/D RPT.; <1855

SIGNATURE [signature]	TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice: For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.