~~242 + 12 ⌀0746~~

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION ~~@ ⌀0745 & ⌀0749~~

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

~~A45 - 0894~~

~~JH 0893~~

JOB STAMP

04-043804

RICHMOND/SAN RAFAEL SEISMIC RETROFIT PROJECT

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐

ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒

(STRUCTURAL STEEL)

REPORT NO.	DATE
-11	04-10-09 (M) T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE: MIN ~ 50°F± MAX

WEATHER O'CAST / SL. DRIZZLE, COLD - AM.

* 0740 → 1610 +54' 1704 → 1954 ⇒ +2° 50' ⇒ (A2 3/4) +5'

(0749 - 0753 = 4'), (0835 - 0839 = 4'), (0848 ~ 0900 = 12'), (0900 - 0904 = 4'), (0940 - 0952 ~ = 12'),
✓ : (0958 - 1004 = 6'), (1259 - 1307 = 8'), (1611 - 1613 = 2'), (1844 - 1909 = 25'),
(1935 - 1941 ~ = 6'), (1953 - 1954 = 1'),

⇒ Σ(✓) = 84'. " - " 30' (= @ BRK.) = +54'

* SAF TRAILER (W/ POV), MISC, CONTRACT ADMIN, ETC)
→ G/M: JBR) → H. READY: TRAVEL DRIVE (JUMP...)
~~LEFT BOTH HS @ HOME; I'VE PERSONAL @ HOME...~~

→ T/O P/C, <0710

* LOG IN; → S/N ≠ U/D RPT.) → L/N: E/M = 292 U/R, +12 L°, <0744

* SPOT ✓ E/M; <0745 / * E/M ↑: <0746 ≠ <0747
* ✓ — —; <0749 / *(CALL L); <0753 / *U/D RPT.) <0756

* OK. SFT. RPT)
→ (C) BOR (#: GOT MY E/M) → WOULD NEED PRINTER

SIGNATURE [signature] '12 DEC 5 AM10:27 23177 TITLE ASR (RANGE D)

CEM-4501 (HC-0010 REV. 11/92) 92-95203

46.02

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐
ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒
(STRUCTURAL STEEL)

JOB STAMP
04-043804
RICHMOND/SAN RAFAEL SEISMIC RETROFIT PROJECT

REPORT NO. -21

DATE 07-10-06 (M) T W T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE: MIN — MAX —

WEATHER —

(CONTIN) CARTRIDGES FOR 80 "FULL SIZE" SHEETS/ ROLL FEED, ETC.) VS. 8½X11 P/OS = HAVE; ITM WAITING ON SACTO...; THEY'VE E-FILED...;

→ W/D RPT.; <80%

* JAVA°;
→ JBR: 1) "ROUND #2" TODAY/NOW: ISD DOC. ESCROW...; "ROUND #1" DIDN'T GO WELL...; BCE BJB TOLD ME LAST WK. (@ ~~PE~~ MTG) ABOUT IT, BCE S.K. PROB GOING TOO...;

2) PE MTG 2006; FEW H/OS...; PE G.P.: ① PPT, ② "RECRUITING"! (HAS NO STAFF...); BCE BJB ON SKYWAY PPT COLLAGE — NO SAS'S!?!; ID MENTION STAFF MTG;

3) AEM A. KATA; GONE...; BCE BJB INTERVIEWED...; DARTONA M.D. COMMENT — FME; ASR JSR CALL/PUNCH BCE [RSP] DCE WM BORYMAN...; FOR F...?! TRS RCD.?!; + SUBSTATION "J"...; SAS STAFFING...;

SIGNATURE [signature] TITLE ASR (RANGE D)

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

JOB STAMP

04-043804
RICHMOND/SAN RAFAEL
SEISMIC RETROFIT
PROJECT

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐
ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒
(STRUCTURAL STEEL)

REPORT NO.	DATE
-31	04 10 06 (M) T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE: MIN ____ MAX ____
WEATHER ____	

(CONT'N.):

4) SAM S. LFT; SAID TO SAY GOODBYE; ~~THE~~ LAST DAY; ~~HAD~~ BEEN W/ T.Y. LAN RE (@ P.#1); TO U.R.S.; JBR ~~HADN'T HEARD~~ UNTIL TH AM ~~FR~~ SS...; BCE SK ~~HAD~~ MADE OFFHAND COMMENT...)

5) BCE GL F/M ⟺ WCR "DAD" COMMISSARY...; "BYS"?

6) JJD AWARD STILL ON SCHEDULE...;

7) BCE FEL...→ DEVIL'S SLIDE; ~~PERIME~~ PADDL~~E~~ REPUTATION; ~~OTHER~~ BCE'S RANCH: UTA!; 0835

(CALL) <0859>

J/D RPT.;

→ TAZ-LAN L:) BCE RJS ON - A/M - LFT. FOR ~~BEFOR~~ BFDV...; 2) WE'LL DISCUSS AS SPREADSHEET "BEES" "ENG'S EST." QTYS MATCH EDWIN C'S "BID ANALYSIS" SPDSHT. "E/E" QTYS...;

3) (C) DESIGNER SAYS ONLY "FEW" CHANGED QTYS TO 2002 QTYS...; ID MEET W/ TH, THEN CALL (C) N.V. 0858

SIGNATURE ____ TITLE ASR (RANGED)

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

JOB STAMP

04-043804
RICHMOND/SAN RAFAEL
SEISMIC RETROFIT
PROJECT

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐
ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒
(STRUCTURAL STEEL)

REPORT NO.	DATE
53 — 1	04 10 06 (M) T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE: MIN — MAX —

WEATHER

(2) ✱(CALL 5); <0900 / ✱(CALL 8↑); <0901 / ✱(CALL); <0903 / ✱(CALL↑); <0905

(3) ✱U/D RPT.; → (E/M); → (T/N); <0927 / ✱U/D RPT.; <0936

(1) ✱U/D RPT.; / → MISC.; → (CALL 2); <0848

(4) ✱U/D RPT.; <0940 / ✱(CALL↑); <0942 / ✱(CALL↑); <0943 ~
✱(T/N); → (CALL); <0952 ~ / ✱(E/M); → (P/O); <0958
→ SPOT ✓ E/M

<0958

✱(CALL↑); <1004 / ✱ RPT P/O; <1009

C	<GS	BSU+	DQ, EF;	OV & A	L/TOP DR
✱ 1050	<1052	<1107	<1127	<1130	<1151
USIG <1228	— (L);	~~2A 1238 1256~~			

SIGNATURE

TITLE ASR (RANGED)

~~KS 1522 BE~~
0223

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION
RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT
DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

JOB STAMP
04-043804
RICHMOND/SAN RAFAEL SEISMIC RETROFIT PROJECT

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐
ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒
(STRUCTURAL STEEL)

REPORT NO. 42 - 1

DATE 04 10 06 (M) T W T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE: MIN — MAX —

WEATHER —

* ZACH AMARE TR. 650-477-0250 1237-1256
1) B/M ↔ 2) AS-BUILTS...)

(< 1257)

* MGV: EA...) ↪ 1259 / ~~A(CALL)~~ / < 1302 / ~~A(CALL)~~ / < ~~1304~~
* (CALLS T) < ~~1305~~ / ~~A(CALL)~~ < 1307

* PPT / < 1342

* JASMINE, (c) PO 9-286-6464 1343
GRACE

* 9-286-7167. ~~1345~~

C/R ~~BUPPO~~ NBW.

SIGNATURE [signature] TITLE ASR (RANGED)

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
5? / —	04 10 04 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* JB REED 622 5790 1417 - 1477
CAN COME OVER TO P.I.T. NOW ?!

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

JOB STAMP

04-043804
RICHMOND/SAN RAFAEL
SEISMIC RETROFIT
PROJECT

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐

ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒

(STRUCTURAL STEEL)

REPORT NO. 52 — 1

DATE 04 10 06 (M) T W T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE: MIN — MAX —

WEATHER —

* P.M. SAP T.) < 1609 / ASB T ✓ F/M) < 1614
* (AM SAP T.) < 1613

SIGNATURE

TITLE ASR (RANGED)

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION

QUANTITY CALCULATIONS

DC-CEM-4801 (OLD HC-52 REV. 11/92)7541-3520-0

SHEET _____ OF _____

JOB STAMP

ITEM: SFT. STD. DN.

LOCATION: P.E.T.

CALC. BY: AJ SCHMITT

CHKD. BY:

FILE NO.

SEGREGATION ☐ YES ☐ NO

DATE: 06 10 06

DATE

LERWOOD R



POSTED BY DATE POSTED TO

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION

QUANTITY CALCULATIONS

DC-CEM-4801 (OLD HC-52 REV. 11/92)7541-3520-0 SHEET ____ OF ____

JOB STAMP

ITEM SAFETY STAND DOWN PREP

LOCATION P.C. TRAILER

CALCULATED BY AAJ SCHMIDT

CHK. BY

FILE NO.

SEGREGATION ☐ YES ☐ NO

DATE 04 10 06 TM

DATE — 1859

- S1 = V2
  S2 = C2
  S3 = V1
  S4 = V2
- S/S SEL. — "LAST USED" → C2 → C1
- AUTO SOURCE "☑" → "☐" ... → "☑"

- JOB LIFT (15ST)

POSTED BY DATE POSTED TO

STATE OF CALIFORNIA - DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

DC-CEM-4501 (OLD HC-0010 REV 11/92) 7541-3506-1

RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45 ☐
ASST. ~~RESIDENT ENGINEER'S~~ STRUCTURE REP'S DAILY REPORT - FILE CAT. 46 ☒
(STRUCTURAL STEEL)

JOB STAMP
04-043804
RICHMOND/SAN RAFAEL SEISMIC RETROFIT PROJECT

REPORT NO. 6? — 1	DATE 04 10 06 (M) T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE: MIN — MAX
WEATHER	

* RT N (P.I.T.)
→ (C) B.N.: LV 5:
→ GLEN F.: D TRAN E → AMBRA?! ② NO ADD ~~*~~ 8 dw SP.:
① 45 → 4 W ... / ② A/S DE JACK ③ ZIP PAINT SPEC ... /
:
→ MGN: W/ FBJ <1859
* W/D RPT.; <1854 / * (CALL E); <1847 / * (CALL T); <1851
* (CALL T); <1852 / * (E/N); <1850 / * (CALL L) <1909
* W/D RPT / → (E/N) → MGN: SPEC ... / <1915
* JAN.: NT RN); ~ 1+C LEFT.; W. ALL MK 30C (W/ 1½ E JAN.)
→ CUSTODIAN HERE
→ MGN: (F) CWT. — DN MGN P/R ... ! / → W/D RPT. / <1935
* (E/N) / <1941 / * (E/N) / RANGE → E/N T; <1944
* E/N T / RANGE → MGN: LV 5:
* S/D: IN PC ... / <1953 / * (CALL T) / <1954

SIGNATURE [signature] TITLE ASR (RANGED)