STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-1	04-25-06 M T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~56°F MAX
WEATHER	

OCAST, COLD AM;

A 0835; 0857; → 1705 +8' ⇒ 1710 → 1913 ⇒ +2° 07'
+10 1715 +1°58'

: (0900-0903=3'), (1254-1255=1'), (1354-1355=1'), (1355-1356=1')
(1600-1613=13'), (1655-1709=11'), (1751-1741=4'), (1811-1815=4'), (1907-1912=5')
⇒ Σ(Δ) = 35' 40" = 4' 38' (=2 BRKS) = +4' 5' 10'

A SAS: 1) w/ RON; 2) MISC. CONTRACT ADMIN, ETC.; <0835
A G/M: JBR, CH; → T/O P/C; <0857
A S/U & W/D RPT.; → LOL DN' <0840
A E/M: L/N=230 J/R, + 3 L; <0848 / SPOT ✓ E/L; → REG <0845

A JAK: W. MUG;
→ + BCE BJ ROAL: 1) MTG @ 0700; 2) MORE STAFF GOT: HE'LL RECONSIDER - DEPENDS ON TURN OUT...; IF LEGIT, MAY ADD A FEW MORE...; 3) (B/BAIL...);

<0853

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -2/	DATE 04-25-06 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* E/M ↑j → C. H.: BCE RSP - THIS AM ~~FOR~~ DOC'T. CONTROL DISC^N / MTG / PRESENTATION) TO SEM E/M TO BCE RSP ≠ P.S. - NO RESP. YET; RSP'S MTG CANCELED...) <0858

* PREP. ~~FOR~~ MTG.: <0900 / *(CALL ↓)j <0903^
→ C/L (EAST): 1) IN-FLOW ADJ.; (2) MAKE S. - OK W/O HELP...)
→ + C. H.: → BCE RJB - OK TO "CAST" MTG. <0908

* "SCHEDULE BRIEFING" MTG ^0908-0949^
P: BCE RJB: (C) MS, BCE's GL, SK; DCES MA, BS, DS, +1(ML), CH, JBP, TL, GR...)

* MISC. W/U j → U/D RPT.; → SPOT ✓ E/M; <1008

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 5 / -5	DATE 04-25-06 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

1014

★ BCE RS POWELL 2-714-7088 1008 –
i) JASON TOM... LATERAL; HAD SUSPECTED AS GOOD/BEST CANDIDATE FR. BEG'G...)
2) WE'LL SEE LATER TODAY FOR DATABASE DISC.)

★ E/M ↑; < 1020 / ↓; < 1023

★ 1022 CARLA M.: AWAY FR. DESK ⇔ SNGL)
→ A. YAN: SIGN NPS;
→ + DJC: 1) ↓; 2) SPOKE W/ JULIE S. (⇔ HER P/C) < 1023

★ J/D PPT.) → 1057 C.H.: READY TO GO TO P.F.O. FOR DATABASE / PRE-TRAINING...; 2) MY CHC / J&P CAN FIT 5...;
⋮
→ PRE. FOR TRNG.) < 1037

★ CHC ↑ 0/52 JNATV: BATT. RUN DOWN..!; →

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 61	DATE 04 25 06 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'D.):

→ DORIS J.C.: 1) MISPLACED JEEP KEYS... W/ GAS CARD... / 2) RECOVERED! / 3) NEED JUMPER CABLES...;

→ C.H.: BATTERY SNAFU ⇒ WILL TAKE 2 PKS INSTEAD (+ JBR + TLL);

4 OTS ✓

* REGATTA F.O.: SCOPE SUPPLIES: STORE ROOM...; UNIT BINDERS (↔ GR); PLAN RACKS...;

→ MEET W/ BCE RSP & PSINA; LANGL. BACK IN; MB H. ON NIGHTS - JOINTS...)

→ ACCESS D/RAIL DISC'N/PRESENTATION VS PMLV (NO LONGER @ P/OR...) GOT CD-R'S...; YET TO DISCUSS HSB TRACKING (C.R. NEEDED);

→ P.S.: NEEDS CAL/OSHA PLAN...) 1230 ✓

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	-5/	DATE	04 25 08	M T W T F S S (Circle Day)
SHIFT HOUR: START	— STOP —	TEMPERATURE MIN	—	MAX —
WEATHER	—			

* BCE JJB ↑ 622 5191 1251-1253
1) SAS STRUX STAFF → RFQ: DATABASE REQ.'S)[2] NOW TO CROCKETT/NANTUCKET...)[3] SUSP SPAN LOWERING - SEAN S. ↔ TLL: "DONE"...; NO CAMERA...!)

* EN PT E CROCKETT...) <RFI

* TPL-LAN L ↑ 385 7208 1241-1243
HEADING DOWN HWY TO CROCKETT ALREADY!) 6 OF US; TO CALL SEAN S.

→ N(L): W/ BCE RAP, CH, JBR, TLL, GRJ @ CROCKETT; <1259

* PHIL L.L ↓ 622 5157 1259-302
1) NEEDS PROFILOGRAPH <SAS STORAGE ROOM TURN: 0900 HRS. PRESENTATION/TRNG W/ K. REESE...) 2) SKYWAY FOR N/G @ SAS...; 3) @ CROCKETT NOW! HELPED GLEN F. W/ (N) CARP'S TRAVELER MOVE MID-SPAN FOR JOS TIME INT'L. TIME LAPSE OF LOWERING...!

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	— C6 /	DATE	04-25-06	M T W T F S S (Circle Day)
SHIFT HOUR: START	—	STOP	—	TEMPERATURE MIN — MAX —
WEATHER	—			

* SPAN SCREEN — @ CROCKETT FO. TRAILER (KHMO'
1) '27 BR SUSP'D. SPAN LOWERING TODAY;
DOESN'T KNOW IF TRUSS CONNECTING TWO
BR TRUSS TRANSPORT BARGES...)

2) BAR PILOTS: SLACK TIDE PAST. (VS FIGHT
CURRENT INTO NAPA R.);

3) MAX 4 CARS...)

SIGNATURE

TITLE: Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 1	DATE 04 25 06 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* RT^N SAP) → U/L W/ C) → E/M: TCO ↓; <1588

* SRT ✓ E/M; → C. HAVEL: SFT. STD. DN ["ANGLES"] TO E/M P.E PETE E.S.) & BCE BILL C.)

<1520

* BCE BJB: 1) BACK 2) CDR: R/SR DOC'T. TRACKING (SUBM.) D-BASE: "PER SHEET"...; 3) USE "STAND-ALONE" OR ASK JEAN-LOUIS TO INCORPORATE...) & PROB. SAW ALREADY!; 4) BCE RP FOLEY W/S CRACKED WHEN WE ARRV'D: ALL'S LATE...!; 5) CT "HANDS OFF" ONCE ON JV'S BARGES... <SEAN'S!; 7) WONDERS E/M: HE'D FWD TO JBR & TIL; JBR NOT GREAT WK & PEL...; DN SACTO; JSR'S BCE PROMO^N...E (ATTEMPT) 8) (N) ACM (VIA JOBS) J. TOM W/S — SAW HIM; P.E. PETE E.S. ANNOUNCED LAST WK...; I TOLD BCE RE: I.R. CABLES?! — @ HOME (TOO); 10) MS MARQUEZ QUIT — TO OAHU, W/ MO. AGO...!; BOXES OF DOCS.!?)

11)

<1542

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 04 25 08 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

ASPOT ✓ E/M) <1548.

<1600

BCE S.K.: 1) BCE D. WV — IN HIS CHAIR!?!) 2) JR CABLES? — EA HAS ID ASK TURN REST — SO AS TO LEAVE RUNNING...;

→ DORIS J.C.: LVG.)

→ CARLA M.: 1) SUGE... ⇔ PERA T. TO'VE PROCURED.) E WEL THIS W/END...) 2) < DISCUS IN NOVE 3) GOOGLE EARTH...;

→ CHC # 0152: NO JUICE...;

<1600

(CALL 1)) → (MOBC.)) <1604 / (CALL 2)) <1606 / (CALL 3)) <1613

SAWAN S.: "UNRULY MOB" ⇔ STAND DOWN JRP SESSION OMISSION...; FOLKS HAD PLANNED AROUND IT...; ACM DBC MGV. (S. MOTOR — ?); BCE MRW — "INSTALLMENT PLAN": ATTD 2 VAR. SESSIONS...!;

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE 09 25 06 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N.)

→ + MGV: 1) SFT. STD. DOWN SNAFU — 1ST: TRLR TO CORRUSC 2ND! (TRLR RR — ?) TRLR; PLANNING ON 3RD — MAKE-UP SESSION/ FAN TO TABLE ST'S. (LATE 1 HR);

2) PMLV "ISSUES"...; TSETA VERSION FOR E2/T1 ALL OVER AGAIN...!; BEWARE...; E/SE DOC. CONTROL TRLR?; ACCESS D/BASE — "PRE SHEET"; PAY PMLV'S I-L TO INCORPORATE?;

++ BCE TSR: OVERHEARD "EATING ROCKS"...!?; ⇔ TOM S. + HERMAN S.; <1830

*<J/D RPT.) → MGV: RC VEH E/M...) <1645

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. XXX 10

DATE OCT 25 06 M T W T F S S (Circle Day)

SHIFT HOUR: START STOP

TEMPERATURE MIN MAX

WEATHER

* MGV: ID GO TO A STORE TO BUY RC CAR FOR EPS OFF LOTD, 4WD, ELECTR. . . / ~ $50.00 . . /

< 1653

* LWRTA : INFO U/D SHT. /
* (CALL 2) < 1702 / * (CALL 1) < 1704 / AN/D RPT. / < 1717
* E/M (DRAFT) / < 1724 / * U/D RPT. / < 1737 / * (CALL) < 1741

* U/D RPT. / → E/N / → TS: LVS / < 1756
TOWER OF "FUTURE" . . /
* U/D RPT. / → R.B.: LONDON, ONT. - COMS. WEDS / → MGV: LVS / < 1803

* U/D RPT. / < 1811 / * (CALL PT) / < 1815 / * U/D RPT. / < 1819
* U/D RPT. / < 1825 & < 1830 / → N / < 1835 ~ / * JAN.: MT JRN /
~ AC (2) / → P/C GRAND S / → W ALL / → MK ~ 220 C JRN / COMPLET * $50 / → H/OS /
< 1902

* CC: S / → P/C OUT / < 1907 / * (CALL PT) / < 1909 / * (E/N) AM → E/M) / < 1912

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

* S/D: U/N P/C / < 1913

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.