STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 1 /

DATE 07-24-06 (M) T W T F S S (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN ~68°F MAX

WEATHER CLEAR, WARM — AM

* 0814 N/ 0817 → 164 → 144 MAX. → SF
1614 (N) → 140 →

N:

* SAS TRS: 1) W/ POV; 2) MISC CONTRACT ADMIN, ETC.; <0814
* G/M: JBR, CH; → T/O P/C; <0817

* SET UP & UP DATE REPORT; → LOG IN;
→ E/M: L/N = 36 U/P, + 13 V; <0822

* SPOT ✓ E/M; → FW D.; → C.H.: PMIV NOT WKG.; <0825
* SPOT ✓ E/M; <0827 / * C.H.: 1) NO ONB/S PMIV WKG; 2) HAS "N" L/N - SLOW...
→ + JBR: PT SAZOD (N) L/N NOT COMPAT - W/ PMIV...(!)
→ PREP. JAV. CLNB (2 CR.) <0837

~~<0852~~ ~~JBR <0855~~ ~~TIL <0854~~ ~~<0903 CAGE MISC~~ ~~<0904 (N)~~ ~~<0911~~ ~~<0915~~ ~~<0920 JBR~~ ~~<0930 JBR 38~~

* ~~<0951 BMT, DJ~~ ~~U/P <1002~~ ~~BMT <1005~~ ~~U/P, OV <1015~~ ~~OV <1017~~ ~~U/P E (MS) T, <1021~~
~~TL, BMT <1026~~ ~~U/P, JBR, <1040~~ ~~JBR <1042~~ ~~(W) <1047~~ U/P, ~~JBR~~ 405

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -2/

DATE 07-24-06 (M) T W T F S S (Circle Day)

SHIFT HOUR: START ___ STOP ___

TEMPERATURE MIN ___ MAX ___

WEATHER ___

JAV.: 1) #2; 2) T/S CR; 3) C.M.: NOT IN; 2) CAN (#5, 49, X2) DESERVED.

INTRO.: 1) JODY B.; NOW ON "J"; STRUX.; PLER TABLE

2) + LINA G.E. - MOVING TO SAS?!

3) L MATHUR: "LIGHTER" FIRST.

PB: 1) W/ JBR; 2) OK W/ JAV.; L.M. "ALWAYS" DILUTES...!

JBR: 1) BCE TJB - DIDN'T GET HIS T/S FRI?! ~~[illegible]~~ DID DO ONE; I THOUGHT HE WOULD'VE; TO CHECK

2)

<0852

JBR: 1) "RE-SUBMITTED" T/S; PERHAPS ON QUEUE @ DAY'S END W/ REST OF (HORDE); VS. TIME STAMP; BCE TJB LAST CHECKED FRI < 100 HRS.; BLAME PMEV...; 2) BCE TJB - OUT ALL DAY TODAY; ½-DAY (AM) TOMW.; 3) CAU - IN @ 1100 HRS ⟷ 19.22 SEE LANG.; HE'LL ✓ C/R AVAIL; "TOUCH BASE"

4) I'VE FAM. DENTALS - MUST LV. @ 1330 HRS.;

2) "PMT." (ATTA) TAKING C/R; P.I.T. JASMIN?!

<0855

SIGNATURE ___ TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -31

DATE 07-24-06 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

(CONT'N):

* TAIL. L.: 1) 49.24 TODAY; 2) NEED HQ "ATP" ⇒ CPA + DRAFT CCO, MEMO.; 3) R-G CAN ISSUE "ATP" TO A/BT IV; 4) I NEED TO SEND E/M W/ PCC FR. FRE'S ISOAT TREP: "W'S" TRAN. PIER (W'M) & S/W'S ORGD EASTERN END — "LONGER" THAN PORTRAYED ON S/W'S 49.21...; 5) WHERE'S THE W'S PCO?!; 6) BCE RSS TOLD HIM BCE DIV TOLD HIM THAT WOULD "LOOK INTO IT".

7) I'M LV'G FOR DENTAL (FAM.) @ 1330 HRS.

<0859

* MISC WRAP UP: CH'G CARDS ETC; <0905 & <0906
* (CHES'D); <0908 / * (CALD'G); <0911 / —"—; <0915
* U/D RPT.
* JBR: 1) HEADS-UP — 1ST TORN AMRENDING!; FALSE ALARM ESAT'Y. ("WATER BROKE"); 3) +2 WKS.; WESTERN "WISDOM"; 3) PROSTAGMADON, PETOCIN, AMNIO. FL'R, STRESS TEST, MACO'N, ETC.

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 41

DATE 07 24 06 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

(CONT'N.):

4) TO BE OFF 1 DAY (+ 1/2-DAY-?) THIS WK.;
5) IN-LAW ARRVD. THIS W/END; 6) 45' FR HOME FR HERE; IN-LAW CAN DRIVE SP....!

<0929

* ABCM TCTM: 1) W/ CH; 2) RFI #38; DISC^N; MY MT^E W/ BCE BJB; % R.G. (V.C.) "SAME" E & W TBRs; I SEE AS 3 "ISSUES" W/ RFI: ① MS's "DRAFT" RESPONSE — INCOMPLETE; ② WHAT'S A/B F's, JV, ACTUAL QUESTION (S?)? ③ WHAT'S DESIGNER'S INTENT?; DETAIL TECH. CORRECT?! (WP.; "PT. OF ∩"; ETC.); SAME 0°40' EVERYWHERE?!;

3) ABCM TCTM WANTS TO CLEAR ALL UP (STATUS OF RFIs) B-F 0800 HRS. MT^E TMRW.; CH. SAID TO CALL DJV (c) TYL "SOON"; ANY QUEST^S FOR DESIGNERS? ETC.)

<0939

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5/

DATE 07 24 04 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

* ABCM RTM: 1) 49.24-50; NEED INTERNAL "ATP" B-4 CAN "ATP" A/B-F, JV...; I'D PACKAGE "CPA" FOR THEIR REVIEW ASAP;

2) HE'S OUT WEDS (PART..?) (DENTAL?);
3) I'M OUT > 1330 HRS. TODAY (FAM. DENTAL);
4) BCE BJB OUT TODAY & TMRW. (A/M);
5) CALL-IN @ 1100 HRS.: 49.22 SPEC. LANG. (W/ TYL); BCE BJB TO CALL...; "TOUCH BASE";
6) BCE BJB'S E/M FRI (P/M): OK W/ DJV (C)'S REV. RE: FAB PROC'S...;
7) JBR: IMPENDING 1ST BORN; FALSE ALARM SAT/Y.; "TYP." !)

— LISLE DARRYL S.: 1) 49.24-50: NEED "ATP" ASAP; I'LL PACKAGE; 2) <1330 HRS.: (FAM. DENTALS); 3) SAYS "CPA" FORM "REDUNDANT" (FOR ATP) SINCE WE'VE DRAFTS ALREADY OF CCO & MEMO...) THOUGHT S/W DCE KB WANTED ONE ALWAYS -?!) 4) RE: (CPD-?) 21 DAYS

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 6

DATE 07 24 06 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

(CONT'N):

→ CLOCK: STARTED W/ 4.21 !; 5) BLACKEYE TCE: "AN CONSEQUENTIALS" CONCERN...; 6) DRAFTING "DEF'D. CONT" (!) LANGUAGE FOR OUR "ATPS" ("CA")...;

⟹ AM'S REN D. PAB K.;

7) T/STAT — OVERRIDING TO WARMER) @ 70°F IN HIS OFC: COLD !; C. MASTER DOESN'T WANT TO REPROG.: SO. WALL FOLKS HOTTER...; DCE WS: NO MANUAL OVERRIDE...; GR — W/ LONG SWEATER LAST WK.!

C0951

*U/D TRPT.) C1002 / *E/M T) C1005 / *U/D RPT.) → SPOT ✓ C1015 E/M)

*C.H.: I OVERHEARD SAS — PLOV WORKING AGAIN...; C1017

*U/D TRPT.) → E/M (@ T) C1021 / *U/D TRPT.) → E/M T) C1034

*U/D TRPT.) → JBR — DUELING E/MC "!) AWAITING @ AMW'S RESPONSE;

2) TO CHECK OR AVAILABILITY; C1040

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

(1058) f.l.
~~3 EXTRA SHTS, CW #22 — CUT SW. OF UNIT: PARTIAL VIEW.~~
~~650-742-4379. ISM. GARY, REBA P.~~

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45
☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

REPORT NO. 71	DATE 07 29 06 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

A U/D RPT.) → JBR: W. C/R DARK; → MALL) TO SIGN UP UP;

<1052

A U/D RPT.; <1041 / A(CALL) <1047" / A U/D RPT.; <1058

A SAM CHOY, 1/B F, JV TR. 650-742-4379? 1058"
GOT E/M (LAST WEEK?) < CT'S (DUT'S) REBA T.
(& ACM TR GARY P. —?) RE: 49.22 / 3 EXTRA SHEETS; SNAFU: LOOKS LIKE PDFS OF "CUT" SECTION OFF UNIT → "PARTIAL VIEW"!; I'M NOT IN LOOP W/ THOSE E/MS, THOUGH — I OVERHEARD RE: PROB. W/ 8½X11 PRINT OUTS HERE..) SAYS TO CALL AM @ 650-742-4379; I'VE AN 1100 HRS. MTG/ NOW, SO I'LL TR/RND ~3/4 HR. +/-) SAYS IS LOOKING UP QUOTES...)

A RCE RJB TR 714-7077
MISSED CALL (ON PH W/ JV)!; "L" (→ V/M) 1058

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

-0512

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -8/

DATE 07 24 06 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

* BCE RJB 9-1-714-7074 (C) 1101

→ DJV (C) NTV @ 9-1-415-291-3765 (W):
V/M —

* DJV (C) JD 9-1-415-291-3816 (W) 1105
V/M: "AAGD..."!

* DJV (C) JD 9-1-415-992-1047 (C) 1108 1105 —

* BCE RJB 9-1-714-7074 (C) 1109
DJV (C) NTV SLB @ HOME TODAY

* JBR:
→ SPOT E/M/ ← 1112

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 91	DATE 07-29-04 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

M → JBR. NO CALLS TO MY (N);

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -18?

DATE 07-29-06 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER

* SAM C., JV ~~9-1-415-491-7596~~ ? 650-742-4379 1312
LFT. V/M: FINALLY RESENT PLAN SHTS. — WORKS?

* S.C., JV 9-1-~~650-742~~ 415-491-7596 (c) 1315
1) GOT MY E/M; LOOKS O.K.; LFT. HIM V/M @ OFC.;
2) THINKS (DCT) HAD (SCANNED?) PARTIAL / TRUNCATED PAGES - 8½X11, VS. 11X17, SNAFU...;
3) T. NILSSON TRAVELLING TODAY; FIGURES BACK TO WORK TMRW.; EXPECTS HE'LL PARTICIP @ 0800 HRS RFT MTE TMRW.; JVS KEVIN S. HAD SAID NOT BACK 'TIL WEDS (OR AFTER-?); ABCM RTM & BCE BJB LK'G TO TALK TO HIM...;

* V/D RPT.; <1322

* SAMAN S.: I DID RESPOND TO HIS E/M!; SHOWED HIM "PROOF" (W/ RT'E RCP'T.!!); SHOWED HIM HOW...

<1327

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 11	DATE 072406 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* U/D RPT.) <1328 / *(CALD 6) <1332 / *(CALL 1) <1355
*(CALLS 1) <1338

* U/D RPT.)
→ JBR: 1) I'M LV 6 — LATE!) 2) I'VE ADDED/POSTED ITEMS TO "ALL STAFF" POSTING (ON "X" DR.) HE'LL BRING UP IF NO ONE ELSE DOES...)
→ E/M 1)

<1352

* U/D RPT.) → E/M 1) <1355

→ N-) → DCE OM (C) AMW!: ON PH.)
→ DCE DS: OUT OF OFC.)
→ TLL: 1) TELL DCE DS — "CRA" (49.29-S9) "TMRW." ...!) 2) I MAY COME BACK TONIGHT..)
→ U/D RPT.)

<1403

<1405

* S/D; CH; AMW (C)..

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501