STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT#17541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -1/

DATE 07-31-06 (M T W T F S S) (Circle Day)

SHIFT HOUR: START 0700 STOP 1530

TEMPERATURE MIN ~38°F± MAX

WEATHER CLEAR, COLD - AM/

* 0821~; 0824) 1658 1551 MAX ~~SE~~ 12

+ 61' → 1839 → +~~47~~ → N/C 4 (@ >½ L...)
1752 VS. +1°09'...

→ ~: (1615 - 1714 = 59); (1508 - 1506 = 5); (130 - 131 = 1); (1414 - 1424 = 10); (1606 - 1609 = 3);
(1739 - 1746 = 12)

⇒ Σ(+) = 91' "-" 30' (= 2 RKS.) = +61'

* SAS TRK: 1) W/POV 2) MOR CONTRACT ADMIN, ETC) <0821~
* G/M: OH) → T/O P/C) <0824

* SET UP & UP DATE REPORT) → LOG ON) <0829
→ E/M: L/N = 26 J/R + Ø ↓)

* 79.24 - "X" DR. UNATT!?) <0837 / * CAR ROOK) <0839

* SCHMT JAN.: +½") → ROC: SRRE ") → H&S: JSEP CHG CT'S ON?
→ DJC: FRI DWR -!) → ICE BJB: JSR E/M (W/ PLUS!)
2) LIVE, NO E/MS SINCE FRI P/M !; 3) NONE DAILY. (AFTER SRRE); 4) CONCORD - POWER OUT ONLY LAST MON. (12 HRS)
⋮
→ + POV M.S. MISSED SRRE D/LINE)

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

12 DEC 5 AM10:45 23250

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

46.02

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT

ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -2/

DATE 07-31-09 (M) T W T F S S (Circle Day)

SHIFT HOUR: START ___ STOP ___

TEMPERATURE MIN ___ MAX ___

WEATHER ___

(CONT'N.):

→ MGV: SRBE — SS "BCE" !?!) EXPOSURE - AND RECOLLECTION!;

→ + C.H.: 1) SRBE...) 2) → MGV: T1 FOOTING BOX, ETC.)

<0917

* CARLA M.: AWAY FR DESK; RE: #3 + #2...)

<0920

* MISC.) / → V/D RP'T.)

→ P. CATASA: SRBE;

→ + MGV + CH; + TLL...;

→ TLL: 1) F9.22; REV'D EST.: + #900K +/- (NS + #1M +/-); ... @ "U.S." PRICES...) HIS SPDSHT.; KEEP "OLD" SHTS.;

2) ONLY "TOWER" CALCS. AFFECTED BY F9.22 CHANGES?: NOT JBR'S "OBGD" ITEMS?!; <=> Δ TO NDT TABLE; THOUGH HE'S NOT AS FAM. W/ "OBGD" WELDS (AS JBR IS)

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -3/

DATE 07-31-06 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

(CONT'N.):

3) + #150K EPT. ON 49.22 "CPA PKG" W/ BCE BJB;

4) 49.24 W/ BCE BJB FRI; I HADN'T GIVEN CC: TO HOM (TLL); HE'D ✓ "X" DR.)

5) TO FWD JBR'S E/M (JBR MISPELLED MY L/NAME);

6) STARTED REVIEWING TOWER BASE PLANS RE: MT'E BCE BJB WANTED TO HAVE THIS A/M...)

7) HAD INTERVIEWED & BEEN ASSG'D. TO E/T1 SOON AFTER NCB COMPLETED!; TOLD NOT TO SHOW ONCE JOB TERMINATED...!; THEN "SENT" TO BEN-MART.!)

<0945

* E/M ↑ (ST.)
→ DMD: 1) RMG, PLL, PJ, TDP, MA, (+?) - MEET ≥ 1130 HRS TODAY?; ASK TLL; + BCE BJB...; 2) OLD HILLTOP FL.?!)

<0956

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/OBB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 47	DATE 07 31 06 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* E/M T | 0957

* E/M T (CONT.)

→ TCE EOR: 1) INTRO.: (c) PL 2) SKYWAY W. B.D. OBSL DUE TO STOP 18TH ~; 3) PL, OLW THIS TIME — SMOOTHER THAN 1ST ONE..) (< VPL..) 4) KFM "ROUGH" USE — AUCTIONING FACIL. AUG...) 5) UNDER-RUN BY UST EOTE, + 25 YR. PLANT MGR GOT'D...) FAM. FEUD (RRA/SRS) 6) TMF ALSO PART OF CORP. MTX; 7) BRAD YOUNG, PRIMARILY ON E/SE...) 8) INT. W/ CT, ET AL...) 9) TRAILS 4' FAIL — LOSE LAKE CAMP...) 10) FOR PAUL H. TCE & FRIEND: c/TRAILS (SP.); 11) (c) CLB — e (TRANSRAY — ?) 12) KEITH D. — MAKES CONCRETE "AFFORD" (< OSM (4 ANN); 13) OSM (6) & ANN + PL TO SHARE WKE & DWE — CAMPER DUTIES...; 14) OSM (4) JKM TO BE HANDS-ON IN CHARGE (AS FAR AS) JUST DID 2-WKS "IMMERSION"!

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

<10 14

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5/

DATE 07 31 04 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

* E/MS ↑; <1016 & <1017 & <1027 & <1035
* DMD: 1) NO MAX A, P.J.; 2) LV. @ 1130 HRS.; 3) (LOT CALL);
* // DMD: 4) AWAY FR DESK; → P/O; <1036

→ ~) <1042 / * SPOT ✓ E/M; * INPUT, SUBMIT, P/O (T/S); <1052

* E/M ↑ (ST); → TLL: 1) 49.21 PK ≤ 7; 2) TDFS ON "X" DR. — SHOWED HOM WHERE...)

<1054

* E/M ↑; <1057

* CARLA M.: 1) T.Y. NOTE — HER P/C CRASHED!; 2) F5; 3) DOWN TO 3 "BRICKS"; TO PROC TMRW (OK); 4) (EIFFEL SNAFU); 5) (R-K..); 6) (PRIV. TBUS.);

⋮

→ DMD: HE & TLL & TDR READY; <1118

* CHC # Ø152 MI = 110,176 (@ 1118); 110,204 (@ 1257).
[Δ = 1°39'] "-" 30' = +1°09'.

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -6/

DATE 07 31 06 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

* PLL TO (N)/ 4505 "~" "1120" ff
→ N/A [(GO TO HILLTOP F.O. VIC. INSTEAD!)]

* W/L: W/ PLL, RMG, TLL, DUD, TDP;

* P.L.L. FR (N)/ 4505 1247-1248
(TK'G RMG BACK TO D.O.)

* RT'N SAS; <1257

* V/L D/T; ↔ 1301 / * SPOT ✓ E/M; <1303
TLL: JBR STOPPED BY...;

* (CALLS ↑); <1306 / * TLL: 1) CONFIRMED PLANS - "X" DR.; LOC ≈
HAD BEEN CHANGED...; <1307
// 2) 49.21 PK'G; BORROWED; //

* (CALP'G); <1311 / * SPOT ✓ E/M; → E/M ↑; <1318

* BCE BJB: 1) JBR'S CHG? - DJC TO BE DRIVING;
2) ⇔ TRANSPONDER E/M; 3) WHO SENT?!; MY E/M RESP...!
<1322

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7/	DATE 07 31 06 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

A V/D RPT.; → ✓ V/M: SAS = + 1 ↓; ↑) <1327
A V/D RPT.; < 1335

A SPOT ✓ E/M; → BCE BJB: 49.22 DRAFT TO A/B-F?; COULDN'T FIND ON PMIV...(!); I TRIED - SAW 05-16-06 DRAFT LOT/TRX WHICH DCT'S R.T. WAS QUICK TO "VOID"...!) STILL UNRESOLVED/NOT UPDATED...!)

→ TLL: TG^N 49.21 PK^E;

<1351

A PMIV RES. → P/O (⇔ 49.22 TRXs);
→ BCE BJB: 1) HIS 05-18-06 TRX. - NO PDF IN PMIV THOUGH...!) PRINTOUT SNAFU STILL...)
2) I'D GIVE 49.23 "ATP" TO BACK UP ARCM RTM/AM GP's CT SL TO A/B-F JV; 3) TLL REPORTS DJV (& NTV) SAID THIS A/M THEY'D RESEND →

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -8/	DATE 07 31 06 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

(CONT'N)

→ FINAL 49.23 C. PLANS PACKAGE (THIS FRI-?); CAN THEN SEND TO A/B-F, JV...)

3) HE'S OFF FOR ~2 WKS AFTER NEXT MONDAY - NEED TO SETTLE ISSUES (4 CCOS, SO FAR, NO CCO ID'D FOR SEISMIC JOINT, ETC. YET)

4354

* BCE BJR: ~~[illegible]~~ A/B-F JV T.N.'S (c): 812-8191)

→ E/M: P/OS...)

4356

* REV'D REP.F. QTTS PER DJV (c) TYL NTVS E/M & GR'S NOTE...)

4358

* E/M ↑ <1414

* V/D RPT, <1413 / * (CALL ↓) <1419 / * (CALLS ↑) <1424

* E/M ↑ (SH) → BCE BJR: 49.22 NOT TABLE QUEST ≤) →

<1436 [illegible]

(WHICH PROC)

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. — 91

DATE 07 31 06 (M) T W T F S S (Circle Day)

SHIFT HOUR: START — STOP —

TEMPERATURE MIN — MAX —

WEATHER —

(CONT'N.):

→ SEE TLL!; OMIT MT, FOR <25 mm, IF UI ALSO OMITTED FOR THAT..., (?);

⋮

<1445

* E/M ↑; <1446 & <1451

* V/D RPT.; → SPOT ✓ E/M; <1505~/

* E/M ↑ (ST.) → CH: TO'H'S E/M...; → V/D RPT.; <1511
* E/M ↑; <1512 / * V/D RPT.; <1514 / → ↓; <1520

* V/D RPT.; → SPOT ✓ E/M; → DJC: 1) FOUND (↓) NOT SS'S ?!) SCREENSAVER...; 2) + MGV; <1526

* V/D RPT.; → E/M (ST.); <1558 / * V/D RPT.; <1606
* (CALLS ↑); <1609 / * SPOT ✓ E/M; → FWR (ST.); <1610
→ ↓; <1614

* RT^N SAS; <1714 / * V/L D/S; <1717 / → ↓; → H_2O; <1734
* (MISC.); <1732 / * (CALD ↑); <1743 & <1746

SIGNATURE [signature]

TITLE Assistant Structure Representative/ Leadworker

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

CEM4501

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 10	DATE 07 31 06 (M) T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

* J/D RPT.) ⇒ SPOT V E/M) → FW'D (STE) <1759
→ RS: LVG.)

* (CALL T); <B01/AE/M ↑/4803

* ~~CHGE~~ RE: ⊄ @ SRSE SAT'Y: DOESN'T CONSIDER...)

* JAV.: W. ALL) → MK 40+ @ URN) → LTS OUT/
→ M. PENRY: WELL T/O LTS.) <1824

* J/D RPT.) → J/D L/N/4829

~~CHGE~~

A) BCE RE: 1) ~~CHGE~~ QA MEETS STONED 2) HADN'T SEEN 2 PLANSHTS N/B F RE'S E/L: 99.22
3) FRI OFF...) 4) PCE, DSI'S FRO CCOC MTS — IME ALREADY DECLINED/DELEGATED TO TLL...) <1855
5) FROM TOM SCHEDULING TOWER MTG FOR FRI AM - I HADN'T BEEN INCLUDED ON INVITE (ANYHOW-) 6) TLL HAD STARTED LOOKING @ TOWER BASE) PREV'LY. ASS'D. TO EZ/TT BUT TOLD NOT TO WORK UPON TERMINATION THEN...!
7.) EXTRACTED "CONTROVERSIAL" FAB. & ERECTD. LANG FR FQ 22 - WILL ~~ISSUE~~ (SEP.) JWS R.C. UNABLE (UNWILLING?) TO PUT FORTH OWN DEF OF "ASSY. SEQ."...!

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

TO WORK OUT DWG CAMBER @ WKE

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.