STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4

04-SF-80-13.2/13.9

SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO.	DATE
-1	08-08-06 M T W T F S S (Circle Day)
SHIFT HOUR: START 0700 STOP 1530	TEMPERATURE MIN ~60°F± MAX
WEATHER	

0746 ~~0749~~ → 1616 → 1627 ~ ⇒ +11'

SAS TR R.D W/PW) MISC. CONTRACT ADMIN; ETC) <0746

G/M: CH) → T/O P/C) <0749~

SET UP & UP DATE RPT.) → LOG IN) <0753

E/M: L/N - 441 J/R (!), +4 V) <0754 / SPD ✓ F/U) <0755

ARCH NOW) → LOCK W/P) <0756

SAN.)

SIGNATURE

TITLE: Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

46.02

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION

QUANTITY CALCULATIONS

DC-CEM-4301 (OLD HC-52 REV. 11/92)7541-3520-0

SHEET 1 OF

JOB STAMP

ITEM: WKLY. TU A/M OFF MI ½ FILE NO.

LOCATION: SAS W. C/R

SEGREGATION ☐ YES ☐ NO

CALC. BY: AAJ JCHAMITT

CHK. BY:

DATE: 08 08 06 TU

DATE: 0800/0802 ~ 0845 ~ 0901

(0809) 1) #JG - FRE MI ½ (TEMPLATE)
TN: TEMPONE TO SNMN MI ½
RC: MAKE ANOTHER MI ½ + CARRY ON
— NO MONITES
— HERE NEXT WK — ASSESS WHEN TO REMEET
— WE 12TH ? STAY 09-01

KS → BM: E/M SENT / SENT TO (c) MN; ALLOY
RC: HEATED. !

2) #40-R1 (ROBT) : SPOKE W/ (c) AMW. . .
→ LKS ⊖ CELVALVE (SHARE-TEN GRADE-3)

3) #60 - OPEN DRIVE - STEER FL ERMS FOR N/O ?
→ JUST GO A DRAFT REPLY (AS NECAT
CH: LOWER TRANS → 1 FL
SK: ↑ ACCESS MN: ERR WH ACCESS TO CORE

4) #61 — TN: LAST TIME, EASY DRIVE
SO: TO PRN. / REST
ACCESS TO X-BMN FL INTO OF RCD

5) #62 → #64 TN: NO CRITL
SO: BY NEXT TH

6) #72 — EXTR. CRITL) SK - TODAY

7) #80 — SO: "TODAY"

8) #73 — #75. RC - SHOULD'VE BEEN ON CRITL PATH

9) → SO: BY WED (PM) / TH (AM) - 73, 74, 75

POSTED BY DATE POSTED TO

→ AMW: WANT TO TALK W/ T.Y.L. . .

DCM-4301 (REV. 12-91)

JOB STAMP | ITEM | FILE NO.
LOCATION | SEGREGATION ☐ YES ☐ NO
CALC. BY | DATE
CHK. BY | DATE

10) Q1 - VERIFY SPL LOC (TOWER). SHOW PL
(Q)JD: ROCK KEEPING DETAILING by
PP 109 ++
TO S/M → T → A/B-F

11) TN: ADV. CC: REF #3 (SPM)
→ CANTON RE: "SPCM" PL SHOWN ON DWGS
LAYOUT
W = 2.3 LAYOUT: 2.5 m
SPMC WANTS TO CONFIRM: WELD ON LINE
(OK) → SPCM 2.3 m & OTHER PL NOT..
TN: DEF. TRANS DEPT
ALWAYS ADD MORE SPCM MAT'L.
TN: RECONSIDER SPCM @ TAPER CASES
SEQ B.: DON'T WANT SPL
→ WANTS CONTD W/ SPCM MAT'L.
· WELDED SPLS
TN: SHOULDVE SHOWN ENTIRE
SHOULDVE SHOWN EQUAL PL
→
(Q) SEQ B.: SHOWED NON. SPCM
→ T.N.: WANT TO PUT NON. ALSO
SEQ SPL. e.g. - WELD TO BE SPCM,
PUT 300 mm INTO NEXT PL
POSTED BY DATE POSTED TO
EITHER, ORDER (1500-7) mm PL...

CEM-4801 (HC-52 REV. OSP 00 44056
→ BOTTOM DECK SPL (PL)
MAINS DECK FOR SPLICE

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 3	DATE 8 8 06 M T W T F S S (Circle Day)
SHIFT HOUR: START / STOP	TEMPERATURE MIN MAX
WEATHER	

* GR:

→ TL:

→ PT:

→ AE:

0914

* JAMES D. 9-1-415-992-1047 (c) 0914
(OFF) LFT. V/M: FFZ #12 (c) JV ANVIL INCORRECT!
NOTE # 9 HAD NOTHING TO DO W/ CJP WELDS!
+ 0920 FOR 0914

* J. D.

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION

QUANTITY CALCULATIONS

DC-CEM-4801 (OLD HC-52 REV. 11/92)7541-3520-0 SHEET ____ OF ____

JOB STAMP

ITEM #72
PFL
SAB W. C/R
CALC BY AAJ. SCHMITT
CHK BY

FILE NO.

SEGREGATION ☐ YES ☐ NO

DATE 08-806TU

P: (c) AMW

STAUER, DUXBURY 9-1-415 291-3724 0945—1000~

BIGGER WELD

SD: NO NEED TO TAX JV

→ DET. D, DET. E

→ FIELD WELDS.

→ NOTE #5

SHT. #5356 — A1 A2 B1 B2

→ ALL WELD TO SKIN AL

→ ONLY @ 1 ELEV^N

→ TOP 25%

→ ELEV^N WELDS: RACK →

— TR

EL. 3^M → 75% OF ACTUAL HEIGHT EL 13^M

→ BRING ON AS DET-F^4 —

→ DIAPHRAM THRU...

→ (c) NTV: OAHU — RACK MONDAY

AMW: HANGER K — FORGING PIPE REAMS 23,7575...

→ RTES

→ DETAIL ON SHOP DWG^E

POSTED BY Ref RFI DATE

POSTED TO

CEM-3801 (HC-52 REV. 1/86)

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION

QUANTITY CALCULATIONS

DC-CEM-4801 (OLD HC-52 REV. 11/92)7541-3520-0 SHEET ____ OF ____

JOB STAMP | ITEM | FILE NO.

LOCATION | SEGREGATION ☐ YES ☐ NO

CALC. BY | DATE

CHECKED | DATE

— W/ ARCH RTM (4TH) @ BENCHES - W/ GR

THE ZONE AS

THE STATE IS OPEN TO PUBLIC

PSW & THE PAPC

IF THE CONTRACTOR EXERCISES OPTION

NOTE ON PLANS, OK TO USE CAST IN CO 22

BEST VS. MORE CLEAN

-583 R1

POSTED BY | DATE | POSTED TO

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION

QUANTITY CALCULATIONS

DC-CEM-4801 (OLD HC-52 REV. 11/92)7541-3520-0 SHEET 1 OF

JOB STAMP	ITEM	FILE NO.
	LOCATION	SEGREGATION ☐ YES ☐ NO
	CALC. BY	DATE 880806 TU
	CHK. BY	DATE

(8:20) RTM: WHAT OPTIONS

(c) SB: TO LOOK @ DECK PLS SPL
DOESN'T CARE RE: SEQ'T. SPLCS.
STRESSES ON DECK — 100 LOCKS VS. 1000 LOCKS
→ RC: NEED SHORT REP. THANKS
ANS'R BY THU
· AFFECTING DETAILING

(c) MW: THANKS CAN ANS'R QUEST.
TO SIT DOWN W/ (c) SB AFTER MTG

RC: WORK SMPT. FOR SPCM

12) RC: OTHR SEQ'T. SPLCS @ E. END OF BR
TH: SD-FRT; RC: LOWER PROF THAN LONG'L. SPLCS

RC: RFC FOR CORRID'R SEQ'T. CHANGES
→ KEVIN L TO TAKE LEAD..
~~→ RFC #44~~ B ✗
RC: TO REVISE B, & FOLLOW ZETA ✗
→ JCS: TO INCORP. Δ, NEED RFC
RC: HASN'T SUBMITTED..
· AFTER CAREFUL STUDY OF PROP. CHG
VS WHAT'S SHOWN, FOLLOW ZETA (NOT B)
RC: → EXAMINE BENEFIT ALL SAME)
MAKE DIRECT DETAIL

POSTED BY DATE POSTED TO

CEM-4801 (HC-52 REV. 11/92)

JOB STAMP	ITEM	FILE NO.
	LOCATION	SEGREGATION ☐ YES ☐ NO
	CALC. BY	DATE
	CHK. BY	DATE

GB: EVEN TOP DN ROADWAY PROFILE
VARYING ANGLES WOOD HOLD O.K.
FINAL ELEV – ANY ADJT.
LARGER HOLE OPENING, WSPO'K COVERS ALL EVENT
RC; REVISED STAGING ANYMORE
SPLIT COLARS HANDLE
* _____ → NO : MUST REVISE (E)G.B.
(8:30) G.P. → R.C.: ELECTRONIC PLAN FILES
→ TO T.N.;
→ MAIL TO
→ TO PUT ON FTP SITE
→ NOTE FRANKLIN (GP TO CALL HIM)
G.P.: SCHEDULING VERY FINE MTG
WK OF 21ST RC TO CHECK
RC: NO POINT IN SEQUENCING
DN: TO CHECK WK OF 28TH
RC: OK TO WAIT UNTIL SEP R.
AFTER LAB DAY
ENGR FOR TEMP TOWER
(8:37) GP: CHECK ADJ ON SITE, OTHER FAB MTG
NOT 1/WK, SAY 2/WK
RC: MORE EMPHASIS ON

POSTED BY DATE POSTED TO

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION

QUANTITY CALCULATIONS

DC-CEM-4801 (OLD HC 52 REV. 11/92)7541-3520-0 SHEET 5 OF

JOB STAMP	ITEM	FILE NO.
	LOCATION	SEGREGATION ☐ YES ☐ NO
	CALC. BY	DATE 8/8/04 TJ
	CHK. BY	DATE

GP: WANT TO MEET.

RE: ZPMC NOT READY FOR PERF FOR ~2 MOS

TN: TO BE IN MID 8-9 (A/BF) CERT.

RE: SET UP AFTER LABOR DAY

TN: WILL DWG

~~FT~~ - WELDS

TH MTG - W/O

WS: FT for a 1500/1500 - STRUCTURAL

< 837

:

(837) CLERICAL ~~ISSUE~~ - "CONTACT NAME"

:

SB SE SENSOR → P. 4: MORE TH NIGHT

. TN: GETTING T1) SLOW FOR CT.

~~EE~~ - CHS TERMINOLOGY

→

SEG'T. VS LIFT.

TN: WILL DWG CAMPUS SHED OF COST

. . .

OBS: LIFT SEGM'T - SUB-ASSY TO LIFT.

TENSOR & CANDRAFT. MATRIX

LIFT → SEG'T →

→ ADAM PROJECT

14 LIFTS 5 (REC.

WTRS, INTL STAFF &

& TRUCKS

STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION

QUANTITY CALCULATIONS

DC-CEM-4801 (OLD HC-52 REV. 11/92)7541-3520-0 SHEET 6 OF

JOB STAMP	ITEM	FILE NO.
	LOCATION	SEGREGATION ☐ YES ☐ NO
	CALC. BY	DATE
	CHK. BY	DATE

- SUBMITTAL ON WKG CAMRS - CAMRS

→

TN'S PDF → JUMP OR...

- CHANGE ENG'R EST - NO [WEAR]
- JONES ACT.

⋮

<0201

- AMIN
- DEL WS, AC. -

<0207

415-291-5724 OFF

POSTED BY DATE POSTED TO

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 71	DATE 8 8 06 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER	

~~PMLV (RFI #72) (ST.); <1024/-W) → PRVS)~~ <1034

~~RFI #72/<1037/ACAD); <1040/ACAUST); <1043 & <1047~~

~~RFI #72)~~

→ (C) ALEX B.: WRS — DLL TALK LATER) <1045

~~RFI #72)~~

→ TU. SHT. #583R1 (<1921): OJP → PJP RMR → ~~CRS~~ SCRVAR10)

→ NOT ~~THE~~ PJP AS OJP ?!)

→ W/P RPT. <1056

~~RFI #72) → E/M T)~~ <1103

~~RFI #72 — RMV ACTUAL) → P/O)~~ <1134

~~E/M (T)) <1144/A P/O)~~ <1145

~~ABCM PTM:~~

→ PB

<1150

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. -5	DATE 08 08 06	M (T) W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —	

WEATHER ~~CLEAR~~

* CH: 1) + RFI 2) (a) IL's & 3) 4) No Comments Received - closed by user 4 - ?!) ⇒ ('MARK CLOSING...);

→ U/D RFI.) → TLL: CAN'T OPEN PREV ACTION - ?!)

~~CLEAR~~ 1158

A ~~TRAFFIC~~ 1228 TLL:

SIGNATURE

TITLE Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 36	DATE 08 08 06 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

EM (ST);
TL: HOS CME: +7-10 DAYS) MEETS OUTER GANG, I'LL CALL FOR MY P.M.; BCR JOBS AVAILABLE..)

W/D RPT.)

< 1351

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7	DATE 8 8 06 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

* CHE 0524 MT = 33,967 @ 1354
* " " " 33,974 @ 1429;

* ~~START~~ CT N SAS TR) — N)
→ SPOT ✓ E/M...)
→ GR:)(W/ CH @ 1 CT)) ARCM TCTM W MTG ⇒ THERE WAS 1420 HRS "SHOT ER" AS PER YEST'S. ("ALL STAFF" - ?) MTG...)

→ PMLV: 49.24...) → VAR ACTIONS)
→ E/M T) 1454

* U/D RPT.) / → CAR BOOK) → MISC.) N) <1458 / *SPOT ✓ E/M) → E/M T) <1502

* U/D RPT.) → ALEX C.: GOT MY E/M) SAYS RE GPS PROB. NON-L/N (C)? DON'T GET SAT. MTG E/M...)

<1516

* U/D RPT. → E/M T) <1523

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7 -8/	DATE 8 A 06 M T W T F S S (Circle Day)
SHIFT HOUR: START — STOP —	TEMPERATURE MIN — MAX —
WEATHER —	

~~1530~~
* J/D RPT.)
→ TL: 1) 49.23 AES?; 2) TO CT. VS 49.24-S? UNDER SPTS. WE JUST GOT TODAY; 3) RED CLOUDS FOR 49.24-S?...)

4) HAVE HSM EE/TT ISSUE. (CALDER / MGV...)
5) SBR — I'D TEXT MGR HOS (N); I'LL SEND E/M...)

1530

* J/D TCPT.) → E/M ↑; 1533 & 1534 / * E/M ↑) 1538
* JAV: PS-(A); 1549
~~1544~~
(C) → TL: ANS'D. SENT TO LV. 2-S1 PLANS OFF UNDER SPT., SINCE MECH'L RESOLUTION TIMEFRAME'S UNKNOWN...) ← REC SBR CONCERN)

→ CARLA M.: NOT @ DESK)

1544

* J/D RPT.) @ 1550 / * (CALDER); 1551 / * (CALS ↑)) 1557

SIGNATURE	TITLE
	Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.

STATE OF CALIFORNIA • DEPARTMENT OF TRANSPORTATION

RESIDENT ENGINEER'S DAILY REPORT
ASST. RESIDENT ENGINEER'S DAILY REPORT

CEM-4501 (REV. 11/92) CT# 7541-3506-1

☐ RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 45

☒ ASST. RESIDENT ENGINEER'S DAILY REPORT - FILE CAT. 46

JOB STAMP

04-0120F4
04-SF-80-13.2/13.9
SF/0BB EAST SPANS SEISMIC SAFETY PROJECT (SELF ANCHORED SUSPENSION: TOWER AND SUPERSTRUCTURE).

REPORT NO. 7 -9/	DATE 08 08 06 M T W T F S S (Circle Day)
SHIFT HOUR: START / STOP	TEMPERATURE MIN / MAX
WEATHER	

~~CLOSED~~
~~AM~~ JAV.: W. LL) → MK FOC ~ URN)
→ DMD :) JBL? – BACK MONDAY) ? ORM (c) JKM – MTE...)
→ MBARON: H2O CVR – NOT MK!)
→ TS.: FR c/u – AFTER RFI: MTE – JA (NOT TMRW)
→ ORM (c) AMW: 1) CAFF.; 2) GO JOM DRIVE BACK)
3) TO FW. RFI #5 (73→75 – ?); TO E/M BACK TO: KEITH H.?!) BCK SK?) BR?) TO "CC: WORLD"!)
:

<1623

AM RPT.) → S/D: PMCV, LA, P/C...) <1626

SIGNATURE

TITLE
Assistant Structure Representative/ Leadworker

CEM4501

ADA Notice For individuals with sensory disabilities, this document is available in alternate formats. For information call (916) 263-2041 or TDD (916) 263-2044 or write Records and Forms Management, 1120 N Street, Sacramento, CA 95814.